


Dream Machines 1995



THE FIRST AND LAST NAME IN MOUNTAIN BIKING

aliber Ltd.

bər lim'ə • tid] n. 1. Gary's ultimate
designed to a degree of excellence befit-
mal 2. Fisher Top Performance mountain
er team races

all Dream Machines, Gary designed
ie 1995 Procaliber Ltd. for one kind of
icer. Sculpted of OCLV carbon, the 2.8 lbs.
s strongest and lightest.* Hand picked with the
onentry improvements from last year's model
nkset by White Industries and racer-inspired
K-Ray shifters. Adding Rock Shox's new Judy SL
rager BCX Red and Blue label, USA made, top o'
heightens the '95 Procaliber Ltd. to a dream-like
his bad Johnson is competition ready and won't
rossed the finish line.

bon story on page 6.

HEAT LAMINATING



FISHER RACE TEAM

GARY'S PROCALIBER LTD. IS DESIGNED FOR PEOPLE WHOSE LIVELIHOODS DEPEND ON HOW FAST THEY RIDE. FROM WEIGHT SHAVING TITANIUM COMPONENTRY TO AEROSPACE OCLV CARBON, THE SCIENCE AND R&D THAT'S PACKED INTO THE PROCALIBER LTD. MEET THE CHALLENGES OF THE PROFESSIONAL RACING CIRCUIT. DAY IN AND DAY OUT PRO RACERS PETER WEBBER AND JOE LAWYLL TEST THE LIMITS OF GARY'S DESIGNS WHETHER IT'S WORLD CUP ACTION OR THE WORLD CHAMPIONSHIPS. HERE'S TO THE FISHER TEAM. DOING US PROUD!



WHEELSMITH BUILT
WHEELS WITH 15/17
DOUBLE BUTTED
STAINLESS STEEL
SPOKES AND ALLOY
NIPPLES MINIMIZE
ROTATING WEIGHT.

USA MADE MACHINE
TECH BRAKES WITH
GRAFTON REENTRY
LEVERS ARE
AMAZINGLY LIGHT
WITH MINIMUM FLEX.

SIZE: 14.75, 16.25, 17.75, 19.25"

FRAME: OCLV carbon

FORK: Rock Shox Judy SL

DRIVETRAIN: White Industries

crankset, Shimano Deore XT

w/GripShift SRT-800 shifters

BRAKES: Machine Tech

w/Grafton ReEntry levers

HUBSET: White Industries

w/Tracker front

RIMS: Bontrager BCX Red front,
Blue rear, 32 hole

TIRES: Tioga Psycho-LTD,
Kevlar bead, 26 x 1.95"

COLOR: Black Sable

ULTRA LIGHT
WHITE INDUSTRIES
COLD FORGED ALU-
MINUM CRANKSET,
MADE IN USA, WEIGHS
A SVELTE 420g.

WHITE INDUSTRIES
TITANIUM HUBSET,
ONLY 96g IN FRONT
AND 157g IN REAR.

caliber

Of the professional degree of quality. Top Performance mountain bike of Rock Shox Judy XC fork

er, you can see this machine is on the circuit. Including the Matte n frame weighs a revolutionary 2.8 lbs. to wonder why you didn't get on OCLV carbon like, Procal design refinements include the US made GripShift SRT-800 X-Ray shifters sam grips. The complete Shimano XT group or the off road racer or the performance ords; take the Procal for a test ride. You'll

in page 6.

NEW GRIPSHIFT
SRT-800 X-RAY 8 SPEED
SHIFTER WITH METAL
DETENTS IS RACE
INSPIRED TECHNOLOGY
FOR A MORE
POSITIVE CLICK.

SIZE: 14.75, 16.25, 17.75, 19.25"

FRAME: OCLV carbon

FORK: Rock Shox Judy XC

DRIVETRAIN: Sugino Mighty 900
crankset, Shimano Deore XT
w/GripShift SRT-800 shifters

BRAKES: Shimano Deore XT
w/Dia-Compe PC-11 levers

HUBSET: Shimano Deore XT
w/front suspension hub

RIMS: Bontrager BCX-1, 32 hole

TIRES: Tioga Psycho-LTD,
Kevlar bead, 26 x 1.95"

COLOR: Matte Copper

ROCK SHOX'S NEW
JUDY XC MCU
ELASTOMER AND OIL
SUSPENSION FORK
WITH LIGHT WEIGHT
ALLOY STEERER.

TIOGA PSYCHO-LTD
TIRES WITH KEVLAR
BEAD. RIDICULOUSLY
LIGHT AT 470g.

CE
KE,
BER

MOUNTAIN BIKES

MOUNTAIN BIKES

11

4.75, 16.25, 17.75, 19.25"

E: OCLV carbon

Rock Shox Quadra 21R

TRAIN: Shimano Deore XT/LX

Shift SRT-800 shifters

ES: Shimano Deore LX

Compe PC-11 levers

ET: Shimano Deore LX

suspension hub

Bontrager BCX-2, 32 hole

Tioga Psycho-K,

head, 26 x 1.95"

R: P. C. Green

SHIMANO DEORE LX
8 SPEED CASSETTE
FOR WIDER GEAR
RANGE.

ULTRA DURABLE COIL
SPRUNG DEORE XT REAR
DERAILLEUR USES
SHIMANO ADVANCED
LIGHT ACTION, LOW
FRICTION TECHNOLOGY
FOR SMOOTH INDEXING.

ONZA CLIPLESS
PEDALS WITH 6"
FLOAT. VERY SKINNY.
AT 355g FOR THE PAIR.

LIGHT WEIGHT
ALUMINUM CONTROL
TECH STEM LIGHTENS
THE STEERING SYSTEM.
IT'S THE TOP OF THE
LINE AND US MADE.

FISHER EXCLU

A relentless designer, Gary de
it takes to get a bike exactly r
this case, he couldn't rest unt
found the perfect fork to make i
Supercaliber worthy of its name
An exclusive Fisher spec, th
Rock Shox Quadra 21R micro-
cellular urethane elastomer
front suspension fork is
reserved for one, and only
one bike in 1995: the Fisher
Supercaliber. With a mag-
nesium fork brace and an
aluminum steer column,

new Quadra 21R is 7

lighter than the

Quadra 21,

microce

for a

to

[sü' pər • kal' ə • bər] n. 1. Faster than a speeding bullet...more powerfu
you know... 2. Fisher Top Performance mountain bike totally redesigned with
frame and exclusive new Rock Shox Quadra 21R suspension fork

Gary's Supercaliber starts with the aerospace inspired new OCLV carbon frameset (2.8
the slopes, Gary spec'd Rock Shox's Quadra 21R suspension fork on this hot cha cha. A
Shimano Deore XT rear derailleur; Onza clipless pedals and you've got yourself a racing
weak of heart or leg.

*See the OCLV story on page 6.

Supercaliber

MOUNTAIN BIKES

MOUNTAIN BIKES

16, 17.5, 19.5"
 TIG welded 6061 T6
 alloy
 Rock Shox Judy XC
TRAIN:
 Deore XT/LX
 SRT-800 shifters
 Shimano Deore LX
 PC-11 levers
 Shimano Deore LX
 suspension hub
 Bontrager BCX-2, 32 hole
 Tioga Psycho-K,
 26 x 1.95"
 Polished Aluminum

AT 176g, BONTRAGER
 INTEGRA RAILLESS
 SADDLE IS SUPER
 LIGHT AND SHOCK
 ABSORBING.

NEW JUDY XC BY
 ROCK SHOX HAS A
 WIDER PROFILE AND
 NEW BRACE DESIGN
 TO INCREASE RIGIDITY
 AND STEERING
 PRECISION.

BONTRAGER BCX-2,
 32 HOLE RIMS ARE
 THE SAME ONES
 SPEC'D ON FISHER
 TOP PERFORMANCE
 MOUNTAIN BIKES.

Mt. Tam

[mount tam] n. 1. Marin County mountain where Gary
 invented the mountain bike and set the Repack record
 2. Fisher High Performance mountain bike that's polished,
 front suspended and ready to break records

Named for the mountain where Gary made history, it's safe to wager
 the bank on the Mt. Tam. The USA made, TIG welded 6061 T6 aluminum
 frame is rider eye candy: naked and polished to a gleam with beautiful
 pancake welds, reinforcing down tube gusset and replaceable derailleur
 hanger. Rock Shox's revolutionary new Judy XC fork offers the highest
 hydraulically damped performance possible and is what top racers will
 use at this season's NORBA, World Cup and World Championship
 races. Lightweight Onza clipless pedals and GripShift's new racer
 inspired 8-speed X-Ray shifters round out the package.

THE FITTING OF THE MT. TAM
 IS A LIGHTER FRAME,
 WITH A CHOICE FORK
 ALL THE PERFORMANCE
 WORTHY OF 'TAM TIME!'

- GARY FISHER

In the Beginning

The birth of the mountain bike can be
 Repack Road, high on Mount Tamalpais.
 Not really intending to rock the world

Gary and the Repack boys gathered
 ten dollar clunkers salvaged from

This casual group of
 mettle. The test trail they
 1.8 miles and was nicknamed
 had to "re-pack" the trail
 with grease after each ride
 the mountain. Due to the
 much for uphill, the ride
 ride worthy 20 percent of
 uphill. A ratio soon

Annual contest
 riders to innovate and
 In 1974, determined to
 reverse the 20/80 ratio.

endary Excelsior X Clunker
 mountain bike that you could
 down mountains day after day. The first
 gears, scrap motorcycle brake levers, thumb
 release, Gary flew ahead of the pack and
 inventor of the mountain bike and pioneer
 lutionary designs and custom-cobbled
 bling were cycling's future.

In 1978, Gary rode his Excelsior X
 to a record Repack finish of
 4 minutes and 22 seconds. The
 record still stands and Gary prevails
 as the undisputed King of the Hill.



GARY FISHER'S
 ORIGINAL 15 SPEED
 CLUNKER, CIRCA 1974.

onus

reek mythology, Cronus was the
cient race of gods known for their
er High Performance mountain
Moly frame and new Rock
ision fork

the mighty Cronus in the slick Fisher team
per triple butted Cro-Moly steel, a tech-
nology while paring weight, the Cronus,
front suspension fork by Rock Shox, will
XT rear derailleur for lighter action rear
ing bike that will outwit gravity and bring

ly story on page 7.

"GARY INNOVATED THE MOUNTAIN BIKE
INDUSTRY WITH HIS DESIGNS AND GEOME-
TRIES. HE'S A MOUNTAIN BIKE GURU."

— CHRIS CAUNT,
CRITERIUM BIKE SHOP, COLORADO SPRINGS, CO

TRIPLE BUTTED THE
TRUE TEMPER CRO-
MOLY FRAME IS NEW
TECHNOLOGY FOR
FISHER; MAXIMIZING
STRENGTH,
MINIMIZING WEIGHT.

DOUBLE BUTTED,
LIGHT WEIGHT
STAINLESS STEEL
SPOKES SHAVE EVEN
MORE WEIGHT OFF
THE WHEELS.

ONZA CLIPLESS
PEDALS HAVE 6" FLOAT
FOR PAIN-FREE KNEES.

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded
triple butted True Temper Cro-Moly

FORK: Rock Shox Judy XC

DRIVETRAIN: Sugino Impel 700
crankset, Shimano Deore XT/LX
w/GripShift SRT-800 shifters

BRAKES: Shimano Deore LX
w/Dia-Compe PC-7 levers

HUBSET: Shimano Deore LX
w/front suspension hub

RIMS: Bontrager BCX-2, 32 hole

TIRES: Tioga Psycho-K,
Kevlar bead, 26 x 1.95"

COLOR: Team colors

16, 17.5, 19.5"

TIG welded 6061 T6 alloy

Rock Shox Quadra 21

RAIN: Shimano Deore XT/LX

8 SRT-800 shifters

Shimano Deore LX

PC-7 levers

Shimano Deore LX

suspension hub

Pratager BCX-2, 32 hole

Fioga Psycho-K, ad, 26 x 1.95"

Black Sable

"AS A WHOLE PACKAGE, GARY FISHER'S PARAGON DISPLAYS A STRONG SENSE OF DIRT KNOW-HOW AND A REFRESHING LACK OF FLUFF. THIS BICYCLE WANTED TO GET DIRTY."

-MOUNTAIN BIKE ACTION, MARCH 1994



Paragon

[par' • ə • gon'] n. 1. A model of 2. Fisher High Performance mountain bike. Quadra 21 suspension fork

Gary improves this USA made, laser cut minimum model of perfection with some : Deore XT rear derailleur and GripShift those same goodies on the top Fisher improvement over last year's Paragon with for wider gear selection, and badda-bing, more excellent and more perfect for '95



ONZA CLIPLESS PEDALS WITH 6" FLOAT. VERY LIGHT AND EASY ON THE KNEES.

DEORE XT REAR DERAILLEUR WITH SEALED CERAMIC GUIDE PULLEY FOR PRECISE CHAIN GUIDING AND SHIFTING.

SIZE: 14, 16, 17.5, 19.5"

FRAME: TIG welded 6061 T6
aluminum alloy

FORK: Quad butted Cro-Moly
Evolution

DRIVETRAIN: Shimano STX-RC
w/GripShift SRT-600 shifters

BRAKES: Shimano STX-RC
w/Dia-Compe PC-7 levers

HUBSET: Shimano STX-RC
w/front suspension hub

RIMS: Bontrager BCX-2, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: Ballistic Blue

"IF I HAD TO SAY ONE THING
ABOUT FISHER BIKES, I'D SAY
'THESE BIKES RULE' AND I'D SAY IT
WITH A SHOUT!"

— CHARLIE REWARD,
THE BIKE LINE, INDIANAPOLIS

Montare

[mōn • tär • ā] v. 1. Its
to climb 2. Fisher High f
bike that climbs like a vine

Bon Giorno! Because Gary ha
inclines, he designed the Montare to be

Short chainstays on the Montare mo
rider giving you better traction while clim
aluminum, the sub-4 lbs. frameset of this
welded in the US with a reinforcing down
derailleur hanger.*

*See the aluminum story on page 7.

THE 1 1/2" BUTTED
STEERING TUBE IS
LIGHTER, BUT STIFFER
FOR PRECISION
TRACKING.

CRO-MOLY
EVOLUTION IS THE
TOP OF THE LINE
CRO-MOLY FORK,
QUAD BUTTED FOR
EXCEPTIONAL
LIGHTNESS AND
SHOCK ABSORPTION.

LIGHT WEIGHT
AND RACE-READY,
SHIMANO'S STX-RC
GRUPO features
A 21 TOOTH
GRANNY CHAINRING
FOR EXCELLENT
HILL CLIMBING.

Hoo Koo E Koo

[hū • kü • ē • kü] n. 1. Band of Coast Miwok Native Americans
2. Mt. Tamalpais trail Gary rode in the "glory days" 3. Fisher High Performance bike available with Grateful Dead graphics

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded double butted True Temper Cro-Moly

FORK: Rock Shox Quadra 21

DRIVETRAIN: Shimano STX w/GripShift SRT-600 shifters

BRAKES: Shimano STX w/Dia-Compe PC-7 levers

HUBSET: Shimano STX w/front suspension hub

RIMS: Bontrager BCX-3, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: Slate or Limited Edition Grateful Dead

Loaded with the right combination of famous Fisher design and spec'ing wizardry, the '95 H.K.E.K. is perfect for riders who want a bike they won't outgrow anytime soon. To make sure of that, Gary spec'd the TIG welded and double butted, True Temper Cro-Moly frame with the Rock Shox Quadra 21 elastomer shock. The whole deal rounds out with Tioga Psycho-KS tires and the complete Shimano STX gruppo. Things happen on this Fisher High Performance mountain bike...be prepared to find your real riding potential.

PERFORMANCE
INSPIRED BONTRAGER
SADDLE ALLOWS
THE RIDER TO
EASILY GET BEHIND
THE SADDLE ON
STEEP DESCENTS.

LIGHT WEIGHT
GRIPSHIFT SRT-600
SHIFTERS ARE
CLEANLY DESIGNED
FOR FLAWLESS
PERFORMANCE.

EASY-TO-ADJUST
DIRECT CONNECT
STYLE HEADSET IS
LIGHTWEIGHT
AND GIVES BETTER
LATERAL STEERING
STIFFNESS FOR
BETTER CONTROL.



The year is 1966. Gary "Mar" in Pescadero Service and Gratefu

at San Francisco City Hal proceeds down El Cami

motley bunch with his ble Over the next three da

concert at I.D.E.S. Hall. W ebration, the teenager an

would become the Great Almost thirty years late

thing that first drew them Grateful Dead Hoo Koo I Collaborating with Prai

artwork was designed fo "Dead Bone Art" came th

while a femur goes the le With the same geome

know the Limited Edition road. Ride the Limited Ec

you what a long, strange



INTERNALLY REINFORCED HEAD TUBE AND SEAT CLUSTER ARE LIGHTER, STRONGER AND BETTER FUNCTIONING.

DOUBLE BUTTED, TIG WELDED AND MADE IN THE USA WITH SUSPENSION READY GEOMETRY. ADD A SUSPENSION FORK WHEN THE TIME IS RIGHT.

BULLET CABLE STOPS ARE KNEE FRIENDLY.

SPECIAL FRICTION COMPOUND SUPER M-65 BRAKE SHOES PROVIDE DEPENDABLE STOPPING PERFORMANCE IN ANY ENVIRONMENT.

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded double butted True Temper Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano STX w/GripShift SRT-600 shifters

BRAKES: Shimano STX w/Dia-Compe PC-7 levers

HUBSET: Shimano STX

RIMS: Bontrager BCX-3, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: P.C. Green

"MY OWN FEAR WILL HOLD ME BACK BEFORE MY FISHER WILL..."

— PHIL GODKIN,
STADIUM BIKES, GREEN BAY, WI

[ə • kē • lə] n. 1. Equatorial constellation in 2. Fisher High Performance mountain bike wi

Gary looked to the heavens for a bit of inspiration TIG welded and double butted True Temper Cro gruppo. Nice. For sharp, error-free shifting he spec'd sity foam grips, plus bonded aluminum bar ends. Bir riding buds and take flight on the new Fisher Aquila.

itoto

ə • tō • tō] n. 1. New Zealand
n. 2. Fisher High Performance
n. bike of double butted Cro-Moly
: suspension

got this Jones for naming
the mountains he con-
s one got its name for the
he conquered in the land down under.
d of TIG welded Cro-Moly, the double
me saves weight, but not at the expense
i. To this off road High Performance vehi-
dds the SR DuoTrack elastomer suspen-
o attack the mountain on the descent.

"GARY'S LINE IS ONE OF THE MOST
INNOVATIVE BIKE LINES IN THE
INDUSTRY. HIS STYLING AND
MATERIALS ARE UNIQUE"

— KEMP JONES,
OCEANFRONT BIKES, VIRGINIA BEACH, VA

SIZE: 15.5, 16.75, 18, 19.5"

FRAME: TIG welded
double butted Cro-Moly

FORK: SR DuoTrack

DRIVETRAIN: Shimano Alivio
crankset, Shimano STX/Acera-X
w/GripShift SRT-400 shifters

BRAKES: Shimano Acera-X
w/alloy levers

HUBSET: Shimano Acera-X
w/alloy front

RIMS: Bontrager BCX-3, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Team colors

TIG WELDED DOUBLE
BUTTED CRO-MOLY
FRAME IN FISHER RACE
TEAM COLORS.

SR DUOTRACK
ELASTOMER
SUSPENSION FORK
LESSENS RIDER
FATIGUE BY ABSORB-
ING HITS FROM
ROCKS AND BUMPS.

BONTRAGER RIMS
ARE LIGHT
AND STRONG.

TASSAJARA
COLOR CHOICES,
BLACK AND RED.



Marlin

[mä'r • lin] *n.* 1. Large, saltwater fish 2. Fisher Bicycle mascot 3. Fisher Performance mountain bike designed for those new to the sport

SIZE: 13, 15.5, 16.75, 18, 19.5"

FRAME: TIG welded
double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Acera-X
w/GripShift MRX-100 shifters

BRAKES: Shimano Altus C90
w/alloy levers

HUBSET: Alloy QR

RIMS: Weinmann 4019, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Titanium or Blue

MARLIN
SECOND COLOR
CHOICE, BLUE.



SHIMANO CARTRIDGE
BOTTOM BRACKET
IS SEALED TO
PROTECT FROM MUD,
SALT AND DIRT.

SHIMANO ACERA-X
DERAILLEURS AND
CRANKSET, NEW FOR
'95 AND EXCLUSIVELY
DESIGNED FOR REAL
OFF ROAD RIDING.

a

lley where
kery (It's all
untain bike
le

on't question its
Cro-Moly, the
than competi-
nclude the STX
ers with Gary's
is that with all
s less than last
y an arm and a

SIZE: 13, 15.5, 16.75, 18, 19.5"

FRAME: TIG welded
double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Alivio crankset,
Shimano STX/Acera-X w/GripShift
SRT-400 shifters

BRAKES: Shimano
Acera-X w/alloy levers

HUBSET: Shimano Acera-X
w/alloy front

RIMS: Weinmann 4019, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Steel Blue, Black or Red

"GARY DESIGNS A LOT OF
PERFORMANCE INTO A
BIKE AT THIS PRICE."

— ESTELLE GRAY,
R&E CYCLES, SEATTLE, WA

DOUBLE BUTTED AND
TIG WELDED CRO-
MOLY FRAME HAS
SMOOTH HIPSTAYS
FOR BETTER TIRE
CLEARANCE SO YOU
WON'T SUFFER FROM
MUD BUILD UP.

TASSAJARA
COLOR CHOICES,
BLACK AND RED.



Tassajara

[tas • ə • här • ə] n. 1. Northern California valley where Gary once rode; Zen monastery; wheat bread bakery (It's all three, take your pick) 2. Fisher Performance mountain bike that's custom designed, light weight and affordable

While you may question the name of the bike, you won't question its performance. Crafted of TIG welded double butted Cro-Moly, the Tassajara's frame is a lighter and stronger piece of work than competitors' bikes at the same price. Tasty componentry treats include the STX rear derailleur and the smooth GripShift SRT-400 shifters with Gary's own Hex grips and alloy butted bars. And the real kicker is that with all this good stuff and sweet design, the '95 Tassajara costs less than last year's model. Because to Gary's way of thinking, if you pay an arm and a leg for a bike, how can you ride it?

SIZE: 11.5"

FRAME: TIG welded

Cro-Moly seat tube

WORK: Threaded

DRIVETRAIN: SR alloy crankset,
Shimano Tourney w/Quickshift 60 shifters

BRAKES: Shimano Altus C90

w/resin levers

HUBSET: Nutted

RIMS: Alloy, 36 hole


TIRES: Blackwall, 24 x 1.9"

COLOR: Purple

GARY DESIGNED A
COMPACT FORK
TO PROVIDE BETTER
STANDOVER
HEIGHT FOR THE
SMALLER RIDER.



THIS AIN'T NO POGO
STICK! DIS THE BUMPS
WITH THE SR 7005
DUOTRACK
ELASTOMER/SPRING
SUSPENSION FORK.



Tyro

[tī• rō] n. 1. Beginner in learning anything
2. Fisher Compact 24" wheel mountain bike

The Tyro is the perfect bike if you're a smaller rider fresh to the mountain biking thing. Designed with the same exacting standards Gary uses on all his bikes, the Tyro has a geometry proportionally scaled to fit smaller limbs. Providing the right amounts of funk and function, the Cro-Moly frame is strong and aggressive on the off roads with a super short 15.5" chainstay for excellent climbing traction. Fueled by the thrill of the ride, beginners everywhere will learn quickly on Gary's Tyro – but don't forget a helmet to guard your noggin.

"VERTICALLY CHALLENGED
DOESN'T MEAN YOU CAN'T
RIDE WITH THE BIG BOYS."

— GARY FISHER

SIZE: 11.5"

FRAME: TIG

Cro-Moly seat

FORK: Threa

DRIVETRAI

Shimano Toun

BRAKES: Sh

w/resin levers

HUBSET: N

RIMS: Alloy,

TIRES: Black

COLOR: Pur

Maniac

SIZE: 11.5"

FRAME: TIG welded

Cro-Moly main tubes

FORK: SR 7005 DuoTrack

DRIVETRAIN: SR alloy crankset,

Shimano Acera-X/Tourney

w/GripShift MRX-100 shifters

BRAKES: Alloy calipers

w/resin levers

HUBSET: Alloy nitted

RIMS: Weinmann 4019, 36 hole

TIRES: Maxxis, 24 x 2.1"

COLOR: Black

[mā' • nē • ak'] n. 1. Raving or violently insane person
2. Fisher Compact 24" wheel mountain bike with front suspension fork

The small will rage on Gary's Maniac, the newest Compact 24" wheel mountain bike, with crank arms, chainstays, top tube, stem and brake levers proportioned to fit the smaller rider. Plus, a larger gearing compensates for smaller tires so you can still cover the same range as the full size Fishers. Choice specs on the strong, durable Cro-Moly frame include the 7005 DuoTrack elastomer/spring suspension fork to smooth over psycho terrain and Shimano's new Acera-X rear derailleur. You'd have to be nuts not to appreciate the fine attention to detail on the new Maniac.

"THEY MAY SAY, 'YOU RIDE
LIKE A MANIAC,' BUT YOU'RE
REALLY IN PERFECT CONTROL."

— GARY FISHER

OVERSIZE 1 1/4"
HEADSET MEANS
MORE PRECISE
STEERING.

THIS AIN'T NO POGO
STICK! DIS THE BUMPS
WITH THE SR 7005
DUOTRACK
ELASTOMER/SPRING
SUSPENSION FORK.

NEW SHIMANO
ACERA-X REAR
DERAILLEUR HAS SLANT
PARALLELOGRAM FOR
SMOOTHER SHIFTING.



"THINK OF YOUR BIKE AS MORE THAN
RECREATION. IT'S TRANSPORTATION."

— GARY FISHER

Zebrano

[zə • brä • nō] *n.* 1. A hard, striped wood obtained from a South American tree of the genus *Connarus* 2. Fisher entry-level hybrid perfect for city or trail

SIZE: 13, 15, 17, 19, 21"; Ladies' 15, 18"

FRAME: Full TIG welded Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Acera-X
crankset Shimano Alivio/Acera-X
w/GripShift MRX-100 shifters

BRAKES: Shimano Altus C90
w/alloy levers

HUBSET: Shimano Acera-X rear,
alloy front

RIMS: Araya PX35, 36 hole

TIRES: Skinwall, 700 x 35c

COLOR: Wild Cherry or Black

Another new extension of the Fisher family tree, Gary's Zebrano has a full Cro-Moly steel frame available in both diamond and ladies' versions. To that he adds Alivio and Acera-X componentry newly designed for light trail riding. If you haven't ridden a bike in awhile and want a transportation, recreation, commuting and tooling-around bike, the Zebrano is as different from other hybrids as black is from white.


ALLOY BRAKE LEVERS
AND NEW FISHER
HEX KRATON GRIPS
WITH GRIPSHIFT
MAKE BRAKING AND
SHIFTING PLUSHER
THAN EVER.

INTRODUCING
GARY'S NEW FISHER
"SUPERSOFT"
FOAM SADDLE.

ZEBRANO
SECOND COLOR
CHOICE, BLACK.



WITH LOW PROFILE
DESIGN, SHIMANO STX
REAR AND FRONT
DERAILLEURS ARE THE
BEST SHIFTING IN
THEIR CLASS.



CO

ad commutes

y of bicycles. The
iond and ladies'
tion. Twenty-one
range of territo-
n inverted tread
STX drivetrain
pearance while
ffortless shifting.
or '95 Alfresco.

SIZE: 13, 15, 17, 19, 21"; Ladies' 15, 18"

FRAME: TIG welded
double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano STX
w/GripShift SRT-400 shifters

BRAKES: Shimano MC-12
w/Dia-Compe PC-7 levers

HUBSET: Shimano Alivio


RIMS: Weinmann ZAC19, 32 hole

TIRES: Avocet, 700 x 35c

COLOR: P.C. Green

USA MADE, DOUBLE
BUTTED TRUE TEMPER
CRO-MOLY FRAME
IS LASER CUT
AND DESIGNED
WITH VERSATILE
RACK MOUNTS.

WITH LOW PROFILE
DESIGN, SHIMANO STX
REAR AND FRONT
DERAILLEURS ARE THE
BEST SHIFTING IN
THEIR CLASS.




Alfresco

[al • fres' • kō] adj. 1. Fresh, cool, out-of-doors


2. Fisher top hybrid for light off road trails or road commutes

Welcome the new Alfresco hybrid to the Fisher family of bicycles. The double butted TIG welded Cro-Moly frame (in diamond and ladies' styles) is designed for a comfortable, upright riding position. Twenty-one speeds offer the range of gears you need for the wide range of territory you can cover on this 'brid. Avocet 700c tires have an inverted tread for mega speed and ultra traction. Complete Shimano STX drivetrain dishes out high levels of quality, performance and appearance while GripShift SRT-400 means total hands-on control and effortless shifting. Get up, get on and get out-of-doors with Gary's new for '95 Alfresco.



MOUNTAIN BIKES

Straddle the top tube in a standing position with feet flat on the floor, about 12" apart. On mountain bikes, optimal clearance between you and the bike is 2" to 6". Most riders can fit two frame sizes of a given bike, so take a test ride to choose the right one.




RAKE (R):

The perpendicular distance from the centerline of the head tube to the center of the front hub. Rake combined with the head tube angle yields Trail.

TRAIL (T):

This measurement affects the stability of the steering system and the feel of the steering. Longer trail means a heavier or more stable feel; less trail means easier steering and more sensitive handling.



HYBRID BIKES

To size for a Fisher Hybrid, the rider should have 2" to 3" top tube clearance. Most riders can fit two frame sizes of a given bike, so take a test ride to choose the right one.

PROCALIBER LTD., PROCALIBER, SUPERCALIBER

Size	A	B	C	D	E	F	G	H	R	T
14.75"	70.5°	73.0°	58.1/22.9	42.4/16.7	29.8/11.7	105.1/41.4	11.0/4.3	72.3/28.5	3.7/1.5	7.9/3.1
16.25"	71.0°	73.0°	59.1/23.3	42.4/16.7	29.8/11.7	106.0/41.7	11.0/4.3	74.1/29.2	3.7/1.5	7.6/3.0
17.75"	71.0°	73.0°	59.4/23.4	42.4/16.7	29.8/11.7	106.3/41.9	12.3/4.8	76.4/30.1	3.7/1.5	7.6/3.0
19.25"	71.0°	73.0°	59.9/23.6	42.4/16.7	29.8/11.7	107.0/42.1	15.9/6.2	79.9/31.5	3.8/1.5	7.6/3.0

MT. TAM, PARAGON, MONTARE

Size	A	B	C	D	E	F	G	H	R	T
14"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.7/11.2	102.8/40.4	10.5/4.1	72.3/28.5	3.8/1.5	7.4/2.9
16"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.5/4.9	76.2/30.0	3.8/1.5	7.1/2.8
17.5"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.3	14.5/5.7	77.2/30.4	3.8/1.5	7.1/2.8
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.4	81.2/32.0	3.8/1.5	7.1/2.8

CRONJUS, HOO KOO E KOO, AQUILA

Size	A	B	C	D	E	F	G	H	R	T
11.5"	70.5°	73.5°	54.2/21.3	42.0/16.5	28.5/11.2	101.2/39.8	9.0/3.5	67.5/26.6	3.8/1.5	7.7/3.0
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	9.0/3.5	73.3/28.8	3.8/1.5	7.4/2.9
17.5"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.6/40.8	10.5/4.1	76.6/30.2	3.8/1.5	7.1/2.8
19"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.3	14.5/5.7	80.3/31.6	3.8/1.5	7.1/2.8
20.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.4/41.9	18.5/7.2	84.0/33.1	3.8/1.5	7.1/2.8

RANGITOTO

Size	A	B	C	D	E	F	G	H	R	T
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.8/40.4	10.5/4.1	75.6/29.8	3.8/1.5	7.4/2.9
16.75"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.5/4.9	77.0/30.3	3.8/1.5	7.1/2.8
18"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.3	14.5/5.7	79.0/31.1	3.8/1.5	7.1/2.8
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.4	82.2/32.4	3.8/1.5	7.1/2.8

TASSAJARA, MARLIN

Size	A	B	C	D	E	F	G	H	R	T
13"	71.0°	74.5°	54.0/21.0	42.0/16.5	28.8/11.3	101.4/39.9	8.5/3.3	70.3/27.7	3.8/1.5	7.4/2.9
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	10.5/4.1	75.1/29.6	3.8/1.5	7.4/2.9
16.75"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.7/40.8	12.5/4.9	76.7/30.2	3.8/1.5	7.1/2.8
18"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.1	14.5/5.7	78.4/30.9	3.8/1.5	7.1/2.8
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.3/41.8	16.5/6.4	81.5/32.1	3.8/1.5	7.1/2.8

MANIAC

Size	A	B	C	D	E	F	G	H	R	T
11.5"	70.5°	74.5°	52.5/20.7	39.4/15.5	27.7/10.9	98.6/38.8	8.5/3.3	66.5/26.2	4.3/1.7	6.8/2.7

TYRO

Size	A	B	C	D	E	F	G	H	R	T
11.5"	70.5°	74.5°	52.5/20.7	39.4/15.5	27.7/10.9	98.1/38.6	8.5/3.3	64.0/25.5	3.8/1.5	6.8/2.7

ALFRESCO, ZEBRANO

Size	A	B	C	D	E	F	G	H	R	T
13"	70°	74°	54.5/21.4	43.0/16.9	28.1/11.0	102.7/40.4	9.0/3.5	70.2/27.6	4.0/1.5	8.3/3.2
15"	70.5°	74°	55.0/19.6	43.0/16.9	28.1/11.0	102.8/40.4	9.0/3.5	72.7/28.6	4.0/1.5	8.0/3.1
17"	70.5°	73°	56.0/22.0	43.0/16.9	28.1/11.0	102.9/40.5	9.0/3.5	75.0/29.5	4.0/1.5	8.0/3.1
19"	71.5°	73°	57.0/22.4	43.0/16.9	28.1/11.0	103.0/40.5	10.0/3.9	78.1/30.7	4.0/1.5	7.3/2.8
21"	71.5°	73°	58.0/22.8	43.0/16.9	28.1/11.0	104.1/40.9	14.0/5.5	82.5/32.4	4.0/1.5	7.3/2.8
15" L	70.5°	74°	55.0/21.6	43.0/16.9	28.1/11.0	102.8/40.4	12.0/4.7	N/A	4.0/1.5	8.0/3.1
18" L	71.5°	73°	56.0/22.0	43.0/16.9	28.1/11.0	103.0/40.5	16.5/6.4	N/A	4.0/1.5	7.3/2.8

All dimensions are in centimeters/inches unless otherwise stated.

SPECS

	FRAMESET			DRIVETRAIN								WHEELS		
	Color	Size*	Frame	Fork	Headset	Crankset	Front Derailleur	Rear Derailleur	Shifters/ Grips	Bottom Bracket	Cassette/ Freewheel	Chain	Hubset	Spc
PROCALIBER LTD. 21.1 lb / 9.57 kg (17.75" frame)	Black Sable	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Judy SL MCU elastomer/oil suspension	Tioga OS-NSS-DL-TRB 1 1/4", silver	White Industries w/Mighty chainrings 42/32/22	Shimano Deore XT	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	White Industries titanium	Shimano Deore XT, 11-28, 8spd	Shimano HG90	White Industries w/Tracker front, Salsa Flip-Offs QR	Wh 15/ butt w/a nipi
PROCALIBER 23.1 lb / 10.5 kg (17.75" frame)	Matte Copper	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Judy XC MCU elastomer/oil suspension	Tioga OS-NSS-DL2 TRB 1 1/4", silver	Sugino Mighty 900 42/32/22	Shimano Deore XT	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	Shimano BB-UN71	Shimano Deore XT, 11-28, 8spd	Shimano HG90	Shimano Deore XT w/front suspension hub	Sap 14/ butt stai ste
SUPERCALIBER 23.8 lb / 10.8 kg (17.75" frame)	P.C. Green	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Quadra 21R MCU elastomer suspension	Tioga OS-NSS-DL2 TRB 1 1/4", silver	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai ste
MT. TAM 24.6 lb / 11.2 kg (17.5" frame)	Polished Aluminum	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Rock Shox Judy XC MCU elastomer/oil suspension	Dia-Compe 1 1/4", black	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai ste
CRONUS 25.2 lb / 11.4 kg (17.5" frame)	Team colors	11.5, 15.5, 17.5, 19, 20.5"	TIG welded triple butted True Temper Cro-Moly	Rock Shox Judy XC MCU elastomer/oil suspension	Tange 1 1/4", black	Sugino Impel 700 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	Shimano BB-UN51	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai ste
PARAGON 25.0 lb / 11.3 kg (17.5" frame)	Black Sable	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Rock Shox Quadra 21 elastomer suspension	Tange 1 1/4", black	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai ste
MONTARE 24.9 lb / 11.3 kg (17.5" frame)	Ballistic Blue	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Quad butted Cro-Moly Evolution, 1 1/4"	Tange 1 1/4", black	Shimano STX-RC 42/32/22	Shimano STX-RC	Shimano STX-RC	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP30	Shimano STX-RC, 11-28, 7spd	Shimano IG50	Shimano STX-RC w/front suspension hub	Sap 14/ butt stai ste
HOO KOO E KOO 27.0 lb / 12.3 kg (17.5" frame)	Slate or Limited Edition Grateful Dead	11.5, 15.5, 17.5, 19, 20.5"	TIG welded double butted True Temper Cro-Moly	Rock Shox Quadra 21 elastomer suspension	Tioga TS-ST-2 1 1/4"	Shimano STX 42/34/22	Shimano STX	Shimano STX	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP30	Shimano STX, 11-28, 7spd	Shimano IG50	Shimano STX w/front suspension hub	Oh 14/ stai ste
AQUILA 26.7 lb / 12.1 kg (17.5" frame)	P.C. Green	11.5, 15.5, 17.5, 19, 20.5"	TIG welded double butted True Temper Cro-Moly	Cro-Moly threaded, 1 1/4" w/forged drop-outs	Tioga TS-OV-21 1 1/4"	Shimano STX 42/34/22	Shimano STX	Shimano STX	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP20	Shimano STX, 11-28, 7spd	Shimano IG50	Shimano STX	Oh 14/ stai ste
RANGITOTO 29.1 lb / 13.2 kg (18" frame)	Team colors	15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	SR DuoTrack elastomer suspension	1 1/4", black	Shimano Alivio 42/34/24	Shimano Acera-X	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano IG50	Shimano Acera-X rear w/alloy front	15 (stai ste
TASSAJARA 27.9 lb / 12.7 kg (18" frame)	Steel Blue, Black or Red	13, 15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	Cro-Moly threaded, 1 1/4" w/forged drop-outs	1 1/4", black	Shimano Alivio 42/34/24	Shimano Acera-X	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano IG50	Shimano Acera-X rear w/alloy front	15 (stai ste
MARLIN 28.2 lb / 12.8 kg (18" frame)	Titanium or Blue	13, 15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	Cro-Moly threaded, 1 1/4" w/forged drop-outs	1 1/4", black	Shimano Acera-X 42/34/24	Shimano Acera-X	Shimano Acera-X	GripShift MRX-100 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano HG30, 11-28, 7spd	KMC HP70	Alloy QR, silver	15 (stai ste
MANIAC	Black	11.5" frame w/24" wheel	TIG welded Cro-Moly main tubes	SR 7005 DuoTrack elastomer/spring suspension	1 1/4", black	SR alloy 165mm 48/38/28	Shimano Tourney	Shimano Acera-X	GripShift MRX-100 w/Fisher Hex Kraton rubber grips	YST 611NW sealed bolt type	Shimano HG50C, 11-28, 7spd	KMC HP70	Alloy nutted, silver	15 (stai ste
TYRO	Purple	11.5" frame w/24" wheel	TIG welded Cro-Moly seat tube	Threaded, 1" w/forged drop-outs	1", black	SR alloy 165mm 48/38/28	Shimano Tourney	Shimano Tourney	Quickshift 60 w/Fisher Hex Kraton rubber grips	YST 651 sealed bolt type	Shimano HG20, 14-28, 6spd	KMC HP70	Nutted, black	15 (stai ste
ALFRESCO	P.C. Green	13, 15, 17, 19, 21", Ladies' 15, 18"	TIG welded double butted Cro-Moly	Cro-Moly w/forged drop-outs	Alloy 1", silver	Shimano STX 42/32/22	Shimano STX	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano HG50	Shimano Alivio	14 (stai ste
ZEBRANO	Wild Cherry or Black	13, 15, 17, 19, 21", Ladies' 15, 18"	TIG welded full Cro-Moly	Cro-Moly w/forged drop-outs	1", black	Shimano Acera-X 42/34/24	Shimano Acera-X	Shimano Alivio	GripShift MRX-100 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano HG30, 11-28, 7spd	KMC HP70	Shimano Acera-X rear w/alloy front, silver	15 (stai ste

*Measured from center of bottom bracket to intersection of centerlines of seat tube and top tube.

Fisher bicycles are equipped with col

rate/heel	WHEELS					OTHER COMPONENTS						
	Chain	Hubset	Spokes	Rims	Tires	Brakeset/Levers	Pedals	Handlebars	Bar Ends	Stem	Seatpost	Saddle
10 KT, 8spd	 Shimano HG90	White Industries w/Tracker front, Salsa Flip-Offs QR	Wheelsmith 15/17 gauge butted w/alloy nipples	Bontrager BCX Red front, Blue rear, 32 hole	Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"	Machine Tech w/Grafton ReEntry levers, long	Onza clipless, titanium axle, 6" float, 294g/pr	Bontrager Titec, butted titanium, 3" bend, 560mm, 118g	Bontrager long magnesium Titec 130 bar ends	Control Tech aluminum Ahead stem, 10" rise	Bontrager carbon fiber post, aluminum head	Bontrager Integra, railless, leather, 176g
10 KT, 8spd	 Shimano HG90	Shimano Deore XT w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-1, 32 hole	Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"	Shimano Deore XT M-System w/Dia-Compe PC-11 levers	Onza clipless, 6" float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Bontrager long magnesium Titec 130 bar ends	Control Tech aluminum Ahead stem, 10" rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
10 X, 8spd	 Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-11 levers	Onza clipless, 6" float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Fisher forged aluminum, silver	Control Tech aluminum Ahead stem, 10" rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
10 X, 8spd	 Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-11 levers	Onza clipless, 6" float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem, 10" rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
10 X, 8spd	 Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-7 levers	Onza clipless, 6" float, 355g/pr	System 2 butted 6061 T6 aluminum, 5" bend, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem, 10" rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager, black, 255g
10 X, 3spd	 Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-7 levers	Onza clipless, 6" float, 355g/pr	System 2 butted 6061 T6 aluminum, 5" bend, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem, 10" rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager, black, 255g
10 I, 7spd	 Shimano IG50	Shimano STX-RC w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX-RC M-System w/Dia-Compe PC-7 levers	System 2 alloy body and cage, sealed	System 2 butted 6061 T6 aluminum, 5" bend, 560mm	System bonded aluminum	TIG welded Cro-Moly Ahead stem, 10" rise	System 1 6061 T6 aluminum, micro-adjust	Bontrager, black, 255g
10 I, 7spd	 Shimano IG50	Shimano STX w/front suspension hub	Ohio 14 gauge stainless steel	Bontrager BCX-3, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX M-System w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5" bend, 560mm	System bonded aluminum	TIG welded Cro-Moly Ahead stem, 10" rise	System 1 6061 T6 aluminum, micro-adjust	Bontrager, black, 255g
10 I, 7spd	 Shimano IG50	Shimano STX	Ohio 14 gauge stainless steel	Bontrager BCX-3, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX M-System w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5" bend, 560mm	System bonded aluminum	System 1 TIG welded Cro-Moly, silver	System 1 6061 T6 aluminum, micro-adjust	Fisher "Supersoft" foam
10 I, 7spd	 Shimano IG50	Shimano Acera-X rear w/alloy front	15 gauge stainless steel	Bontrager BCX-3, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Acera-X M-System w/alloy, silver levers	Victor resin body w/steel cage	Butted 6061 T6 aluminum alloy, 560mm	Bonded aluminum	TIG welded Cro-Moly, silver	Alloy micro-adjust	Fisher "Supersoft" foam
10 I, 7spd	 Shimano IG50	Shimano Acera-X rear w/alloy front	15 gauge stainless steel	Weinmann 4019, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Acera-X M-System w/alloy, silver levers	Victor resin body w/steel cage	Butted 6061 T6 aluminum alloy, 560mm		TIG welded Cro-Moly, silver	Alloy micro-adjust	Fisher "Supersoft" foam
10 I, 7spd	 KMC HP70	Alloy QR, silver	15 gauge	Weinmann 4019, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Altus C90 w/alloy, silver levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 560mm		TIG welded, black	Alloy micro-adjust	Fisher "Supersoft" foam
10 I, 7spd	 KMC HP70	Alloy nutted, silver	15 gauge	Weinmann 4019, 36 hole	Maxxis, 24 x 2.1"	Alloy calipers w/resin levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 540mm		TIG welded, black	Chrome steel	Fisher "Supersoft" foam
10 I, 7spd	 KMC HP70	Nutted, black	15 gauge	Alloy, 36 hole	Blackwall, 24 x 1.9"	Shimano Altus C90 w/resin levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 540mm		TIG welded, black	Chrome steel	Fisher "Supersoft" foam
10 I, 7spd	 Shimano HG50	Shimano Alivio	14 gauge stainless steel	Weinmann ZAC19, 32 hole	Avocet, 700 x 35c	Shimano Alivio w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5" bend, 560mm		System 1 hybrid, TIG welded Cro-Moly, silver	Alloy micro-adjust	Velo foam w/Bio design
10 I, 7spd	 KMC HP70	Shimano Acera-X rear w/alloy front, silver	15 gauge	Araya PX35, 36 hole	Skinwall, 700 x 35c	Shimano Altus C90 w/alloy, silver levers	Wellgo ATB nylon	Steel, 560mm		TIG welded, black	Alloy micro-adjust	Fisher "Supersoft" foam

Fisher bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.