




TREK 1995

Performance
Competition

REVOLUTIONARY Y SERIES: OCLV CARBON TO T

Y 33

[OCLV carbon Full Suspension]

SIZES: 16, 18, 20". **FRAME/FORK:** Trek design OCLV carbon one-piece main frame, Trek design
welded aluminum unified rear triangle & Fox airfoil rear shock; Rock Shox Judy SL fork.
DRIVETRAIN: Shimano XTR w/RapidFire+ shifters. **HUBSET:** White Industries Tracker w/suspension
front hub. **RIMS:** Matrix VooDoo, 32 hole. **TIRES:** Continental Leader Pro front 26x2.1,
Cross Country rear, 26x2.0, Kevlar bead. **BRAKES:** Shimano XTR M-System.
COLOR: Ice Indigo w/Yellow/Silver decals & polished swingarm. **WEIGHT:** 24.50lbs/11.123kg.



"A new precedent for full
suspension mountain bike design."

'ZAP' Mountain Bike

THE ROCKET BOYZ' LAUNCH PAD.

Our Optimum Compaction Low Void carbon is 30% lighter and stiffer than titanium. Our tube/lug bonds withstand 16 tons of pulling force. Our frames take 1.2 million high fatigue simulator impacts and beg for more.

But why bore you with rocket science, when all you want is the rocket!



9900 TEAM

OCV carbon]

SIZES: 16.5, 18, 19.5, 21". **FRAME/FORK:** Trek design OCLV carbon lugs, main tubes & tapered stays; Rock Shox Judy SL.

DRIVETRAIN: Shimano XTR w/RapidFire+ shifters. **HUBSET:** White Industries Tracker w/suspension front hub.

RIMS: Matrix VooDoo, 32 hole. **TIRES:** Continental Leader Pro front, 26x2.1, Cross Country rear, 26x2.0, Kevlar bead.

BRAKES: Shimano XTR M-System. **COLOR:** Nude carbon w/Yellow/Purple decals. **WEIGHT:** 23.00lbs/10.442kg.

"...If I were stranded on a desert island, I'd definitely have to take [this bike] along."

Jackson Lynch, Bicycle Guide July 1994, on the Trek 1994 9900.

Y 22

OCLV carbon Full Suspension]



ONCE AGAIN, TREK UNPAVES THE WAY.

Here's where full suspension crosses over to cross-country riding. Proportional impact response smoothes over big bumps and small. Uphill or down. Fast or slow. You get the picture.

Suspension ain't just for downhill anymore.

9200

Full Suspension]



Use 15% less energy
with Dual Suspension vs.
a Rigid bike.

Trek's lightest. Rock Shox's newest. Shimano's smoothest. Conti's toughest. Come out and play with the Rocket Boyz toyz!

9800SHX

OCV carbon]



**OCV COMBO PLATE: UP HILL.
DOWN HILL. TECHNICAL. INCREDIBLE.**

RapidFire+ shifters & XT derailleur plus a ton of X-tras tailor made for X-treme conditions.

9800

OCV carbon]



NOT YOUR PREHISTORIC CRO-MAGNON STEEL

990 [Cro-Moly ZX Series]

**CUSTOM TRI-BUTTED, TIG WELDED
ZX CRO-MOLY** frame fully tricked out with direct
connect headset and stem, RapidFire+, clipless
pedals, race saddle and Psycho-K's.

THIS ROOTBEER FLOATS.



SIZES: 13, 16.5, 18, 19.5, 21, 22.5". **FRAME/FORK:** Trek True-Temper heat treated triple butted Cro-Moly & central butted stays; System 2 butted Cro-Moly fork. **DRIVETRAIN:** Shimano Deore XT-C w/RapidFire **HUBSET:** Shimano Deore XT Parallax w/suspension front hub. **RIMS:** Matrix VooDoo, 32 hole. **TIRE:** 26x1.95, Kevlar bead. **BRAKESET:** Shimano Deore LX M-System. **COLOR:** Ice Root Beer w/Sage dec. **WEIGHT:** 23.56lbs/10.696kg.

8700SHX

Carbon ZX Series]



"Hey Judy!" with
rider adjustable
hydraulic damping.

PRO CAREERS START HERE.

Epoxy bonded three tube ZX carbon is light, rigid, responsive,
& durable. Long top tube design balances your weight, adds control,
makes you every bit as aggressive as the geometry.

8700

Carbon ZX Series]



XT 8 spd rear. VooDoo rims. Psycho
Kevlar beaded tires. A KILLER BIKE
AT TWICE THE PRICE.

970SHX

Cro-Moly ZX Series]



System bar ends and a
Rock Shox Quadra 21.
How big dogs mark
their turf.

OUR NAME IS MUD.

970

Cro-Moly ZX Series]



New Deore LX/XT 8 spd
drivetrain gives you a gear up
on the competition.

7000SHX

Aluminum ZX Series]



"...a remarkably lightweight, well-priced and solid machine. If you're looking to save bucks and poundage at the same time, this may be your bike."

Zapata Espinoza, Editor, *Mountain Bike* June 1994, on the Trek 1994 7000.

7000

Aluminum ZX Series]



ZX: Design. Materials.
Construction. Componentry.
Higher function.
Lower weight.

Light Made Right.

Info: pp 8-11.

6500

Aluminum ZX Series]



ZERO EXCESS: LIGHTNING STRIKES THRICE

Trek's Advanced Bonding Technology reduces the chance of metal distortion in frame building to exactly **ZERO**.

7000SHX] Aluminum ZX Series

SIZES: 14.5, 16.5, 18, 19.5, 21".

FRAME/FORK: Easton ProGram butted aluminum alloy main tubes, Trek aluminum alloy lugs w/Easton tapered aluminum alloy stays; Rock Shox Quadra 21 fork.

DRIVETRAIN: Shimano STX-RC w/RapidFire+ OptiGear shifters.

HUBSET: Shimano STX-RC Parallax w/suspension front hub.

RIMS: Matrix VooDoo, 32 hole.

TIRES: Tioga Psycho-K, 26x1.95, Kevlar bead.

BRAKESET: Shimano STX-RC M-System.

COLOR: Ice Green to Ice Blue fade w/Silver/White decals.

WEIGHT: 25.50lbs/11.577kg.

7000] Aluminum ZX Series

SIZES: 14.5, 16.5, 18, 19.5, 21".

FRAME/FORK: Easton ProGram butted aluminum alloy main tubes, Trek aluminum alloy lugs w/Easton tapered aluminum alloy stays; System 2 butted Cro-Moly fork.

DRIVETRAIN: Shimano STX-RC w/RapidFire+ OptiGear shifters.

HUBSET: Shimano STX-RC Parallax.

RIMS: Matrix VooDoo, 32 hole.

TIRES: Tioga Psycho-K, 26x1.95, Kevlar bead.

BRAKESET: Shimano STX-RC M-System.

COLOR: Ice Green to Ice Blue fade w/Silver/White decals.

WEIGHT: 23.50lbs/10.669kg.

6500] Aluminum ZX Series

SIZES: 14.5, 16.5, 18, 19.5, 21".

FRAME/FORK: Easton ProGram butted aluminum alloy main tubes, Trek aluminum alloy lugs w/Easton tapered aluminum alloy stays; System 1 Cro-Moly fork.

DRIVETRAIN: Shimano STX w/GripShift SRT-600 shifters.

HUBSET: Shimano Alivio Parallax.

RIMS: Matrix SingleTrack Pro, 32 hole.

TIRES: Tioga Psycho-KS, 26x1.95.

BRAKESET: Shimano Alivio M-System w/Dia-Compe PC-7 levers.

COLOR: Ice Silver to Ice Indigo fade w/Ice Indigo/silver decals.

WEIGHT: 24.94lbs/11.322kg.

**YOU CAN BUY THEIR RIDE.
YOU GOTTA EARN THEIR LEGS.**

Leader of the pack. Twenty years continuous innovation without breaking stride. Pros win. Editors rave. Competing manufacturers head for the hills. Yes, as a matter of fact, we do own the road.

**Test ride a million miles and you'll never
find a sweeter bike.**

5500 TEAM

OCLV carbon]



"Straight out of the box, with no add-ons or substitutions, anyone from a Cat 5 to a Cat 1 racer could take the sub 20 pound 5500 and ride it to victory."

Jackson Lynch, *Bicycle Guide* July 1994, on the Trek 1994 5500.

SIZES: 50, 52, 54, 56, 58, 60, 62cm. **FRAME/FORK:** Trek design OCLV carbon lugs, main tubes & tapered stays; T bonded OCLV carbon fork. **DRIVETRAIN:** Shimano Dura-Ace w/STI Dual Control shifters. **HUBSET:** Shimano Dura-Ace. **RIMS:** Matrix Aurora, 32 hole. **TIRES:** Continental Gran Prix, 700x23c, foldable. **BRAKESET:** Shimano Dura-Ace. **COLOR:** Saturn Silver w/Red/Yellow decals. **WEIGHT:** 19.38lbs/8.799kg.

MORE IRON MEN & WOMEN RIDE OCLV CARBON FRAMES THAN ANY OTHER.

Our 2:1 carbon to epoxy ratio optimizes strength, stiffness and weight. No fillers or artificial ingredients ever.

OCLV carbon. At your dealer now. Accept no substitutes



5200 [OCLV carbon]

SIZES: 50, 52, 54, 56, 58, 60, 62cm. **FRAME/FORK:** Trek design OCLV carbon lugs, main tubes & tapered stays; Trek epoxy bonded OCLV carbon fork. **DRIVETRAIN:** Shimano Ultegra w/STI Dual Control shifters. **HUBSET:** Shimano Ultegra. **RIMS:** Matrix Aurora, 32 hole. **TIRES:** Continental Gran Prix, 700x23c, foldable. **BRAKESET:** Shimano Ultegra Super SLR. **COLOR:** Ice Copper w/Gold/White decals. **WEIGHT:** 19.56lbs/8.880kg.

"On the road the 5200 feels like two wheels, a saddle and handlebars, with nothing in between." Doug Roosa

5000

OCLV carbon]



CAT 1 CALIBER PERFORMANCE. Check the specs! Everything you lust after in a racer including STI hands-on shifting, SPD pedals and Conti tires. **These Cats purr.**

2300

Carbon ZX Series]





COMPONENT SPECS

OFF ROAD BIKES

	Y 33	Y 22	9900	9800SHX	9800	9200	8700SHX	8700	990	7000SHX
SIZES	16, 18, 20"	16, 18, 20"	16.5, 18, 19.5, 21"	16.5, 18, 19.5, 21"	16.5, 18, 19.5, 21"	16.5, 18, 20, 22"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	13, 16.5, 18, 19.5, 21, 22.5"	14.5, 16.5, 18, 19.5, 21"
COLORS	Ice Indigo w/ polished swingarm	Ice Red w/ polished swingarm	'Nude' carbon	'Nude' carbon	Dry Ice Blue	Black Chrome	Polished w/ natural carbon main tubes	Ice Copper w/ natural carbon main tubes	Ice Root Beer	Ice Green/ Ice Blue fade
MAIN TUBES	Trek design OCLV carbon	Trek design OCLV carbon	Trek design OCLV carbon	Trek design OCLV carbon	Trek design OCLV carbon	Easton 7129 E9 ProGram taper wall aluminum	Trek carbon	Trek carbon	True-Temper heat treated, tri-butted Cro-Moly	Easton ProGram taper wall aluminum alloy
STAYS	Trek design unified triangle w/ fixed chain length	Trek design unified triangle w/ fixed chain length	Trek design OCLV carbon	Trek design OCLV carbon	Trek design OCLV carbon	Trek design OCLV carbon one-piece STS swingarm	Easton tapered aluminum alloy	Easton tapered aluminum alloy	True-Temper Cro-Moly Central butted seat stays	Easton tapered aluminum alloy
FORK	Rock Shox Judy SL suspension	Rock Shox Judy XC-L suspension	Rock Shox Judy SL suspension	Rock Shox Judy XC-L suspension	System 2 butted Cro-Moly	Trek Mogul air/oil suspension	Rock Shox Judy XC-L suspension	System 2 butted Cro-Moly	System 2 butted Cro-Moly	Rock Shox Quadra 21 suspension
HEADSET	Tioga TRB Alchemy	Dia-Compe SA 2 Aheadset	Tioga TRB Alchemy	Tioga DL-2 Alchemy	Tioga DL-2 Alchemy	Tioga Alchemy OS-NSS-AL2	Dia-Compe SA2 Aheadset	Dia-Compe SA2 Aheadset	Dia-Compe SA2 Aheadset	Dia-Compe ST2 Aheadset
CRANKSET	Shimano XTR 46/36/26 FC-M900ti	Shimano Deore LX-C 42/32/22	Shimano XTR 46/36/26 FC-M900ti	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore XT-C 42/32/22	Shimano STX-RC 42/32/22
FRONT DERAILLEUR	Shimano XTR	Shimano Deore LX-C	Shimano XTR	Shimano Deore LX-C	Shimano Deore LX-C	Shimano Deore LX-C	Shimano Deore LX-C	Shimano Deore LX-C	Shimano Deore XT-C	Shimano STX-RC
REAR DERAILLEUR	Shimano XTR RD-M910	Shimano Deore XT-C 8spd	Shimano XTR RD-M910	Shimano Deore XT-C 8spd	Shimano Deore XT-C 8spd	Shimano Deore XT-C	Shimano Deore XT-C 8spd	Shimano Deore XT-C 8spd	Shimano Deore XT-C 8spd	Shimano STX-RC 10
SHIFT LEVERS	Shimano XTR RapidFire+	GiroShift SRT-800 w/sealed mechanism	Shimano XTR RapidFire+	Shimano Deore LX RapidFire+ w/OptiGear ST-M565	Shimano Deore LX RapidFire+ w/OptiGear ST-M565	Shimano Deore LX RapidFire+ w/OptiGear	Shimano Deore LX RapidFire+ w/OptiGear ST-M565	Shimano Deore LX RapidFire+ w/OptiGear	Shimano Deore XT RapidFire+ w/OptiGear ST-M738	Shimano STX-RC RapidFire+ w/OptiGear
FREEWHEEL	Shimano XTR 12-32, 8spd	Shimano HG70 11-28, 8spd	Shimano XTR 12-32, 8spd	Shimano HG70 11-28, 8spd	Shimano HG70 11-28, 8spd	Shimano HG70 11-28, 7spd	Shimano HG-70 11-28, 8spd	Shimano HG-70 11-28, 8spd	Shimano HG90 11-28, 8spd	Shimano IG50 11-28, 7spd
CHAIN	Shimano HG90	Shimano HG70	Shimano HG90	Shimano HG70	Shimano HG70	Shimano HG70	Shimano HG70	Shimano HG70	Shimano HG90	Shimano IG50
HUBSET	White Industries Tracker w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	White Industries Tracker w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore XT Parallax w/suspension front hub	Shimano STX-RC Parallax w/suspension front hub
SPOKES	WheelSmith XL-15 w/alloy nipples	Sapim 14/15G butted stainless	WheelSmith XL-15 w/alloy nipples	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless
RIMS	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole
TIRES	Continental Leader Pro front, 26 x 2.1; Cross Country rear, 26 x 2.0, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Continental Leader Pro front, 26 x 2.1; Cross Country rear, 26 x 2.0, Kevlar bead	Continental Leader Pro front, 26 x 2.1; Cross Country rear, 26 x 2.0, Kevlar bead	Continental Leader Pro front, 26 x 2.1; Cross Country rear, 26 x 2.0, Kevlar bead	IRC Piranha Pro-K system, 26 x 2.0, low density rubber, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead
BRAKESET	Shimano XTR M-System BR-M900C	Shimano STX-RC M-System w/ Dia-Compe PC-7 levers	Shimano XTR M-System BR-M900C	Shimano Deore LX M-System BR-M565	Shimano Deore LX M-System BR-M565	Shimano Deore LX M-System front: Paul's CrossTop rear	Shimano Deore LX M-System BR-M565	Shimano Deore LX M-System BR-M565	Shimano Deore LX M-System	Shimano STX-RC M-System
PEDALS	Shimano Deore XT SPD-M747 clipless	Tioga Clipman II clipless	Shimano Deore XT SPD-M747 clipless	Tioga Clipman II clipless	Tioga Clipman II clipless	System 3 w/clips and straps	Tioga Clipman II clipless	Tioga Clipman II clipless	Tioga Clipman II clipless	System 1 w/clips and straps
HANDLEBARS	System 4 ATB, butted EA70, alloy, 145g	System 3 ATB, butted alloy, 145g	System 4 ATB, butted EA70, alloy, 145g	System 3 ATB, butted alloy, 145g	System 3 ATB, butted alloy, 145g	System 4 ATB, 7000 butted alloy, 150g	System 3 ATB, butted alloy, 145g	System 3 ATB, butted alloy, 145g	System 3 ATB, butted alloy, 145g	System 2 ATB, butted alloy, 170g
STEM	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 3 ATB, forged alloy direct connect	System 2 ATB, alloy direct connect
SEATPOST	System 3 ATB, micro-adjust, Titanium	System 2 ATB, micro-adjust	System 3 ATB, micro-adjust, Titanium	System 2 ATB, micro-adjust	System 2 ATB, micro-adjust	System 3 ATB, micro-adjust	System 2 ATB, micro-adjust	System 2 ATB, micro-adjust	System 2 ATB, micro-adjust	System 1 w/accessory mount
SADDLE	Vetta TT-TS, Vanadium rails, leather, racing	Vetta TT-TS, Manganese rails, wide racing	Vetta TT-TS, Vanadium rails, leather, racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, Manganese rails, racing	System 3 Manganese rails, leather, wide racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, wide racing
ADDITIONAL COMPONENTS & SPECIAL ADD-ONS	Fox air/oil rear shock, Fox shock pump, System OCLV bar ends, Gore Ride-On cable system	Fox air/oil rear shock, Fox shock pump, System 2 bar ends	System OCLV bar ends, 2 water bottle mounts, Gore Ride-On cable system	System 2 bar ends, rack mounts, 2 water bottle mounts	System 2 bar ends, rack mounts, 2 water bottle mounts	Risse Racing Technology air/oil rear shock, Risse shock pump, System 2 bar ends, 2 water bottle mounts	System 2 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	System 1 bar ends, rack mounts, 2 water bottle mounts

FRAME GEOMETRIES: Full Suspension Bikes




Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
Y 33	16.0	71.0"	73.0"	56.6/22.3	43.0/16.9	29.7/11.7	3.8/1.5	104.6/41.2	7.5/2.9	71.1/28.0
Y 22	18.0	71.0"	73.0"	59.7/23.5	43.0/16.9	29.7/11.7	3.8/1.5	107.2/42.2	7.5/2.9	73.7/29.0
	20.0	71.0"	73.0"	61.5/24.2	43.0/16.9	29.7/11.7	3.8/1.5	109.5/43.1	7.5/2.9	79.2/30.0

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
9200	16.5	70.5"	73.0"	56.4/22.2	42.4/16.7	30.5/12.0	3.7/1.5	103.9/40.9	7.9/3.1	74.9/29.5
	18.0	71.0"	73.0"	57.2/22.5	42.4/16.7	30.5/12.0	3.7/1.5	104.1/41.0	7.6/3.0	77.2/30.4
	20.0	71.0"	73.0"	57.2/22.5	42.4/16.7	30.5/12.0	3.7/1.5	104.4/41.1	7.6/3.0	80.0/31.5
	22.0	71.0"	73.0"	58.4/23.0	42.4/16.7	30.5/12.0	3.7/1.5	105.7/42.6	7.6/3.0	84.3/33.2

All dimensions are in centimeters/inches unless otherwise stated.

FRAME GEOMETRIES: Off Road Bikes




ROAD BIKES									FRAMESET
7000	970SHX	970	6500	5500	5200	5000	2300		
14.5, 16.5, 18, 19.5, 21"	13, 16.5, 18, 19.5, 21, 22.5"	13, 16.5, 18, 19.5, 21, 22.5"	14.5, 16.5, 18, 19.5, 21"	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	SIZES	FRAMESET
Ice Green/ Ice Blue fade	Saturn Silver	Saturn Silver	Ice Silver/ Ice Indigo fade	Saturn Silver	Ice Copper	Ice Green	Polished w/ natural carbon main tubes	COLORS	
Easton ProGram taper wall aluminum alloy	True Temper heat treated, tri-butted Cro-Moly	True Temper heat treated, tri-butted Cro-Moly	Easton ProGram taper wall aluminum alloy	Trek design OCV carbon	Trek design OCV carbon	Trek design OCV carbon	Trek design carbon	MAIN TUBES	
Easton tapered aluminum alloy	Tapered Cro-Moly central butted seat stays	Tapered Cro-Moly central butted seat stays	Easton tapered aluminum alloy	Trek design OCV carbon	Trek design OCV carbon	Trek design OCV carbon	Easton tapered aluminum alloy	STAYS	
System 2 butted Cro-Moly	RockShox Quadra 21 suspension	System 2 butted Cro-Moly	System 1 Cro-Moly	Trek epoxy bonded OCV carbon	Trek epoxy bonded OCV carbon	Trek epoxy bonded tapered aluminum alloy	Trek epoxy bonded tapered aluminum alloy	FORK	DRIVETRAIN
Tange Seiki ST2, sealed	Dia-Compe ST2 Aheadset	Dia-Compe ST2 Aheadset	Tange Seiki OV21, sealed	Tange Seiki Levin VR254 alloy, sealed	Tange Seiki Levin VR254 alloy, sealed	Tange Seiki Levin CDS, sealed	Tange Seiki Levin CDS, sealed	HEADSET	
Shimano STX-RC IG 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano STX IG 42/32/22	Shimano Dura-Ace 53/39	Shimano Ultegra 53/39	Shimano 105SC 53/39	Shimano 105SC 53/39	CRANKSET	
Shimano STX-RC	Shimano Deore LX-C	Shimano Deore LX-C	Shimano STX	Shimano Dura-Ace	Shimano Ultegra	Shimano 105SC	Shimano 105SC	FRONT DERAILLEUR	
Shimano STX-RC IG	Shimano Deore XTC 8spd	Shimano Deore XTC 8spd	Shimano STX IG	Shimano Dura-Ace	Shimano Ultegra	Shimano 105SC	Shimano 105SC	REAR DERAILLEUR	WHEELS
Shimano STX-RC RapidFire+ w/OptiGear	GripShift SRT-600 w/sealed mechanism	GripShift SRT-600 w/sealed mechanism	GripShift SRT-600 w/sealed mechanism	Shimano Dura-Ace STI Dual Control	Shimano Ultegra STI Dual Control	Shimano 105SC STI Dual Control	Shimano 105SC STI Dual Control	SHIFT LEVERS	
Shimano IG60 11-28, 7spd	Shimano HG-70 11-28, 8spd	Shimano HG-70 11-28, 8spd	Shimano IG50 11-28, 7spd	Shimano Dura-Ace 12-23, 8spd	Shimano HG90 12-23, 8spd	Shimano HG70 12-26, 8spd	Shimano HG70 12-26, 8spd	FREEWHEEL	
Shimano IG50	Shimano HG70	Shimano HG70	Shimano IG50	Shimano Dura-Ace	Shimano HG90	Shimano HG70	Shimano HG70	CHAIN	
Shimano STX-RC Parallax	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax	Shimano Alivio Parallax	Shimano Dura-Ace	Shimano Ultegra	Shimano 105SC	Shimano 105SC	HUBSET	OTHER COMPONENTS
Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	American Tru-Spec 14G stainless	WheelSmith, but- ted w/alloy nipples	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	SPOKES	
Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix VooDoo, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix Aurora, 32 hole	Matrix Aurora, 32 hole	Matrix Aurora, 32 hole	Matrix Aurora, 32 hole	RIMS	
Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-K, 26 x 1.95, Kevlar bead	Tioga Psycho-KS, 26 x 1.95	Continental Gran Prix, 700 x 23c, foldable	Continental Gran Prix, 700 x 23c, foldable	Continental Gran Prix, 700 x 23c, foldable	Continental Gran Prix, 700 x 23c, foldable	TIRES	
Shimano STX-RC M-System	Shimano STX-RC M-System w/ Dia-Compe PC-7 levers	Shimano STX-RC M-System w/ Dia-Compe PC-7 levers	Shimano Alivio M-System w/ Dia-Compe PC-7 levers	Shimano Dura-Ace Super SLR	Shimano Ultegra Super SLR	Shimano 105SC Super SLR	Shimano 105SC Super SLR	BRAKESET	OTHER COMPONENTS
System 1 w/clips and straps	System 2 w/clips and straps	System 2 w/clips and straps	System 1 w/clips and straps	Shimano Dura-Ace SPD clipless	Shimano Ultegra SPD clipless	Shimano A525 SPD clipless	Shimano A525 SPD clipless	PEDALS	
System 2 ATB, butted alloy, 170g	System 2 ATB, butted alloy, 170g	System 2 ATB, butted alloy, 170g	System 1 ATB, alloy, 230g	System 3 road, alloy	System 2 road, alloy	System 2 road, alloy	System 2 road, alloy	HANDLEBARS	
System 2 ATB Lite, Cro-Moly	System 2 ATB, alloy direct connect	System 2 ATB, alloy direct connect	System 2 ATB, Lite, Cro-Moly	3T forged aluminum alloy	System 2 road, Cro-Moly	System 2 road, Cro-Moly	System 2 road, Cro-Moly	STEM	
System 1 w/accessory mount	System 2 ATB, micro-adjust	System 2 ATB, micro-adjust	System 1 w/accessory mount	System 3 road, micro-adjust, Titanium	System 2 road, micro-adjust	System 2 road, micro-adjust	System 2 road, micro-adjust	SEATPOST	OTHER COMPONENTS
Vetta TT-TS, wide racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, Manganese rails, racing	Vetta TT-TS, wide racing	Vetta TT-TS, Vanadium rails, leather, racing	Vetta TT-TS, Manganese rails, leather, racing	Vetta TT-TS, Manganese rails, leather, racing	Vetta TT-TS, Manganese rails, leather, racing	SADDLE	
Rack mounts, 2 water bottle mounts	System 1 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	ADDITIONAL COMPONENTS & SPECIAL ADD-ONS	

Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
9900	16.5	70.5"	73.0"	58.1/22.9	42.4/16.7	29.8/11.7	3.7/1.4	105.1/41.4	7.9/3.1	72.3/28.5
9900SHX	18.0	71.0"	73.0"	59.1/23.3	42.4/16.7	29.8/11.7	3.7/1.4	106.0/41.7	7.6/3.0	74.1/29.2
8800	19.5	71.0"	73.0"	59.4/23.4	42.4/16.7	29.8/11.7	3.7/1.4	106.3/41.9	7.6/3.0	76.4/30.1
8700SHX	21.0	71.0"	73.0"	59.9/23.6	42.4/16.7	29.8/11.7	3.7/1.4	107.0/42.1	7.6/3.0	79.9/31.5
8700	14.5	70.5"	73.5"	53.8/21.2	42.4/16.7	29.5/11.6	3.7/1.4	101.8/40.1	7.9/3.1	71.9/28.3
7000SHX	16.5	70.5"	73.0"	58.2/22.9	42.4/16.7	29.5/11.6	3.7/1.4	105.4/41.5	7.9/3.1	74.4/29.3
7000	18.0	71.0"	73.0"	59.2/23.3	42.4/16.7	29.5/11.6	3.7/1.4	105.9/41.7	7.6/3.0	76.2/30.0
6500	19.5	71.0"	73.0"	59.4/23.4	42.4/16.7	29.5/11.6	3.7/1.4	106.4/41.9	7.6/3.0	78.5/30.9
990	21.0	71.0"	73.0"	59.9/23.6	42.4/16.7	29.5/11.6	3.7/1.4	106.9/42.1	7.6/3.0	82.0/32.3
970SHX	13.0	70.5"	73.5"	54.2/21.3	43.0/16.9	29.3/11.5	3.8/1.5	102.2/40.2	7.8/3.1	67.5/26.6
970	16.5	70.5"	73.5"	56.0/22.0	43.0/16.9	29.5/11.6	3.8/1.5	104.3/41.1	7.8/3.1	72.8/28.7
	18.0	71.0"	73.0"	58.0/22.8	43.0/16.9	29.8/11.7	3.8/1.5	105.5/41.5	7.5/2.9	74.9/29.5
	19.5	71.0"	73.0"	59.0/23.2	43.0/16.9	29.8/11.7	3.8/1.5	106.6/42.0	7.5/2.9	77.4/30.5
	21.0	71.0"	73.0"	60.0/23.6	43.0/16.9	29.8/11.7	3.8/1.5	107.7/42.4	7.5/2.9	81.1/31.9
	22.5	71.0"	72.5"	61.0/24.0	43.0/16.9	29.8/11.7	3.8/1.5	108.4/42.7	7.5/2.9	84.9/33.4

FRAME GEOMETRIES: Road Bikes



Glossary of Component Terms

System Components

Full line, Trek-designed components, performance matched to our '95 line.

Clipless Pedals

Tioga clipless pedals with 6° float. Newly designed for maximum power transfer and pain-free knees. Shimano Pedaling Dynamics, SPD, clipless pedal system is designed to lock in proper foot position and angle for maximum power transfer.

STI Dual Control

A significant advance in technology. One lever shifts the derailleur as well as applies the brakes. Located on the bars, shifting is done in any braking position for total hands-on control with minimal distraction.

GripShift

An innovative shifting system. Part of the handlebar grip rotates back and forth, clicking into each gear.

HyperGlide

Shimano's computer-designed cassette sprocket achieves smoother, faster downshifts under heavy loads without releasing pedal pressure.

M-System

Shimano's multi-condition brake system with specialized shoes, levers and cables designed for enhanced stopping power under all conditions.

OS (Optimal Sized)

Trek-spec'd, large diameter, thin-wall tubing achieves desired strength with significant weight reduction.

Parallax

Shimano's oversize hub system designed to minimize axle and hub flex; especially beneficial on suspension-equipped bikes.

RapidFire+

Shimano's under handlebar, thumb and finger shift system allows rider to maintain grip and control during extreme maneuvers such as inclines or technical terrain.

SLR/Super SLR

Shimano Linear Response. Friction-reducing levers, cables and calipers delivering responsive, rider-modulated braking action for controlled stops.

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
5500	50	72.0"	75.0"	51.8/20.4	40.8/16.1	26.6/10.5	4.7/1.9	97.9/38.5	6.0/2.4	74.9/29.5
5200	52	72.5"	75.0"	52.8/20.8	40.8/16.1	26.6/10.5	4.7/1.9	98.2/38.7	5.7/2.2	75.8/29.9
5000	54	73.0"	74.0"	54.5/21.5	41.0/16.1	26.6/10.5	4.7/1.9	98.7/38.9	5.4/2.1	77.3/30.4
	56	73.5"	73.5"	56.0/22.0	41.0/16.1	26.8/10.6	4.3/1.7	98.6/38.8	5.3/2.1	79.3/31.2
	58	73.5"	73.0"	57.0/22.4	41.2/16.2	26.8/10.6	4.3/1.7	99.4/39.1	5.3/2.1	81.1/31.9
	60	74.0"	73.0"	58.0/22.8	41.2/16.2	26.8/10.6	4.3/1.7	100.1/39.4	5.2/2.0	83.0/32.7
	62	74.0"	72.5"	59.0/23.2	41.2/16.2	26.8/10.6	4.3/1.7	100.6/39.6	5.2/2.0	84.8/33.4
2300	47	72.5"	73.5"	51.8/20.4	41.5/16.3	26.7/10.5	4.7/1.9	96.3/37.9	5.6/2.2	72.4/28.5
	50	73.0"	73.5"	53.0/20.9	41.5/16.3	26.7/10.5	4.7/1.9	97.2/38.3	5.4/2.1	75.3/29.6
	52	73.0"	73.5"	53.0/20.9	41.5/16.3	26.7/10.5	4.7/1.9	97.2/38.3	5.4/2.1	77.1/30.4
	54	73.5"	73.5"	55.0/21.7	41.5/16.3	26.7/10.5	4.3/1.7	98.4/39.7	5.5/2.2	79.2/31.2
	56	73.5"	73.5"	55.0/21.7	41.5/16.3	26.7/10.5	4.3/1.7	98.4/39.7	5.5/2.2	81.1/31.9
	58	73.5"	73.5"	57.0/22.4	41.5/16.3	26.7/10.5	4.3/1.7	100.4/39.5	5.5/2.2	82.9/32.6
	60	73.5"	73.5"	57.0/22.4	41.5/16.3	26.7/10.5	4.3/1.7	100.4/39.5	5.5/2.2	84.8/33.4
	62	74.0"	73.5"	58.5/23.0	41.5/16.3	26.7/10.5	4.3/1.7	101.4/39.9	5.2/2.0	85.8/33.8