



2002

SalsaCycles

Ride & Smile

Ride and Smile.

At Salsa, every product we make is designed to enhance the ride experience. To deliver on our design goals, we understand that proper bike fit is paramount to enjoying the ride. This is why our Moto Ace S.U.L. stems are available in more sizes to fit more riders than any other stem on the market today.

We also understand the value of versatility and durability. The integrity of Salsa products is evidenced by the people who use them: professional road racing teams, professional mountain bikers, and casual cyclists alike.

Welcome to the 2002 Salsa Cycles lineup. We think you'll like what you see.

Salsa Cycles. Ride & Smile.

Frames	2-3
Stems	4-5
Chainrings & Chainring Guards	6
Skewers, Bottle Cage & Brake Boosters	7
Saddles	8
Seatposts & Seatpost Clamps	9
Road Handlebars & Tape	10
Mtn Handlebars, Bar Ends & Grips	11
Rims, Rim Tape & Tubes	12
Clothing & Accessories	13
Clothing	14-15



International Standard disc brake dropouts on the Ala Carte Mountain frame.



*There is an extra charge for White Pearl, Vino Rojo, Metallic Orange and Metallic Blue.

Salsa Frames

Each Salsa frame is crafted with pride in the USA, beautifully made with Reynolds 853® tubing. We've chosen Reynolds 853® for its exceptional strength and light-weight characteristics. New touches for this year include a classic, metal headbadge on all Salsa frames, and the option of International Standard disc brake dropouts on the Ala Carte Mountain frame.



Ala Carte™ Mountain Frame

One of the pioneering hardtail mountain frames, the Salsa Ala Carte has been meticulously designed to bring you a frame that is both reliable and fun to ride. Details such as the downtube gusset and headtube reinforcing ring provide strength and durability. Perfectly aligned throughout the manufacturing process, the Ala Carte delivers sound performance and unsurpassed quality. New for '02 is the option of International Standard disc brake dropouts with removable cantilever studs, or standard dropouts with non-removable cantilever studs. Includes our Flip-Lock seat collar.

	13.5"	15.5"	17.0"	18.5"	19.5"	21"
Seat Tube Length (C-T) cm	34.0	39.0	43.0	46.5	50.0	54.0
Level Top Tube Length cm	49.7	51.2	54.1	55.8	57.4	59.7
Effective Top Tube Length cm	51.8	53.5	56.3	57.6	59.1	61.0
Head Tube Angle	70.0°	70.0°	71.0°	71.0°	71.0°	71.0°
Seat Tube Angle	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°
Bottom Bracket Height cm	29.5	29.5	29.5	29.5	29.5	29.5
Chainstay Length cm	43.2	43.2	43.2	43.2	43.2	43.2
Wheel Base cm	100.8	102.5	104.4	105.7	107.4	109.3
Stand Over Height* cm	70.9	73.3	75.8	77.8	80.9	83.7
Head Tube Length cm	8.0	8.5	9.5	10.0	13.0	15.0
FK Length** cm	42.7	42.7	42.7	42.7	42.7	42.7
FK Rake** cm	4.3	4.3	4.3	4.3	4.3	4.3

*Measured using tires with outside diameter of 670 mm

**Fork not included. Dimensions are for average 3" travel suspension forks.

- 27.2 seatpost size
- 1-1/8" headset size
- Weight for a 17" frame is 4 lbs.



La Raza™ Road Frame

The La Raza is a road rider's dream. Stable, responsive handling, combined with the craftsmanship you'd expect from Salsa adds up to one smooth ride. Available in six different sizes. Features a machined brake bridge and includes our Lip-Lock seat collar.

	49 cm	52 cm	54 cm	56 cm	58 cm	60 cm
Seat Tube Length (C-T) cm	49.0	52.0	54.0	56.0	58.0	60.0
Level Top Tube Length cm	50.6	53.0	54.5	56.0	57.5	59.0
Effective Top Tube Length cm	51.0	53.0	54.5	56.0	57.5	59.0
Head Tube Angle	72.5°	72.5°	73.0°	73.0°	73.5°	74.0°
Seat Tube Angle	74.5°	74.0°	74.0°	73.5°	73.0°	72.5°
Bottom Bracket Height cm	27.0	27.0	27.0	27.0	27.0	27.0
Chainstay Length cm	40.5	40.5	40.5	40.5	40.5	40.5
Wheel Base cm	95.2	96.8	97.9	98.4	99.0	99.5
Stand Over Height* cm	75.1	77.0	78.9	80.7	82.5	84.2
Head Tube Length cm	9.0	10.1	11.9	13.6	15.3	16.9
FK Length** cm	37.0	37.0	37.0	37.0	37.0	37.0
FK Rake** cm	4.5	4.5	4.5	4.0	4.0	4.0

*Measured using tires with outside diameter of 680 mm

**Fork not included

- 27.2 seatpost size
- 1" headset size
- Weight for a 56 cm frame is 3.8 lbs.
- Dropouts include eyelets



La Cruz™ Cross Frame & Fork

This classic Salsa frame can do it all from pavement to dirt. Our relaxed cross geometry sails through the single track with ease and still gives you a silky-smooth ride on the road. Designed for use with MTB cranksets, there's even room for fatties and fenders! The 1-1/8" threadless fork offers great strength and ease of headset adjustment. You'll appreciate the details right down to the classically styled fork crown and Lip-Lock seat collar.

	50 cm	53 cm	56 cm	59 cm
Seat Tube Length (C-T) cm	50.0	53.0	56.0	59.0
Level Top Tube Length cm	52.4	54.6	57.0	59.2
Effective Top Tube Length cm	53.0	55.0	57.0	59.5
Head Tube Angle	71.0°	71.5°	71.5°	72.0°
Seat Tube Angle	73.5°	73.0°	72.5°	72.0°
Bottom Bracket Height cm	28.8	28.8	28.8	28.8
Chainstay Length cm	42.5	42.5	42.5	42.5
Wheel Base cm	99.9	101.1	102.6	104.2
Stand Over Height* cm	77.8	80.1	82.2	85.9
Head Tube Length cm	8.5	10.5	12.0	15.5
FK Length** cm	40.0	40.0	40.0	40.0
FK Rake** cm	4.3	4.3	4.3	4.3

*Measured using tires with outside diameter of 696 mm

- 27.2 seatpost size
- 1-1/8" headset size
- Weight for a 56 cm frame and fork is 6.4 lbs.
- Designed to be used with MTB cranksets

Leather Chainstay Protector

When you've spent all that hard earned money on a sweet frame, why wrap the chainstay in cheap plastic? This is rawhide, baby. Real leather. You'll love it. (w/apologies to Frank Zappa)





Let's talk about stems

Salsa stems are available in more sizes, extensions and angles than any other stem manufacturer today. We give you a multitude of options when fitting your bike. And if one of our stock sizes doesn't work for you, we also offer a custom stem program.

Stiff Upper Lip™ (S.U.L.™)

Salsa's Stiff Upper Lip (S.U.L.) technology benefit lies in its interlocking groove which takes torsional loads off of the clamp bolts and puts them into the stem. Combined with the convenience of a front-loading design, an S.U.L. stem means less flexing, more positive control and extended component life.

How does S.U.L.™ work?

Tighten down the top bolt until the clamp locks lips with the stem, then go to town on the bottom bolt. Yes, it's that simple.

- Two-bolt, quick change, front-loading stem.
- Forged aluminum face plate increases clamping rigidity.



Our Stiff Upper Lip™ locks the face plate in place and provides more strength and rigidity than standard two-bolt designs.



Moto Ace™ S.U.L.™ Stems

The strong and stiff Moto Ace S.U.L. stem features a forged and welded aluminum extension mated with precision to the forged aluminum face plate. You won't find a better stem value: S.U.L. strength and adjustability at an affordable price. Available in a maddening array of sizes to fit any rider's needs. Includes matching top cap.

COLOR Black bead blast with gray cap

MOTO ACE™ MOUNTAIN 1-1/8" THREADLESS • 25.4 clamp

Angle	Stem Extension mm					
90°	50	80	90	105	120	135
105°	50	80	90	105	120	135
130°		80	90	105	120	135

MOTO ACE™ ROAD 1-1/8" THREADLESS • 26.0 clamp

Angle	Stem Extension mm					
90°	80	90	100	110	120	130
105°	80	90	100	110	120	130
115°	80	90	100	110	120	130



S.U.L.™ Stems

The S.U.L. stems feature a T.I.G.-welded cro-moly steel stem extension that mates with precision to the forged aluminum face plate. The beautiful integrity of a Classic Salsa steel stem is combined with the ease of interchangeability offered by front-loading, 2-bolt stems. Proudly made in the USA. Available in road 1" quill, road 1-1/8" threadless which includes a shim for 1" steerers and matching stack spacers, mountain 1-1/8" threadless. See chart for sizes.

COLOR Black with matching stack spacers

S.U.L.™ ROAD 1" QUILL • 26.0 clamp

Angle	Stem Extension mm				
75°		90	100	110	120 130
90°	50 60 70 80	90	100	110	120 130 140
105°		90	100	110	120 130 140

S.U.L.™ ROAD 1-1/8" THREADLESS • 26.0 clamp

Angle	Stem Extension mm				
80°		90	100	110	120 130
90°	70 80 90	90	100	110	120 130
105°	70 80 90	100	110	120	130
115°	70 80 90	100	110	120	

includes shim for 1" steerers and matching stack spacers

S.U.L.™ MOUNTAIN 1-1/8" THREADLESS • 25.4 clamp

Angle	Stem Extension mm			
90°	100	120	135	
100°	100	120	135	
115°	100	120	135	



Custom Cro-Moly Stems

Proper bike fit is the key to an enjoyable ride, which is why we offer our stems in more sizes than anyone. But there are still way more people in this world than there are stem sizes in this catalog.

If your current stem isn't quite perfect, or if you're looking for something a little unique and special, Salsa's custom stem program is designed to fit your needs. Just head on down to your local bike shop. With their expertise, they can size you up on your bike and order a custom stem built exactly to your specifications.



Classic Road Stems

This is the stem that started it all, the Classic. Welded with precision in the USA. Available in Road 1" quill and Road 1" threadless versions. 26.0 single-bolt clamp. Black cro-moly steel.


COLOR Black

CLASSIC ROAD 1" QUILL • 26.0 clamp

Angle	Stem Extension mm				
75°		100	110	120	130
90°	50 60 70 80	90	100	110	120 130 140
105°		90	100	110	120 130 140

CLASSIC ROAD 1" THREADLESS • 26.0 clamp


Angle	Stem Extension mm				
90°	70 80	90	100	110	120
105°		90	100	110	120



Size-O-Matic™

The Size-O-Matic stem can benefit any rider when setting up their bike. Easy-to-read angle and extension marks eliminate guesswork and make dialing in the perfect position easier than ever. Includes adapters for 25.4, 26.0, and 26.4mm handlebar diameters and for 1" and 1-1/8" threaded and threadless steerers.

NOT FOR RIDING! USE FOR SIZING ONLY.



Pro Rings feature strategically placed ramps and stainless steel pins to provide smooth, efficient shifting performance.



NEW Pro Rings™

CNC machined 7075-T6 aluminum 8 and 9-speed compatible chainrings with shift ramps and strategically placed steel pins. Available in all the popular mountain and road sizes.

COLOR Black or Silver

Bolt Circle Diameter / Color	Teeth							
56/58mm / Black	20	22						
94mm / Black	30	32	42	44	46			
64mm / Black	24							
104mm / Black	32	42	44					
68mm / Black	24							
112mm / Black	34							
130mm / Silver	39	42	48	52	53	54	56	



NEW Chainrings

CNC machined 7075-T6 aluminum 5 through 9-speed compatible chainrings. No shift ramps. Available in all the popular mountain and road sizes, excellent replacements for older rings.

COLOR Black or Silver

Bolt Circle Diameter / Color	Teeth							
74mm / Silver	24	26	28	30	32			
74mm / Black	24	26	28					
110mm / Silver	34	36	38	39	40	42	44	46
110mm / Silver	48	50	52	53				
110mm / Black	34	36	38	46	48			
56/58mm / Silver	20	22	24					
56/58mm / Black	20	22						
94mm / Silver	30	32	34	36	42	44	46	
94mm / Black	32	34	42	44	46			
64mm / Black	22	24						
104mm / Black	32	34	36	42	44	46	48	
130mm / Silver	38	39	40	42	45	48	50	52
130mm / Silver	53	54	56					
135mm / Silver	39	45	52	53				
144mm / Silver	42	53						

NEW Chainring Guard

CNC machined from 6061-T6 aluminum and include all necessary chainring bolts and spacers. Trials bash-guard is designed to be installed in place of the outer chainring; all others bolt on in addition to the chainrings. Available in 110, 104, 94mm b c d, in both 4 and 5-bolt designs.

COLOR Black or Silver

Bolt Circle Diameter / Color	Teeth Maximum	Bolt #
110mm / Silver or Black	48	5-Bolt
104mm / Silver or Black Trials	32	4-Bolt
104mm / Silver or Black	42	4-Bolt
104mm / Silver or Black	44	4-Bolt
94mm / Silver or Black Trials	24	5-Bolt
94mm / Silver or Black Trials	32	5-Bolt
94mm / Silver or Black	44	5-Bolt




Flip-Offs™

The beautifully machined, hand-friendly levers of the venerable Flip-Offs skewers dress up any wheelset. Stainless steel pivots and Delrin® cam washers provide consistent, smooth engagement to this lightweight and durable Salsa staple. Flip-Offs come in a variety of sizes, including tandem length. Sold as pairs or individually front or rear.

COLOR Black, Silver, Blue, Red or Rasta

ROD Stainless Steel or Titanium



Nick-Less Cage™

The unique double-bend design of our cage won't launch your bottles into the gutter or the dirt. Stainless steel construction won't deface your bottles. 50g.

MATERIAL Stainless Steel



Carbon Arc™ Brake Booster

The super-light, strong and stiff Carbon Arc booster features reinforced aluminum inserts to give even more rigidity and stopping power. Compatible with linear pull or cantilever brakes. 68g.



Arc de Tri-oomph™ Brake Booster

Our forged aluminum brake booster gives your brake mounts the extra "oomph" they need to resist the flex caused by today's high-leverage brakes. Compatible with linear pull or cantilever brakes. 82g.

COLOR Black, Silver, Red or Dark Gray

Ladies Zona Tres™ Saddle

We know there is no such thing as a unisex saddle, so we offer this anatomically designed version of our Zona Tres saddle specifically for female riders. Saddle rail tension is adjustable via our Adjustable Stiffening System (A.S.S.™) resulting in a firm or soft feel. The saddle shell has been slightly shortened, while the base of the saddle is slightly wider for better support. If performance is what you seek, then look no further.

STYLE Cro-moly or Ti rails, with or without pepper embroidery and Kevlar® corners

LENGTH 265mm

WIDTH 157mm



Zona Tres™ Saddle

Zona Tres saddles combine modern styling with old-school adjustability. At the heart of the Zona Tres is our Adjustable Stiffening System (A.S.S.™). A simple turn of a 4mm set screw in the nose of the saddle adjusts rail tension. This tension adjustment determines the amount of flex in the shell, resulting in a firm or soft feel, just like a hammock. The shell is slotted to allow it to flex more easily under rider weight. A recessed contact point reduces pressure on your sensitive parts while seated, allowing you to ride all day in comfort.

STYLE Cro-moly or Ti rails, with or without pepper embroidery and Kevlar® corners


LENGTH 270mm

WIDTH 140mm



Ladies

Mens



Shaft™ Seatpost

The Shaft seatpost offers simple, independent saddle adjustments via its unique cam-actuated angle adjuster. Fore/aft positioning can be easily set without affecting saddle tilt. Just load the saddle in, tighten it down, then dial in the angle with a simple turn of a hex wrench. Featuring CNC machined and forged construction, the cam itself is 7075-T6 aluminum to hold the threads more securely, and all hardware is stainless steel. 260g for 330mm.

COLOR Black or Silver with Gray Head

Length mm	Size mm				
250	26.8	27.0	27.2	27.4	
330	26.8	27.0	27.2	28.6	31.6
410	26.8	27.0	27.2		31.6

BICYCLING
MAGAZINE
EDITOR'S CHOICE
2000
WWW.BICYCLING.COM



Saddle adjustments are quick and easy with the unique cam-actuated angle adjuster, which is independent from fore and aft adjustments.

BICYCLING
MAGAZINE
EDITOR'S CHOICE
2000
WWW.BICYCLING.COM



IMPROVED

Flip-Lock™

Flip-Lock: For 2002 we've re-designed pivot placement of the Flip-Lock for increased lever throw. The result is positive clamping every time. This elegant and functional QR seatpost clamp is a welcome addition to any bike. 41g.

COLOR Black or Silver

SIZE 28.6, 30.0, 32.0, 35.0 or 36.4mm



IMPROVED

Lip-Lock™

This non-quick release version of the Flip-Lock utilizes a stainless steel pivot that allows maximum torque with less bending strain on the bolt. Now featuring a 6mm bolt shaft with a 5mm hex head. 22g.

COLOR Black or Silver

SIZE 28.6, 30.0, 32.0, 35.0 or 36.4mm



Flip-Offs™ Seat Binder

A perfect compliment to our Flip-Offs skewers, the Flip-Offs seat binder is as elegant as they come. 34g.

COLOR Black, Silver, Blue, Red or Rasta





Cork Tape

Soft cork tape embossed with the Salsa script logo and peppers gives a very comfortable feel, with or without gloves.

COLOR Rasta, White or Black

Goma™ Tape

Rubberized handlebar tape embossed with peppers. Cleans up easily after encounters with a greasy, derailed chain.

COLOR Blue, Red, Yellow Gray or Black

1 Pro Road Bar

A pro-quality bar ready to place you in the peloton, the Pro-Road bar is created from 7075-T6 aluminum. Featuring an anatomic bend and a double-groove.

DROP	155mm	REACH	100mm
WIDTH	38-46cm	CLAMP	26.0
FINISH	High Polish Silver or Black Bead-Blast		

2 Short & Shallow™ Bar Moto Ace™ Short & Shallow™ Bar

Short & Shallow: With a smaller drop and reach, the Short & Shallow bar is designed for medium to small hand sizes, and riders who want a slightly more upright riding position. Available in 7075-T6 or 6061-T6 aluminum. Features an anatomic bend and double groove. 260g.

DROP	144mm	REACH	82mm
WIDTH	36-46cm	CLAMP	26.0
FINISH	High Polish Silver or Black Bead-Blast Moto Ace is Black Bead-Blast only		

3 Poco™ Bar

With its wide and flat top section, the Poco bar brings real comfort to road bar design. Younger and/or smaller riders will also appreciate the added control, better fit, and greater comfort afforded by the super short drop and reach. The Poco bar is created from 7075-T6 aluminum and features an anatomic bend with a single-groove.


DROP	140mm	REACH	70mm
WIDTH	36-44cm	CLAMP	26.0
FINISH	High Polish Silver or Black Bead-Blast		

4 Bell Lap™ Bar Moto Ace™ Bell Lap™ Bar

The Bell Lap's flared drops and larger bends offer better climbing and more hand positions so you can suffer in comfort on that last lap. An excellent bar for cyclocross or touring. Available in 7075-T6 or 6061-T6 aluminum. Features an anatomic bend, single-groove. 263g.

DROP	144mm	REACH	82mm
WIDTH	38-46cm	CLAMP	26.0
FINISH	Black Bead-Blast		

ALL SALSA ROAD BARS ARE MEASURED FROM CENTER TO CENTER.





1 Moto Ace™ Riser Bar

The Moto Ace Riser is a tough, affordable, butted, 2014 T-6 aluminum version of the Cro-Moto. 190mm grip area, 45mm rise.

WIDTH 26" **BEND** 11° **FINISH** Silver or Black Shot-Peened

2 Moto Ace™ Flat Bar

Sometimes a flat bar is all you need. 2014-T6 butted aluminum makes up the durable, affordable Moto Ace.

WIDTH 23" **BEND** 5° **FINISH** Silver or Black Shot-Peened

3 Cro-Moto™ Riser Bar

Custom drawn Prestige™ cro-moly gives the Cro-Moto bar ample strength to go with its custom chrome finish. 190mm grip area, 45mm rise. This bar is designed to go the distance, and it does.

WIDTH 26" **BEND** 11° **FINISH** Chrome

4 NEW Pro-Moto™ Flat Bars

Salsa lightweight flat bars are made from 7075 aluminum, feature five butted areas on each end and are WIDE! 660mm of torquing power, available in 5° or 11° give you maximum leverage in any situation. Ends are graduated for easy trimming to your favorite width.

WIDTH 26" **BEND** 5° or 11° **FINISH** Black

5 Mangos De Amor™ Bar Ends

Mangos De Amor bar ends offer comfortable curves and multiple positions. The forged construction adds strength and the matte finish won't let your grip slip.

COLOR Black or Silver

6 Mangitos™ Bar Ends

Mangitos offer the same forged construction as the Mangos De Amor, but in a shorter, single-position design.

COLOR Black or Silver



NEW Pepperjacks™ Grips

We've taken a sticky, soft density rubber and made cushy little squares, then for extra bite, we've pushed a hard-density rubber pepper right up through the middle. The result is a super comfortable grip that won't slip or wear prematurely. A nice little lip on the inside adds the finishing touch.

BASE/COVER COLORS Black/Black, Black/Gray, Red/Black, Green/Yellow



Juegos de Fuego™ Grips

The Juegos dual-ply construction and asymmetrically bulged shape enhance comfort and control. The raised pepper surface is muy moto, and it feels good too. Includes a set of Fire-Plugs™ bar plugs.

COLOR Black, Red or Yellow

Rims

Salsa rims*feature welded seams or pinned construction, hollow cross sections, tall machined brake surfaces, and stainless steel eyelets. The precision machined brake surface eases brake adjustments, and the eyelets allow the wheel to be tensioned evenly with greater ease. This keeps the wheel builder happy, a good thing, especially if they're your wheels...

*dependent on model



Alto™

The Alto Disc is the lightest rim we sell, built to take advantage of the braking surface moving to the rotor. This equals lighter rotating weight. The Alto features a unique concave sidewall design, stainless steel double eyelets, and pinned construction. NOT compatible with cantilever or linear-pull brakes.

WIDTH	24mm	HOLE	32 or 36
COLOR	Black or Silver	SEAM	Pinned
WEIGHT	402g		



Gordo™

A wide, STRONG mountain rim featuring our unique super-strong X-bracing lets you ride with authority over any terrain.

WIDTH	27mm	HOLE	32, 36, 40 or 48
COLOR	Black or Silver	SEAM	Welded
WEIGHT	634g		



Semi™

Wider than the Delgado, this 26" rim offers a bit more strength for that gnarly riding style of yours.

WIDTH	24mm	HOLE	32 or 36
COLOR	Black or Silver	SEAM	Welded
WEIGHT	495g		



Delgado™

This 26" rim is light enough for competition, but strong enough to withstand normal off-road rigors.

WIDTH	22.5mm	HOLE	28 or 32
COLOR	Black or Silver	SEAM	Welded
WEIGHT	416g		



Delgado™ Cross

A 700c version of the Delgado, this functional and durable rim is an excellent choice for cross bikes or touring bikes.

WIDTH	22.5mm	HOLE	32 or 36
COLOR	Black or Silver	SEAM	Pinned
WEIGHT	460g		



Pneumaticos Simpaticos™ Tubes

Tired of pullin' heavy tubes? Lose some of that rotating mass with our tire-friendly tubes. Three Presta valve lengths (34, 48, 60mm) and multiple tube sizes. Also available in a heavy-duty Schrader valve version featuring 2.25mm tube thickness. Muy Moto!

ROAD*

20 x 1.125"	34mm PV	60mm PV
24 x 1.125"	34mm PV	60mm PV
26 x 1"	34mm PV	48mm PV
700 x 18-23c	34mm PV	48mm PV
700 x 23-25c	34mm PV	48mm PV
700 x 28-32c	34mm PV	48mm PV

MOUNTAIN*

26 x 1.25"	34mm PV	60mm PV
26 x 1.5-1.75"	34mm PV	60mm PV
26 x 1.9-2.125"	34mm PV	60mm PV
26 x 1.5-1.75"	Threaded steel Schrader valve	
26 x 1.9-2.125"	Threaded steel Schrader valve	

HEAVY DUTY BMX / MOUNTAIN • thickness 2.25mm

20 x 1.85"	Schrader valve
20 x 2.25"	Schrader valve
26 x 2.3-2.7" downhill	Schrader valve


*Tubes available in both .60 & .73mm thicknesses



Cintas™ Rim Tape

This reinforced, self-adhesive nylon rim tape does what any good rim tape should—covers up the holes. In addition, it's rot-proof and a fantastic shade of red. Sold as individual rolls or boxes of 12, as well as 50 meter shop rolls.


WIDTH 16 or 22mm



Oval Logo
100% Cotton, L or XL.



Ain't Moto Logo
100% Cotton, L or XL.



NEW Flip-Offs™
100% Cotton, L or XL.
(Back Shown)



NEW Fleece Hat

A lightweight fleece cap to be worn alone or under your helmet.

FABRIC Polartec®
SIZE One size fits all
COLOR Red or Black



NEW Ball Caps

Not much to be said here. These hats cover your head when you're feeling hair-challenged or want to protect your forehead from the sun's glare. Two styles to choose from.

Shop Apron

Our shop apron will keep the grease where it belongs; off of your clothes. A variety of pockets hold wrenches, Sharpies™ or Redbull™.



Salsa Sol™ Sunglasses

Available in three different styles, including the Cambios featuring interchangeable lenses. All models feature 100% UV protection, are ANSI approved, and include a cleaning sock. Crush-proof case sold separately.



2002 Salsa Team Clothing

Team Salsa will be looking good in the red, black, yellow and green, know what I mean? You can too, with select Salsa team clothing. Short sleeve jerseys, socks, and headbands available.



NEW Team Jersey

The choice of Team Salsa.

FABRIC Micro-Matrix with 20" hidden zipper

SIZE S-XXL



Lycra Short

Eight-panel shorts featuring an anatomical, synthetic chamois. Available in men's and women's cuts.

FABRIC 8 oz. Lycra

SIZE S-XL mens and womens



NEW Full and Short-Finger Gloves

It's a little-known fact that Salsa employee Chuck Hood receives a manicure every week. Chuck likes to keep his digits protected with the new Salsa full-finger gloves. Also available in short-finger style for those of us not afraid of a few hangnails...

SIZE S-XL mens and womens



NEW Team Headband

Thin elastic polyester with an absorbent terry cloth lining.

NEW Team Socks

FABRIC Coolmax®

SIZE S/M or L/XL





2002 Lifestyle Clothing

Salsa Designer Wes Stobbe has created yet another brilliant design for 2002. The Salsa Hot Wings collection has a distinct vintage vibe and is punctuated by the classic red and gold color combination. Short sleeve jerseys, socks, headbands and La Bomba sport top available.

NEW Hot Wings™ La Bomba™ Sport Top

Soft poly/lycra fabric with Coolmax® liner and wide elastic around torso for support.

FABRIC Soft poly/lycra

SIZE S-XL



NEW Hot Wings™ Jersey

Take off in style with the Salsa Hot Wings jersey. A classic jersey, destined to become one of your favorites.

FABRIC Micro-Matrix with 20" hidden zipper

SIZE S-XXL



NEW Hot Wings™ Socks

FABRIC Coolmax®

SIZE S/M or L/XL



NEW Hot Wings™ Headband

Thin elastic polyester with an absorbent terry cloth lining.



¡Salud!



6400 West 105th Street • Bloomington, MN 55438

Telephone: 952-229-5043 • Fax: 877-337-2572

Web: www.salsacycles.com • E-mail: pman@salsacycles.com



Salsa products are available through independent bicycle dealers. Support your local bike shop.

DOMESTIC

QBP

952-941-9391

BTI

505-473-1010

HAWLEY

803-359-3492

DOWNEAST

207-935-4242

INTERNATIONAL

AUSTRALIA

Dirt Works
612-9679-8400

BRAZIL

MS Bike
55-1126-39079

FRANCE

RSP Import
331-460-5120 0

GERMANY

Cosmic Sports GmbH
499-113-1075 5-0

HONG KONG

Flying Ball Bicycle
852-238-13661

JAPAN

PR International
011-815-2774-8756

KOREA

Sam Chuly Bicycle
0523 80-0334-5

MEXICO

Viansi Boutique
525-549-2649

NEW ZEALAND

Cycle Supplies
643-338-6803

PERU

Cycling
511-427-10247

SWEDEN

Cykel City
464-615-7300

UNITED KINGDOM

Ison Distribution
441-223-2138 00



All photos and specifications contained in this catalog are based on the latest production information at the time of publication. Salsa reserves the right to make any changes without notice. Kevlar®, CoolMax® and Delrin® are registered trademarks of DuPont. Reynolds 853® is a registered trademark of Reynolds Cycle Technology. Salsa® is a registered trademark of Salsa Cycles. © 2001 Salsa Cycles. All rights reserved.

Got a big bike event coming up? Chances are you'll see these two desperados there, manning the Salsa tent like nobody's business. Pepperman and Chuck. Ask nice, and they might even give you some swag!