ALEXRIMS

FOR THE WAY YOU RIDE

2019 WHEELS

WWW.ALEXRIMS.COM

ALEXRIMS 2019 WHEELS



ALEXRIMS WHEELS KEEP YOU ROLLING

Building world-class wheel sets has been our passion for almost 15 years. Our efforts were rewarded in 2004 and 2008 when Olympic Gold medals were won on Alexrims Wheels. Our successes have continued to this day with professional racers and world class athletes winning on Alexrims wheels all around the world.

Alexrims wheels are designed for any rider who wants the best performance with the latest technology. Whether it's carbon, Scandium, 700series alloy or our own propreitery 6061H material we guarantee you will be able to carve and control your bike through any corner or kind of terrain like never before. Alexrims wheels are designed to give you the best, fastest, most secure ride of your life.

We combine the best materials with the latest technology and hand built quality to give you the best possible performance on Road, Marathon, Cross Country, Freeride, DH and BMX.

Successful pro riders and teams around the world win on Alexrims wheels. It's time for you to experience the same ride they do. It's time for you to ride on Alexrims Wheels.

ALEXRIMS WHEELS...BETTER THAN ANY WHEEL YOU HAVE EVER RIDDEN.



Dr. Alex Chen

ALEXRIMS

WWW.ALEXRIMS.COM

MTB SPECS

MODEL	RIM	HUB	SPOKE	LACE	WEIGHT	
VXD4 (29")	29" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 3 CROSS 289MM FL: 3 CROSS 284MM RR: 3 CROSS 286MM RL: 3 CROSS 286MM	1782G	MTB
VXD4B (29")	29" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 286MM FL: 2 CROSS 284MM RR: 2 CROSS 284MM RL: 2 CROSS 286MM	1710G	
VXD4 (27.5")	27.5" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 271MM FL: 2 CROSS 266MM RR: 2 CROSS 268MM RL: 2 CROSS 268MM	1730G	
VXD4B (27.5")	27.5" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 267MM FL: 2 CROSS 265MM RR: 2 CROSS 265MM RL: 2 CROSS 267MM	1658G	
VXD4 (26")	26" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 271MM FL: 2 CROSS 266MM RR: 2 CROSS 268MM RL: 2 CROSS 268MM	1690G	
VXD7 (29")	29" 28/28H BLACK W/SSE	2/2 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 290MM FL: 2 CROSS 288MM RR: 2 CROSS 288MM RL: 2 CROSS 290MM	1928G	
VXD7 (27.5")	27.5" 28/28H BLACK W/SSE	2/2 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 271MM FL: 2 CROSS 269MM RR: 2 CROSS 269MM RL: 2 CROSS 271MM	1895G	
VXD7 (26")	26" 28/28H BLACK W/SSE	2/2 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 258MM FL: 2 CROSS 252MM RR: 2 CROSS 254MM RL: 2 CROSS 256MM	1728G	
VED3B (29")	29" 32/32H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 3 CROSS 289MM FL: 3 CROSS 292MM RR: 3 CROSS 291MM RL: 3 CROSS 291MM	1995G	
VED3B (27.5")	27.5" 32/32H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 3 CROSS 274MM FL: 3 CROSS 271MM RR: 3 CROSS 272MM RL: 3 CROSS 272MM	1845G	
VED4 (29")	29" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 269MM FL: 2 CROSS 257MM RR: 2 CROSS 258MM RL: 2 CROSS 276MM	1826G	
VED4 (27.5")	27.5" 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 265MM FL: 2 CROSS 282MM RR: 2 CROSS 269MM RL: 2 CROSS 285MM	1766G	
ANIMAL 3.5	27.5" 32/32H BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR:3 CROSS 272MM FL:3 CROSS 276MM RR:3 CROSS 276MM RL:3 CROSS 276MM	1960G	
ANIMAL 4.5	27.5" 32/32H BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR:3 CROSS 272MM FL:3 CROSS 276MM RR:3 CROSS 276MM RL:3 CROSS 276MM	2150G	
ANTIC	27.5" 32/32/H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 264MM FL: 3 CROSS 259MM RR: 3 CROSS 262MM RL: 3 CROSS 262MM	2190G	
ANTIC	26" 32/32H BLACK TUBELESS W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 262MM FL: 3 CROSS 260MM RR: 3 CROSS 261MM RL: 3 CROSS 263MM	2122G	
CHEROKEE 70C	26" 32/32 CARBON CLINCHER	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 262MM RL: 3 CROSS 260MM RR: 3 CROSS 260MM RL: 3 CROSS 262MM	2165G	FAT
CHEROKEE 90	26" 32/32 BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 269MM RL: 3 CROSS 267MM RR: 3 CROSS 267MM RL: 3 CROSS 269MM	2650G	

大造熊有限公司
DA CHAO SHONG CO.,LTD.
東埔寨柴槟省巴域市國道一號大成巴域經濟特區+ (大造熊公司)
Tai Seng Bavet Special Economic Zone, National Road. 1 , Bavet City, Svay Rieng Province, Cambodia
Da Chao Shong Co.,Ltd.
電話：+855-44-712265
E-MAIL: dachaoshong@gmail.com

大造熊科技股份有限公司
BEAR PAWLS, INC.
428-72台中市大雅區鳳鳴路6-1號
1F.,NO.6-1,Fengming Rd.,Daya Dist., Taichung City 42872, Taiwan(R.O.C)
電話：+886-4-25606996
傳真：+886-4-25606886
E-MAIL:bearpawls@bearpawls.com.tw
WEB: www.bearpawls.com

CONTENTS

ROAD

ALX845C 7
ALX850 8
ALX473 9
ALX440 10
ALX265 11
ALX210/ALX210TRI 12

ROAD DISC

ALX935D ***NEW*** 15
ALX845D 16
ALX835D 17
RXD3 18
RXD6 ***NEW*** 19
BOONDOCKS 3 20
BOONDOCKS 5 21
CXD4 22
CXD6 23

MTB


RECON 3.0 ***NEW*** 25
VXD4 / VXD4B 26
VXD7 28
VED3B 29
VED4/VED4B 30
ANIMAL 3.5 31
ANTIC 32

FATBIKE

CHEROKEE 70C 35
CHEROKEE 90 36

ACCESSORIES 38-39
SPECIFICATIONS 40-41





PHOTOGRAPHY

INNER TECH

WELDED JOINT

Wheel balance can be the difference between a good wheel and a great wheel. Alex Welded Joint rims produce a solid, balanced feel so your energy transfers to every stroke of the pedals. We think a balanced wheel is so important that we build over 24 different hi-quality welded joint rims.

SLEEVE JOINT

Sleeve joints provide more surface contact with a rim's inner wall for a more secure rim than pin joints but with the same lightweight properties.

MATERIAL TECH

SSL
(SCANDIUM SUPER LIGHT)

Scandium Super Light is a space age material developed in our hi-tech 3C division. SSL is stronger, lighter & more rigid than any other alloy rim material. So if you want to go fast, you need an Alex SSL designed rim.

EXA
(EXTRA LIGHT & STRONG ALLOY)

There's EXA and then there's EXA alloy rims. ALEX only uses EXA alloy. This is a special alloy heat treated twice. Don't be fooled by imitators. Only buy hi-quality ALEX rims made with EXA materials.

HANDBUILT WHEELS

At Alexrims Wheels we use the best materials like EXA, sealed bearing hubs and top quality spokes laced into every wheel. We take pride in our advanced technologies and professionally hand build every Alexrims Wheels wheel that comes trued to within 0.2mm of tolerance. At Alexrims Wheels there are no shortcuts on the path to top performance which is why Alexrims Wheels has become a world leader in the cycling industry.

SURFACE TECH

EQUALIZER
(RIM TECH)

By utilizing 0.5mm off center spoke drilling from the hub centerline, our Equalizer technology allows for the use of equally tensioned spokes on both sides of the wheel. Equal length spokes at equal tension make for a super strong wheel that is perfectly balanced from side to side.

CSW
(CNC SIDEWALLS)

Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.

ASE
(ALUMINUM SINGLE EYELETS)

Aluminum Eyelets reduce stress on the rim, are lighter and offer better vibration absorption than stainless steel. ASE eyelets will be standard on our top level rims.

SSE
(STAINLESS SINGLE EYELETS)

First developed by Alex in 1995, the SSE improves seating of the nipple head for a better built wheel.


TRS
(TUBELESS READY SYSTEM)

Many of our rims offer our TRS (Tubeless Ready System) Technology. Just install your favorite tubeless tire, valve, rim strip and sealant and the rim is ready to go. We even offer the ALEX TRS kit with everything you need to get you rolling.




T-BAR TECHNOLOGY

ALEX TUBELESS SYSTEM SINCE 1999



T-BAR TECH
(MIN. SAFETY FACTOR = 1.16)



NORMAL
(MIN. SAFETY FACTOR = 0.12)

Compared to wheel sets using rims with traditional spoke holes, T-Bar Technology equipped wheel sets from Alexrims Wheels offer superior strength through stress-free alignment of all components throughout the rim, spoke and hub system. A unique patented pinned clevis interface joins the spoke to the rim which requires no through-hole drilling making the T-Bar system an ideal tubeless solution.

The T-Bar design results in more lateral stiffness and longitudinal stability allowing it to withstand higher impact forces for a more controlled and efficient riding experience.

The geometry of our T-Bar technology directs forces across more surface area compared to a conventional spoke interface allowing for a wheel with higher tension, longer maintenance of trueness and extended the life of the wheel.

The aluminum alloy clevis pins are available in anodized colors for thousands of custom combinations.

Compatible with Tubeless and Tubeless Ready tire systems

T-Bar is a patented Alex design







SLEEVE TECHNOLOGY

Alexrims sleeved joint construction Sleeved rim joints offers the same weight and trueness as a waded joint but at a fraction of the cost. Sleeved joint rims are suitable for tubeless applications



ROAD 6-13

ALX845C 7

ALX850 8

ALX473 9

ALX440 10

ALX265 11

ALX210/ALX210TRI 12

ALX845C


THE 845C STRIKES A BALANCE BETWEEN STRAIGHT-LINE AERO PERFORMANCE AND NIMBLE HANDLING. OUR NEWLY SHAPED FULL CARBON RIM WITH ROUNDED CROSS SECTIONAL PROFILE IS LACED TO OUR PROPRIETARY ULTRALIGHT HUBS FOR AN WHEEL SET UNMATCHED BY ANY OTHER.





RIM

+ 100% CARBON CONSTRUCTION
+ DESIGNED FOR CLINCHER TIRES
+ 45MM SUPER DEEP AERO DESIGN
+ TRS



SPOKES

+ STAINLESS STEEL BLK BLADED SPOKES
+ HIDDEN NIPPLES FOR INCREASED AERODYNAMICS
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL - RADIAL LACE ON NON-DRIVE AND 1 CROSS ON DRIVE SIDE

HUB

+ LOW RESISTANCE SEALED BEARINGS 2F/4R
+ LIGHTWEIGHT 7075 AXLE AND SEALED CASSETTE BODY
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10/11 SPEED CASSETTES

WEIGHT

+ 700C: 1560G

ALX850

THE ALX850 IS A TUBULAR WHEELSET WITH A DEEP 55MM AERO PROFILE. MADE OF CARBON-FIBER AND HIDDEN NIPPLES FOR THE ULTIMATE LIGHTWEIGHT WHEELSET. COMES WITH AERO SHAPED SPOKES AND SEALED BEARING HUBS.



RIM

+ 100% CARBON CONSTRUCTION
+ DESIGNED FOR TUBULAR TIRES
+ 55MM DEEP AERO DESIGN

SPOKES


+ STAINLESS STEEL BLK AERO SPOKES
+ HIDDEN NIPPLES FOR INCREASED AERODYNAMICS
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL - RADIAL LACE ON NON-DRIVE AND 1 CROSS ON DRIVE SIDE

HUB

+ PROPRIETARY ALEXRIMS WHEELS DESIGN
+ LIGHTWEIGHT ALUMINUM AXLE ROLLS ON 4 LOW RESISTANCE SEALED BEARINGS
+ COMPATIBLE WITH 8, 9, 10 AND 11 SPD

WEIGHT

+ 700C: 1370G




ALX473

ALX473 IS A LIGHTWEIGHT ALL AROUND AERO WHEELSET. THE 30MM RIM AND THE 2:1 LACING ON THE REAR MAKE THE ALX473 AN AERO WHEEL WITH PLENTY OF STIFFNESS WHERE IT COUNTS.



RIM

+ PROPRIETARY EXA MATERIAL
+ 30MM DEEP AERO DESIGN WITH 17.4MM INNER WIDTH
+ TRS ROAD TUBELESS PROFILE WITH INNER BEAD LOCK CAN BE USED WITH TUBELESS TIRES WITH THE USE OF THE ALEX RIMS
+ TUBELESS CONVERSION KIT. WELDED RIM WITH MACHINED SIDEWALLS FOR ULTIMATE STRENGTH AND BRAKING PERFORMANCE



SPOKES

+ STAINLESS AERO SPOKES WITH ALLOY NIPPLES
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL (2:1 LACING) - RADIAL LACE ON NON DRIVE AND 1 CROSS ON DRIVE SIDE

HUB

+ SMOOTH ROLLING SEALED CARTRIDGE
+ CASSETTE HUBS
+ LIGHTWEIGHT 7075 AXLE AND CASSETTE BODY
+ SEALED CARTRIDGE BEARINGS
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10/11 SPEED CASSETTES

WEIGHT

+ 700C: 1460G

ALX440

A REMARKABLE VALUE IN LIGHTWEIGHT WHEELSETS. 26MM DEEP RIM WITH A WELDED JOINT FOR SUPERIOR STRENGTH AND BRAKING PERFORMANCE.



RIM

+ LIGHTWEIGHT AERO DESIGN - 26MM DEEP RIM PROFILE
+ MADE OF OUR OWN EXA MATERIAL - A SPECIAL ALLOY THAT IS HEAT TREATED TWICE FOR EXTRA STRENGTH AND LIGHTER WEIGHT
+ WELDED JOINT
+ MACHINED SIDE WALL - INCREASED BRAKING PERFORMANCE
+ TRS

SPOKES


+ STAINLESS STEEL BLK SPOKES
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL - 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN FRONT HUB AND 4 IN THE REAR HUB
+ COMPATIBLE WITH 8, 9, 10 AND 11 SPD

WEIGHT

+700C: 1566G




ALX265

ALX265 IS A WORKHORSE WHEELSET. POSSIBLY THE BEST VALUE WHEELSET ON THE MARKET THE ALX265 CHECKS ALL OF THE BOXES: WIDE RIM, TUBELESS READY, CARTRIDGE BEARING HUBS. A REAL WINNER!



RIM

+ PROPRIETARY EXA MATERIAL 24MM DEEP WITH 17MM INNER WIDTH
+ TRS ROAD TUBELESS PROFILE WITH INNER BEAD LOCK CAN BE USED WITH TUBELESS TIRES WITH THE USE OF THE ALEX RIMS TUBELESS CONVERSION KIT
+ MACHINED SIDEWALLS FOR ULTIMATE STRENGTH AND BRAKING PERFORMANCE



SPOKES

+ STAINLESS SPOKES WITH BRASS NIPPLES
+ 20 FRONT WHEELS - RADIAL LACING
+ 24 REAR WHEELS - 2 CROSS LACING

HUB

+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ LOW RESISTANCE SEALED CARTRIDGE BEARINGS
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10/11 SPEED CASSETTES

WEIGHT

+ 700C: 1832G

ALX210/ ALX210TRI

ALX210 IS PERFECT PERFORMANCE UPGRADE FOR YOUR ENTRY LEVEL ROADBIKE.





RIM

+ 24MM DEEP AERO DESIGN
+ TUBELESS READY SYSTEM
+ MACHINED SIDE WALL - INCREASED BRAKING PERFORMANCE
+ AVAILABLE IN 700C AND 650C SIZES

SPOKES


+ STAINLESS STEEL BLK SPOKES
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL - 2 CROSS LACING

HUB

+ PRECISION BALL BEARINGS
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD

WEIGHT

+ 700C: 1922G
+ 650C: 1820G



ROAD DISC



ROAD DISC 14-25

ALX935D ***NEW*** 15
ALX845D 16
ALX835D 17
RXD3 18
RXD6 ***NEW*** 19
BOONDOCKS 3 20
BOONDOCKS 5 21
CXD4 22
CXD6 23
RECON 3.0 ***NEW*** 24

ALX935D

ALX935D IS A DEDICATED ROAD DISC WHEELSET UTILIZING A WIDER RIM TO COMPLIMENT MODERN GRAVEL AND CX TIRE PROFILES.






RIM

- 100% CARBON CONSTRUCTION
- CLINCHER DESIGN TO WORK WITH MORE TIRE OPTIONS
- 35MM DEEP AERO DESIGN
- TRS

SPOKES

- STAINLESS STEEL BLK SPOKES
- HIDDEN NIPPLES FOR INCREASED AERODYNAMICS
- 24H FRONT WHEEL- 2 CROSS
- 24H REAR WHEEL-2 CROSS



HUB

- LIGHTWEIGHT ALUMINUM AXLE
- LOW RESISTANCE SEALED BEARINGS-2 IN THE FRONT HUB AND 4 IN THE REAR
- COMPATIBLE WITH 8,9,108,11 SPD
- OPTIONAL CENTERLOCK
- FRONT WHEEL OPTIONS-ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
- REAR WHEEL OPTIONS- ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

- 700C: 1650G

ALX845D

FOR THE ULTIMATE IN LOW WEIGHT PERFORMANCE ALEXRIMS WHEELS OFFERS OUR FULL CARBON ALX845D WHEELSET.



RIM

+ 100% CARBON CONSTRUCTION
+ CLINCHER DESIGN TO WORK WITH MORE TIRE OPTIONS
+ 45MM DEEP AERO DESIGN
+ TRS

SPOKES


+ STAINLESS STEEL BLK BLADED SPOKES
+ HIDDEN NIPPLES FOR INCREASED AERODYNAMICS
+ 24H FRONT WHEEL- 2 CROSS
+ 24H REAR WHEEL- 2 CROSS

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1690G



ALX835D

FOR THE ULTIMATE IN LOW WEIGHT PERFORMANCE ALEXRIMS WHEELS OFFERS OUR NEW CARBON ALX835D WHEELSET.



RIM

+ 100% CARBON CONSTRUCTION
+ CLINCHER SDESIGN TO WORK WITH MORE TIRE OPTIONS
+ 35MM DEEP AERO DESIGN
+ TRS

SPOKES


+ STAINLESS STEEL BLK BLADED SPOKES
+ HIDDEN NIPPLES FOR INCREASED AERODYNAMICS 24H FRONT WHEEL - 2 CROSS
+ 24H REAR WHEEL-2 CROSS

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS-2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS-ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS- ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1610G



RXD3

A PREMIUM COMPETITION-WORTHY ALLOY DISC ROAD WHEEL SET THAT IS EQUALLY AT HOME IN A RACE OR LOCAL CLUB RIDE.



RIM

+ DESIGNED DISC ONLY FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN | SLEEVE JOINT

SPOKES


+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1550G



RXD6

RXD6 BRINGS NEARLY ALL THE PERFORMANCE OF RACE-READY GRAVEL WHEELS AT A MUCH LOWER PRICE.



RIM

+ RIM DESIGNED DISC ONLY FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN
+ PIN JOINT

SPOKES


+ STAINLESS BLK SPOKES WITH BRASS NIPPLES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1950G



BOONDOCKS 3

DESIGNED TO TAKE YOU VIRTUALLY ANYWHERE YOU WANT TO GO, THE BOONDOCKS ARE ROBUST, AGILE AND FAST ROLLING.



RIM

+ DESIGNED DISC ONLY FOR THE LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN
+ SLEEVE JOINT

SPOKES


+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1686G
+ 650B: 1622G



BOONDOCKS 5

THE BOONDOCKS 5 ARE FAST ROLLING AND TUBELESS READY WHEELSET.



RIM

+ DESIGNED DISC ONLY FOR LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN

SPOKES


+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL- 2 CROSS LACING
+ 24H REAR WHEEL-2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS-ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS- ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1910G



CXD4

YOU NEED A ROAD DISC WHEELSET? TUBELESS READY AND SUPERLIGHT? CXD4 IS YOUR FIRST CHOICE!



RIM

+ DESIGNED DISC ONLY -FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ OFFSET PROFILE - MAKES A STRONGER WHEEL

SPOKES


+ STAINLESS STEEL BLK SPOKES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1560G




CXD6

CXD6 IS A SOLID WHEELSET WITH ALL IMPORTANT OPTIONS LIKE 11 SPEED AND EVEN 15MM FRONT AXLE.



RIM

+ DESIGNED FOR DISC ONLY - FOR THE LATEST ROAD AND CROSS BIKES
+ MADE OF OUR OWN EXA MATERIAL - A SPECIAL ALLOY THAT IS HEAT TREATED TWICE FOR EXTRA STRENGTH AND LIGHTER WEIGHT
+ TUBELESS READY DESIGN



SPOKES

+ STAINLESS STEEL BLK SPOKES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - QUICK RELEASE OR 12/15MM AXLE MODELS AVAILABLE
+ REAR WHEEL OPTIONS - QUICK RELEASE OR 12MM X 142MM AXLE

WEIGHT

+ 700C: 1842G



MTB 26-33

VXD4 / VXD4B 27

VXD7 28

VED3B 29

VED4/VED4B 30

ANIMAL 3.5 31

ANTIC 32

RECON 3.0

RECON 3.0 FULL CARBON ENDURE WHEELS ARE FAST ROLLING, SUPER STRONG AND DESIGNED FOR OPTIMUM ALL-MOUNTAIN PERFORMANCE.




RIM

+ RIM 100%CARBON CONSTRUCTION
+ TUBELESS READY DESIGN ASYMETRIC & HOOKLESS DESIGN

SPOKES

+ STAINLESS STEEL BLK BLADED SPOKES
+ 28H FRONT WHEEL - 3 CROSS LACING
+ 28H REAR WHEEL - 3 CROSS LACING



HUB

+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS-2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE

WEIGHT

+ 29": 1706G
+ 650B: 1604G

VXD4/VXD4B

THE VXD4 BORROWS TECHNOLOGY FROM THE HIGHER END VXD1 BUT IS CONSTRUCTED OF PROPRIETARY EXA MATERIAL RATHER THAN SCANDIUM AND IS DESIGNED TO STRIKE AN IDEAL BALANCE BETWEEN PRICE AND OFF ROAD PERFORMANCE. VXD4B IS FOR BOOST SPEC.




RIM

- TUBELESS READY DESIGN
- SLEEVE JOINT
- SSE - STAINLESS SINGLE EYELETS
- AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 26", 650B AND 29"

SPOKES

- STAINLESS STEEL D.B. BLK SPOKES
- 28H FRONT WHEEL - 2 CROSS LACING
- 28H REAR WHEEL - 2 CROSS LACING



HUB

- LIGHTWEIGHT ALUMINUM AXLE
- LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
- SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE
- OPTIONAL CENTERLOCK
- FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM OR 15X110MM AXLE
- REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM OR 12X148MM AXLE

WEIGHT

- **VXD4** 29”: 1782G | 27.5": 1730G | 26”: 1690G
- **VXD4B** 29”: 1710G | 27.5": 1658G

VXD7

VXD7 IS A STRONG AND VERSATILE WHEELSET. QR15 FRONT HUB AND 12X142MM REAR FIT TODAY'S MODERN TRAIL BIKES. AVAILABLE IN 29", 27.5" AND 26" VERSIONS



RIM

+ PROPRIETARY EXA MATERIAL
+ 18MM DEEP WITH 21MM INNER WIDTH
+ TRS TUBELESS READY SYSTEM PROFILE CAN BE USED WITH TUBELESS TIRES WITH THE USE OF THE ALEX RIMS TUBELESS CONVERSION KIT
+ STAINLESS STEEL EYELETS AND SLEEVED JOINT FOR GREATER STRENGTH

SPOKES


+ STAINLESS SPOKES WITH BRASS NIPPLES
+ 28H FRONT WHEEL - 2 CROSS LACING
+ 28H REAR WHEEL - 2 CROSS LACING

HUB

+ CENTERLOCK DISC BRAKE COMPATIBLE
+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ SEALED CARTRIDGE BEARINGS
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QR OR 15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QR OR 12 X 142MM AXLE
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE

WEIGHT

+ 29": 1964G
+ 27.5": 1895G
+ 26": 1830G



VED3B

WE USED OUR EXCLUSIVE SINGLE EYELET TECHNOLOGY TO DEVELOP A WHEEL THAT COULD WITHSTAND EVEN THE TOUGHEST ENDURO RACE. VED3B IS A BOOST WHEEL BUILD WITH ID 30MM RIMS AND IS AVAILABLE IN 29" AND 27.5".



RIM

+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ SSE- STAINLESS SINGLE EYELETS
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 650B AND 29"

SPOKES


+ STAINLESS STEEL D.B. BLK SPOKES
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING

HUB

+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X 110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE

WEIGHT

+ 29": 2010G
+ 27.5": 1950G



VED4/VED4B

THE SMOOTH RIM BED IS CONSTRUCTED OF DRAWN, PROPRIETARY EXA ALLOY TO BE LIGHT, STRONG AND STUFF.



RIM

+ DESIGNED DISC ONLY FOR THE ALL MOUNTAIN AND ENDURO BIKES
+ TUBELESS READY DESIGN
+ SSE - STAINLESS STEEL EYELETS
+ SLEEVE JOINT
+ AVAILABLE IN SIZES - 650B AND 29”

SPOKES


+ STAINLESS STEEL D.B. BLK SPOKES
+ 28H FRONT WHEEL – 2 CROSS LACING
+ 28H REAR WHEEL – 2 CROSS LACING

HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD AND SRAM COMPATIBLE
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM OR 15X110 AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM OR 12X148 AXLE

WEIGHT

+ 29": 1826G
+ 27.5": 1766G



ANIMAL 3.5

THE ANIMAL 3.5 IS AN EVOLUTION IN PLUS SIZE WHEELS. A 650B RIM USING OUR PROPRIETARY EXA MATERIAL IS LACED TO A LIGHT YET ROBUST AL7075 HUB SHELL THROUGH 32 STAINLESS STEEL SPOKES. THE ANIMAL SERIES RIMS UTILIZE OUR EQUALIZER PROFILE WHICH BALANCES WHEEL TENSION UNIQUELY FOR FRONT AND REAR WHEELS.



RIM

+ TUBELESS READY DESIGN
+ "EQUALIZER" DESIGN
+ PROPRIETARY EXA MATERIAL

SPOKES


+ STAINLESS STEEL BLK SPOKES
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING

HUB

+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT AND 4 IN THE REAR
+ CENTER LOCK COMPATIBLE
+ FRONT WHEEL - 15MM X 110MM
+ REAR WHEEL - 12MM X 148MM
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE

WEIGHT

+ 27.5": 1972G



ANTIC

DOWNHILL AND FREERIDE IS GETTING GNARLIER AND SO ARE OUR WHEELS. THE ANTIC WHEELSET OFFERS AN EXTRA WIDE PROFILE TO GIVE YOU BETTER A TRACTION PATCH FROM YOUR TIRES AT A LOW WEIGHT. WHICH MAKES YOUR BIKE HANDLE BETTER AND MAKES YOU FASTER.



RIM

+ EXTRA WIDE FOR MODERN TIRE DESIGNS
+ TUBELESS READY DESIGN
+ WELDED JOINT
+ SSE - STAINLESS STEEL EYELETS FOR A BETTER BUILT WHEEL
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 26", 650B

SPOKES


+ STAINLESS STEEL BLK SPOKES
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING

HUB

+ LOW RESISTANCE SEALED BEARINGS - 2 IN FRONT HUB AND 4 IN THE REAR HUB
+ FRONT WHEEL - 20MM
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE

WEIGHT

+ 27.5": 2190G
+ 26": 2122G



FATBIKE



FATBIKE 34-37

CHEROKEE 70C 35

CHEROKEE 90 36

CHEROKEE 70C

INTRODUCING ALEXRIMS LATEST FAT BIKE WHEEL: THE 70MM, ULTRA LIGHT CARBON CHEROKEE 70. THE QR15 FRONT HUB AND 12X190MM (OR 10X190MM) REAR HUB FIT TODAY'S MODERN FAT BIKES.



RIM

+ 100%CARBON CONSTRUCTION
+ CLINCHER DESIGN TO WORK WITH MORE TIRE OPTIONS
+ 70MM WIDE FOR MODERN TIRE

SPOKES


+ STAINLESS SPOKES WITH ALLOY NIPPLES
+ 32H FRONT WHEEL-3 CROSS LACING
+ 32H REAR WHEEL-3 CROSS LACING

HUB

+ 6-BOLT DISC BRAKE COMPATIBLE
+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ LIGHTWEIGHT 7075 AXLE
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE
+ FRONT IS QR15 REAR OPTIONS 10X190/ 197MM OR 12X190/197MM THRU-AXLE

WEIGHT

+ 26": 2165G



CHEROKEE 90

CHEROKEE 90 REPRESENTS A SWEET SPOT BETWEEN FAT BIKE TRACTION AND EFFICIENCY IN ROLLING. STRIKING A BALANCE AT 90MM WIDE MEANS COMPATIBILITY WITH THE WIDEST RANGE OF FAT BIKE TIRES WHILE MINIMIZING WEIGHT ROLLING RESISTANCE. LOW RESISTANCE SEALED BEARINGS ENSURE LONG, MAINTENANCE-FREE LIFE AND CONSISTENT PERFORMANCE.



RIM

- PROPRIETARY EXA MATERIAL 90MM WIDE
- ROLLING PIN JOINT MAKES THE RIM STIFFER FOR BETTER CORNERING AND IMPACT RESISTANCE
- LARGE CUTOUTS BETWEEN SPOKES SAVES SIGNIFICANT WEIGHT
- TUBELESS READY DESIGN

SPOKES


- STAINLESS SPOKES WITH BRASS NIPPLES
- 32H FRONT WHEEL - 3 CROSS LACING
- 32H REAR WHEEL - 3 CROSS LACING

HUB

- 6-BOLT DISC BRAKE COMPATIBLE
- SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
- LIGHTWEIGHT 7075 AXLE AND SEALED CARTRIDGE BEARINGS
- COMPATIBLE WITH SHIMANO/SRAM 8/9/10 SPEED CASSETTES
- FRONT IS QR15 REAR OPTIONS 10 X 190/197MM OR 12 X 190/197MM THRU-AXLE

WEIGHT

- 26": 2650G





ACCESSORIES



TUBELESS KIT





BRAKE PAD
(CARBON WHEELS)



VALVE FOR F/V



SPOKE PROTECTOR



TUBULAR TAPE



RIM STRIP
(RP PACKAGE)

- \+ ARS-1 (ROAD)
- \+ ARS-2 (MTB)
- \+ ARS-3 (TREKKING)



ROAD SPECS

	MODEL	RIM	HUB	SPOKE	LACE	WEIGHT
ROAD	ALX845C	700C 20/24H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS AERO BLACK	F: RADIAL 272MM RR: 1 CROSS 258MM RL: RADIAL 270MM	1560G
	ALX850	700C 20/24H CARBON FIBER TUBULAR	2/4SEALD BEARINGS	STAINLESS AERO BLACK	F: RADIAL 266MM RR: 1 CROSS 250MM RL: RADIAL 261MM	1370G
	ALX473	700C 20/24H BLACK W/CSW	2/4 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 277MM RR: 1CROSS 283MM RL: RADIAL 274MM	1460G
	ALX440	700C 20/24H BLACK W/CSW	2/4 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 279MM RR: 2 CROSS 276MM RL: 2 CROSS 288MM	1566G
	ALX265	700C 20/24H BLACK W/CSW	2/2 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 278MM RR: 2CROSS 287MM RL: 2CROSS 285MM	1832G
	ALX210	700C 20/24H BLACK W/CSW	BALL BEARINGS	STAINLESS BLACK	F: RADIAL 278MM RR: 2 CROSS 285MM RL: 2 CROSS 287MM	1922G
	ALX210TRI	650C 20/24H BLACK W/CSW	BALL BEARINGS	STAINLESS BLACK	F: RADIAL 252MM RR: 2 CROSS 259MM RL: 2 CROSS 261MM	1820G
ROAD DISC	ALX935D	700C 24/24H UD CARBON DISC	2/4 SEALED BEARINGS	STAINLESS BLACK	F: 2 CROSS R: 2 CROSS	1650G
	ALX845D	700C 20/24H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 270MM FL: 2 CROSS 268MM RR: 2 CROSS 268MM RL: 2 CROSS 270MM	1690G
	ALX835D	700C 24/24H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 280MM FL: 2 CROSS 278MM RR: 2 CROSS 278MM RL: 2 CROSS 280MM	1455G
	RXD3	700C 24/24H BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 278MM FL: 2 CROSS 276MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM	1550G
	BOONDOCKS 3	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 278MM FL: 2 CROSS 276MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM	1578G
	BOONDOCKS 5	700C 24/24H BLACK	2/2 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 282MM FL: 2 CROSS 280MM RR: 2 CROSS 280MM RL: 2 CROSS 282MM	1780G
	CXD4	700C 24/24H BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 287MM FL: 2 CROSS 283MM RR: 2 CROSS 284MM RL: 2 CROSS 284MM	1560G
	CXD6	700C 24/24H BLACK	2/2 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 285MM FL: 2 CROSS 282MM RR: 2 CROSS 282MM RL: 2 CROSS 285MM	1842G
	RECON 3.0	650B 28/28H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS AERO BLACK	F: 3 CROSS R: 3 CROSS	700C: 1706G 650B: 1604G

亞獵士科技股份有限公司
ALEX GLOBAL TECHNOLOGY INC.
台南市山上區明和里北勢洲21-2號
No.21-2,Beishizhou, Minghe Vil.,
Shanshang Dist., Tainan City 743,
Taiwan
電話：+886-6-5782151
傳真：+886-6-5782394
E-MAIL：alexrims@alexrims.com.tw
WEB：www.alexrims.com

益昌鋁製品（太倉）有限公司
XYZ ALUMINIUM PRODUCTS
(TAI CANG)CO., LTD.
江蘇省太倉市沙溪鎮岳王臺北路2號
No.2 Tai-Pei Road, Yue-Wang District,
Sha-Xi Town, Tai-Cang City, Jiang-Su
Province,China
電話：+86-512-5345 6636 53458348
傳真：+86-512-5345 8322
E-mail: alextc53456636@163.com