ALEXRIMS



WHEELS

ALEXRIMS 2024-2025 WHEELS & RIMS

BUILT FOR THE WAY YOU RIDE

Building world-class wheelsets has been our passion for over 15 years. Our efforts were rewarded in 2004 and 2008 when Olympic Gold medals were won on Alexrims wheelsets. Our successes have continued to this day with professional racers and world class athletes winning on Alexrims wheelsets all around the world.

Alexrims wheels are designed for riders who demand the best performance and the latest technology. Whether it's carbon, Scandium, 700-series alloy or our own propreitery 6061H alloy material, we guarantee you will be able to carve and control your bike through any terrain like never before. Alexrims wheelsets are designed to give you the best, fastest, and most inspiring ride of your life.

We combine the best materials with the latest technology and hand built quality to give you the best possible performance for Road, Marathon, Cross Country, Enduro, DH and BMX.


The winningest professional riders and teams around the world stand a the top step of the podium on Alexrims. It is time for you to experience the same ride they do. It is time for you to ride on Alexrims.



Dr. Alex Chen


ALEXRIMS

PREMIUM TECHNOLOGIES



VERTEBRAE

VERTEBRAE CARBON (PATENTED)

Alexrims has elevated our technological offering on our premium wheelsets to offer the most competitive performace for demanding riders.

A SYMBIOTIC RELATIONSHIP

Using individual in-molded alloy inserts to reinforce the spoke hole, our carbon rims have significantly increased pull strength for higher spoke tension resulting in a wheel that rides mush more smoothly.

We are also able to build wheels with a wider range of tension to dial in the optimal feel for any kind of riding.

These inserts significantly improve overall strength and durability without adding significant weight.

PREMIUM TECHNOLOGIES

IMPEL RATCHET RING



DRIVEN TO WIN

Available as an optional upgrade only, Impel refers to our new 24T ratchet ring style driver compatible with select hubs. Unlike a traditional pawl system, Alexrims' ratchet ring provides more positive engagement with the hub for improved power transfer. Additionally, ratchet ring systems have increased lifespans and improved wear characteristics making them ideal for aggressive riding as well as eBikes.

CORE TECHNOLOGIES

At Alexrims Wheels we use the best materials like EXA, sealed bearing hubs and top quality spokes laced into every wheel. We take pride in our advanced technologies and professionally hand-build every Alexrims wheel truing it to within 0.2mm tolerance.
At Alexrims there are no shortcuts on the path to top performance which is why we've become a world leader in the cycling industry.

INTERNAL TECHNOLOGIES

WELDED JOINT

Wheel balance can be the difference between a good wheel and a great wheel. Alex Welded Joint rims produce a solid, balanced feel so your energy transfers to every stroke of the pedals. We think a balanced wheel is so important that we build over 24 different hi-quality welded joint rims.

SLEEVE JOINT

Sleeve joints provide more surface contact with a rim's inner wall for a more secure rim than pin joints but with the same lightweight properties.


MATERIAL TECHNOLOGIES

SC SSL

Scandium Super Light is a space age material developed in our hi-tech 3C division. SSL is stronger, lighter & more rigid than any other alloy rim material. So if you want to go fast, you need an Alex SSL designed rim.

AL EXA

There's EXA and then there's EXA alloy rims. ALEX only uses EXA alloy. This is a special alloy heat treated twice. Don't be fooled by imitators. Only buy hi-quality ALEX rims made with EXA materials.



CORE TECHNOLOGIES

SURFACE TECHNOLOGIES

By utilizing 0.5mm off center spoke drilling from the hub centerline, our Equalizer technology allows for the use of equally tensioned spokes on both sides of the wheel. Equal length spokes at equal tension make for a super strong wheel that is perfectly balanced from side to side.

Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.

Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.

Aluminum Eyelets reduce stress on the rim, are lighter and offer better vibration absorption than stainless steel. ASE eyelets will be standard on our top level rims.

First developed by Alex in 1995, the SSE improves seating of the nipple head for a better built wheel.


ALEXRIMS

WHEELS CONTENTS

ROAD 01

01 ALX473
02 ALX265
03 ALX210/ALX210TRI

ROAD DISC 04

NEW 06 ALX945D
07 ALX935D
08 BAXTER 3.0
09 RXD3
10 RXD6
NEW 11 BOONDOCKS 1
12 BOONDOCKS 3
13 BOONDOCKS 5
14 CXD4
15 CXD6
NEW 16 GX5

MTB 17

18 RECON 3.0
19 VXD4/VXD4B
20 VXD7
21 VED3B
22 VED4

FATBIKE 24

NEW 25 CHEROKEE 80

E-BIKE 26


NEW 27 EMP5

ACCESSORIES 28


ALEXRIMS
ROAD

ALX473

ALX473 is a lightweight all around aero wheelset. The 30mm rim and the 2:1 lacing on the rear make the ALX473 an aero wheel with plenty of stiffness where it counts.





RIM

700C 20/24H | BLACK W/CSW
+ PROPRIETARY EXA MATERIAL
+ 30MM DEEP AERO DESIGN WITH 17.4MM INNER WIDTH
+ TRS ROAD TUBELESS PROFILE WITH INNER BEAD LOCK CAN BE USED WITH TUBELESS TIRES WITH THE USE OF ALEX RIMS
+ TUBELESS CONVERSION KIT. WELDED RIM WITH MACHINED SIDEWALLS FOR ULTIMATE STRENGTH AND BRAKING PERFORMANCE



HUB

2/4 SEALED BEARINGS
+ SMOOTH ROLLING SEALED CARTRIDGE
+ CASSETTE HUBS
+ LIGHTWEIGHT 7075 AXLE AND CASSETTE BODY
+ SEALED CARTRIDGE BEARINGS
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10/11 SPEED CASSETTES

SPOKE

+ STAINLESS AERO SPOKES WITH ALLOY NIPPLES
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL (2:1 LACING) - RADIAL LACE ON NON DRIVE AND 1 CROSS ON DRIVE SIDE

WEIGHT


1458G

ALX265





ALX265 is a workhorse wheelset. Possibly the best value wheelset on the market the ALX265 checks all of the boxes: wide rim, tubeless ready, cartridge bearing hubs. A real winner!



RIM

700C 20/24H | BLACK W/CSW

+ PROPRIETARY EXA MATERIAL 24MM DEEP WITH 17MM INNER WIDTH
+ TRS ROAD TUBELESS PROFILE WITH INNER BEAD LOCK CAN BE USED WITH TUBELESS TIRES WITH THE USE OF THE ALEX RIMS TUBE LESS CONVERSION KIT
+ MACHINED SIDEWALLS FOR ULTIMATE STRENGTH AND BRAKING PERFORMANCE

HUB

2/2 SEALED BEARINGS

+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ LOW RESISTANCE SEALED CARTRIDGE BEARINGS
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10/11 SPEED CASSETTES

SPOKE

+ STAINLESS SPOKES WITH BRASS NIPPLES
+ 20 FRONT WHEELS - RADIAL LACING
+ 24 REAR WHEELS - 2 CROSS LACING


WEIGHT

1832G

ALX210/ALX210TRI

ALX210 is perfect performance upgrade for your entry level roadbike.





RIM

700C 20/24H & 650C 20/24H | BLACK W/CSW
+ 24MM DEEP AERO DESIGN
+ TUBELESS READY SYSTEM
+ MACHINED SIDE WALL - INCREASED BRAKING PERFORMANCE
+ AVAILABLE IN 700C AND 650C SIZES



HUB

BALL / 2 SEALED BEARINGS
+ PRECISION BALL BEARINGS
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD

SPOKE

+ STAINLESS STEEL BLK SPOKES
+ 20H FRONT WHEEL - RADIAL LACING
+ 24H REAR WHEEL - 2 CROSS LACING

WEIGHT

700C: 1922G
650C: 1820G


ROAD
DISC




NEW

ALX945D

ROAD DISC WHELS



The ALX945D is a full carbon clincher that takes advantage of our latest toroidal rim profile. A 19mm inner width is compatible with modern wide road tires and comes tubeless ready for ultimate road feel.





RIM

700C 24/24H | CARBON FIBER CLINCHER
+ 100% CARBON CONSTRUCTION
+ CLINCHER DESIGN TO WORK WITH MORE TIRE OPTIONS
+ 45MM DEEP AERO DESIGN
+ TRS

HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS-2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE


+ STAINLESS BLACK
+ 24H FRONT WHEEL- 2 CROSS
+ 24H REAR WHEEL-2 CROSS

WEIGHT

1724G

ALX935D

ALX935D is a dedicated road disc wheelset utilizing a wider rim to compliment modern gravel and CX tire profiles.





RIM

700C 24/24H | CARBON FIBER CLINCHER
+ 100% CARBON CONSTRUCTION
+ CLINCHER DESIGN TO WORK WITH MORE TIRE OPTIONS
+ 35MM DEEP AERO DESIGN
+ TRS



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS-2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS STEEL BLK SPOKES
+ 24H FRONT WHEEL- 2 CROSS
+ 24H REAR WHEEL-2 CROSS

WEIGHT

1650G


BAXTER 3.0

ROAD DISC WHELS





Baxter takes you to places undiscovered aboard wide carbon rims, a tubeless-ready profile, straight-pull spokes and disc brake hubs for adventure that lasts for miles.



RIM

700C 24/24 | CARBON FIBER CLINCHER
+ 100% CARBON CONSTRUCTION
+ CLINCHER SDESIGN TO WORK WITH MORE TIRE OPTIONS
+ 30MM DEEP AERO DESIGN
+ TRS

HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS STEEL BLK BLADED SPOKES
+ 24H FRONT WHEEL - 2 CROSS
+ 24H REAR WHEEL- 2 CROSS


WEIGHT

1650G

RXD3

A premium competition-worthy alloy disc road wheel set that is equally at home in a race or local club ride.





RIM

700C 24/24 BLACK
+ DESIGNED DISC ONLY FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN | SLEEVE JOINT

HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE



SPOKE

+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING


WEIGHT

1550G

RXD6



RXD6 brings nearly all the performance of race-ready gravel wheels at a much lower price.



RIM

700C 24/24 BLACK
+ RIM DESIGNED DISC ONLY FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN
+ PIN JOINT



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE


+ STAINLESS BLK SPOKES WITH BRASS NIPPLES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING

WEIGHT

1994G

BOONDOCKS 1 NEW

As the name suggests, these wheels were designed to take your gravel and bike packing adventures to a whole new level. Medium depth rims are both aerodynamic, stable, yet unphased by cross winds for a wheelset that excels in all conditions.





RIM

700C 24/24 BLACK
650B 24/24 BLACK
+ DESIGNED DISC ONLY FOR THE LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN
+ SLEEVE JOINT



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS D.B. BLACK
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING


WEIGHT

700C:1725G 650B:1659G

BOONDOCKS 3



Designed to take you virtually anywhere you want to go, the Boondocks are robust, agile and fast rolling.



RIM

700C 24/24 BLACK
+ DESIGNED DISC ONLY FOR THE LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN
+ SLEEVE JOINT



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING


WEIGHT

1714G

BOONDOCKS 5

The Boondocks 5 are fast rolling and tubeless ready wheelset.





RIM

700C 24/24 BLACK
+ DESIGNED DISC ONLY FOR LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN

HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS
+ COMPATIBLE WITH 8,9,10&11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM AXLE
+ REAR WHEEL OPTIONS- ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE



SPOKE

+ STAINLESS STEEL D.B. BLK SPOKES
+ 24H FRONT WHEEL- 2 CROSS LACING
+ 24H REAR WHEEL-2 CROSS LACING

WEIGHT


1830G

CXD4





You need a road disc wheelset? Tubeless Ready and superlight? CXD4 is your first choice!



RIM

700C 24/24 BLACK
+ DESIGNED DISC ONLY - FOR THE LATEST ROAD AND CROSS BIKES
+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ OFFSET PROFILE - MAKES A STRONGER WHEEL

HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS STEEL D.B. SPOKES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING


WEIGHT

1564G

CXD6

CXD6 is a solid wheelset with all important options like 11 speed and even 15mm front axle.





RIM

700C 24/24 BLACK
+ DESIGNED FOR DISC ONLY - FOR THE LATEST ROAD AND CROSS BIKES
+ MADE OF OUR OWN EXA MATERIAL - A SPECIAL ALLOY THAT IS HEAT TREATED TWICE FOR EXTRA STRENGTH AND LIGHTER WEIGHT
+ TUBELESS READY DESIGN



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - QUICK RELEASE OR 12/15MM AXLE MODELS AVAILABLE
+ REAR WHEEL OPTIONS - QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS STEEL BLK SPOKES
+ 24H FRONT WHEEL - 2 CROSS LACING
+ 24H REAR WHEEL - 2 CROSS LACING


WEIGHT

1881G

NEW GX5



The GX5 wheels are a welcome value suited best for gravel, CX and road disc applications. A 23mm inner width alloy rim is mated to lightweight alloy hubs using 2 and 4 sealed bearings for the front and rear respectively.



RIM

700C 24/24 BLACK
+ DESIGNED DISC ONLY FOR THE LATEST GRAVEL AND CROSS BIKES
+ TUBELESS READY DESIGN



HUB

2/4 SEALED BEARINGS
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10 & 11 SPD
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12/15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM AXLE

SPOKE

+ STAINLESS D.B. BLACK
+ 24H FRONT WHEEL – 2 CROSS LACING
+ 24H REAR WHEEL – 2 CROSS LACING

WEIGHT

1795G

ALEXRIMS




MTB

RECON 3.0



Recon 3.0 full carbon endure wheels are fast rolling, super strong and designed for optimum all-mountain performance.



RIM

+ 28/28H | CARBON FIBER CLINCHER
+ RIM 100%CARBON CONSTRUCTION
+ TUBELESS READY DESIGN ASYMETRIC & HOOKLESS DESIGN



HUB

2/4 SEALED BEARINGS
+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE

SPOKE

+ STAINLESS STEEL BLK BLADED SPOKES
+ 28H FRONT WHEEL - 3 CROSS LACING
+ 28H REAR WHEEL - 3 CROSS LACING


WEIGHT

700C:1772G
650B:1604G

VXD4/ VXD4B

The VXD4 is constructed of proprietary EXA material rather than Scandium and is designed to strike an ideal balance between price and off road performance. VXD4B is for boost spec.





RIM

+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ SSE - STAINLESS SINGLE EYELETS
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 26", 650B AND 29"



HUB

+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE
+ OPTIONAL CENTERLOCK
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM/15MM OR 15X110MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QUICK RELEASE OR 12MM X 142MM OR 12X148MM AXLE

SPOKE

+ STAINLESS STEEL D.B. BLK SPOKES
+ 28H FRONT WHEEL - 2 CROSS LACING
+ 28H REAR WHEEL - 2 CROSS LACING

WEIGHT


VXD4: 29”: 1782G | 27.5”: 1738G | 26”: 1690G
VXD4B: 29” 1836G | 27.5”: 1658G

VXD7





VXD7 is a strong and versatile wheelset. QR15 front hub and 12x142mm rear fit today's modern trail bikes. Available in 29", 27.5" and 26" versions



RIM

+ PROPRIETARY EXA MATERIAL
+ 18MM DEEP WITH 21MM INNER WIDTH
+ TRS TUBELESS READY SYSTEM PROFILE CAN BE USED WITH TUBELESS TIRES WITH THE USE OF THE ALEX RIMS TUBELESS CONVERSION KIT
+ STAINLESS STEEL EYELETS AND SLEEVED JOINT FOR GREATER STRENGTH

HUB

+ CENTERLOCK DISC BRAKE COMPATIBLE
+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ SEALED CARTRIDGE BEARINGS
+ FRONT WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QR OR 15MM AXLE
+ REAR WHEEL OPTIONS - ADAPTER SUPPLIED FOR EITHER QR OR 12 X 142MM AXLE
+ SHIMANO 8, 9, 10, 11 SPD AND SRAM XD COMPATIBLE

SPOKE

+ STAINLESS SPOKES WITH BRASS NIPPLES
+ 28H FRONT WHEEL - 2 CROSS LACING
+ 28H REAR WHEEL - 2 CROSS LACING


WEIGHT

29": 1928G **27.5":** 1895G **26":** 1728G

VED3B

We used our exclusive single eyelet technology to develop a wheel that could withstand even the toughest enduro race. VED3B is a boost wheel build with ID 30mm rims and is available in 29” and 27.5”.





RIM

+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ SSE - STAINLESS SINGLE EYELETS
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 650B AND 29"

HUB

2/4 SEALED BEARINGS
+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X 110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE



SPOKE

+ STAINLESS STEEL BLK SPOKES
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING


WEIGHT

29”: 1995G **27.5”:** 1845G

VED4



The smooth rim bed is constructed of drawn, proprietary EXA alloy to be light, strong and stuff.





RIM

28/28H BLACK W/SSE
+ TUBELESS READY DESIGN
+ SLEEVE JOINT
+ SSE - STAINLESS SINGLE EYELETS
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 650B AND 29"

HUB

2/4 SEALED BEARINGS
+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 4 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X 110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE

SPOKE

+ STAINLESS STEEL D.B. BLK SPOKES
+ 28H FRONT WHEEL - 3 CROSS LACING
+ 28H REAR WHEEL - 3 CROSS LACING

WEIGHT

29”: 1958G **27.5”:** 1766G



MTB WHEELS

ALEXRIMS




FATBIKE

CHEROKEE 80 NEW

CHEROKEE offers a 80mm wide rim in the Fat Bike market. With our patented Rolling Pin joint technology, CHEROKEE resists twisting and bending at the rim joint. QR15 front hub and 12x190mm or 10x190mm rear fit today's modern Fat Bikes.





RIM

26" 32/32H BLACK
+ PROPRIETARY EXA MATERIAL 90MM WIDE
+ ROLLING PIN JOINT MAKES THE RIM STIFFER FOR BETTER CORNERING AND IMPACT RESISTANCE
+ LARGE CUTOUTS BETWEEN SPOKES SAVES SIGNIFICANT WEIGHT
+TUBELESS READY DESIGN

HUB

2/4 SEALED BEARINGS
+ 6-BOLT DISC BRAKE COMPATIBLE
+ SMOOTH ROLLING SEALED CARTRIDGE CASSETTE HUBS
+ LIGHTWEIGHT 7075 AXLE AND SEALED CARTRIDGE BEARINGS
+ COMPATIBLE WITH SHIMANO/SRAM 8/9/10 SPEED CASSETTES
+ FRONT IS QR15 REAR OPTIONS 10 X 190/197MM OR 12 X 190/197MM THRU-AXLE

SPOKE

+ STAINLESS BLACK
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING

WEIGHT

26": 2450G




ALEXRIMS



E-BIKE

EMP5 NEW

Our exciting new E-bike specific wheels were specifically engineered for the high torque drivetrains of eMTBs. 5 sealed cartridge bearings bolster the rear hub making it tough enough for motors of all power ratings. The front hub uses a large diameter hub shell for less deflection while the wide 30mm inner profile rims strike the perfect compatibility with meaty tires.





RIM

29" 32/32H BLACK W/SSE
27.5" 32/32H BLACK W/SSE
+ TUBELESS READY DESIGN
+ PIN JOINT
+ SSE - STAINLESS SINGLE EYELETS
+ AVAILABLE IN ALL POPULAR OFF ROAD SIZES - 650B AND 29"



HUB

2/5 SEALED BEARINGS
+ CENTERLOCK DISC BRAKE COMPATIBLE
+ LIGHTWEIGHT ALUMINUM AXLE
+ LOW RESISTANCE SEALED BEARINGS - 2 IN THE FRONT HUB AND 5 IN THE REAR
+ COMPATIBLE WITH 8, 9, 10, 11 SPD, SRAM XD
+ FRONT WHEEL - 15MM X 110MM AXLE
+ REAR WHEEL - 12MM X 148MM AXLE

SPOKE

+ STAINLESS BLACK
+ 32H FRONT WHEEL - 3 CROSS LACING
+ 32H REAR WHEEL - 3 CROSS LACING

WEIGHT

29": 2089G **27.5":** 2029G



ACCESSORIES

TUBELESS KIT



BRAKE PAD

(CARBON WHEELS)



VALVE FOR F/V



SPOKE PROTECTOR



TUBULAR TAPE



RIM STRIP

(RP PACKAGE)

+ ARS-1 (ROAD)
+ ARS-2 (MTB)
+ ARS-3 (TREKKING)



ROAD WHEEL SPECS

	MODEL	RIM	HUB	SPOKE	LACE	WEIGHT
ROAD	ALX473	700C 20/24H BLACK W/CSW	2/4 SEALED BEARINGS	STAINLESS AERO BLACK	F: RADIAL 273MM RR: 1 CROSS 271MM RL: RADIAL 284MM	1458G
	ALX265	700C 20/24H BLACK W/CSW	2/2 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 278MM RR: 2 CROSS 287MM RL: 2 CROSS 285MM	1832G
	ALX210	700C 20/24H BLACK W/CSW	BALL / 2 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 278MM RR: 2 CROSS 285MM RL: 2 CROSS 287MM	1922G
	ALX210TRI	650C 20/24H BLACK W/CSW	BALL / 2 SEALED BEARINGS	STAINLESS BLACK	F: RADIAL 254MM RR: 2 CROSS 259MM RL: 2 CROSS 263MM	1820G
ROAD DISC	***NEW*** ALX945D	700C 24/24H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 272MM FL: 2 CROSS 271MM RR: 2 CROSS 271MM RL: 2 CROSS 272MM	1724G
	ALX935D	700C 24/24H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 281MM FL: 2 CROSS 280MM RR: 2 CROSS 280MM RL: 2 CROSS 282MM	1650G
	BAXTER 3.0	700C 24/24 CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 288MM FL: 2 CROSS 286MM RR: 2 CROSS 285MM RL: 2 CROSS 287MM	1650G
	RXD3	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 278MM FL: 2 CROSS 276MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM CL: FR: 2 CROSS 276MM FL: 2 CROSS 274MM RR: 2 CROSS 274MM RL: 2 CROSS 276MM	1550G
	RXD6	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	6B: FR: 2 CROSS 278MM FL: 2 CROSS 276MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM CL: FR: 2 CROSS 279MM FL: 2 CROSS 278MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM	1994G
	NEW BOONDOCKS 1	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 287MM FL: 2 CROSS 285MM RR: 2 CROSS 285MM RL: 2 CROSS 287MM	1725G
	NEW BOONDOCKS 1	650B 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 268MM FL: 2 CROSS 266MM RR: 2 CROSS 266MM RL: 2 CROSS 268MM	1659G
	BOONDOCKS 3	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 278MM FL: 2 CROSS 276MM RR: 2 CROSS 276MM RL: 2 CROSS 278MM CL: FR: 2 CROSS 280MM FL: 2 CROSS 278MM RR: 2 CROSS 278MM RL: 2 CROSS 280MM	1714G
	BOONDOCKS 5	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 282MM FL: 2 CROSS 280MM RR: 2 CROSS 280MM RL: 2 CROSS 282MM CL: FR: 2 CROSS 284MM FL: 2 CROSS 283MM RR: 2 CROSS 281MM RL: 2 CROSS 283MM	1830G
	CXD4	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 284MM FL: 2 CROSS 282MM RR: 2 CROSS 282MM RL: 2 CROSS 284MM CL: FR: 2 CROSS 287MM FL: 2 CROSS 285MM RR: 2 CROSS 283MM RL: 2 CROSS 285MM	1564G
	CXD6	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	6B: FR: 2 CROSS 284MM FL: 2 CROSS 282MM RR: 2 CROSS 282MM RL: 2 CROSS 284MM CL: FR: 2 CROSS 287MM FL: 2 CROSS 285MM RR: 2 CROSS 283MM RL: 2 CROSS 285MM	1881G
	NEW GX5	700C 24/24 BLACK	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 282MM FL: 2 CROSS 280MM RR: 2 CROSS 280MM RL: 2 CROSS 282MM CL: FR: 2 CROSS 284MM FL: 2 CROSS 282MM RR: 2 CROSS 280MM RL: 2 CROSS 281MM	1795G

MTB WHEEL SPECS

	MODEL	RIM	HUB	SPOKE	LACE	WEIGHT
MTB	RECON 3.0 (29”)	29” 28/28H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS AERO BLACK	FR: 3 CROSS 301MM FL: 3 CROSS 301MM RR: 3 CROSS 301MM RL: 3 CROSS 301MM	1772G
	RECON 3.0 (27.5)	27.5” 28/28H CARBON FIBER CLINCHER	2/4 SEALED BEARINGS	STAINLESS AERO BLACK	FR: 3 CROSS 281MM FL: 3 CROSS 281MM RR: 3 CROSS 281MM RL: 3 CROSS 281MM	1604G
	VXD4 (29”)	29” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 286MM FL: 2 CROSS 285MM RR: 2 CROSS 285MM RL: 2 CROSS 286MM CL: FR: 2 CROSS 289MM FL: 2 CROSS 288MM RR: 2 CROSS 285MM RL: 2 CROSS 286MM	1782G
	VXD4B (29”)	29” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 286MM FL: 2 CROSS 284MM RR: 2 CROSS 284MM RL: 2 CROSS 286MM	1836G
	VXD4 (27.5”)	27.5” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 268MM FL: 2 CROSS 266MM RR: 2 CROSS 266MM RL: 2 CROSS 268MM CL: FR: 2 CROSS 270MM FL: 2 CROSS 268MM RR: 2 CROSS 268MM RL: 2 CROSS 270MM	1738G
	VXD4B (27.5”)	27.5” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	6B: FR: 2 CROSS 267MM FL: 2 CROSS 265MM RR: 2 CROSS 265MM RL: 2 CROSS 267MM CL: FR: 2 CROSS 273MM FL: 2 CROSS 271MM RR: 2 CROSS 268MM RL: 2 CROSS 269MM	1658G
	VXD4 (26”)	26” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 254MM FL: 2 CROSS 252MM RR: 2 CROSS 253MM RL: 2 CROSS 255MM	1690G
	VXD7 (29”)	29” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 284MM FL: 2 CROSS 283MM RR: 2 CROSS 283MM RL: 2 CROSS 284MM	1928G
	VXD7 (27.5”)	27.5” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	6B: FR: 2 CROSS 266MM FL: 2 CROSS 265MM RR: 2 CROSS 265MM RL: 2 CROSS 267MM CL: FR: 2 CROSS 271MM FL: 2 CROSS 269MM RR: 2 CROSS 269MM RL: 2 CROSS 271MM	1895G
	VXD7 (26”)	26” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 256MM FL: 2 CROSS 254MM RR: 2 CROSS 254MM RL: 2 CROSS 256MM	1728G
	VED3B (29”)	29” 32/32H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 291MM FL: 3 CROSS 289MM RR: 3 CROSS 289MM RL: 3 CROSS 291MM	1995G
	VED3B (27.5”)	27.5” 32/32H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 271MM FL: 3 CROSS 269MM RR: 3 CROSS 269MM RL: 3 CROSS 271MM	1845G
	VED4 (29”)	29” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 284MM FL: 2 CROSS 282MM RR: 2 CROSS 282MM RL: 2 CROSS 284MM	1958G
	VED4 (27.5”)	27.5” 28/28H BLACK W/SSE	2/4 SEALED BEARINGS	STAINLESS D.B. BLACK	FR: 2 CROSS 265MM FL: 2 CROSS 263MM RR: 2 CROSS 263MM RL: 2 CROSS 265MM	1766G
FATBIKE	***NEW*** CHEROKEE 80	26” 32/32H BLACK	2/4 SEALED BEARINGS	STAINLESS BLACK	FR: 3 CROSS 266MM FL: 3 CROSS 264MM RR: 3 CROSS 263MM RL: 3 CROSS 266MM	2450G
E-BIKE	***NEW*** EMP5 (29”)	29" 32/32H BLACK W/SSE	2/5 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 294MM FL: 2 CROSS 292MM RR: 2 CROSS 290MM RL: 2 CROSS 292MM	2089G
	NEW EMP5 (27.5”)	27.5" 32/32H BLACK W/SSE	2/5 SEALED BEARINGS	STAINLESS BLACK	FR: 2 CROSS 276MM FL: 2 CROSS 274MM RR: 2 CROSS 272MM RL: 2 CROSS 274MM	2029G


FLIP FOR
RIMS
WHEELS
FLIP FOR

RIMS

ALEXRIMS

RIMS CONTENTS

01 RACING/CYCLOCROSS

02 PRO30
02 CX30
02 CX24
02 DA22
02 AT550
03 AT510
03 AT490
03 R450
03 GV24P
03 RSD30
NEW 02 GX30
03 GD30
04 GD24
04 DRAW1.9S
NEW 04 GVX24P
NEW 04 GRX25P
04 GX26P
04 GD26P
05 GD24P
05 DRAW2.1P
05 DRAW1.9P
NEW 05 ATD590
06 ATD560
06 ATD500
06 ATD470

07 MTB/TREKKING

08 SPRK 2.1
08 SPRK 2.7
08 EXR30
08 EXR25
09 VOLAR 2.1
09 MD30
09 MD25
09 MD23
09 MD21
NEW 10 SD20
10 EN24
10 DM18
10 DC19

11 PLUS

11 MD40
12 MD35

ALEXRIMS



13 FAT BIKE

- 14 BLIZZERK 90
- 14 BLIZZERK 80
- 14 BLIZZERK 70

15 FH/DH/ENDURO/BMX

- 16 SUPRA 35
- 16 SUPRA BH
- 16 DM24
- 16 SUPRA DOME

17 MINI BIKE/YOUTH

- 17 DA22
- 17 R450
- 17 MD25
- *NEW* 18 SD20
- 18 DA16
- 18 DM18

19 E-BIKE

- 20 EM35
- 20 EM30
- *NEW* 20 EMC35
- *NEW* 20 EMC30
- 20 FR30
- 21 DM24
- 21 DM21
- 21 DM18
- 21 ADVENTRUER 2


3D DRILLING FOR E-BIKE

3D DRILLING




ADVANTAGES

Alexrims offers further customization for a variety of applications including our 3D drilling technology. 3D drilling makes our most popular rim profiles compatible with large flange hubs as well as e-bike hubs.



» E-bikes have grown into a major segment in recent years.
» Zero need for compromise with technologies from Alexrims.
» Select from a wider variety of rim profiles as 3D drilling can be applied to any of them. Alexrims expands your choices while offering leading technology that enhances performance.

TUBELESS READY




Volar Series

RIM TAPE




Install blue rim tape evenly across the inside of the rim while covering the spoke holes up to the sides.

UNIVERSAL VALVE



Put valve stem through valve hole. Push firmly on the rubber side of the valves as you tighten the valve nut with your hands.


SEALANT



Remove the valve core and add sealant to the tire through the valve. Shake the wheel to coat the inside of the tire and replace valve core.

ADVANTAGES

Select premium wheels from Alexrims are tubeless ready from the factory, complete with tubeless tape and valve stems. Other models are tubeless compatible with a machined profile on the inner spoke bed to better hold tubeless tire beads for a more positive seal.



SC SSL


SCANDIUM SUPER LIGHT

Sukhoi Fighter's primary material – Scandium - is the heart of Alexrims Superlight Technology. Processing of this difficult material presents a great challenge to maintain all of its properties. Our engineers and R&D team rose to the challenge and developed our proprietary Scandium Super Light (SSL).

This development enables Alexrims to build the lightest and strongest rims on the market.

SSL material puts riders on the best available products so they can stand on podiums around the world.

SSL material provides you the technology to pursue your dreams on your road or mountain bike.



ALLOY SUPERLIGHT EYELETS

Alexrims continues to push the boundaries of technology with our high grade aluminum alloy eyelet. The new eyelets are as durable as the stainless eyelets, but offer several additional benefits.

» Aluminum eyelets require less pressure to manufacture into the rim which reduces stress

» Aluminum material offers better vibration absorption than stainless steel


» Aluminum eyelets are lighter than stainless and offer comparable strength

SLEEVE JOINT

SLEEVE JOINT

ADVANTAGES

Alexrims sleeved joint construction Sleeved rim joints offers the same weight, strength and trueness as a welded joint but at a fraction of the cost. Sleeved joint rims are suitable for tubeless applications




DOME DESIGN (PATENTED)

ADVANTAGES

» Securely hugs the rim strip
» Provides increased lateral rigidity
» Lighter, stronger
» Prevents tire rolling as a result of pinch flats

ROLLING PIN



QUATTRO PIN



ROLLING PIN & QUATTRO PIN

ADVANTAGES

Traditional pinned rims only utilize one pair of pins within the rim's profile where the spoke surface intersects the rim sidewall. For applications with higher impact and cornering forces such as DH and Fatbike, we add a second set of pins to further increase strength, torsional rigidity and structural integrity.

INTERNAL TECHNOLOGIES



A well balanced wheel is the difference between a good wheel and a great wheel. ALEXRIMS Welded Joint rims provide a balanced feel so that every stroke of the pedals is transferred to the road or trail. In fact we think that a balanced wheel is so important that we build over 24 High Quality welded joint rims.



Sleeve joints provide more surface contact with a rim's inner wall for a more secure rim than pin joints but with the same lightweight properties.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure wo wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire rim, not just at the edges.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure wo wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire m, not just at the edges.



Quattro Tec further in creases the strength of pinned joints by adding a second set of pins embedded in the bed hook profile to create a more torsionally rigid structure. The resultant bead hook profile not only strengthens the entire rim but also improves the tire/rim interface to reduce low pressure roll off.

MATERIAL TECHNOLOGIES

Scandium Super Light is a space age material developed in our hi-tech 3C division. SSL is stronger, lighter & more rigid than any other alloy rim material. So if you want to go fast, you need an Alex SSL designed rim.

Alex's 6A11 material is 1.2 times stronger than traditional 6061 series aluminum rims.

SURFACE TECHNOLOGIES

Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.

Aluminum Eyelets reduce stress on the rim, are lighter and offer better vibration absorption than stainless steel. ASE eyelets will be standard on our top level rims.

First developed by Alex in 1995, the SSE improves seating of the nipple head for a better built wheel.

SDE was developed by ALEX back in 2000. SDE improves seating of the nipple head for a better built wheel.

The Indicator is an ALEXRIMS patented design that incorporates a 0.3mm deep line in the sidewall. As the rim becomes thinner from use the color indicator becomes lighter alerting the user that it is time to replace the rim.


By utilizing 0.5mm off center spoke drilling from the hub centerline, our Equalizer technology allows for the use of equally tensioned spokes on both sides of the wheel. Equal length spokes at equal tension make for a super strong wheel that is perfectly balanced from side to side.

TRS (tubeless ready system)
Many of our rims offer our TRS (Tubeless Ready System) technology. Simply install any tubless compatible tire, rim strip, valve and sealant system for a complete tubeless solution.




RACING/ CYCLOCROSS RIMS

02 PRO30		03 RSD30		05 GD24P
02 CX30	*NEW*	02 GX30		05 DRAW2.1P
02 CX24		03 GD30		05 DRAW1.9P
02 DA22		04 GD24	*NEW*	05 ATD590
02 AT550		04 DRAW1.9S		06 ATD560
03 AT510	*NEW*	04 GVX24P		06 ATD500
03 AT490	*NEW*	04 GRX25P		06 ATD470
03 R450		04 GX26P		
03 GV24P		04 GD26P		




PRO30

WELDED JOINT | BLACK
CSW | TRS
700C | 622X17 | 440G




CX30

SLEEVE JOINT | BLACK
CSW | TRS
700C | 622X17 | 475G




CX24

SLEEVE JOINT | BLACK
CSW | TRS
700C | 622X17 | 435G




DA22

SLEEVE JOINT | BLACK
CSW | INDICATOR
700C | 622X14 | 450G
650C | 571X14 | 415G



AT550

PIN JOINT | POWDER COATING | BLACK
CSW | TRS
700C | 622X17 | 560G



AT510


PIN JOINT | BLACK
CSW | TRS
700C | 622X17 | 510G

ALEXRIMS

RACING/CYCLOCROSS RIMS


AT490

PIN JOINT | BLACK
CSW | TRS
700C | 622X17 | 490G
650C | 571X17 | 450G




R450

PIN JOINT | BLACK
OPTION: CSW
700C | 622X14 | 470G
650C | 571X14 | 430G




GV24P

PIN JOINT | BLACK
CSW | TRS
700C | 622X21 | 510G




RSD30

SLEEVE JOINT | BLACK
TRS
700C | 622X19 | 400G




GX30 *NEW*


SLEEVE JOINT | BLACK
TRS
700C | 622X23 | 482G



GD30


SLEEVE JOINT | BLACK
TRS
700C | 622X21 | 460G
650B | 584X21 | 435G






GD24

SLEEVE JOINT | BLACK
TRS
700C | 622X21 | 450G




DRAW1.9S

SLEEVE JOINT | BLACK
TRS | EQUALIZER
700C | 622X19 | 410G
650B | 584X19 | 390G




GVX24P *NEW*

PIN JOINT | BLACK
TRS
700C | 622X27 | 525G
650B | 584X27 | 492G




GRX25P *NEW*

PIN JOINT | BLACK
TRS
700C | 622X25 | 507G



GX26P

PIN JOINT | BLACK
TRS
700C | 622X23 | 545G
650B | 584X23 | 515G




GD26P

PIN JOINT | BLACK
TRS
700C | 622X21 | 500G


GD24P

PIN JOINT | BLACK
TRS
700C | 622X21 | 500G
650B | 584X21 | 465G




DRAW2.1P

PIN JOINT | BLACK
TRS | EQUALIZER
700C | 622X21 | 470G
650B | 584X21 | 450G




DRAW1.9P


PIN JOINT | BLACK
TRS | EQUALIZER
700C | 622X19 | 450G
650B | 584X19 | 430G




ATD590 *NEW*

PIN JOINT | BLACK
TRS
700C | 622X21 | 558G
650B | 584X21 | 551G









ATD560

PIN JOINT | POWDER COATING | BLACK
TRS
700C | 622X19 | 560G
650B | 584X19 | 540G



ATD500

PIN JOINT | BLACK
TRS
700C | 622X19 | 500G



ATD470

PIN JOINT | BLACK
TRS
700C | 622X17 | 460G






MTB/ TREKKING

08 SPRK 2.1
08 SPRK 2.7
08 EXR30
08 EXR25
09 VOLAR 2.1


09 MD30
09 MD25
09 MD23
09 MD21
NEW 10 SD20

10 EN24
10 DM18
10 DC19




SPRK 2.1

WELDED JOINT | BLACK
SSE | TRS
29” | 622X21 | 450G
650B | 584X21 | 426G
26” | 559X21 | 410G




SPRK 2.7

WELDED JOINT | BLACK
SSE | TRS
650B | 584X27 | 485G



EXR30

SLEEVE JOINT | BLACK
SSE | TRS
700C | 622X30 | 550G
650B | 584X30 | 520G




EXR25

SLEEVE JOINT | BLACK
SSE | TRS
700C | 622X25 | 515G
650B | 584X25 | 485G


VOLAR 2.1

SLEEVE JOINT | BLACK
SSE | TRS
29” | 622X21 | 450G
650B | 584X21 | 426G
26” | 559X21 | 410G
24” | 507X21 | 380G




MD30

PIN JOINT | BLACK
SSE | TRS
29” | 622X30 | 605G
650B | 584X30 | 575G
26” | 559X30 | 545G
24” | 507X30 | 490G
20” | 406X30 | 390G




MD25

PIN JOINT | BLACK
SSE | TRS
29” | 622X25 | 545G
650B | 584X 25 | 520G
26” | 559X25 | 490G




MD23


PIN JOINT | BLACK
SSE | TRS
29” | 622X23 | 530G
650B | 584X23 | 500G
26” | 559X23 | 480G



MD21


PIN JOINT | BLACK
SSE | TRS
29” | 622X21 | 500G
650B | 584X21 | 470G
26” | 559X21 | 450G






SD20 *NEW*

PIN JOINT | BLACK
SSE | TRS
29" | 622X20 | 500G
650B | 584X20 | 470G
26" | 559X20 | 447G




EN24

PIN JOINT | BLACK
SSE
OPTION: CSW
29” | 622X19 | 500G
650B | 584X19 | 480G
26” | 559X19 | 465G



DM18

PIN JOINT | BLACK
OPTION: CSW | INDICATOR
29” | 622X18 | 600G
650B | 584X18 | 530G
26” | 559X18 | 520G



DC19

PIN JOINT | BLACK
INDICATOR
OPTION: CSW
29” | 622X16 | 530G
26” | 559X16 | 470G





PLUS

11 MD40
12 MD35

MD40

PIN JOINT | BLACK
TRS
29” | 622X40 | 625G
650B | 584X40 | 590G
26” | 559X40 | 565G
24” | 507X40 | 520G
20” | 406X40 | 415G






MD35

PIN JOINT | TRS | BLACK
OPTION: SSE
29” | 622X34 | 545G
650B | 584X34 | 525G
26” | 559X34 | 490G




FATBIKE

14 BLIZZERK 90
14 BLIZZERK 80
14 BLIZZERK 70




BLIZZERK 90

PIN JOINT | PC BLACK
TRS
26” | 559X84 | 836G



BLIZZERK 80

PIN JOINT | BLACK
26” | 559X73 | 830G



BLIZZERK 70


PIN JOINT | PC BLACK
TRS
650B | 584X64 | 740G
26” | 559X64 | 660G






FH/DH/ ENDURO/ BMX

16 SUPRA 35
16 SUPRA BH
16 DM24
16 SUPRA DOME




SUPRA 35

WELDED JOINT | BLACK
SSE | TRS
29” | 622X30 | 650G
650B | 584X30 | 620G
26” | 559X30 | 580G




SUPRA BH

PIN JOINT | BLACK
SSE
650B | 584X25 | 610G
26” | 559X25 | 584G
24” | 507X25 | 528G



DM24

PIN JOINT | BLACK
INDICATOR
OPTION: CSW | SSE
29” | 622X24 | 725G
26” | 559X24 | 665G
24” | 507X24 | 610G
20” | 406X24 | 450G
16” | 305X24 | 370G



SUPRA DOME

PIN JOINT | BLACK
OPTION: CSW
24” | 507X26 | 580G
20” | 406X26 | 450G




MINI BIKE/ YOUTH

17 DA22
17 R450
17 MD25

NEW 18 SD20
18 DA16
18 DM18


DA22

SLEEVE JOINT | BLACK
INDICATOR
OPTION: CSW
24”X1.0 | 520X14 | 400G
20”X1 1/8 | 451X14 | 330G
18”X1.0 | 400X14 | 295G




R450

PIN JOINT | BLACK
OPTION: CSW
24”X1. 0 | 520X14 | 383G
20”X1 1/8 | 451X14 | 356G




MD25

PIN JOINT | BLACK
SSE | TRS
20” | 406X25 | 350G
18” | 355X25 | 308G








SD20


NEW

PIN JOINT | BLACK
SSE | TRS
24" | 507X20 | 405G
20" | 406X20 | 323G



DA16

PIN JOINT | BLACK
INDICATOR
OPTION: CSW
20” | 406X16 | 380G
18” | 355X16 | 310G
16” | 305X16 | 260G




DM18

PIN JOINT | BLACK, SLIVER
INDICATOR
OPTION: CSW | SSE
24” | 507X18 | 486G
20” | 406X18 | 380G




E-BIKE

- 20 EM35
- 20 EM30
- *NEW* 20 EMC35
- *NEW* 20 EMC30
- 20 FR30
- 21 DM24
- 21 DM21
- 21 DM18
- 21 ADVENTRUER 2




EM35

PIN JOINT | BLACK | TRS
700C | 622X35 | 670G
650B | 584X35 | 633G




EM30

PIN JOINT | BLACK | TRS
OPTION: SSE
29” | 622X30 | 670G
650B | 584X30 | 630G




EMC35 *NEW*

PIN JOINT | BLACK | TRS
OPTION: SSE
700C | 622X35 | 727G
650B | 584X35 | 682G



EMC30 *NEW*

PIN JOINT | BLACK | TRS
OPTION: SSE
29" | 622X30 | 684G
650B | 584X30 | 641G
24" | 507X30 | 555G
20" | 406X30 | 442G




FR30

PIN JOINT | BLACK
29” | 622X23 | 550G
650B | 584X23 | 520G
26” | 559X23 | 495G


DM24

PIN JOINT | BLACK
INDICATOR
OPTION: CSW
29” | 622X24 | 725G
26” | 559X24 | 665G




DM21

PIN JOINT | BLACK
INDICATOR
OPTION: CSW
29” | 622X21 | 606G
650B | 584X21 | 570G
26” | 559X21 | 546G




DM18

PIN JOINT | BLACK
INDICATOR
OPTION: CSW
29” | 622X18 | 600G
650B | 584X18 | 530G
26” | 559X18 | 520G



ADVENTRUER 2

PIN JOINT | BLACK | TRS
OPTION: CSW
29” | 622X21 | 570G
650B | 584X21 | 530G
26” | 559X21 | 500G





亞獵士科技股份有限公司
ALEX GLOBAL TECHNOLOGY INC.
台南市山上區明和里北勢洲21-2號
No.21-2,Beishizhou, Minghe Vil., Shanshang Dist., Tainan City 743,
Taiwan
TEL：+886-6-5782151
FAX：+886-6-5782394
E-MAIL：alexrims@alexrims.com.tw
WEB：www.alexrims.com

大造熊科技股份有限公司
BEAR PAWLS, INC.
428-72台中市大雅區鳳鳴路6-1號
1F.,NO.6-1,Fengming Rd.,Daya Dist., Taichung City 42872, Taiwan(R.O.C)
TEL：+886-4-25606996
FAX：+886-4-25606886
E-MAIL：bearpawls@bearpawls.com.tw
WEB：www.bearpawls.com

益昌鋁製品(太倉)有限公司
XYZ ALUMINIUM PRODUCTS (TAI CANG)CO.,LTD.
江蘇省太倉市沙溪鎮岳王臺北路2號
No.2 Tai-Pei Road, Yue-Wang Distinct,
Sha-Xi Town, Tai-Cang City, Jiang-Su Province,China
TEL：+86-512-5345 6636 53458348
FAX：+86-512-5345 8322
E-MAIL：alextc53456636@163.com

大造熊有限公司
DA CHAO SHONG CO.,LTD.
柬埔寨柴楨省巴域市國道一號
大成巴域經濟特區+(大造熊公司)
Tai Seng Bavet Special Economic Zone, National Road. 1,
Bavet City, Svay Rieng Province, Cambodia
Da Chao Shong Co.,Ltd.
TEL：+855-44-712265
E-MAIL: dachaoshong@gmail.com

越南鼎特力科技股份有限公司
ALEX GLOBAL TECHNOLOGY VIETNAM COMPANY., LTD
越南西寧省鵝油縣福東社福東工業區N16路
LOT NO.47-12B-2, 47-14, 47-15,47-16-1, N16 STREET,PHUOC DONG INDUSTRY PARK, PHUOC DONG COMMUNE GO DAU DIST., TAY NINH PROVINCE VIETNAM
TEL：+84-276-351-5288
E-MAIL：infovn@alexrims.com.tw

ALEXRIMS.COM




ALEXRIMS
RIMS