2024-2025 ALEXRIMS

FOR THE WAY YOU RIDE

ALEXRIMS



RIMS

RIMS

ALEXRIMS

BUILT FOR THE WAY *YOU RIDE*

Building world-class wheelsets has been our passion for over 15 years. Our efforts were rewarded in 2004 and 2008 when Olympic Gold medals were won on Alexrims wheelsets. Our successes have continued to this day with professional racers and world class athletes winning on Alexrims wheelsets all around the world.

Alexrims wheels are designed for riders who demand the best performance and the latest technology. Whether it's carbon, Scandium, 700-series alloy or our own propreitery 6061H alloy material, we guarantee you will be able to carve and control your bike through any terrain like never before. Alexrims wheelsets are designed to give you the best, fastest, and most inspiring ride of your life.

We combine the best materials with the latest technology and hand built quality to give you the best possible performance for Road, Marathon, Cross Country, Enduro, DH and BMX.

The winningest professional riders and teams around the world stand a the top step of the podium on Alexrims. It is time for you to experience the same ride they do. It is time for you to ride on Alexrims.



Dr. Alex Chen

RIMS CONTENTS

02 RACING/CYCLOCROSS

02 RA30
02 R450
02 AT470
02 AT505
02 GV24P
02 ATD470
03 ATD500
03 GD24P
03 GX26P
NEW 03 GRX25P

07 MTB/TREKKING

06 DP30
06 DP27
06 DP25
06 DP23
06 DP21
NEW 07 SD20
07 X2000
07 X2800
07 XD2800
07 DH19
07 EV23
08 DA16
08 X1700
08 ACE17
08 DM18
08 DC19

10 PLUS

10 MD35

ALEXRIMS



11 ENDURO/BMX

- 11 DM24
- 12 MUS30

14 SINGLE WALL

- 14 Y303
- 14 C303
- 14 C1000
- 14 ZUMA1.0
- 15 AP18
- 15 Z1000
- 15 C2000

17 E-BIKE

- 17 DP30
- 17 DP23
- 17 DM24
- 17 EV23
- 17 DM18


3D DRILLING FOR E-BIKE

3D DRILLING




ADVANTAGES

Alexrims offers further customization for a variety of applications including our 3D drilling technology. 3D drilling makes our most popular rim profiles compatible with large flange hubs as well as e-bike hubs.



» E-bikes have grown into a major segment in recent years.
» Zero need for compromise with technologies from Alexrims.
» Select from a wider variety of rim profiles as 3D drilling can be applied to any of them. Alexrims expands your choices while offering leading technology that enhances performance.

TUBELESS READY



Volar Series

RIM TAPE




Install blue rim tape evenly across the inside of the rim while covering the spoke holes up to the sides.

UNIVERSAL VALVE



Put valve stem through valve hole. Push firmly on the rubber side of the valves as you tighten the valve nut with your hands.

SEALANT



Remove the valve core and add sealant to the tire through the valve. Shake the wheel to coat the inside of the tire and replace valve core.

ADVANTAGES

Select premium wheels from Alexrims are tubeless ready from the factory, complete with tubeless tape and valve stems. Other models are tubeless compatible with a machined profile on the inner spoke bed to better hold tubeless tire beads for a more positive seal.

INTERNAL TECHNOLOGIES



A well balanced wheel is the difference between a good wheel and a great wheel. ALEXRIMS Welded Joint rims provide a balanced feel so that every stroke of the pedals is transferred to the road or trail. In fact we think that a balanced wheel is so important that we build over 24 High Quality welded joint rims.



Sleeve joints provide more surface contact with a rim's inner wall for a more secure rim than pin joints but with the same lightweight properties.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure wo wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire rim, not just at the edges.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure wo wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire m, not just at the edges.



Quattro Tec further in creases the strength of pinned joints by adding a second set of pins embedded in the bed hook profile to create a more torsionally rigid structure. The resultant bead hook profile not only strengthens the entire rim but also improves the tire/rim interface to reduce low pressure roll off.

MATERIAL TECHNOLOGIES

Scandium Super Light is a space age material developed in our hi-tech 3C division. SSL is stronger, lighter & more rigid than any other alloy rim material. So if you want to go fast, you need an Alex SSL designed rim.

Alex's 6A11 material is 1.2 times stronger than traditional 6061 series aluminum rims.

SURFACE TECHNOLOGIES

Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.

Aluminum Eyelets reduce stress on the rim, are lighter and offer better vibration absorption than stainless steel. ASE eyelets will be standard on our top level rims.

First developed by Alex in 1995, the SSE improves seating of the nipple head for a better built wheel.

SDE was developed by ALEX back in 2000. SDE improves seating of the nipple head for a better built wheel.

The Indicator is an ALEXRIMS patented design that incorporates a 0.3mm deep line in the sidewall. As the rim becomes thinner from use the color indicator becomes lighter alerting the user that it is time to replace the rim.

By utilizing 0.5mm off center spoke drilling from the hub centerline, our Equalizer technology allows for the use of equally tensioned spokes on both sides of the wheel. Equal length spokes at equal tension make for a super strong wheel that is perfectly balanced from side to side.


TRS (tubeless ready system)
Many of our rims offer our TRS (Tubeless Ready System) technology. Simply install any tubless compatible tire, rim strip, valve and sealant system for a complete tubeless solution.



RACING/ CYCLOCROSS RIMS

02 RA30
02 R450
02 AT470
02 AT505
02 GV24P
02 ATD470

03 ATD500
03GD24P
03 GX26P
NEW 03GRX25P




RA30

PIN JOINT | BLACK, SILVER
OPTION: CSW

700C | 622X14 | 545G
650C | 571X14 | 490G

Origin:




R450

PIN JOINT | BLACK, SILVER
OPTION: CSW

700C | 622X14 | 496G
650C | 571X14 | 468G
20"X1-1/8 | 450X14 | 356G

Origin:




AT470

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X17 | 475G

Origin:




AT505

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X19 | 505G

Origin:




GV24P

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X21 | 508G

Origin:



ATD470

PIN JOINT | BLACK
TRS

700C | 622X17 | 460G


Origin:

ATD500

PIN JOINT | BLACK
TRS

700C | 622X19 | 500G

Origin:




GD24P


PIN JOINT | BLACK
TRS

700C | 622X21 | 500G

Origin:








GX26P

PIN JOINT | BLACK
TRS

700C | 622X23 | 545G
650B | 584X23 | 515G

Origin:



GRX25P *NEW*

PIN JOINT | BLACK
TRS

700C | 622X25 | 507G

Origin:






MTB/ TREKKING

06 DP30
06 DP27
06 DP25
06 DP23
06 DP21

NEW 07 SD20
07 X2000
07 X2800
07 XD2800
07 DH19
07 EV23

08 DA16
08 X1700
08 ACE17
08 DM18
08 DC19




DP30

PIN JOINT
TRS | OPTION: SSE

700C | 622X30 | 605G
650B | 584X30 | 575G

Origin:




DP27

PIN JOINT | BLACK
TRS | OPTION: SSE

700C | 622X27 | 542G
650B | 584X27 | 508G
26” | 559X27 | 490G

Origin:




DP25

PIN JOINT | BLACK
TRS | OPTION: SSE

700C | 622X25 | 510G
650B | 584X25 | 480G
26” | 559X25 | 460G
24” | 507X25 | 420G
20” | 406X25 | 330G

Origin:




DP23

PIN JOINT | BLACK
TRS | OPTION: SSE

700C | 662X23 | 500G
650B | 584X23 | 467G
26” | 559X23 | 445G
24” | 507X23 | 415G

Origin:



DP21

PIN JOINT | BLACK
TRS | OPTION: SSE


700C | 622X21 | 490G
650B | 584X21 | 460G
26” | 559X21 | 445G
24” | 507X21 | 390G
20" | 406X21 | 310G

Origin:

SD20 *NEW*

PIN JOINT | BLACK
TRS | OPTION:SSE
700C | 622X20 | 500G
650B | 584X20 | 470G
26" | 559X20 | 447G

Origin:




X2000

PIN JOINT | BLACK | SILVER | INDICATOR
OPTION: CSW | SSE

700C | 622X19 | 554G
650B | 584X19 | 525G
26" | 559X19 | 500G

Origin:




X2800

PIN JOINT | BLACK
TRS | OPTION: CSW | SSE

700C | 622X19 | 550G
650B | 584X19 | 505G
26" | 559X19 | 490G

Origin:




XD2800

PIN JOINT | BLACK
TRS | OPTION: SSE

700C | 622X19 | 540G
650B | 584X19 | 505G

Origin:




DH19

PIN JOINT | BLACK
OPTION: CSW | SSE

700C | 622X18 | 580G
650B | 584X18 | 575G
26" | 559X18 | 520G
20" | 406X18 | 385G

Origin:





EV23

PIN JOINT | BLACK
TRS | INDICATOR | OPTION: CSW, SSE

700C | 622X23 | 550G
650B | 584X23 | 520G
26" | 559X23 | 500G

Origin:






DA16

PIN JOINT | BLACK, SILVER
INDICATOR | OPTION: CSW
700C | 622X16 | 550G
26" | 559X16 | 503G
24"X1 3/8 | 540X16 | 480G
24" | 507X16 | 450G
20"X1 3/8 | 451X16 | 400G
20" | 406X16 | 380G
18" | 355X16 | 310G
16" | 305X16 | 260G


Origin:



X1700

PIN JOINT | SILVER, BLACK
INDICATOR | OPTION: CSW | SSE
700C | 622X19 | 510G
650B | 584X19 | 480G
26" | 559X19 | 460G
24" | 507X19 | 445G
20" | 406X19 | 355G


Origin:



ACE17

PIN JOINT | SILVER, BLACK
INDICATOR | OPTION: CSW | SSE
700C | 622X18 | 530G
650B | 584X18 | 505G
26" | 559X18 | 480G
24" | 507X18 | 420G
20" | 406X18 | 330G


Origin:



DM18

PIN JOINT | BLACK
INDICATOR | OPTION: CSW | SSE
700C | 622X18 | 586G
650B | 584X18 | 550G
26" | 559X18 | 530G
24" | 507X18 | 486G
20" | 406X18 | 380G

Origin:



DC19


PIN JOINT | BLACK, SILVER
INDICATOR | OPTION: CSW
700C | 622X16 | 562G
26" | 559X16 | 509G

Origin:



PLUS


10 MD35



MD35

PIN JOINT | BLACK
TRS | OPTION: SSE
700C | 622X34 | 545G
650B | 584X34 | 525G
26” | 559X34 | 490G

Origin:



ENDURO/ BMX


11 DM24
12 MUS30


DM24

PIN JOINT | BLACK
INDICATOR
OPTION: CSW | SSE

700C | 622X24 | 725G
26” | 559X24 | 665G
24” | 507X24 | 610G
20” | 406X24 | 480G

Origin:





MUS30

PIN JOINT | BLACK


26” | 559X24 | 520G
24” | 507X24 | 475G
20” | 406X24 | 365G

Origin:



SINGLE WALL

14 Y303
14 C303
14 C1000
14 ZUMA1.0
15 AP18
15 Z1000
15 C2000




Y303

PIN JOINT | BLACK, SILVER
OPTION: GSW

26” | 559X24
24” | 507X24
20” | 406X24
18” | 355X24
16” | 305X24

Origin:




C303

PIN JOINT | BLACK, SILVER
OPTION: GSW

27”X1 1/4 | 630X21
26”X1 3/8 | 597X21
24”X1 3/8 | 540X21
24” | 507X21
20” | 406X21

Origin:




C1000

PIN JOINT | SILVER, BLACK
INDICATOR | OPTION: CSW

26” | 559X20
24” | 507X20
22” | 456X20
20” | 406X20
18” | 355X20
16” | 305X20
14” | 251X20
12” | 203X20

Origin:



ZUMA1.0

PIN JOINT | SILVER, BLACK

650B | 584X27
26” | 559X27
24” | 507X27


Origin:

AP18

PIN JOINT | SILVER, BLACK
OPTION: CSW

700C | 622X18
27”X1 1/4 | 630X18
26” | 559X18

Origin:




Z1000

PIN JOINT | SILVER, BLACK
OPTION: CSW

700C | 622X20
650B | 584X20
26” | 559X20
24” | 507X20
22” | 456X20
20” | 406X20
18” | 355X20
16” | 305X20
14” | 251X20
12” | 203X20

Origin:




C2000

PIN JOINT | SILVER, BLACK
OPTION: CSW

16” | 305X17
14” | 254X17
12” | 203X17

Origin:



SINGLE WALL RIMS





E-BIKE

17 DP30
17 DP23
17 DM24
17 EV23
17 DM18


ALEXRIMS

DP30

PIN JOINT
TRS | OPTION: SSE

700C | 622X30 | 605G
650B | 584X30 | 575G

Origin:




DP23

PIN JOINT | BLACK
TRS | OPTION: SSE

700C | 622X23 | 500G
650B | 584X23 | 467G
26” | 559X23 | 445G

Origin:




E-BIKE RIMS

DM24

PIN JOINT | BLACK
INDICATOR | OPTION: CSW, SSE

700C | 622X24 | 725G
650B | 584X24 | 670G
24” | 507X24 | 610G
20” | 406X24 | 480G

Origin:




EV23

PIN JOINT | BLACK
TRS | INDICATOR
OPTION: CSW, SSE

700C | 622X23 | 595G
26” | 559X23 | 540G

Origin:




DM18

PIN JOINT | BLACK
INDICATOR | OPTION: CSW, SSE

700C | 622X18 | 600G
650B | 584X18 | 530G
26” | 559X18 | 520G

Origin:





亞獵士科技股份有限公司
ALEX GLOBAL TECHNOLOGY INC.
台南市山上區明和里北勢洲21-2號
No.21-2,Beishizhou, Minghe Vil.,
Shanshang Dist., Tainan City 743,
Taiwan
TEL : +886-6-5782151
FAX : +886-6-5782394
E-MAIL : alexrims@alexrims.com.tw
WEB : www.alexrims.com

大造熊科技股份有限公司
BEAR PAWLS, INC.
428-72台中市大雅區鳳鳴路6-1號
1F.,NO.6-1,Fengming Rd.,Daya Dist.,
Taichung City 42872, Taiwan(R.O.C)
TEL : +886-4-25606996
FAX : +886-4-25606886
E-MAIL : bearpawls@bearpawls.com.tw
WEB : www.bearpawls.com

益昌鋁製品(太倉)有限公司
XYZ ALUMINIUM PRODUCTS
(TAI CANG)CO.,LTD.
江蘇省太倉市沙溪鎮岳王臺北路2號
No.2 Tai-Pei Road, Yue-Wang Distinct,
Sha-Xi Town, Tai-Cang City, Jiang-Su
Province,China
TEL : +86-512-5345 6636 53458348
FAX : +86-512-5345 8322
E-MAIL : alextc53456636@163.com

大造熊有限公司
DA CHAO SHONG CO.,LTD.
柬埔寨柴楨省巴域市國道一號
大成巴域經濟特區+(大造熊公司)
Tai Seng Bavet Special Economic Zone,
National Road. 1, Bavet City, Svay Rieng
Province, Cambodia
Da Chao Shong Co.,Ltd.
TEL : +855-44-712265
E-MAIL: dachaoshong@gmail.com

越南鼎特力科技股份有限公司
ALEX GLOBAL TECHNOLOGY
VIETNAM COMPANY., LTD
越南西寧省鵝油縣福東社福東工業區N16路
LOT NO.47-12B-2, 47-14, 47-15,47-16-
1, N16 STREET,PHUOC DONG INDUSTRY
PARK, PHUOC DONG COMMUNE GO DAU
DIST., TAY NINH PROVINCE VIETNAM
TEL : +84-276-351-5288
E-MAIL : infovn@alexrims.com.tw

ALEXRIMS.COM


WWW.ALEXRIMS.COM