



REV.	DESCRIPTION	ENGR	DATE
1	First Release	JWL	3/1/2023






185mm Trunnion
Fully Extended





165x40 Fully Compressed



165x45 Fully Compressed

NOTES: UNLESS OTHERWISE SPECIFIED

1. CANE CREEK RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE. DRAWING NOT TO SCALE
2. MINIMUM RECOMMENDED FRAME CLEARANCE: 2.5MM. CUSTOMER IS RESPONSIBLE FOR ENSURING CLEARANCE

mm Dimensions

Tolerances:
.X ± 0.3
.XX ± 0.10
.XXX ± 0.05

Angular: ± 0.5
Concentricity: 0.10

Third Angle Projection


This drawing and all information therein is the property of Cane Creek Cycling Components and is confidential and must not be made public or copied. It is loaned subject to return upon demand and is not to be used in any way that is detrimental to our interests.


CANE CREEK

TITLE:
DBAir-IL G2
User Spec Drawing


Material:			
Weight:	SIZE B	Part No. 165mm Trunnion	REV. 01
Finish:	Color:	SCALE: 1:2	SHEET 1 OF 1


REV.	DESCRIPTION	ENGR	DATE
1	First Release	JWL	3/1/2023






185mm Trunnion
Fully Extended





185x50 Fully Compressed



185x55 Fully Compressed

NOTES: UNLESS OTHERWISE SPECIFIED

1. CANE CREEK RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE. DRAWING NOT TO SCALE
2. MINIMUM RECOMMENDED FRAME CLEARANCE: 2.5MM. CUSTOMER IS RESPONSIBLE FOR ENSURING CLEARANCE

mm Dimensions

Tolerances:
.X ± 0.3
.XX ± 0.10
.XXX ± 0.05

Angular: ± 0.5
Concentricity: 0.10

Third Angle Projection


This drawing and all information therein is the property of Cane Creek Cycling Components and is confidential and must not be made public or copied. It is loaned subject to return upon demand and is not to be used in any way that is detrimental to our interests.


CANE CREEK

TITLE:
DBAir-IL G2
User Spec Drawing


Material:			
Weight:	SIZE B	Part No. 185mm Trunnion	REV. 01
Finish:	Color:	SCALE: 1:2	SHEET 1 OF 1


REV.	DESCRIPTION	ENGR	DATE
1	First Release	RRB	8/16/2022






190mm Eye to Eye
Fully Extended





190x40 Fully Compressed



190x45 Fully Compressed

NOTES: UNLESS OTHERWISE SPECIFIED

1. CANE CREEK RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE. DRAWING NOT TO SCALE
2. MINIMUM RECOMMENDED FRAME CLEARANCE: 2.5MM. CUSTOMER IS RESPONSIBLE FOR ENSURING CLEARANCE

mm Dimensions

Tolerances:
.X ± 0.3
.XX ± 0.10
.XXX ± 0.05

Angular: ± 0.5
Concentricity: 0.10

Third Angle Projection


This drawing and all information therein is the property of Cane Creek Cycling Components and is confidential and must not be made public or copied. It is loaned subject to return upon demand and is not to be used in any way that is detrimental to our interests.


CANE CREEK

TITLE:
DBAir-IL G2
User Spec Drawing


Material:	SIZE	Part No.	REV.
Weight:	B	190mm Eye to Eye	01
Finish:	Color:	SCALE: 1:2	SHEET 1 OF 1


REV.	DESCRIPTION	ENGR	DATE
1	First Release	RRB	8/16/2022






210mm Eye to Eye
Fully Extended





210x50 Fully Compressed



210x55 Fully Compressed

NOTES: UNLESS OTHERWISE SPECIFIED

1. CANE CREEK RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE. DRAWING NOT TO SCALE
2. MINIMUM RECOMMENDED FRAME CLEARANCE: 2.5MM. CUSTOMER IS RESPONSIBLE FOR ENSURING CLEARANCE

mm Dimensions

Tolerances:
.X ± 0.3
.XX ± 0.10
.XXX ± 0.05

Angular: ± 0.5
Concentricity: 0.10

Third Angle Projection

This drawing and all information therein is the property of Cane Creek Cycling Components and is confidential and must not be made public or copied. It is loaned subject to return upon demand and is not to be used in any way that is detrimental to our interests.

CANE CREEK

TITLE:
DBAir-IL G2
User Spec Drawing

Material:	SIZE	Part No.	REV.
Weight:	B	210mm Eye to Eye	01
Finish:	Color:	SCALE: 1:2	SHEET 1 OF 1