SR SUNTOUR

SERVICE
PRODUCTS
TECH INFO.
INQUIRY
LINKS



QESTIONS?

Got questions?
We've got the answers for you!

Please contact the office near you.

Worldwide
Office Locations
ASIA
EUROPE
U.S.A.

HOT NEWS

Comparison Charts Available Now!
These charts will help you to know more about our products.

2000 Tech Information Available Now!
Finally, the technical information for our 2000 products are available online.

Web Site Designed by
Junglecity Network International
Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.



products 2000

Find the right product for you!

components

- crank set
- front derailleur
- rear derailleur
- cassette/freewheel
- suspension fork
- twist shifter
- replacement

questions?

Contact the office near you.

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

suspension fork
crank set
front derailleur
rear derailleur
cassette/freewheel
twist shifter
replacement



CRANK SET

ROAD

CW-SP60T-AZ

For road bike
Forged alloy and anodized 5-arm crank
Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 52T Alloy gray anodized
Center chainring: 42T Alloy gray anodized
Inner chainring: 30T Alloy gray anodized
Compatible BB size: XL118



CW-SP60D-AZ

For road bike
Forged alloy and anodized 5-arm crank
Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 53T Alloy gray anodized
Center chainring: 39T Alloy gray anodized
Compatible BB size: MM107



MOUNTAIN

Upgraded

CW-AP67-AZ

Forged alloy and gray anodized 4-arm crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 44T Alloy gray anodized
Center chainring: 32T Alloy gray anodized
Inner chainring: 22T steel satin finish
Crank length: 170, 175mm
Compatible BB size: MM 110
CW-AP67-AZG Smoke screw-on type chainguard



Upgraded

CW-AP57-AZ

Forged alloy and anodized 4-arm crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 44T Alloy gray anodized
Center chainring: 32T steel satin finish
Inner chainring: 22T steel satin finish
Crank length: 170, 175mm
Compatible BB size: MM 110
CW-AP57-AZG Smoke screw-on type chainguard

[photo not preserved in web archive]

Upgraded

CW-AP47-HP

Forged alloy and high-polished 4-arm crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 44/42T steel gray finish
Center chainring: 32T steel gray finish
Inner chainring: 22T steel gray finish
Crank length: 170, 175mm
Compatible BB size: MM110
CW-AP47-HPG Smoke screw-on type chainguard



New!

CW-MD360-HP

Low-Profile, high-polished crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 44/42T Alloy gray anodized
Center chainring: 32T steel satin finish
Inner chainring: 22T steel satin finish
Crank length: 170, 175mm
Compatible BB size: 110mm
CW-MD360-HPG Smoke screw-on type chainguard

[photo not preserved in web archive]

New!

CW-MD350-HP

Low-Profile, high-polished crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 44/42T steel gray finish
Center chainring: 32T steel gray finish
Inner chainring: 22T steel gray finish
Crank length: 170, 175mm
Compatible BB size: MM110
CW-MD350-HPG Smoke screw-on type chainguard

[photo not preserved in web archive]

New!

CW-MD300-HP

New 4-arm design, high-polished crank
Power-Flo Front (PFF) index
Semi-interchangeable chainrings
Outer chainring: 42T steel gray finish
Center chainring: 32T steel gray finish
Inner chainring: 22T steel gray finish
Crank length: 170, 175mm
Comaptible BB size: MM110
CW-MD300-HPG Smoke screw-on type chainguard



New!

CW-MD250-HF

New 4-arm design, high-finished crank
Power-Flo Front (PFF) index
Riveted chainrings
Outer chainring: 42T steel gray finish
Center chainring: 32T steel gray finish
Inner chainring: 22T steel gray finish
Crank length: 170, 175mm
Compatible BB size: 110mm
CW-MD250-HFG Smoke Screw-on type chainguard



Upgraded

CW-XR180-AB

Unique 4-arm design
Power-Flo Front (PFF) index
Riveted chainrings
Outer chainring: 42T steel silver finish
Center chainring: 34T steel silver finish
Inner chainring: 24T steel silver finish
Barrel finish crank
Crank length: 152, 170, 175mm
Compatible BB size: 122.5mm
CW-XR180-ABG Smoke screw-on type chainguard



New!

CW-CR350-HP

Low-profile, high-polished crank
Newly designed Power-Flo Front (PFF) index
Interchangeable chainrings
Outer chainring: 48T steel silver finish
Center chainring: 38T steel silver finish
Inner chainring: 28T steel silver finish
Crank length: 170, 175mm
Compatible BB size: MM110
CW-CR350-HPG Smoke screw-on type chainguard



New!

CW-CR200-HF

New 4-arm spyder design
Hi-finish crank
Newly designed Power-Flo Front (PFF) index
Riveted chainrings
Outer chainring: 48T steel silver finish
Center chainring: 38T steel silver finish
Inner chainring: 28T steel silver finish
Crank length: 170, 175mm
Compatible BB size: 122.5mm
CW-CR200-HFG Clear screw-on type chainguard

[photo not preserved in web archive]

Upgraded

CW-XR120-AB

Power-Flo Front (PFF) index
Riveted chainrings
Outer chainring: 48T steel silver finish
Center chainring: 38T steel silver finish
Inner chainring: 28T steel silver finish
Barrel finish crank
Crank length: 152, 170, 175mm
Compatible BB size: 122.5mm
CW-XR120-ABG Clear screw-on type chainguard



Y2K Chainwheel Comparison Chart

	Model Name	Crank	Ring	Ring Material
	SP60T	Cold forged	52-42-30	Alloy-Alloy-Alloy
	SP60D	Cold forged	53-39	Alloy-Alloy
Upgraded	AP67	Cold forged	44-32-22	Alloy-Alloy-Steel
Upgraded	AP57	Cold forged	44-32-22	Alloy-Steel-Steel
Upgraded	AP47	Cold forged	44-32-22	Steel-Steel-Steel
NEW	MD360	Melt forged	44-32-22	Alloy-Steel-Steel
NEW	MD350	Melt forged	44-32-22	Steel-Steel-Steel
NEW	MD300	Melt forged	44-32-22	Steel-Steel-Steel
NEW	MD250	Melt forged	44-32-22	Steel-Steel-Steel
Upgraded	XR180	Melt forged	42-34-24	Steel-Steel-Steel
NEW	CR350	Melt forged	48-38-28	Steel-Steel-Steel
NEW	CR200	Melt forged	48-38-28	Steel-Steel-Steel
Upgraded	XR120	Melt forged	48-38-28	Steel-Steel-Steel

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

[suspension fork](#)
[crank set](#)
[front derailleur](#)
[rear derailleur](#)
[cassette/freewheel](#)
[twist shifter](#)
[replacement](#)



FRONT DERAILLEUR

products

FD-AP46-GXH

Down-Pull type
Alloy body
Improved Shifting due to rigid link bushing
Level-swing mechanism for light shifting action
Side screw for easy adjustment
Available in 28.6, 31.8, 34.9
F: 44(42)/32/22T & R: 9/8 speed compatible
Plug & play index compatible
Seat tube angle 66~69 compatible
Accushift action spring

[photo not preserved in web archive]

FD-TP46-GXH

Top-pull type
Alloy body
Improved Shifting due to rigid link bushing
Level-swing mechanism for light shifting action
Side screw for easy adjustment
Available in 28.6, 31.8, 34.9
F: 44(42)/32/22T & R: 9/8 speed compatible
Plug & play index compatible
Seat tube angle 66~69 compatible
Accushift action spring



products

Upgraded

FD-XR30-GXH

Down-pull type
Level-swing mechanism for light shifting action
Screw on the side for each of adjustability
Improved shifting due to rigid link bushing
Alloy clamp
F: 42/34/24T & R:8 speed compatible
Plug & Play index compatble



Upgraded

FD-TP30-GXH

Top-pull type
Level-swing mechanism for light shifting action
Screw on the side for each of adjustability
Improved shifting due to rigid link bushing
Alloy clamp
F: 42/34/24T & R: 8 speed compatible
Plug & Play index compatble



products

CW-XR16-GXH

Down-pull type
Plug & play index compatible
F: 42/34/24T & R; 7 speed compatible
Clamp size: 28.6, 31.8 and 34.9 3



CW-TP16-GXH

Top-pull type
Plug & play index compatible
F: 42/34/24T & R; 7 speed compatible
Clamp size: 28.6, 31.8 and 34.9 3



products

Y2K Front Derailleur Comparison Charts

	Model Name	CW Combination	Clamp Dia.	
Upgraded	AP46	44/42-32-22	28.6, 31.8, 34.9	down-pull
Upgraded	TP46	44/42-32-22	28.6, 31.8, 34.9	top-pull
Upgraded	XR30	42-34-24	28.6, 31.8, 34.9	down-pull
Upgraded	TP30	42-34-24	28.6, 31.8, 34.9	top-pull
Upgraded	XR16	42-34-24	28.6, 31.8, 34.9	down-pull
Upgraded	TP16	42-34-24	28.6, 31.8, 34.9	top-pull
Upgraded	XR05	48-38-28	28.6, 31.8, 34.9	down-pull
Upgraded	TP05	48-38-28	28.6, 31.8, 34.9	top-pull

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

[crank set](#)
[front derailleur](#)
[rear derailleur](#)
[cassette/freewheel](#)
[suspension fork](#)
[twist shifter](#)
[replacement](#)



REAR DERAILLEUR

products pr

RD-AP46-GXB

Alloy body
24 and 21 speed compatible
Total capacity: 41T
Max rear sprocket: 32T
Plug & play compatible
Accushift action spring



RD-XR16-GXB

Without hanger bracket

RD-XR16-GXZ

With hanger bracket
21 and 18 speed compatible
Total capacity: 38T
Max rear sprocket: 28T
Plug & play compatible
Light action spring



products pr

Y2K Rear Derailleur Comparison Chart

Model Name	Speed	Total capacity	Max. rear sprocket
AP46-GXB	8s	41T	32T
XR31-GXB	8s	41T	32T
XR16-GXB	7s	38T	28T
XR16-GXZ	7s	38T	28T
XR16-SSB	7s	28T	28T
XR16-SSZ	7s	28T	28T

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

suspension fork
crank set
front derailleur
rear derailleur
cassette/freewheel
twist shifter
replacement



CASSETTE SPROCKETS

CS-PF55-C9
Super wide ratio
9 speed 11, 12, 14, 16, 18, 21, 24, 28, 32T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (355g)



CS-PF46-C8
Super wide ratio
8 speed 11, 13, 15, 18, 21, 24, 28, 32T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (346g)

[photo not preserved in web archive]

CS-PF40-C8
8 speed 11, 12, 14, 16, 18, 21, 24, 30T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (310g)



CS-PF35-C8
8 speed 11, 12, 14, 16, 18, 21, 24, 28T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (290g)

[photo not preserved in web archive]

CS-PF32-C7
7 speed 11, 13, 15, 18, 21, 24, 30T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (280g)

[photo not preserved in web archive]

CS-PF31-C7
7 speed 11, 13, 15, 18, 21, 24, 28T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (280g)

[photo not preserved in web archive]

CS-PF30-C7
7 speed 12, 14, 16, 18, 21, 24, 28T
Chrome plated finish
Plug & play compatible
Power-Flo Rear (PFR) index
Super light design (285g)



FW-PF220-N8
Thread on type
8 speed 13, 14, 16, 18, 21, 24, 28, 32T
Nickel plated finish
Plug & play compatible

FW-PF200-N7
7 speed 13, 14, 16, 18, 21, 24, 32T


Y2K Cassette Comparison Charts

	Model Name	Speed	Teeth Comb.	Finish
NEW	CS-PF55-C9	MD 9s	11-32T	Chrome plating
Continued	CS-PF46-C8	MD 8s	11-32T	Chrome plating
Continued	CS-PF45-C8	MD 8s	12-32T	Chrome plating
Continued	CS-PF40-C8	8s	11-30T	Chrome plating
Continued	CS-PF35-C8	8s	11-28T	Chrome plating
NEW	CS-PF302-C7	MD 7s	12-32T	Chrome plating
Continued	CS-PF32-C7	7s	11-30T	Chrome plating
Continued	CS-PF31-C7	7s	11-28T	Chrome plating
Continued	CS-PF30-C7	7s	12-18T	Chrome plating
NEW	FW-PF220-N8	MD 8s	13-32T	Nickel plating
NEW	FW-PF200-N7	MD 7s	13-32T	Nickel plating
Continued	FW-PF25-N7	7s	13-28T	Nickel plating

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

crank set
front derailleur
rear derailleur
cassette/freewheel
suspension fork
twist shifter
replacement



SUSPENSION FORK



NEW!

MG ULR

Newly designed magnesium monocoque lowers
Hydraulic damper (open bath) and coil spring
Preload adjustable
Travel: 80mm (3.2")
Alloy stanchion tube (hard anodized)
Replaceable stanchion tubes
Alloy steer tube
Forged alloy and anodized crown
Disc brake and V-brake compatible
Alloy index adjuster knobs with optical display
Weighs 1,850grams (4.08lbs)

Available colors



Upgraded

MG 91

Newly designed magnesium monocoque lowers
Coil springs and MCU
Travel: 75mm (3.0")
Cromoly stanchion tubes and steer tube
Forged alloy and anodized crown
Disc brake and V-brake compatible
Index adjuster knobs with optical display
Weighs 1,580grams (3.48lbs)

Available colors

MG 92

Same spec as MG 91 except the travel length.
Travel length: 100mm (4.0")

Available colors



Upgraded

MG 81

Newly designed magnesium monocoque lowers
Coil springs and elastomers
Travel: 70mm (2.75")
Forged alloy and anodized crown
Disc brake and V-brake compatible
Index adjuster knobs with optical display
Weighs 1,810 grams (3.99 lbs)

Available colors



NEW!

M 8030

Newly designed alloy monocoque lowers
Coil springs and elastomers
Travel: 63mm (2.5")
Alloy crown
V-brake compatible
Index adjuster knobs with optical display
Weighs 2,000 grams

Available colors

M 8020

Without preload adjuster

Available colors



Upgraded

M7600

Alloy fork brace
Coil springs and elastomer
Travel: 63mm (2.5")
Alloy crown
V-brake compatible
For 24" and 26" wheel

Available colors



M 6200

Redesigned fork brace
Alloy lowers
Travel: 50mm (2.0")
Alloy crown
V-brake compatible
For 20", 24", 26" wheel
Weighs 1,540grams (3.40 lbs)

Available colors



NEW!

MG DH2

Magnesium monocoque lowers
Coil springs and MCU
Travel: 110mm (4.3")
Alloy stanchion tube (hard anodized)
Alloy steer tube
Forged crown (forged alloy, anodized)
Disc brake and V-brake compatible
Weighs 1,980grams (4.36 lbs)

Available colors



NEW!

DC 91

Magnesium monocoque lowers
Coil springs and MCU
Travel: 90mm (3.54")
Cromoly stanchion tube
Dual crown (forged alloy, anodized)
Disc brake and V-brake compatible
Index adjuster knobs with optical display
Weighs 2,030 grams (4.47 lbs)

Available colors

Upgraded

DC 7600

Dual crown
Alloy lowers
Coil springs and elastomer
Travel: 63mm (2.5")
Alloy crown
V-brake compatible

Available colors

NEW!

T950

Magnesium lowers
Coil springs and elastomer
Travel: 40mm (1.6")
Forged alloy and anodized crown
Disc-brake Roller-brake and V-brake compatible
Color: Metallic silver, Shinny black
For 700C wheel

Available colors

NEW!

T900

Without preload adjuster

Available colors

NEW!

T880

Redesigned fork brace
Travel: 40mm (1.6")
One piece alloy
Alloy crown
Alloy lowers
V-brake compatible
For 700C and 26" wheel

Available colors

Photos coming soon!

Upgraded

T870

Redesigned fork brace
Travel: 40mm (1.6")
Alloy crown
Alloy lowers
V-brake compatible
Color: Metalic silver, shinny black
For 700C, 26" wheel

Available colors

NEW!

T810

Triple Action Mechanism
Travel: 30mm
Alloy crown
Alloy fork brace
V-brake compatible
Color: Metallic silver, Shinny black
For 700C, 26" wheel

Available colors


Y2K Suspension Forks Comparison Chart

	Model Name	Lower Leg	Travel	Adjuster
NEW	MG ULR	Magnesium	80mm	Yes
Upgraded	MG 91	Magnesium	75mm	Yes
Upgraded	MG 81	Magnesium	70mm	Yes
NEW	M8030	Alloy	63mm	Yes
NEW	M8020	Alloy	63mm	
Upgraded	M7600	Alloy	63mm	
Continued	M6200	Alloy	50mm	
Upgraded	MG DH2	Magnesium	110mm	Yes
Upgraded	DC 91	Magnesium	90mm	Yes
Upgraded	DC7600	Alloy	63mm	
NEW	T950	Magnesium	40mm	Yes
NEW	T900	Magnesium	40mm	
Upgraded	T870	Alloy	40mm	
NEW	T810	Alloy	30mm	

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

[suspension fork](#)
[crank set](#)
[front derailleur](#)
[rear derailleur](#)
[cassette/freewheel](#)
[twist shifter](#)
[replacement](#)



Available Colors for Y2K Suspension Forks

M6200



YS-722 YELLOW



YS-728 GROSS BLACK

[photo not preserved in web archive]



SR-985 BLUE

M7600, DC7600, M8020, M8030



YS-722 YELLOW



YS-754 SLIVER



YS-728 GROSS BLACK



G-898B MANGO



S-208D DARK BLUE



DB-524 RED

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.



2000 Product Line

[suspension fork](#)
[crank set](#)
[front derailleur](#)
[rear derailleur](#)
[cassette/freewheel](#)
[twist shifter](#)
[replacement](#)

TWIST SHIFTER

products

TS-SX35-R8/L3

Rear: 8 speed
Front: 3 speed Plug & play index
Pulley inserted, light action mechanism
Clear gear display



TS-SX26-R7/L3

Rear: 7 speed index
Front: 3 speed Plug & play index
Pulley inserted, light action mechanism
Clear gear display



products

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.

2000 Product Line

[suspension fork](#)
[crank set](#)
[front derailleur](#)
[rear derailleur](#)
[cassette/freewheel](#)
[twist shifter](#)
[replacement](#)



REPLACEMENT

products

REPLACEMENT CHAIN RINGS


[photo not preserved in web archive]

[photo not preserved in web archive]

for Road bike double



for Road bike triple



products

Damper spacer



Stanchion tube bumper



Dust boot



110mm , 90mm , 75mm , 63mm , 50mm

Dust seal



For magnesium lowers

Special grease



For suspension forks

[photo not preserved in web archive]

[photo not preserved in web archive]

Copyright © 1999-2000 Taiwan Sakae Ringyo. All Rights Reserved.