WELCOME TO FUJI BIKES

Picking the right bike for you. Here are a few ideas that may help you decide on the bicycle that best fits your needs:

First, decide where you are going to do most of your riding

- Around the neighborhood on paved roads? Our Leisure series is probably the best fit. Maybe a cruiser?
- Rugged mountain trails and paths? You can't beat a mountain bike here.
- Bike paths, both paved and unpaved? Once again, our Leisure series, if upright seating is important, or take a look at the slightly more performance oriented models, Sagres, Supreme or Crosstown.
- Hour(s) long rides on the road? Can't beat the Fuji Road series here.
- What's my budget?
- Am I going to frequently transport the bike in my car?
- Any special considerations?

Second, decide which Fuji model bike is the right height for you from the chart below:

Model	**Regis, Cambridge, Palisade and Monterey**
Height	**Frame Size**
4'10"-5'6"	Small
5' 7"- 5' 11	Medium
5' 11"- 6'+	Large
Ladies	
under 5' '7"	Small
over 5' 7"	Large

Model	**CrossTown, Supreme, Sagres**
Height	
under 5' 4"	17"
5' 5" - 5' 8"	19"
5' 8" - 5' 11"	21"
Over 6'	23"

Model	**Road Bicycles**
under 5'	46 cm
5' -5' 3"	49 cm
5' 3" - 5' 5"	52 cm
5' 5" - 5' 7"	54 cm
5' 7" - 5' 10"	56 cm
5' 10" - 6'	58 cm
6' - 6' 2"	61 cm
over 6' 2"	64 cm

Model	**Mountain Bicycles**
Under 4' 10"	13"
4' 10"- 5' 4"	15"
5' 4" - 5' 8"	17"
5' 8" - 5' 10"	19"
5' 10" - 6' 1"	20.5"
6' 1" - 6' 3"	22"
over 6' 3"	24"

Model	**Kids Bikes**
Sandblaster (DX)	age 6 - 9 years
Blaster (DX)	age 9 years plus

Back

[photo not preserved in web archive]

Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

View Ruffle Wiki

View Error Details

Aloha

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Red/Black Two Tone
Main frame		
	Top tube	Kinesis 7005 Aero Alloy, Double Butted, 45/23mm
	Seat tube	Kinesis 7005 Aero Alloy, 62/31.8mm
	Down tube	Kinesis 7005 Aero Alloy, Double Butted, 65/35mm
Rear triangle		
	Chain stays	Kinesis 7005 Tapered Alloy, 22.2mm
	Seat stays	Kinesis 7005 Aero Alloy, 29/14mm
	Dropouts	Kinesis Aero Road w/replaceable hanger
	Fork	Kinesis 6061 Alloy Aero Road, 650c
	Details	water bottle mounts
Drivetrain		
	Crankset	Sugino RD-5000, 44/54
	Bottom bracket	Shimano BB-UN52
	Pedals	Speedplay X-3 clipless
	Front derailleur	Shimano 105, FD-5500, Braze-on
	Rear derailleur	Shimano 105, RD-5500-SS, 9-speed
	Shifters	Shimano DuraAce, SL-BS77, 9-speed
	Cassette/freewheel	Shimano CS-6500-9, 9-speed, 11/23
	Chain	Shimano CN-HG72, 9-speed
Wheelset		
	Front hub	Formula Superlite Road, 24H
	Rear hub	Shimano Ultegra Casette, FH-6500, 28H
	Spokes	Stainless, Bladed, 14g
	Rrims	Velocity Deep-V Aero, 24/28H, Black w/CNC sidewalls
	Tires	Michelin Axial Pro, 650c X 23c, UltraLite tube
Features		
	Brake set	Shimano 105, BR-5500
	Brake levers	DiaCompe 188 Reverse for Aero Bars
	Headset	FSA Road Alloy, Sealed
	Handlebar	Profile Design Split Second/Air Wing
	Stem	Profile Design H2O w/removable clamp
	Tape/grip	Profile Bar Wrap
	Saddle	Velo Supelite Racing
	Seat post	Zoom Superlite Micro Adjust alloy, 250mm
	Seat clamp	Fuji superlight alloy, 31.8mm, Lazer etched

| specifications | dimensions | back to top

Seat Tube C/T	490.0	520.0	540.0	560.0	580.0	610.0
Seat Tube C/C	437.3	467.2	486.6	507.1	526.6	556.6
Actual TT Length	500.1	522.0	534.6	541.0	554.6	556.6
Level TT Length	520.0	540.0	550.0	560.0	570.0	590.0
Chain Stay Length	375.0	375.0	375.0	375.0	375.0	375.0
BB Drop	46.5	46.5	46.5	46.5	46.5	46.5
Fork Offset	35.0	35.0	35.0	35.0	35.0	35.0
Head Tube Angle	72.0	72.0	73.5	73.5	73.5	74.0
Seat Tube Angle	78.0	78.0	78.0	78.0	78.0	78.0
Wheel Base	964.9	986.9	984.9	998.1	1008.2	1025.8
Stand Over Height	728.9	752.9	765.6	794.5	804.7	834.1
BB Height	264.0	264.0	264.0	264.0	264.0	264.0
Fork Steerer Length	165	185	185	225	225	255
Fork Length	338.5	338.5	338.5	338.5	338.5	338.5
Head Tube Length	130	150	150	190	190	220
Seat Post Diameter	28.0/26.6	28.0/26.6	28.0/26.6	28.0/26.6	28.0/26.6	28.0/26.6
Stem Length	90.0	90.0	90.0	90.0	90.0	90.0
H-Bar Width	400.0	400.0	400.0	420.0	420.0	420.0
BB Axle Length	110.5	110.5	110.5	110.5	110.5	110.5
Front Wheel Spoke Length	246.0	246.0	246.0	246.0	246.0	246.0
Rear Wheel Spoke Length	242/249	242/249	242/249	242/249	242/249	242/249
Crank Length	170.0	170L	170L	172.5L	172.5L	175L
Complete Bicycle Weight	21.8 lbs					

Back

Newest



CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Yellow/Black Two Tone
Main frame		
	Top tube	True Temper Double Butted Cro-moly, 28.6mm
	Seat tube	True Temper Outer Butted Cro-Moly, 28.6mm
	Down tube	True Temper Double Butted Cro-moly, 31.8mm
Rear triangle		
	Chain stays	Double Butted, Tapered Cro-Moly, 22mm
	Seat stays	Double Butted, Tapered Cro-Moly, 16mm
	Dropouts	Forged Road w/Axle adjusters
	Fork	Triple Butted, Tapered Cro-Moly, Aero Road
	Details	double water bottle mounts, rear carrier mounts
Drivetrain		
	Crankset	Shimano Tiagra FC-4403, 30/42/52
	Bottom bracket	Shimano BB-UN40
	Pedals	EXUS Clipless
	Front derailleur	Shimano Tiagra, FD-4403, clamp-on, 28.6mm
	Rear derailleur	Shimano Tiagra, RD-4400-GS, 9-speed
	Shifters	Shimano Tiagra, ST-4400, 9-speed
	Cassette/freewheel	Shimano CS-HG50-9, 9-speed, 12/23
	Chain	Shimano CN-HG72, 9-speed
Wheelset		
	Front hub	Shimano Tiagra HB-4400, 32H
	Rear hub	Shimano Tiagra Freehub FH-4400, 32H
	Spokes	Stainless, 14g
	Rrims	Mavic CXP-11, 32H
	Tires	Michelin Axial Bi-Sport, Black/Yellow, 700 X 23c, Folding
Features		
	Brake set	Shimano Tiagra, BR-4400
	Brake levers	Shimano Tiagra, ST-4400
	Headset	Ritchey Logic Threadless w/30mm spacers
	Handlebar	Ritchey Logic Road Comp
	Stem	Ritchey Logic Road Comp 1" Threadless, Forged
	Tape/grip	Profile Bar Wrap
	Saddle	Selle Italia XO, MicroFibre cover, FEC alloy rails
	Seat post	Zoom Superlite Micro Adjust alloy, 230mm
	Seat clamp	Fuji superlight alloy, 29.7mm, Lazer etched

| specifications | dimensions | back to top |

Seat Tube C/T	490.0	520.0	540.0	560.0	580.0	610.0	640.0
Seat Tube C/C	460.0	490.0	510.0	530.0	550.0	580.0	610.0
Actual TT Length	508.6	530	550	560	570	590	610
Level TT Length	515.0	530.0	550.0	560.0	570.0	590.0	610.0
Chain Stay Length	410.0	410.0	410.0	410.0	410.0	410.0	410.0
BB Drop	69.0	69.0	69.0	69.0	69.0	69.0	69.0
Fork Offset	50.0	50.0	45.0	45.0	45.0	40.0	40.0
Head Tube Angle	72.0	72.0	73.5	73.5	73.5	74.0	74.0
Seat Tube Angle	75.0	74.0	73.0	73.0	73.0	72.5	72.5
Wheel Base	976.5	982.3	976.1	985.8	995.7	1000.7	1019.6
Stand Over Height	740.6	754.3	771	790.1	809.3	836.5	865.1
BB Height	269.0	269.0	269.0	269.0	269.0	269.0	269.0
Fork Steerer Length	184	184	194	214	234	259	289
Fork Length	365.0	365.0	365.0	365.0	365.0	365.0	365.0
Head Tube Length	90	90	100	120	140	165	195
Seat Post Diameter	26.8	26.8	26.8	26.8	26.8	26.8	26.8
Stem Length	100.0	100.0	100.0	100.0	100.0	120.0	135.0
H-Bar Width	400.0	400.0	400.0	420.0	420.0	440.0	440.0
BB Axle Length	113.5	113.5	113.5	113.5	113.5	113.5	113.5
Front Wheel Spoke Length	293.0	293.0	293.0	293.0	293.0	293.0	293.0
Rear Wheel Spoke Length	292/291	292/291	292/291	292/291	292/291	292/291	292/291
Crank Length	165L	170L	170L	170L	170L	175L	175L
Complete Bicycle Weight	22.3 lbs						

Back

Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

View Ruffle Wiki

View Error Details

Boulevard

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Mens Only, Inferno
		Ladies Only, South Pacific Blue
Main frame		
	Top tube	Fuji custom PowerOval Hi-Ten, 37/27mm
	Seat tube	Fuji Outer Butted Hi-Ten, 28.6mm
	Down tube	Fuji custom PowerOval Hi-Ten, 44/27mm
Rear triangle		
	Chain stays	Fuji tapered Hi-Ten, S-bend
	Seat stays	Fuji tapered Hi-Ten, S-bend
	Dropouts	Semi-Forged w/eyelet
	Fork	Fuji Hi-Ten ATB, 1 1/8"
	Details	double water bottle mounts, Seat tube gusset
		Rear Rack mounts.
Drivetrain		
	Crankset	ProWheel composite resin/steel ATB, 28/38/48
	Bottom bracket	VP Components ATB sealed
	Pedals	VP Components ATB
	Front derailleur	Shimano Tourney, FD-TY30, 28.6mm
	Rear derailleur	Shimano Tourney, RD-TY22
	Shifters	SunRace, SR-225, 7-Speed
	Cassette/freewheel	SunRace, SR-HG72-U, 13/28T, 7-Speed
	Chain	Shimano CN-UG50
Wheelset		
	Front hub	ATB Oversized Steel, Black, 36H, Q/R
	Rear hub	ATB Oversized Steel, Black, 36H, Nutted
	Spokes	UCP, 14G
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda, Semi Knob ATB, 26 X 2.0"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	ProMax Linear pull w/reach adjust
	Headset	VP Components ATB sealed
	Handlebar	Fuji ATB, 30mm rise, 600mm
	Stem	Fuji ATB w/removable clamp
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex TushCush
	Seat post	ATB Steel
	Seat clamp	Fuji alloy QR

| specifications | dimensions | back to top |

Seat Tube C/T	15"	17"	19"	20.5"	22"	17"L
Seat Tube C/C	291.6	344.1	396.1	434.4	474.1	220
Actual TT Length	498.2	524.2	544.3	561.1	578.1	514
Level TT Length	520	550	565	580	595	520
Chain Stay Length	430	430	430	430	430	430
BB Drop	31	31	31	31	31	31
Fork Offset	55	55	55	55	50	55
Head Tube Angle	70.5	71	71	71	71.5	70
Seat Tube Angle	73	73	73	73	72	73
Wheel Base	1022.2	1052.3	1068.7	1084.7	1075.7	1023.8
Stand Over Height	605.9	634.4	666.4	696.3	722.4	584.7
BB Height	294	294	294	294	294	294
Fork Steerer Length	125	135	150	175	190	150
Fork Length	393	393	393	393	393	393
Head Tube Length	90	100	115	140	155	115
Seat Post Diameter	25.6	25.6	25.6	25.6	25.6	25.6
Stem Length	80	100	100	120	120	80
H-Bar Width	600	600	600	600	600	600
BB Axle Length	122.5	122.5	122.5	122.5	122.5	122.5
Front Wheel Spoke Length	264	264	264	264	264	264
Rear Wheel Spoke Length	263/261	263/261	263/261	263/261	263/261	263/261
Crank Length	170L	170L	170L	170L	170L	165L
Complete Bicycle Weight	31.8 lbs.					

Back

Nevada

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Blue/Red Two Tone, Black/Silver Two Tone
Main frame		
	Top tube	Fuji custom PowerOval 7005 alloy, 35.1mm
	Seat tube	Fuji custom 7005 alloy, 31.8mm
	Down tube	Fuji custom PowerOval 7005 alloy, 44.5mm
Rear triangle		
	Chain stays	7005 tapered alloy, S-bend
	Seat stays	7005 tapered alloy, S-bend
	Dropouts	forged w/replaceable hanger
	Fork	RST-281R
	Details	double water bottle mounts, Down tube gusset, Seat tube gusset
		Rear Rack mounts.
Drivetrain		
	Crankset	SR/Suntour, XR-180. 24/34/42
	Bottom bracket	VP Components ATB sealed, 113mm axle
	Pedals	VP Components ATB
	Front derailleur	Shimano Altus
	Rear derailleur	Shimano Acera
	Shifters	Shimano EasyFire 8-speed
	Cassette/freewheel	Sunrace, SR-CSX8C, 11/30T
	Chain	Shimano CN-IG31
Wheelset		
	Front hub	Alloy ATB, Sealed, 36H, Q/R
	Rear hub	Shimano cassette, 36H, 8-speed, Q/R
	Spokes	Stainless Steel, 14g
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda Hammer/Anvil, 26 X 2.1"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	Shimano
	Headset	Cane Creek Aheadset, 1 1/8"
	Handlebar	Fuji Alloy, 560mm
	Stem	Forged alloy threadless, 1 1/8"
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex racing
	Seat post	Alloy micro-adjust, 350mm
	Seat clamp	Fuji superlight alloy, w/QR, 31.8mm

| specifications | dimensions | back to top |

Seat Tube C/T	15"	17"	19"	20.5"	22"	24"
Seat Tube C/C	286.8	340.1	392.5	431	470.7	520.8
Actual TT Length	507.6	536	554.8	571.8	579.9	589.7
Level TT Length	520	559	580	597	605	615
Chain Stay Length	420	420	420	420	420	420
BB Drop	34	34	34	34	34	34
Fork Offset	38	38	38	38	38	38
Head Tube Angle	70.5	71	71	71	71.5	71.5
Seat Tube Angle	73.5	73	73	73	72.5	72.5
Wheel Base	996.4	1026.3	1047.7	1065.5	1063.5	1074.4
Stand Over Height	709.5	739.1	770.6	800.1	826.6	874.1
BB Height	299	299	299	299	299	299
Fork Steerer Length	184	194	209	234	249	299
Fork Length	443	443	443	443	443	443
Head Tube Length	90	100	115	140	155	205
Front Fork Travel	63	63	63	63	63	63
Seat Post Diameter	26.8	26.8	26.8	26.8	26.8	26.8
Stem Length	90	120	120	130	130	130
H-Bar Width	560	560	560	560	560	560
BB Axle Length	110	110	110	110	110	110
Front Wheel Spoke Length	264	264	264	264	264	264
Rear Wheel Spoke Length	263/262	263/262	263/262	263/262	263/262	263/262
Crank Length	170L	175L	175L	175L	175L	175L
Complete Bicycle Weight	29.7 lbs.					

Back

Suncrest

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Fireball/Silver Two Tone
Main frame		
	Top tube	Fuji custom butted PowerOval 7005 alloy, 35.1mm
	Seat tube	Fuji custom butted 7005 alloy, 31.8mm
	Down tube	Fuji custom butted PowerOval 7005 alloy, 44.5mm
Rear triangle		
	Chain stays	7005 tapered alloy, S-bend
	Seat stays	7005 tapered alloy, S-bend
	Dropouts	forged w/disc mount and replaceable hanger
	Fork	Manitou Magnum R, Fireball
	Details	double water bottle mounts, Down tube gusset, Seat tube gusset
Drivetrain		
	Crankset	Shimano New Deore, 22/32/44
	Bottom bracket	Shimano sealed cartridge, BB-UN40, 110.5mm
	Pedals	Ritchey Logic Comp Clipless
	Front derailleur	Shimano New Deore, 31.8mm, top pull
	Rear derailleur	Shimano Deore-LX
	Shifters	Shimano New Deore, Rapid Fire SL, 9-speed
	Cassette/freewheel	Shimano MegaRange 9-speed, CS-HG50, 11-32T
	Chain	Shimano CN-HG72, 9-speed
Wheelset		
	Front hub	Shimano New Deore, 32H, HB-M510
	Rear hub	Shimano New Deore freehub, 9-speed, 32H, FH-M510
	Spokes	Stainless Steel, Black, 14g
	Rrims	Mavic X-221, NBA black, 32H
	Tires	WTB Velociraptors, 26 X 2.1"
Features		
	Brake set	Avid Linear pull, 1.0
	Brake levers	Shimano New Deore
	Headset	Ritchey Logic, 1 1/8", Threadless, 30mm spacers
	Handlebar	Ritchey Logic Comp, Speedblast color, 560mm
	Stem	Ritchey Logic Comp, Threadless, Speedblast color, 1 1/8"
	Tape/grip	Fuji Dual Density
	Saddle	Fuji superlight racing
	Seat post	Ritchey comp, Speedblast color, 350mm
	Seat clamp	Fuji superlight alloy, 31.8mm, Lazer etched

| specifications | dimensions | back to top |

Seat Tube C/T	15"	17"	19"	20.5"	22"
Seat Tube C/C	286.8	340.1	392.5	431.0	470.7
Actual TT Length	507.6	536	554.8	571.8	579.9
Level TT Length	520	559	580	597	605
Chain Stay Length	420	420	420	420	420
BB Drop	34	34	34	34	34
Fork Offset	38	38	38	38	38
Head Tube Angle	70.5	71	71	71	71.5
Seat Tube Angle	73.5	73	73	73	72.5
Wheel Base	996.4	1026.3	1047.7	1065.5	1063.5
Stand Over Height	709.5	739.1	770.6	800.1	826.6
BB Height	299	299	299	299	299
Fork Steerer Length	184	194	209	234	249
Fork Length	443	443	443	443	443
Head Tube Length	90	100	115	140	155
Front Fork Travel	76.2	76.2	76.2	76.2	76.2
Seat Post Diameter	27.0	27.0	27.0	27.0	27.0
Stem Length	105	105	120	135	135
H-Bar Width	560	560	560	560	560
BB Axle Length	110.5	110.5	110.5	110.5	110.5
Front Wheel Spoke Length	264	264	264	264	264
Rear Wheel Spoke Length	262/263	262/263	262/263	262/263	262/263
Crank Length	170L	175L	175L	175L	175L
Complete Bicycle Weight	26.9 lbs.				

Back

Sundance

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Blue/Scuba yellow two tone
Main frame		
	Top tube	Easton Elite ProGram, Taperwall alloy, 35.1mm
	Seat tube	Easton Elite ProGram, Taperwall alloy, 31.8mm
	Down tube	Easton Elite ProGram, Taperwall alloy, 44.5mm
Rear triangle		
	Chain stays	double butted 7005 alloy, S-bend
	Seat stays	double butted 7005 alloy, S-bend
	Dropouts	forged w/disc mount and replaceable hanger
	Fork	Rockshox, Judy XC
	Details	double water bottle mounts, Down tube gusset, Seat tube gusset
Drivetrain		
	Crankset	Shimano Deore-LX HollowTech, 22/32/44
	Bottom bracket	Shimano sealed cartridge, BB-ES70
	Pedals	Ritchey Logic Comp Clipless
	Front derailleur	Shimano Deore-LX, 31.8mm, top pull
	Rear derailleur	Shimano Deore XT
	Shifters	Shimano Deore LX, Rapid Fire SL, 9-speed
	Cassette/freewheel	Shimano MegaRange 9-speed, CS-HG50, 11-32T
	Chain	Shimano CN-HG72, 9-speed
Wheelset		
	Front hub	Shimano Deore-LX, 32H, HB-M570
	Rear hub	Shimano Deore-LX freehub, 9-speed, 32H, FH-M570
	Spokes	Stainless Steel, Black, 14g
	Rrims	Mavic X-221, NBA black, 32H
	Tires	WTB Velociraptors, 26 X 2.1" Kevlar Bead, Red sidewall
Features		
	Brake set	Avid Linear pull, 2.0
	Brake levers	Avid 1.9L
	Headset	Ritchey Fuzzy Logic, 1 1/8", Threadless, 30mm spacers
	Handlebar	Ritchey Logic Comp, Speedblast color, 560mm
	Stem	Ritchey Logic Comp, Threadless, Speedblast color, 1 1/8"
	Tape/grip	Fuji Dual Density
	Saddle	Fuji superlight racing
	Seat post	Ritchey comp, Speedblast color, 350mm
	Seat clamp	Fuji superlight alloy, 31.8mm, Lazer etched

| specifications | dimensions | back to top |

Seat Tube C/T	15"	17"	19"	20.5"	22"
Seat Tube C/C	290.2	343.4	395.7	434.3	474
Actual TT Length	500.6	536	554.7	571.6	579.9
Level TT Length	520	559	580	597	605
Chain Stay Length	420	420	420	420	420
BB Drop	34	34	34	34	34
Fork Offset	38	38	38	38	38
Head Tube Angle	70.5	71	71	71	71.5
Seat Tube Angle	73.5	73	73	73	72.5
Wheel Base	996.4	1026.3	1047.7	1065.5	1063.5
Stand Over Height	709.5	739.1	770.6	800.1	826.6
BB Height	299	299	299	299	299
Fork Steerer Length	186	196	211	236	251
Fork Length	443	443	443	443	443
Head Tube Length	90	100	115	140	155
Front Fork Travel	63/80/100	63/80/100	63/80/100	63/80/100	63/80/100
Seat Post Diameter	26.6	26.6	26.6	26.6	26.6
Stem Length	105	105	120	135	135
H-Bar Width	560	560	560	560	560
BB Axle Length	113	113	113	113	113
Front Wheel Spoke Length	264	264	264	264	264
Rear Wheel Spoke Length	262/263	262/263	262/263	262/263	262/263
Crank Length	170L	175L	175L	175L	175L
Complete Bicycle Weight	26.3 lbs.				

Back

Tahoe-DSC

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	White/Gunmetal Two Tone
Main frame		
	Top tube	Fuji custom PowerOval 7005 alloy, 35.1mm
	Seat tube	Fuji custom 7005 alloy, 31.8mm
	Down tube	Fuji custom PowerOval 7005 alloy, 44.5mm
Rear triangle		
	Chain stays	7005 tapered alloy, S-bend
	Seat stays	7005 tapered alloy, S-bend
	Dropouts	forged w/disc mount and replaceable hanger
	Fork	Manitou Magnum
	Details	double water bottle mounts, Down tube gusset, Seat tube gusset
Drivetrain		
	Crankset	TruVativ Firex cold forged, 22/32/44
	Bottom bracket	Tein Hsin sealed cartridge, BB-7700, 116mm
	Pedals	VP Components, VP-955A, Alloy/resin, w/clips and straps
	Front derailleur	Shimano New Deore, 31.8mm, top pull
	Rear derailleur	Shimano Deore
	Shifters	Shimano New Deore, Rapid Fire SL, 9-speed
	Cassette/freewheel	Shimano MegaRange 9-speed, CS-HG50, 11-32T
	Chain	Shimano CN-HG72, 9-speed
Wheelset		
	Front hub	Formula disc, 32H
	Rear hub	Formula disc freehub, 9-speed, 32H
	Spokes	Stainless Steel, Black, 14g
	Rrims	Alex, TD-16, Double Wall alloy, black
	Tires	WTB Velociraptors, 26 X 2.1", Red sidewall
Features		
	Brake set	Formula, MD-1 Disc system
	Brake levers	Shimano New Deore
	Headset	Ritchey Logic, 1 1/8", Threadless, 30mm spacers
	Handlebar	Ritchey Logic Comp, 560mm
	Stem	Ritchey Logic Comp, Threadless, 1 1/8"
	Tape/grip	Fuji design, kraton rubber
	Saddle	Fuji superlight racing
	Seat post	Kalloy micro-adjust alloy, 350mm
	Seat clamp	Fuji superlight alloy, 31.8mm, Lazer etched

| specifications | dimensions | back to top |

Seat Tube C/T	15"	17"	19"	20.5"	22"
Seat Tube C/C	286.8	340.1	392.5	431	470.7
Actual TT Length	507.6	536	554.8	571.8	579.9
Level TT Length	520	559	580	597	605
Chain Stay Length	420	420	420	420	420
BB Drop	34	34	34	34	34
Fork Offset	38	38	38	38	38
Head Tube Angle	70.5	71	71	71	71.5
Seat Tube Angle	73.5	73	73	73	72.5
Wheel Base	996.4	1026.3	1047.7	1065.5	1063.5
Stand Over Height	709.5	739.1	770.6	800.1	826.6
BB Height	299	299	299	299	299
Fork Steerer Length	184	194	209	234	249
Fork Length	443	443	443	443	443
Head Tube Length	90	100	115	140	155
Front Fork Travel	76.2	76.2	76.2	76.2	76.2
Seat Post Diameter	26.8	26.8	26.8	26.8	26.8
Stem Length	100	100	135	135	135
H-Bar Width	560	560	560	560	560
BB Axle Length	113	113	113	113	113
Front Wheel Spoke Length	262	262	262	262	262
Rear Wheel Spoke Length	260	260	260	260	260
Crank Length	170L	175L	175L	175L	175L
Complete Bicycle Weight	28.1 lbs.				

Back

Thrill

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Yellow/Red Two Tone, Red/Black Two Tone
Main frame		
	Top tube	Fuji custom PowerOval 7005 alloy, 35.1mm
	Seat tube	Fuji custom 7005 alloy, 31.8mm
	Down tube	Fuji custom PowerOval 7005 alloy, 44.5mm
Rear triangle		
	Chain stays	7005 tapered alloy, S-bend
	Seat stays	7005 tapered alloy, S-bend
	Dropouts	forged w/replaceable hanger
	Fork	RST-381CL,
	Details	double water bottle mounts, Down tube gusset, Seat tube gusset
Drivetrain		
	Crankset	
	Bottom bracket	SR/Suntour, MD-250. 22/32/42
	Pedals	Tein Hsin sealed cartridge, BB-7700, 113mm
	Front derailleur	VP Components ATB
	Rear derailleur	Shimano Acera, 31.8mm, top pull
	Shifters	SRAM, ESP 5.0
	Cassette/freewheel	SRAM, ESP 5.0 8-Speed, Dual SIS
	Chain	Shimano 8-speed, CS-HG50, 11-30T
Wheelset		**Shimano CN-IG31, 8-speed**
	Front hub	
	Rear hub	Alloy ATB, Sealed, 32H, Q/R
	Spokes	Shimano Alivio cassette, 32h, 8-speed, Q/R
	Rrims	Stainless Steel, 14g
	Tires	Alex, DM-18, Double Wall alloy
Features		**Kenda Hammer/Anvil, 26 X 2.1"**
	Brake set	
	Brake levers	ProMax Linear pull alloy
	Headset	ProMax Linear pull alloy
	Handlebar	Cane Creek Aheadset, 1 1/8"
	Stem	Fuji Alloy, 560mm
	Tape/grip	Forged alloy threadless, 1 1/8"
	Saddle	Fuji Kraton
	Seat post	Fuji DuraFlex racing
	Seat clamp	Kalloy, micro-adjust, 350mm
	seat clamp	Fuji superlight alloy, w/QR, 31.8mm

| specifications | dimensions | back to top |

Seat Tube C/T	13"	15"	17"	19"	20.5"	22"
Seat Tube C/C	233.3	286.8	340.1	392.5	431	470.7
Actual TT Length	512.3	507.6	536	554.8	571.8	579.9
Level TT Length	510	520	559	580	597	605
Chain Stay Length	420	420	420	420	420	420
BB Drop	34	34	34	34	34	34
Fork Offset	38	38	38	38	38	38
Head Tube Angle	70.5	70.5	71	71	71	71.5
Seat Tube Angle	73.5	73.5	73	73	73	72.5
Wheel Base	986.3	996.4	1026.3	1047.7	1065.5	1063.5
Stand Over Height	684.6	709.5	739.1	770.6	800.1	826.6
BB Height	299	299	299	299	299	299
Fork Steerer Length	184	184	194	209	234	249
Fork Length	443	443	443	443	443	443
Head Tube Length	90	90	100	115	140	155
Front Fork Travel	63	63	63	63	63	63
Seat Post Diameter	26.8	26.8	26.8	26.8	26.8	26.8
Stem Length	90	100	100	130	130	130
H-Bar Width	560	560	560	560	560	560
BB Axle Length	110	110	110	110	110	110
Front Wheel Spoke Length	267	267	267	267	267	267
Rear Wheel Spoke Length	265/266	265/266	265/266	265/266	265/266	265/266
Crank Length	170L	170L	175L	175L	175L	175L
Complete Bicycle Weight	29.5 lbs.					

Back

[photo not preserved in web archive]

Gravity-One



CLICK ON IMAGE TO ENLARGE

(This bicycle is available exclusively at The Sports Authority)

Specifications

Frameset		
	Color/Sizes	Mens: Green/textured
Main frame		**4130 Cro-moly steel fully active dual suspension**
	Top tube	
	Seat tube	
	Down tube	
Rear triangle		
	Chain stays	
	Seat stays	
	Dropouts	
	Fork	1 1/8" Chili suspension X-C 430
	Details	water bottle boss
Drivetrain		
	Crankset	Prowheel 170mm steel 28/38/48
	Bottom bracket	VP sealed 68x126
	Pedals	VP resin
	Front derailleur	Sun tour 1 1/8 Top pull
	Rear derailleur	Shimano RD-TY40 21 speed bolt on
	Shifters	SRAM Gripshifter MRX 21 speed
	freewheel	Falco SR-HG72 14-28T 7sp
	Chain	KMC HP-50
Wheelset		
	Front hub	Alloy Parallax 36H silver QR
	Rear hub	Alloy Parallax 36H silver nutted
	Spokes	Sha dar, 14 gauge
	Rims	Alloy 26x1.5 36H silver
	Tires	Innova 26x1.95 all black
Features		
	Brake set	Cstar linear pull silver
	Brake levers	Cstar linear pull silver
	Headset	VP 1 1/8
	Handlebar	Black with 30 MM rise
	Stem	Black 25 degree rise
	Tape/grip	Kraton rubber black
	Saddle	Fuji mens
	Seat post	29.8 x 300 mm alloy w/ clamp black
	Seat clamp	alluminuim quick release

[back to top](#)

Back

Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

View Ruffle Wiki

View Error Details

Blaster

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Boys, Inca Blue
		Girls, Plum
Main frame		
	Top tube	Fuji Oval Hi-Ten, 50mm
	Seat tube	Fuji Hi-Ten, 28.6mm
	Down tube	Fuji Oval Hi-Ten, 50mm
Rear triangle		
	Chain stays	Fuji tapered Hi-Ten
	Seat stays	Fuji tapered Hi-Ten
	Dropouts	Semi-Forged w/eyelet
	Fork	Fuji Hi-Ten ATB, 1 1/8"
	Details	
Drivetrain		
	Crankset	ProWheel composite resin/steel ATB, 28/38/48, 152mm, w/chainguard
	Bottom bracket	VP Components ATB sealed
	Pedals	VP Components ATB
	Front derailleur	Shimano Tourney, FD-TY30, 28.6mm
	Rear derailleur	Shimano Tourney, RD-MR40-7
	Shifters	Shimano Tourney RevoShift, SL-MS40-7, Dual SIS
	Cassette/freewheel	Sunrace, SR-HG72-U, 13/28T, 7-Speed
	Chain	Shimano CN-UG50
Wheelset		
	Front hub	ATB Oversized Steel, Black, 36H, Q/R
	Rear hub	ATB Oversized Steel, Black, 36H, Nutted
	Spokes	UCP, 14G
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda, Semi Knob ATB, 24 X 2.0"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	ProMax Linear pull Junior lever w/reach adjust
	Headset	VP Components ATB sealed
	Handlebar	Fuji ATB, 30mm rise, 540mm
	Stem	Fuji ATB w/removable clamp
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex Junior
	Seat post	ATB Steel
	Seat clamp	Fuji alloy QR

| specifications | dimensions | back to top |

Seat Tube C/T	15"M
Seat Tube C/C	270
Actual TT Length	501.7
Level TT Length	524
Chain Stay Length	410
BB Drop	25
Fork Offset	45.0
Head Tube Angle	71.0
Seat Tube Angle	73.0
Wheel Base	988.8
Stand Over Height	587.5
BB Height	289.5
Fork Steerer Length	134
Fork Length	370.4
Head Tube Length	100
Seat Post Diameter	25.6
Stem Length	80.0
H-Bar Width	580.0
BB Axle Length	127.5
Front Wheel Spoke Length	238.0
Rear Wheel Spoke Length	237/235
Crank Length	152L
Complete Bicycle Weight	26.1 lbs.

Back

Blaster DX

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Blue/Yellow
Main frame		
	Top tube	Fuji Oval Hi-Ten, 50mm
	Seat tube	Fuji Hi-Ten, 28.6mm
	Down tube	Fuji Oval Hi-Ten, 50mm
Rear triangle		
	Chain stays	Fuji tapered Hi-Ten
	Seat stays	Fuji tapered Hi-Ten
	Dropouts	Semi-Forged w/eyelet
	Fork	Chili 250 suspension
	Details	Rear wheel travel
Drivetrain		
	Crankset	ProWheel composite resin/steel ATB, 28/38/48, 152mm, w/chainguard
	Bottom bracket	VP Components ATB sealed
	Pedals	VP Components ATB
	Front derailleur	Shimano Tourney, FD-TY30, 28.6mm
	Rear derailleur	Shimano Tourney, RD-MR40-7
	Shifters	Shimano Tourney RevoShift, SL-MS40-7, Dual SIS
	Cassette/freewheel	Sunrace, SR-HG72-U, 13/28T, 7-Speed
	Chain	Shimano CN-UG50
Wheelset		
	Front hub	ATB Oversized Steel, Black, 36H, Q/R
	Rear hub	ATB Oversized Steel, Black, 36H, Nutted
	Spokes	UCP, 14G
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda, Semi Knob ATB, 24 X 2.0"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	ProMax Linear pull Junior lever w/reach adjust
	Headset	VP Components ATB sealed
	Handlebar	Fuji ATB, 30mm rise, 540mm
	Stem	Fuji ATB w/removable clamp
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex Junior
	Seat post	ATB Steel
	Seat clamp	Fuji alloy QR

| specifications | dimensions | back to top |

Seat Tube C/T	15"M
Seat Tube C/C	336.8
Actual TT Length	473.4
Level TT Length	502.4
Chain Stay Length	420.0
BB Drop	15.0
Fork Offset	45.0
Head Tube Angle	71.0
Seat Tube Angle	73.0
Wheel Base	999.5
Stand Over Height	638.4
BB Height	289.5
Fork Steerer Length	154.0
Fork Length	407.5
Head Tube Length	120.0
Rear Wheel Travel	70.0
Rear Shock Leverage Ratio	2.3
Rear Shock Eye/Eye Length	150.0
Front Fork Travel	50.0
Seat Post Diameter	29.2
Stem Length	80.0
H-Bar Width	580.0
BB Axle Length	127.5
Front Wheel Spoke Length	238.0
Rear Wheel Spoke Length	237/235
Crank Length	152L
Complete Bicycle Weight	34.2 lbs.

Back

Sandblaster

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	Boys, Inca Blue
		Girls, Plum
Main frame		
	Top tube	Fuji Oval Hi-Ten, 50mm
	Seat tube	Fuji Hi-Ten, 28.6mm
	Down tube	Fuji Oval Hi-Ten, 50mm
Rear triangle		
	Chain stays	Fuji tapered Hi-Ten
	Seat stays	Fuji tapered Hi-Ten
	Dropouts	Semi-Forged w/eyelet
	Fork	Fuji Hi-Ten ATB, 1 1/8"
	Details	
Drivetrain		
	Crankset	ProWheel composite resin/steel ATB, 40T, 140mm, w/double chainguard
	Bottom bracket	VP Components ATB sealed
	Pedals	VP Components ATB
	Front derailleur	N/A
	Rear derailleur	Shimano Tourney, RD-MR40-7
	Shifters	Shimano Tourney RevoShift, SL-MS40-7, RH side
	Cassette/freewheel	Sunrace, SR-HG72-U, 13/28T, 7-Speed
	Chain	Shimano CN-UG50
Wheelset		
	Front hub	ATB Oversized Steel, Black, 36H, Nutted
	Rear hub	ATB Oversized Steel, Black, 36H, Nutted
	Spokes	UCP, 14G
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda, Semi Knob ATB, 20 X 2.0"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	ProMax Linear pull Junior lever w/reach adjust
	Headset	VP Components ATB sealed
	Handlebar	Fuji ATB, 30mm rise, 540mm
	Stem	Fuji ATB w/removable clamp
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex Junior
	Seat post	ATB Steel
	Seat clamp	Fuji alloy QR

| specifications | dimensions | back to top |

Seat Tube C/T	11.5" B/G
Seat Tube C/C	237.0
Actual TT Length	384.1
Level TT Length	403.8
Chain Stay Length	385
BB Drop	15
Fork Offset	45
Head Tube Angle	70
Seat Tube Angle	72
Wheel Base	844.5
Stand Over Height	534.15
BB Height	269.25
Fork Steerer Length	134
Fork Length	296.8
Head Tube Length	100
Seat Post Diameter	25.6
Stem Length	80
H-Bar Width	540
BB Axle Length	116
Front Wheel Spoke Length	188
Rear Wheel Spoke Length	184/187
Crank Length	140L
Complete Bicycle Weight	26.1 lbs.

Back

Sandblaster DX

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

Frameset		
	Color	yellow/red
Main frame		
	Top tube	Fuji Oval Hi-Ten, 50mm
	Seat tube	Fuji Hi-Ten, 28.6mm
	Down tube	Fuji Oval Hi-Ten, 50mm
Rear triangle		
	Chain stays	Fuji tapered Hi-Ten
	Seat stays	Fuji tapered Hi-Ten
	Dropouts	Semi-Forged w/eyelet
	Fork	Chili 250 suspension
	Details	Rear wheel travel
Drivetrain		
	Crankset	ProWheel composite resin/steel ATB, 40T, 140mm, w/double chainguard
	Bottom bracket	VP Components ATB sealed
	Pedals	VP Components ATB
	Front derailleur	N/A
	Rear derailleur	Shimano Tourney, RD-MR40-7
	Shifters	Shimano Tourney RevoShift, SL-MS40-7, RH side
	Cassette/freewheel	Sunrace, SR-HG72-U, 13/28T, 7-Speed
	Chain	Shimano CN-UG50
Wheelset		
	Front hub	ATB Oversized Steel, Black, 36H, Nutted
	Rear hub	ATB Oversized Steel, Black, 36H, Nutted
	Spokes	UCP, 14G
	Rrims	Weinmann Alloy CN-520, 36H
	Tires	Kenda, Semi Knob ATB, 20 X 2.0"
Features		
	Brake set	ProMax Linear pull alloy
	Brake levers	ProMax Linear pull Junior lever w/reach adjust
	Headset	VP Components ATB sealed
	Handlebar	Fuji ATB, 30mm rise, 540mm
	Stem	Fuji ATB w/removable clamp
	Tape/grip	Fuji Kraton
	Saddle	Fuji DuraFlex Junior
	Seat post	ATB Steel
	Seat clamp	Fuji alloy QR

| specifications | dimensions | back to top |

Seat Tube C/T	13.5" M
Seat Tube C/C	289.7
Actual TT Length	435.9
Level TT Length	453.6
Chain Stay Length	380
BB Drop	15
Fork Offset	45
Head Tube Angle	71.0
Seat Tube Angle	71
Wheel Base	896.5
Stand Over Height	557.35
BB Height	269.25
Fork Steerer Length	154
Fork Length	309.9
Head Tube Length	120
Rear Wheel Travel	61
Rear Shock Leverage Ratio	3.056
Rear Shock Eye/Eye Length	125
Front Fork Travel	50
Seat Post Diameter	25.6
Stem Length	80
H-Bar Width	560
BB Axle Length	116
Front Wheel Spoke Length	188
Rear Wheel Spoke Length	184/187
Crank Length	140L
Complete Bicycle Weight	30.3 lbs.

Back





Short sleeve pro level jersey constructed by Giordana with the latest hi-tech fabric for effecient moisture transfer and comfort. Extra long zipper for greater ventilation on those hot summer days.

Jersey: $54.95

8 panel premium short constructed by Giordana. Anatomic cut and padded insert for the ultimate in cycling comfort and performance. Available in regular or bib.

Regular: $54.95

Bib: $59.95

Also available (but not shown): Fuji cycling shorts

Order direct from Fuji.

Please complete the form below and a Fuji customer service representative will contact you shortly for payment information.
*Note: all fields below are required except as noted.

First Name:
Last Name:
Address:
City:
State: Select a State
Zip:
Day Phone: Ext
E-mail:
Comment (optional):

	Small	Medium	Large	X-Large	XX-Large
Shorts	0	0	0	0	0
Jersey	0	0	0	0	0
Bib	0	0	0	0	0

Send Order Form to Fuji Bicycles | Reset Order Form

Return to the Fuji Home Page