

1992 Gary Fisher Bicycle Company.




The Bike That Made History.

Gary Fisher's 1974 "Clunker"



Supercaliber

THE BIKES THAT MAKE ALL OTHERS SEEM LIKE HISTORY.



RS-1

The RS-1 features the latest in technological advancements with full suspension, a rear disc brake, and super light aluminum tubing.
Unprecedented in shock absorption and traction.




MONTARE

New Fisher Design Evolution Light Weight Butted Columbus Nivachrome Tubing and Fork Blades

Light Weight Fisher/Control Tech Evolution 6061 Aluminum Stem

New Light Weight Fisher GrassTrax 1.9 Kevlar Bead Tires



Shimano Deore XT Clipless Pedals

Shimano Deore XTR 8-Speed Drivetrain


Mavic 23[illegible] Silver Anodized Rims w/ Butted Spokes and Alloy Nipples

PROCALIBER

The ProCaliber is a proven racing thoroughbred with the ultimate in super light steel tubing, aggressive geometry, and an incredible component group. The way a racer would have spec'd it.

Shimano Deore DX Top Mount Shifters and Two Finger Brake Levers

Fisher Design Evolution Tange Double-Butted Cro-mo Tubing w/ Curved, Tapered Seat Tube



Super Short 15.6" Elevated Chainstays

Hoo Koo E Koo

Fisher Design Evolution Tange Quad-Butted Prestige Cro-mo Tubing



New 21.5" Frame Size

Fisher Design Light Weight Investment Cast Drop-Outs

Triple Water Bottle Cage Mounts

Low Rider Rack Mounts

Shimano Deore XT Drivetrain

Shimano Deore XT Clip[illegible] Pedals

PARAGON

A direct descendant of the original Fisher Paragon with the benefit of 17 years of refinement.
Solid, sure-footed and built for the long haul.

New 12.5" Frame Size w/ Super Low Stand Over Height, and Down Scaled Main-Frame Tubing Diameters

Triple Water Bottle Cage Mounts (Double on 12.5")



Oversize Cro-Mo Tubing with Evolution Headset

73mm Sealed Bottom Bracket



PROMETHEUS RS

Specifically engineered for front suspension, the Prometheus RS is the ultimate titanium speed machine.
The best of everything.

(Frameset only)

IDLEBAR:	STEM:	BRAKES:	LEVERS:	F HUB:	R HUB:	COGS:
6061 Aluminum Bulge Bar; p on 16", Butted on 18"-20"	Fisher/Control Tech Evolution 6061 Aluminum, 5 Degree Rise; 130mm on 16", 145mm on 18", 160mm on 20"	**F:** Dia Compe 987, **R:** Pro Stop Disc, Designed for Fisher Shimano XTR	Dia Compe SS-7, Dipped Lever	Campagnolo Centaur, 32 Hole, 100mm	Fisher/Campagnolo Centaur, 32 Hole, 135mm	Campagnolo Centaur, 12-28, 8 SP Cassette
6061 Aluminum Bulge Bar; p on 16", Butted on 18"-20"	Fisher/Control Tech Evolution 6061 Aluminum, 5 Degree Rise;115mm on 16", 130mm on 18", 145mm on 19", 160mm on 20"	Shimano XTR	Shimano XTR	Shimano XTR, 32 Hole, 100mm	Shimano XTR, 32 Hole, 135mm	Shimano XTR,13-32, 8 SP Hyperglide Cassette
6061 Aluminum Bulge Bar; Tri- n 13.5°-15", Butted on 18°-21.5°	Fisher Lightweight Evolution Cro-Mo, 5 Degree Rise; 115mm on 13.5", 130mm on 16", 18", 145mm on 19", 160mm on 20°-21.5°	Shimano Deore XT Low Profile Cant.	Shimano Deore XT, Two Finger	Shimano Deore XT, 32 Hole, 100mm	Shimano Deore XT, 32 Hole, 135mm	Shimano, 13-30, 7 SP Hyperglide Cassette
6061 Aluminum Bulge Bar; o on 16", Butted on 18"-20"	Fisher Lightweight Evolution Cro-Mo, 5 DegreeRise; 115mm on 15.5", 130mm on 17.5", 145mm on 19", 160mm on 20.5"	Dia Compe 986 Cant.	Dia Compe SS-7, Dipped Lever	Suntour XC Comp, 32 Hole, 100mm	Suntour XC Comp, Micro Drive, 32 Hole, 135mm	Suntour Micro Drive 11-24, 7 SP Powerflow Cassette
6061 Aluminum Bulge Bar; o on 14.5°-16", Butted on 18°-20	Fisher Evolution Cro-Mo, 15 Degree Rise; 115mm on 14.5", 130mm on 16", 145mm on 18",160mm on 20"	Shimano Deore DX Low Profile Cant.	Shimano Deore DX Two Finger	Shimano Deore DX, 32 Hole, 100mm	Shimano Deore DX, 32 Hole, 135mm	Shimano 13-30, 7 SP Hyperglide Cassette
6061 Aluminum Bulge Bar; o on 14.5°-16", Butted on 18°-20°	Fisher Evolution Cro-Mo, 15 Degree Rise; 115mm on 14.5", 130mm on 16", 145mm on 18", 160mm on 20"	Shimano M-501 Low Profile Cant.	Shimano Deore DX, Two Finger	Shimano 500 LX, 32 Hole, 100mm	Shimano 500 LX, 32 Hole, 135mm	Shimano 13-30, 7 SP Hyperglide Cassette
6061 Aluminum Bulge Bar; o on 14.5°-16", Butted on 18°-20°	Fisher Evolution Cro-Mo, 15 Degree Rise; 100mm on 12.5", 115mm on 16", 130mm on 18", 145mm on 19", 160mm on 20"	Shimano M-501 Low Profile Cant.	Shimano-Exage 400 Two Finger	Shimano Exage 400, 36 Hole, 100mm	Shimano Exage 400, 36 Hole, 135mm	Shimano, 13-30, 7 SP Hyperglide Cassette
061 Aluminum Bulge Bar	Fisher Evolution Cro-Mo, 30 Degree Rise; 85mm on 17", 115mm on 19", 145mm on 21"	Shimano Deore DX Low Profile Cant.	Shimano Deore DX, Two Finger	Shimano Deore LX, 32 Hole, 100mm	Shimano Deore LX, 32 Hole, 135mm	Shimano 13-30, 7 SP Hyperglide Cassette
	N/A	N/A	N/A	N/A	N/A	N/A



PROMETHEUS SL

The extremely light weight and durable Prometheus SL has the perfect blend of liveliness and rigidity. Stiff and responsive climbing, smooth and predictable descending.

(Frameset only)

HEADSET:	CRANKSET:	BB SET:	PEDALS:	CHAIN:	DERAIL:	SHIFTERS:
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Sugino XP 46A/36A/24S, 170mm on 16", 175mm on 18"-20"	Fisher Kajito BB 132mm Spindle, 104mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Rohloff	F and R: Campagnolo Centaur	Campagnolo Centaur, Top Mount
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Shimano XTR 46A/36A/24S Round, 170mm on 16", 175mm on 18"-20"	Fisher Evolution 113mm Spindle, 80mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Shimano XTR	F and R: Shimano XTR	Shimano XTR, Rapidfire Plus STI
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Shimano Deore XT 46A/36A/24S Round Superglide, 170mm on 13.5"-16", 175mm on 18"-21.5"	Fisher Evolution 128mm Spindle, 80mm BB Shell, Sealed Bearings	Shimano Deore XT SPD, Clipless	Shimano HG-91	F and R: Shimano Deore XT	Shimano Deore XT, Top Mount
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	Suntour XC Comp, Micro Drive 42A/32A/20S, 170mm on 15.5", 175mm on 17.5"-20.5"	Fisher Evolution 119 mm Spindle, 80mm BB Shell, Sealed Bearings	Fisher Power Link II Alloy, Low Profile Body, Alloy Cage	Suntour XC Comp	F and R: Suntour XC Comp	Suntour XC Comp, Top Mount
Fisher Evolution YST 6061 Aluminum	Shimano Deore DX, 46A/36A/24S Round Superglide, 170 on 14.5"-16", 175 on 18"-20"	Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Powerlink II Alloy, Low Profile Body, Alloy Cage	Shimano HG-70	F and R: Shimano Deore DX, Top Pull	Shimano Deore DX, Top Mount
Fisher Evolution YST Steel	Shimano Exage 500 LX, 46A/36A/24S Round Superglide, 170mm on 14.5"-16", 175mm on 18"-20",	Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Power Link, Alloy Body and Cage	Shimano HG-50	F and R: Shimano 500 LX, Top Pull	Shimano Deore DX, Top Mount
Fisher Evolution YST Steel (Negative Stack Headset on 12.5")	Shimano Exage 400, 48S/38S/28S Biopace, 170mm on 16", 175mm on 18"-20".	English Threaded and Sealed, 73mm BB Shell, Bolt-On Crank Spindle	Victor, Black Cage	Shimano HG-50	F and R: Shimano Exage 400	Shimano Exage 400, Rapidfire
Fisher Evolution YST Steel	Shimano Deore LX 46A/36A/24S, Round Superglide, 170mm on 17", 175mm on 19"-21"	Fisher Evolution 128mm Spindle, 88mm BB Shell, Sealed Bearings	Fisher Power Link II Alloy, Low Profile Body, Alloy Cage	Shimano HG-70	F and R: Shimano Deore LX	Shimano Deore DX, Top Mount
Fisher Evolution Tange-Seiki Superlight 7075 Aluminum	N/A	Fisher/Phantom Titanium 128mm Spindle, 88mm BB Shell, Sealed	N/A	N/A	N/A	N/A

Shimano Deore DX Top-Mount Shifters and Two Finger Brake Levers

Fisher Evolution 30 Degree High-Rise Cro-Mo Stem

Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing

Fisher Design Evolution Headset



SPHINX

Designed for smoother surfaces and their higher speeds, this hybrid has all the strength and durability of a Fisher Mountain Bike. Comfortable and efficient on all terrain.

	COLORS:	SIZES:
*RS-1	Lapis w/ Silver Decals	16", 18", 20"
*PROCALIBER	Team Issue Hot Tri-Color w/ Jet Black Decals	16", 18", 19", 20"
*PARAGON	Cornflower Blue w/ Hot Red Decals Black Spruce w/ Gun Metal Decals	13.5", 16", 18", 19", 20", 21.5"
*SUPERCALIBER	Day-Glo Yellow w/ Blue Decals Bead Blast w/ Lapis Decals	15.5", 17.5", 19", 20.5"
*MONTARE	Rocket Red w/ Silver Decals Mercury w/ Day-Glo Yellow Decals	14.5", 16", 18", 20"
HOO-KOO-E-KOO	Midnight Blue w/ Silver Decals Hot Red Matte w/ Indigo Decals	14.5", 16", 18", 20"
TASSAJARA	Jade w/ Silver Decals Jet Black w/ Iris Decals	12.5", 16", 18", 19", 20"
SPHINX	Rocket Red w/Jet Black Decals	17", 19", 21"
PROMETHEUS SL	Au Naturel w/ Indigo Decals	16",18", 20"

FRAME:

Fisher Design Evolution Double-Butted Easton Varilite 7005 Aluminum Tubing,Mert Lawwill Patented 7005 Aluminum Suspension, Bullet Cable Stops, Aluminum Seat Collar

New Fisher Design Evolution Butted Columbus Nivachrome Tubing, Bullet Cable Stops, Fisher Investment Cast Dropouts, Drilled Investment Cast Fisher Seat Collar

Fisher Design Evolution Tange Quad-Butted Prestige Cro-Mo Tubing, Fisher Investment Cast Dropouts and Seat Collar, Bullet Cable Stops, Triple Water Bottle Cage Mounts, Rear Rack Mounts

Fisher Design Evolution Double-Butted Easton Varilite 7005 Aluminum Tubing, Bullet Cable Stops, Dia Compe Slotted Rear Brake Cable Hanger, Aluminum Seat Collar

Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing w/ Curved, Tapered Seat Tube, Elevated Chainstays, Investment Cast Seat Collar, Bullet Top Route Cable Stops, Forged Dropouts

Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing w/ Curved, Tapered Seat Tube, Elevated Chainstays, Investment Cast Seat Collar, Bullet Top Route Cable Stops, Forged Dropouts

Fisher Design Evolution Cro-Mo Tubing, Cro-Mo Tapered Stays, Fisher Investment Cast Seat Collar, Forged Dropouts, Triple Water Bottle Cage mounts, (double on 12.5"), Bullet Cable Stops, Rear Rack Mounts

Fisher Design Evolution Tange Double-Butted Cro-Mo Tubing, Forged Dropouts, Investment Cast Seat Collar, Bullet Cable Stops, Triple Water Bottle Cage-Mounts, Rear Rack Mounts

Fisher Design Evolution Sandvik 3-2.5 Titanium

(Geometry Adjustment for Rock Shox II on RS Model)

FORK:

Dia Compe Rock Shox II, Evolution w/ Magnesium Blades

Fisher Design Evolution Butted Columbu Nivachrome, Investment Cast Dropouts

Fisher Design Evolution True Temper St Tange Butted Blades, Investment Cast Dropouts, Lowrider Rack Mounts

Fisher Design Evolution True Temper St Triple-Butted Cro- Mo Blades, Investme Cast Dropouts


Fisher Design Evolution True Temper St Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Investment Cast Dropo

Fisher Evolution True Temper Steerer, Cro-Mo Blades, Forged Dropouts

Fisher Evolution Superlight Butted Tan Prestige, Invest-ment Cast Fork Ends, (Dia Compe Rock Shox II, Evolution on RS Mode



GEMINI

Designed with strength and stiffness where it counts, this no-compromise mountain tandem provides exceptional control and speed on all terrain. Twice the excitement.

	TIRES:	SPOKES:	SADDLE:	SEATPOST:	TOECLIPS:	
400 Pro, 32 Hole, dized	Fisher 26 x 2.2 Dusttrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 31.6 x 350mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	**RS-1**
31, 32 Hole, dized	Fisher 26 x 1.9 Grasstrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 28.6 x 350mm	N/A	**PROCALIBER**
400 Pro, 32 Hole, dized	Fisher 26 x 2.2 Fattrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Nitto Superlight 7N Aluminum, Micro-Adjust, 28.6 x 350mm, (300mm on 13.5")	N/A	**PARAGON**
400 Pro, 32 Hole, dized	Fisher 26 x 2.2 Fattrax Kevlar Bead	Stainless Steel 14/15 Ga., Alloy Nipples	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 31.6 x 350mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	**SUPERCALIBER**
20, 32 Hole, dized	Fisher 26 x 2.2 Fattrax	Stainless Steel 14 Ga.	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 28.6 X 350 mm, (300mm on 14.5")	Fisher Powerlink Nylon Clip Powerlink Toestraps	**MONTARE**
7, 32 Hole, dized	Fisher 26 x 1.9 Switchbax	Stainless Steel 14 Ga.	Avocet Racing	Proponent 6061 Aluminum, Micro-Adjust, 28.6 x 350mm, (300mm on 14.5")	Fisher Powerlink Nylon Clip Powerlink Toestraps	**HOO-KOO-E-KOO**
20, 36 Hole, dized	Fisher 26 x 1.9 Switchbax	Stainless Steel 14 Ga.	Avocet Racing	Proponent 6061 Aluminum, Micro-adjust, 28.6 X 350mm, (300mm on 14.5")	Fisher Powerlink Nylon Clip Powerlink Toestraps	**TASSAJARA**
00, 32 Hole, dized	Cheng Shin 700X40C	Stainless Steel 14 Ga.	Fisher Leather Trail Tail	Proponent 6061 Aluminum, Micro-Adjust, 28.6 x 300mm	Fisher Powerlink Nylon Clip Powerlink Toestraps	**SPHINX**
	N/A	N/A	N/A	N/A	N/A	**PROMETHEUS SL and RS**