

Dream
Machines
1995
GARY FISHER
THE FIRST AND LAST NAME IN MOUNTAIN BIKING

aliber Ltd.

bər lim´• ə • tid] *n.* **1. Gary's ultimate designed to a degree of excellence befit- inal 2. Fisher Top Performance mountain ier team races**

all Dream Machines, Gary designed ie 1995 Procaliber Ltd. for one kind of icer. Sculpted of OCLV carbon, the 2.8 lbs. s strongest and lightest.* Hand picked with the onentry improvements from last year's model nkset by White Industries and racer-inspired K-Ray shifters. Adding Rock Shox's new Judy SL ager BCX Red and Blue label, USA made, top o' heightens the '95 Procaliber Ltd. to a dream-like his bad Johnson is competition ready and won't rossed the finish line.

bon story on page 6.



MATT LANNING

FISHER RACE TEAM

GARY'S PROCALIBER LTD. IS DESIGNED FOR PEOPLE WHOSE LIVELIHOODS DEPEND ON HOW FAST THEY RIDE. FROM WEIGHT SHAVING TITANIUM COMPONENTRY TO AEROSPACE OCLV CARBON, THE SCIENCE AND R&D THAT'S PACKED INTO THE PROCALIBER LTD. MEET THE CHALLENGES OF THE PROFESSIONAL RACING CIRCUIT. DAY IN AND DAY OUT PRO RACERS PETER WEBBER AND JOE LAWWILL TEST THE LIMITS OF GARY'S DESIGNS WHETHER IT'S WORLD CUP ACTION OR THE WORLD CHAMPIONSHIPS. HERE'S TO THE FISHER TEAM. DOING US PROUD!



SIZE: 14.75, 16.25, 17.75, 19.25"

FRAME: OCLV carbon

FORK: Rock Shox Judy SL

DRIVETRAIN: White Industries crankset, Shimano Deore XT w/GripShift SRT-800 shifters

BRAKES: Machine Tech w/Grafton ReEntry levers

HUBSET: White Industries w/Tracker front

RIMS: Bontrager BCX Red front, Blue rear, 32 hole

TIRES: Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"

COLOR: Black Sable

caliber

. Of the professional degree of quali-
· Top Performance mountain bike of
ck Shox Judy XC fork

r, you can see this machine is
ı the circuit. Including the Matte
n frame weighs a revolutionary 2.8 lbs. to
ʻonder why you didn't get on OCLV carbon
ike, Procal design refinements include the
US made GripShift SRT-800 X-Ray shifters
ɔam grips. The complete Shimano XT grup-
or the off road racer or the performance
ords; take the Procal for a test ride. You'll

ın page 6.

NEW GRIPSHIFT SRT-800 X-RAY 8 SPEED SHIFTER WITH METAL DETENTS IS RACE INSPIRED TECHNOLOGY FOR A MORE POSITIVE CLICK.

SIZE: 14.75, 16.25, 17.75, 19.25"

FRAME: OCLV carbon

FORK: Rock Shox Judy XC

DRIVETRAIN: Sugino Mighty 900 crankset, Shimano Deore XT w/GripShift SRT-800 shifters

BRAKES: Shimano Deore XT w/Dia-Compe PC-11 levers

HUBSET: Shimano Deore XT w/front suspension hub

RIMS: Bontrager BCX-1, 32 hole

TIRES: Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"

COLOR: Matte Copper

ROCK SHOX'S NEW JUDY XC MCU ELASTOMER AND OIL SUSPENSION FORK WITH LIGHT WEIGHT ALLOY STEERER.

TIOGA PSYCHO-LTD TIRES WITH KEVLAR BEAD. RIDICULOUSLY LIGHT AT 470g.



4.75, 16.25, 17.75, 19.25"

E: OCLV carbon

Rock Shox Quadra 21R

TRAIN: Shimano Deore XT/LX

Shift SRT-800 shifters

ES: Shimano Deore LX

Compe PC-11 levers

ET: Shimano Deore LX

suspension hub

Bontrager BCX-2, 32 hole

: Tioga Psycho-K,

bead, 26 x 1.95"

R: P. C. Green

SHIMANO DEORE LX 8 SPEED CASSETTE FOR WIDER GEAR RANGE.

ULTRA DURABLE COIL SPRUNG DEORE XT REAR DERAILLEUR USES SHIMANO ADVANCED LIGHT ACTION, LOW FRICTION TECHNOLOGY FOR SMOOTH INDEXING.

LIGHT WEIGHT ALUMINUM CONTROL TECH STEM LIGHTENS THE STEERING SYSTEM. IT'S THE TOP OF THE LINE AND US MADE.

ONZA CLIPLESS PEDALS WITH 6° FLOAT. VERY SKINNY AT 355g FOR THE PAIR.



Supercaliber

MOUNTAIN BIKES

FISHER EXCLU

A relentless designer, Gary d
it takes to get a bike exactly r
this case, he couldn't rest unt
found the perfect fork to make
Supercaliber worthy of its nam
An exclusive Fisher spec, th
Rock Shox Quadra 21R micro-
cellular urethane elastomer
front suspension fork is
reserved for one, and only
one bike in 1995: the Fisher
Supercaliber. With a mag-
nesium fork brace and an
aluminum steer column,
new Quadra 21R is 7
lighter than the
Quadra 21,
microce
for a
to

**[sü´• pər • kal´• ə • bər] *n.* 1. Faster than a speeding bullet...more powerf
you know... 2. Fisher Top Performance mountain bike totally redesigned with
frame and exclusive new Rock Shox Quadra 21R suspension fork**

Gary's Supercaliber starts with the aerospace inspired new OCLV carbon frameset (2.8
the slopes, Gary spec'd Rock Shox's Quadra 21R suspension fork on this hot cha cha. A
Shimano Deore XT rear derailleur, Onza clipless pedals and you've got yourself a racing
veak of heart or leg.

*See the OCLV story on page 6.

, 16, 17.5, 19.5"
: TIG welded 6061 T6
alloy
Rock Shox Judy XC
TRAIN:
Deore XT/LX
ift SRT-800 shifters
S: Shimano Deore LX
ompe PC-11 levers
T: Shimano Deore LX
uspension hub
ontrager BCX-2, 32 hole
Tioga Psycho-K,
ead, 26 x 1.95"
t: Polished Aluminum



AT 176g, BONTRAGER INTEGRA RAILLESS SADDLE IS SUPER LIGHT AND SHOCK ABSORBING.

NEW JUDY XC BY ROCK SHOX HAS A WIDER PROFILE AND NEW BRACE DESIGN TO INCREASE RIGIDITY AND STEERING PRECISION.

BONTRAGER BCX-2, 32 HOLE RIMS ARE THE SAME ONES SPEC'D ON FISHER TOP PERFORMANCE MOUNTAIN BIKES.

Mt. Tam

[mount tam] *n.* **1. Marin County mountain where Gary invented the mountain bike and set the Repack record 2. Fisher High Performance mountain bike that's polished, front suspended and ready to break records**

Named for the mountain where Gary made history, it's safe to wager the bank on the Mt. Tam. The USA made, TIG welded 6061 T6 aluminum frame is rider eye candy: naked and polished to a gleam with beautiful pancake welds, reinforcing down tube gusset and replaceable derailleur hanger. Rock Shox's revolutionary new Judy XC fork offers the highest hydraulically damped performance possible and is what top racers will use at this season's NORBA, World Cup and World Championship races. Lightweight Onza clipless pedals and GripShift's new racer inspired 8-speed X-Ray shifters round out the package.

E FITTING OF THE MT. TAM
ENCE. A LIGHTER FRAME,
INT, WITH A CHOICE FORK
LL THE PERFORMANCE
WORTHY OF 'TAM TIME.'"
– GARY FISHER

In the Beginnin

The birth of the mountain bike can be
Repack Road, high on Mount Tamalpais
Not really intending to rock the world
Gary and the Repack boys gathered
ten dollar clunkers salvaged fro
This casual group of
mettle. The test trail the
1.8 miles and was nickn
had to "re-pack" th
with grease after e
the mountain. De
much for uphill, th
ride worthy 20 pe
cent of a riding da
uphill. A ratio soon
Annual contest
riders to innovate an
In 1974, determined t
reverse the 20/80 ratio,
endary Excelsior X Clunk
mountain bike that you could
down mountains day after day. The firs
gears, scrap motorcycle brake levers, thu
release, Gary flew ahead of the pack and i
inventor of the mountain bike and pione
lutionary designs and custom-cob-
bling were cycling's future.

In 1978, Gary rode his Excelsior X to a record Repack finish of 4 minutes and 22 seconds. The record still stands and Gary prevails as the undisputed King of the Hill.



GARY FISHER'S ORIGINAL 15 SPEED CLUNKER, CIRCA 1974.

MOUNTAIN BIKES

nus

eek mythology, Cronus was the ient race of gods known for their er High Performance mountain -Moly frame and new Rock ision fork

e mighty Cronus in the slick Fisher team per triple butted Cro-Moly steel, a tech- ngth while paring weight, the Cronus, front suspension fork by Rock Shox, will XT rear derailleur for lighter action rear ing bike that will outwit gravity and bring

ly story on page 7.

"GARY INNOVATED THE MOUNTAIN BIKE INDUSTRY WITH HIS DESIGNS AND GEOMETRIES. HE'S A MOUNTAIN BIKE GURU."

– CHRIS CAUNT, CRITERIUM BIKE SHOP, COLORADO SPRINGS, CO



TRIPLE BUTTING THE TRUE TEMPER CRO-MOLY FRAME IS NEW TECHNOLOGY FOR FISHER; MAXIMIZING STRENGTH, MINIMIZING WEIGHT.

DOUBLE BUTTED, LIGHT WEIGHT STAINLESS STEEL SPOKES SHAVE EVEN MORE WEIGHT OFF THE WHEELS.

ONZA CLIPLESS PEDALS HAVE 6° FLOAT FOR PAIN-FREE KNEES.

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded triple butted True Temper Cro-Moly

FORK: Rock Shox Judy XC

DRIVETRAIN: Sugino Impel 700 crankset, Shimano Deore XT/LX w/GripShift SRT-800 shifters


BRAKES: Shimano Deore LX w/Dia-Compe PC-7 levers

HUBSET: Shimano Deore LX w/front suspension hub

RIMS: Bontrager BCX-2, 32 hole

TIRES: Tioga Psycho-K, Kevlar bead, 26 x 1.95"

COLOR: Team colors



, 16, 17.5, 19.5"
: TIG welded 6061 T6
alloy
ock Shox Quadra 21
RAIN: Shimano Deore XT/LX
ift SRT-800 shifters
S: Shimano Deore LX
mpe PC-7 levers
T: Shimano Deore LX
uspension hub
ntrager BCX-2, 32 hole
Tioga Psycho-K,
ad, 26 x 1.95"
: Black Sable

"AS A WHOLE PACKAGE, GARY FISHER'S PARAGON DISPLAYS A STRONG SENSE OF DIRT KNOW-HOW AND A REFRESHING LACK OF FLUFF. THIS BICYCLE WANTED TO GET DIRTY."

–MOUNTAIN BIKE ACTION, *MARCH 1994*



Para

[par´ • ə • gon´] *n.* 1. A model of
2. Fisher High Performance mount
Quadra 21 suspension fork

Gary improves this USA made, laser c
minum model of perfection with some
Deore XT rear derailleur and GripShift
those same goodies on the top Fishe
improvement over last year's Paragon wi
for wider gear selection, and badda-bing,
more excellent and more perfect for '95



ONZA CLIPLESS PEDALS WITH 6° FLOAT. VERY LIGHT AND EASY ON THE KNEES.

DEORE XT REAR DERAILLEUR WITH SEALED CERAMIC GUIDE PULLEY FOR PRECISE CHAIN GUIDING AND SHIFTING.

MOUNTAIN BIKES

SIZE: 14, 16, 17.5, 19.5"

FRAME: TIG welded 6061 T6 aluminum alloy

FORK: Quad butted Cro-Moly Evolution

DRIVETRAIN: Shimano STX-RC w/GripShift SRT-600 shifters

BRAKES: Shimano STX-RC w/Dia-Compe PC-7 levers

HUBSET: Shimano STX-RC w/front suspension hub

RIMS: Bontrager BCX-2, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: Ballistic Blue

"IF I HAD TO SAY ONE THING ABOUT FISHER BIKES, I'D SAY 'THESE BIKES RULE,' AND I'D SAY IT WITH A SHOUT."

– CHARLIE REVARD, THE BIKE LINE, INDIANAPOLIS

Montar

[mōn • tär´ • ā] v. 1. Ita to climb 2. Fisher High F bike that climbs like a vine

Bon Giorno! Because Gary ha inclines, he designed the Montare to be


Short chainstays on the Montare mov rider giving you better traction while clim aluminum, the sub-4 lbs. frameset of this welded in the US with a reinforcing dowr derailleur hanger.*

*See the aluminum story on page 7.

THE 1¼" BUTTED STEERING TUBE IS LIGHTER, BUT STIFFER FOR PRECISION TRACKING.

CRO-MOLY EVOLUTION IS THE TOP OF THE LINE CRO-MOLY FORK, QUAD BUTTED FOR EXCEPTIONAL LIGHTNESS AND SHOCK ABSORPTION.

LIGHT WEIGHT AND RACE-READY, SHIMANO'S STX-RC GRUPPO FEATURES A 22 TOOTH GRANNY CHAINRING FOR EXCELLENT HILL CLIMBING.



Hoo Koo E Koo

[hü • kü´• ē • kü´] *n.* 1. Band of Coast Miwok Native Americans 2. Mt. Tamalpais trail Gary rode in the "glory days" 3. Fisher High Performance bike available with Grateful Dead graphics

Loaded with the right combination of famous Fisher design and spec'ing wizardry, the '95 H.K.E.K. is perfect for riders who want a bike they won't outgrow anytime soon. To make sure of that, Gary spec'd the TIG welded and double butted, True Temper Cro-Moly frame with the Rock Shox Quadra 21 elastomer shock. The whole deal rounds out with Tioga Psycho-KS tires and the complete Shimano STX gruppo. Things happen on this Fisher High Performance mountain bike...be prepared to find your real riding potential.

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded double butted True Temper Cro-Moly

FORK: Rock Shox Quadra 21

DRIVETRAIN: Shimano STX w/GripShift SRT-600 shifters

BRAKES: Shimano STX w/Dia-Compe PC-7 levers

HUBSET: Shimano STX w/front suspension hub

RIMS: Bontrager BCX-3, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: Slate or Limited Edition Grateful Dead

LIGHT WEIGHT GRIPSHIFT SRT-600 SHIFTERS ARE CLEANLY DESIGNED FOR FLAWLESS PERFORMANCE.

PERFORMANCE INSPIRED BONTRAGER SADDLE ALLOWS THE RIDER TO EASILY GET BEHIND THE SADDLE ON STEEP DESCENTS.

EASY-TO-ADJUST DIRECT CONNECT STYLE HEADSET IS LIGHT WEIGHT AND GIVES BETTER LATERAL STEERING STIFFNESS FOR BETTER CONTROL.





The year is 1966. Ga
Mar" in Pescadero
Service and Gratefu
at San Francisco City Hal
proceeds down El Camin
motley bunch with his ble

Over the next three da
concert at I.D.E.S. Hall. W
ebration, the teenager an
would become the Great

Almost thirty years late
thing that first drew them
Grateful Dead Hoo Koo I

Collaborating with Prai
artwork was designed fo
"Dead Bone Art" came th
while a femur goes the le

With the same geome
know the Limited Edition
road. Ride the Limited Ec
you what a long, strange t



INTERNALLY REINFORCED HEAD TUBE AND SEAT CLUSTER ARE LIGHTER, STRONGER AND BETTER FUNCTIONING.

DOUBLE BUTTED, TIG WELDED AND MADE IN THE USA WITH SUSPENSION READY GEOMETRY. ADD A SUSPENSION FORK WHEN THE TIME IS RIGHT.

BULLET CABLE STOPS ARE KNEE FRIENDLY.

SIZE: 11.5, 15.5, 17.5, 19, 20.5"

FRAME: TIG welded double butted True Temper Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano STX w/GripShift SRT-600 shifters

BRAKES: Shimano STX w/Dia-Compe PC-7 levers

HUBSET: Shimano STX

RIMS: Bontrager BCX-3, 32 hole

TIRES: Tioga Psycho-KS, 26 x 1.95"

COLOR: P.C. Green

SPECIAL FRICTION COMPOUND SUPER M-65 BRAKE SHOES PROVIDE DEPENDABLE STOPPING PERFORMANCE IN ANY ENVIRONMENT.

"MY OWN FEAR WILL HOLD ME BACK BEFORE MY FISHER WILL..."
– PHIL GODKIN, STADIUM BIKES, GREEN BAY, WI

[ə • kē´ • lə] *n.* 1. Equatorial constellation in 2. Fisher High Performance mountain bike wi

Gary looked to the heavens for a bit of inspiratio TIG welded and double butted True Temper Cro gruppo. Nice. For sharp, error-free shifting he spec'd sity foam grips, plus bonded aluminum bar ends. Bir riding buds and take flight on the new Fisher Aquila.

itoto

ə • tō´• tō´] *n.* 1. New Zealand
n 2. Fisher High Performance
n bike of double butted Cro-Moly
: suspension

got this Jones for naming
· the mountains he con-
s one got its name for the
he conquered in the land down under.
d of TIG welded Cro-Moly, the double
me saves weight, but not at the expense
n. To this off road High Performance vehi-
.dds the SR DuoTrack elastomer suspen-
:o attack the mountain on the descent.

"GARY'S LINE IS ONE OF THE MOST INNOVATIVE BIKE LINES IN THE INDUSTRY. HIS STYLING AND MATERIALS ARE UNIQUE."

– KEMP JONES,
OCEANFRONT BIKES, VIRGINIA BEACH, VA



SIZE: 15.5, 16.75, 18, 19.5"

FRAME: TIG welded double butted Cro-Moly

FORK: SR DuoTrack

DRIVETRAIN: Shimano Alivio crankset, Shimano STX/Acera-X w/GripShift SRT-400 shifters

BRAKES: Shimano Acera-X w/alloy levers

HUBSET: Shimano Acera-X w/alloy front

RIMS: Bontrager BCX-3, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Team colors

TASSAJARA
COLOR CHOICES,
BLACK AND RED.



a

lley where
kery (It's all
untain bike
ıle

ın't question its
Cro-Moly, the
: than competi-
nclude the STX
ers with Gary's
- is that with all
s less than last
ıy an arm and a

Marlin

[mär´ • lin] *n.* **1. Large, saltwater fish 2. Fisher Bicycle mascot 3. Fisher Performance mountain bike designed for those new to the sport**

The least expensive full size mountain bike in Gary's '95 line, the Marlin is still tail and fins above any other entry-level mountain bike. It's because the dirt smart design and high-end engineering on Gary's Top Performance bikes trickle down to every one of his models. Gary baits the Marlin's strong and responsive Cro-Moly frame with select Shimano Acera-X componentry newly designed for trail riding. Whether blazing trails uphill or down, the Fisher Marlin is a total catch.

SIZE: 13, 15.5, 16.75, 18, 19.5"

FRAME: TIG welded
double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Acera-X
w/GripShift MRX-100 shifters

BRAKES: Shimano Altus C90
w/alloy levers

HUBSET: Alloy QR

RIMS: Weinmann 4019, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Titanium or Blue

MARLIN
SECOND COLOR
CHOICE, BLUE.



SHIMANO CARTRIDGE
BOTTOM BRACKET
IS SEALED TO
PROTECT FROM MUD,
SALT AND DIRT.

SHIMANO ACERA-X
DERAILLEURS AND
CRANKSET, NEW FOR
'95 AND EXCLUSIVELY
DESIGNED FOR REAL
OFF ROAD RIDING.

SIZE: 13, 15.5, 16.75, 18, 19.5"

FRAME: TIG welded double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Alivio crankset, Shimano STX/Acera-X w/GripShift SRT-400 shifters

BRAKES: Shimano Acera-X w/alloy levers

HUBSET: Shimano Acera-X w/alloy front

RIMS: Weinmann 4019, 36 hole

TIRES: Tioga Psycho, 26 x 1.95"

COLOR: Steel Blue, Black or Red


"GARY DESIGNS A LOT OF PERFORMANCE INTO A BIKE AT THIS PRICE."

– ESTELLE GRAY, R&E CYCLES, SEATTLE, WA

DOUBLE BUTTED AND TIG WELDED CRO-MOLY FRAME HAS SMOOTH HIPSTAYS FOR BETTER TIRE CLEARANCE SO YOU WON'T SUFFER FROM MUD BUILD UP.

TASSAJARA COLOR CHOICES, BLACK AND RED.





Tassajara

[tas • ə • här´• ə] *n.* 1. Northern California valley where Gary once rode; Zen monastery; wheat bread bakery (It's all three, take your pick) 2. Fisher Performance mountain bike that's custom designed, light weight and affordable

While you may question the name of the bike, you won't question its performance. Crafted of TIG welded double butted Cro-Moly, the Tassajara's frame is a lighter and stronger piece of work than competitors' bikes at the same price. Tasty componentry treats include the STX rear derailleur and the smooth GripShift SRT-400 shifters with Gary's own Hex grips and alloy butted bars. And the real kicker is that with all this good stuff and sweet design, the '95 Tassajara costs less than last year's model. Because to Gary's way of thinking, if you pay an arm and a leg for a bike, how can you ride it?

"VERTICALLY CHALLENGED DOESN'T MEAN YOU CAN'T RIDE WITH THE BIG BOYS."
– GARY FISHER

SIZE: 11.5"

FRAME: TIG welded Cro-Moly seat tube

FORK: Threaded

DRIVETRAIN: SR alloy crankset, Shimano Tourney w/Quickshift 60 shifters

BRAKES: Shimano Altus C90 w/resin levers

HUBSET: Nutted

RIMS: Alloy, 36 hole


TIRES: Blackwall, 24 x 1.9"

COLOR: Purple

GARY DESIGNED A COMPACT FORK TO PROVIDE BETTER STANDOVER HEIGHT FOR THE SMALLER RIDER.



THIS AIN'T NO POGO STICK! DIS THE BUMPS WITH THE SR 7005 DUOTRACK ELASTOMER/SPRING SUSPENSION FORK.



Tyro

[tī´• rō] *n.* 1. Beginner in learning anything
2. Fisher Compact 24" wheel mountain bike

The Tyro is the perfect bike if you're a smaller rider fresh to the mountain biking thing. Designed with the same exacting standards Gary uses on all his bikes, the Tyro has a geometry proportionally scaled to fit smaller limbs. Providing the right amounts of funk and function, the Cro-Moly frame is strong and aggressive on the off roads with a super short 15.5" chainstay for excellent climbing traction. Fueled by the thrill of the ride, beginners everywhere will learn quickly on Gary's Tyro – but don't forget a helmet to guard your noggin.

Maniac

[mā´ • nē • ak´] *n.* 1. Raving or violently insane person 2. Fisher Compact 24" wheel mountain bike with front suspension fork

SIZE: 11.5"

FRAME: TIG welded Cro-Moly main tubes

FORK: SR 7005 DuoTrack

DRIVETRAIN: SR alloy crankset, Shimano Acera-X/Tourney w/GripShift MRX-100 shifters

BRAKES: Alloy calipers w/resin levers

HUBSET: Alloy nutted

RIMS: Weinmann 4019, 36 hole

TIRES: Maxxis, 24 x 2.1"

COLOR: Black

The small will rage on Gary's Maniac, the newest Compact 24" wheel mountain bike, with crank arms, chainstays, top tube, stem and brake levers proportioned to fit the smaller rider. Plus, a larger gearing compensates for smaller tires so you can still cover the same range as the full size Fishers. Choice specs on the strong, durable Cro-Moly frame include the 7005 DuoTrack elastomer/spring suspension fork to smooth over psycho terrain and Shimano's new Acera-X rear derailleur. You'd have to be nuts not to appreciate the fine attention to detail on the new Maniac.

"THEY MAY SAY, 'YOU RIDE LIKE A MANIAC,' BUT YOU'RE REALLY IN PERFECT CONTROL."
– *GARY FISHER*



OVERSIZE 1¼" HEADSET MEANS MORE PRECISE STEERING.


THIS AIN'T NO POGO STICK! DIS THE BUMPS WITH THE SR 7005 DUOTRACK ELASTOMER/SPRING SUSPENSION FORK.

NEW SHIMANO ACERA-X REAR DERAILLEUR HAS SLANT PARALLELOGRAM FOR SMOOTHER SHIFTING.



"THINK OF YOUR BIKE AS MORE THAN RECREATION. IT'S TRANSPORTATION."
– GARY FISHER

VITH LOW PROFILE
DESIGN, SHIMANO STX
EAR AND FRONT
DERAILLEURS ARE THE
EST SHIFTING IN
HEIR CLASS.



CO

ad commutes

y of bicycles. The
ond and ladies'
tion. Twenty-one
range of territo-
n inverted tread
STX drivetrain
ppearance while
ffortless shifting.
r '95 Alfresco.

Zebrano

[zə • brä´• nō] *n.* **1. A hard, striped wood obtained from a South American tree of the genus *Connarus* 2. Fisher entry-level hybrid perfect for city or trail**

Another new extension of the Fisher family tree, Gary's Zebrano has a full Cro-Moly steel frame available in both diamond and ladies' versions. To that he adds Alivio and Acera-X componentry newly designed for light trail riding. If you haven't ridden a bike in awhile and want a transportation, recreation, commuting and tooling-around bike, the Zebrano is as different from other hybrids as black is from white.

SIZE: 13, 15, 17, 19, 21"; Ladies' 15, 18"

FRAME: Full TIG welded Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano Acera-X crankset Shimano Alivio/Acera-X w/GripShift MRX-100 shifters

BRAKES: Shimano Altus C90 w/alloy levers

HUBSET: Shimano Acera-X rear, alloy front

RIMS: Araya PX35, 36 hole

TIRES: Skinwall, 700 x 35c

COLOR: Wild Cherry or Black

ALLOY BRAKE LEVERS AND NEW FISHER HEX KRATON GRIPS WITH GRIPSHIFT MAKE BRAKING AND SHIFTING PLUSHER THAN EVER.

INTRODUCING GARY'S NEW FISHER "SUPERSOFT" FOAM SADDLE.

ZEBRANO SECOND COLOR CHOICE, BLACK.



SIZE: 13, 15, 17, 19, 21"; Ladies' 15, 18"

FRAME: TIG welded double butted Cro-Moly

FORK: Cro-Moly

DRIVETRAIN: Shimano STX w/GripShift SRT-400 shifters

BRAKES: Shimano MC-12 w/Dia-Compe PC-7 levers

HUBSET: Shimano Alivio

RIMS: Weinmann ZAC19, 32 hole


TIRES: Avocet, 700 x 35c

COLOR: P.C. Green

USA MADE, DOUBLE BUTTED TRUE TEMPER CRO-MOLY FRAME IS LASER CUT AND DESIGNED WITH VERSATILE RACK MOUNTS.

WITH LOW PROFILE DESIGN, SHIMANO STX REAR AND FRONT DERAILLEURS ARE THE BEST SHIFTING IN THEIR CLASS.





Alfresco

[al • fres´• kō] *adj.* **1. Fresh, cool, out-of-doors**

2. Fisher top hybrid for light off road trails or road commutes

Welcome the new Alfresco hybrid to the Fisher family of bicycles. The double butted TIG welded Cro-Moly frame (in diamond and ladies' styles) is designed for a comfortable, upright riding position. Twenty-one speeds offer the range of gears you need for the wide range of territory you can cover on this 'brid. Avocet 700c tires have an inverted tread for mega speed and ultra traction. Complete Shimano STX drivetrain dishes out high levels of quality, performance and appearance while GripShift SRT-400 means total hands-on control and effortless shifting. Get up, get on and get out-of-doors with Gary's new for '95 Alfresco.



d measurements

r of the bottom
enterlines of the

The steeper the
cise the steering.

er the pedals. A
ı pedaling speed.
liver power.

):
accurate version
elates to torso
dling. This is the


listribution over

pedal clearance,
tating the height

stics like turning
osorption.


ıigher stem and
osition.

as much as 6"
th your feet flat
cts the straddle
ı terrain.



MOUNTAIN BIKES

Straddle the top tube in a standing position with feet flat on the floor, about 12" apart. On mountain bikes, optimal clearance between you and the bike is 2" to 6". Most riders can fit two frame sizes of a given bike, so take a test ride to choose the right one.




RAKE (R):

The perpendicular distance from the centerline of the head tube to the center of the front hub. Rake combined with the head tube angle yields Trail.

TRAIL (T):

This measurement affects the stability of the steering system and the feel of the steering. Longer trail means a heavier or more stable feel; less trail means easier steering and more sensitive handling.



HYBRID BIKES

To size for a Fisher Hybrid, the rider should have 2" to 3" top tube clearance. Most riders can fit two frame sizes of a given bike, so take a test ride to choose the right one.

PROCALIBER LTD., PROCALIBER, SUPERCALIBER

Size	A	B	C	D	E	F	G	H	R	T
14.75'	70.5°	73.0°	58.1/22.9	42.4/16.7	29.8/11.7	105.1/41.4	11.0/4.3	72.3/28.5	3.7/1.5	7.9/3.1
16.25'	71.0°	73.0°	59.1/23.3	42.4/16.7	29.8/11.7	106.0/41.7	11.0/4.3	74.1/29.2	3.7/1.5	7.6/3.0
17.75'	71.0°	73.0°	59.4/23.4	42.4/16.7	29.8/11.7	106.3/41.9	12.3/4.8	76.4/30.1	3.7/1.5	7.6/3.0
19.25'	71.0°	73.0°	59.9/23.6	42.4/16.7	29.8/11.7	107.0/42.1	15.9/6.2	79.9/31.5	3.8/1.5	7.6/3.0

MT. TAM, PARAGON, MONTARE

Size	A	B	C	D	E	F	G	H	R	T
14'	71.0°	74.0°	55.4/21.8	42.0/16.5	28.7/11.2	102.8/40.4	10.5/4.1	72.3/28.5	3.8/1.5	7.4/2.9
16'	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.5/4.9	76.2/30.0	3.8/1.5	7.1/2.8
17.5'	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.3	14.5/5.7	77.2/30.4	3.8/1.5	7.1/2.8
19.5'	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.4	81.2/32.0	3.8/1.5	7.1/2.8

CRONUS, HOO KOO E KOO, AQUILA

Size	A	B	C	D	E	F	G	H	R	T
11.5'	70.5°	73.5°	54.2/21.3	42.0/16.5	28.5/11.2	101.2/39.8	9.0/3.5	67.5/26.6	3.8/1.5	7.7/3.0
15.5'	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	9.0/3.5	73.3/28.8	3.8/1.5	7.4/2.9
17.5'	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.6/40.8	10.5/4.1	76.6/30.2	3.8/1.5	7.1/2.8
19'	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.3	14.5/5.7	80.3/31.6	3.8/1.5	7.1/2.8
20.5'	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.4/41.9	18.5/7.2	84.0/33.1	3.8/1.5	7.1/2.8

RANGITOTO

Size	A	B	C	D	E	F	G	H	R	T
15.5'	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.8/40.4	10.5/4.1	75.6/29.8	3.8/1.5	7.4/2.9
16.75'	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.5/4.9	77.0/30.3	3.8/1.5	7.1/2.8
18'	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.3	14.5/5.7	79.0/31.1	3.8/1.5	7.1/2.8
19.5'	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.4	82.2/32.4	3.8/1.5	7.1/2.8

TASSAJARA, MARLIN

Size	A	B	C	D	E	F	G	H	R	T
13'	71.0°	74.5°	54.0/21.0	42.0/16.5	28.8/11.3	101.4/39.9	8.5/3.3	70.3/27.7	3.8/1.5	7.4/2.9
15.5'	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	10.5/4.1	75.1/29.6	3.8/1.5	7.4/2.9
16.75'	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.7/40.8	12.5/4.9	76.7/30.2	3.8/1.5	7.1/2.8
18'	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.1	14.5/5.7	78.4/30.9	3.8/1.5	7.1.2.8
19.5'	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.341.8	16.5/6.4	81.5/32.1	3.8/1.5	7.1.2.8

MANIAC

Size	A	B	C	D	E	F	G	H	R	T
11.5'	70.5°	74.5°	52.5/20.7	39.4/15.5	27.7/10.9	98.6/38.8	8.5/3.3	66.5/26.2	4.3/1.7	6.8/2.7

TYRO

Size	A	B	C	D	E	F	G	H	R	T
11.5'	70.5°	74.5°	52.5/20.7	39.4/15.5	27.7/10.9	98.1/38.6	8.5/3.3	64.0/25.5	3.8/1.5	6.8/2.7

ALFRESCO, ZEBRANO

Size	A	B	C	D	E	F	G	H	R	T
13'	70°	74°	54.5/21.4	43.0/16.9	28.1/11.0	102.7/40.4	9.0/3.5	70.2/27.6	4.0/1.5	8.3/3.2
15'	70.5°	74°	55.0/19.6	43.0/16.9	28.1/11.0	102.8/40.4	9.0/3.5	72.7/28.6	4.0/1.5	8.0/3.1
17'	70.5°	73°	56.0/22.0	43.0/16.9	28.1/11.0	102.9/40.5	9.0/3.5	75.029.5	4.0/1.5	8.0/3.1
19'	71.5°	73°	57.0/22.4	43.0/16.9	28.1/11.0	103.0/40.5	10.0/3.9	78.1/30.7	4.0/1.5	7.3/2.8
21'	71.5°	73°	58.0/22.8	43.0/16.9	28.1/11.0	104.1/40.9	14.0/5.5	82.5/32.4	4.0/1.5	7.3/2.8
15' L	70.5°	74°	55.0/21.6	43.0/16.9	28.1/11.0	102.8/40.4	12.0/4.7	N/A	4.0/1.5	8.0/3.1
18' L	71.5°	73°	56.0/22.0	43.0/16.9	28.1/11.0	103.0/40.5	16.5/6.4	N/A	4.0/1.5	7.3/2.8

All dimensions are in centimeters/inches unless otherwise stated.

SPECS

	FRAMESET					DRIVETRAIN						WHEELS		
	Color	Size*	Frame	Fork	Headset	Crankset	Front Derailleur	Rear Derailleur	Shifters/ Grips	Bottom Bracket	Cassette/ Freewheel	Chain	Hubset	Spc
PROCALIBER LTD. 21.1 lb / 9.57 kg (17.75" frame)	Black Sable	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Judy SL MCU elastomer/oil suspension	Tioga OS-NSS-DL-TRB 1⅛", silver	White Industries w/Mighty chainrings 42/32/22	Shimano Deore XT	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	White Industries titanium	Shimano Deore XT, 11-28, 8spd	Shimano HG90	White Industries w/Tracker front, Salsa Flip-Offs QR	Wh 15/ butt w/a nipp
PROCALIBER 23.1 lb / 10.5 kg (17.75" frame)	Matte Copper	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Judy XC MCU elastomer/oil suspension	Tioga OS-NSS-DL2 TRB 1⅛", silver	Sugino Mighty 900 42/32/22	Shimano Deore XT	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	Shimano BB-UN71	Shimano Deore XT, 11-28, 8spd	Shimano HG90	Shimano Deore XT w/front suspension hub	Sap 14/ butt stai stee
SUPERCALIBER 23.8 lb / 10.8 kg (17.75" frame)	P.C. Green	14.75, 16.25, 17.75, 19.25"	100% OCLV carbon	Rock Shox Quadra 21R MCU elastomer suspension	Tioga OS-NSS-DL2 TRB 1⅛", silver	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai stee
MT. TAM 24.6 lb / 11.2 kg (17.5" frame)	Polished Aluminum	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Rock Shox Judy XC MCU elastomer/oil suspension	Dia-Compe 1⅛", black	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai stee
CRONUS 25.2 lb / 11.4 kg (17.5" frame)	Team colors	11.5, 15.5, 17.5, 19, 20.5"	TIG welded triple butted True Temper Cro-Moly	Rock Shox Judy XC MCU elastomer/oil suspension	Tange 1⅛", black	Sugino Impel 700 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	Shimano BB-UN51	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai stee
PARAGON 25.0 lb / 11.3 kg (17.5" frame)	Black Sable	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Rock Shox Quadra 21 elastomer suspension	Tange 1⅛", black	Shimano Deore LX 42/32/22	Shimano Deore LX	Shimano Deore XT	GripShift SRT-800 X-Ray w/Fisher Hex high density foam grips	KSS	Shimano Deore LX, 11-28, 8spd	Shimano HG70	Shimano Deore LX w/front suspension hub	Sap 14/ butt stai stee
MONTARE 24.9 lb / 11.3 kg (17.5" frame)	Ballistic Blue	14, 16, 17.5, 19.5"	TIG welded 6061 T6 aluminum alloy	Quad butted Cro-Moly Evolution, 1¼"	Tange 1⅛", black	Shimano STX-RC 42/32/22	Shimano STX-RC	Shimano STX-RC	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP30	Shimano STX-RC, 11-28, 7spd	Shimano IG50	Shimano STX-RC w/front suspension hub	Sap 14/ butt stai stee
HOO KOO E KOO 27.0 lb / 12.3 kg (17.5" frame)	Slate or Limited Edition Grateful Dead	11.5, 15.5, 17.5, 19, 20.5"	TIG welded double butted True Temper Cro-Moly	Rock Shox Quadra 21 elastomer suspension	Tioga TS-ST-2 1⅛"	Shimano STX 42/34/22	Shimano STX	Shimano STX	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP30	Shimano STX, 11-28, 7spd	Shimano IG50	Shimano STX w/front suspension hub	Ohi 14 stai stee
AQUILA 26.7 lb / 12.1 kg (17.5" frame)	P.C. Green	11.5, 15.5, 17.5, 19, 20.5"	TIG welded double butted True Temper Cro-Moly	Cro-Moly threaded, 1⅛" w/forged drop-outs	Tioga TS-OV-21 1⅛"	Shimano STX 42/34/22	Shimano STX	Shimano STX	GripShift SRT-600 w/Fisher Hex high density foam grips	Shimano BB-LP20	Shimano STX, 11-28, 7spd	Shimano IG50	Shimano STX	Ohi 14 stai stee
RANGITOTO 29.1 lb / 13.2 kg (18" frame)	Team colors	15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	SR DuoTrack elastomer suspension	1⅛", black	Shimano Alivio 42/34/24	Shimano Acera-X	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano IG50	Shimano Acera-X rear w/alloy front	15 stai stee
TASSAJARA 27.9 lb / 12.7 kg (18" frame)	Steel Blue, Black or Red	13, 15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	Cro-Moly threaded, 1⅛" w/forged drop-outs	1⅛", black	Shimano Alivio 42/34/24	Shimano Acera-X	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano IG50	Shimano Acera-X rear w/alloy front	15 stai stee
MARLIN 28.2 lb / 12.8 kg (18" frame)	Titanium or Blue	13, 15.5, 16.75, 18, 19.5"	TIG welded double butted Cro-Moly	Cro-Moly threaded, 1⅛" w/forged drop-outs	1⅛", black	Shimano Acera-X 42/34/24	Shimano Acera-X	Shimano Acera-X	GripShift MRX-100 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano HG30, 11-28, 7spd	KMC HP70	Alloy QR, silver	15
MANIAC	Black	11.5" frame w/24" wheel	TIG welded Cro-Moly main tubes	SR 7005 DuoTrack elastomer/ spring suspension	1⅛", black	SR alloy 165mm 48/38/28	Shimano Tourney	Shimano Acera-X	GripShift MRX-100 w/Fisher Kraton rubber grips	YST 611NW sealed bolt type	Shimano HG50C, 11-28, 7spd	KMC HP70	Alloy nutted, silver	15
TYRO	Purple	11.5" frame w/24" wheel	TIG welded Cro-Moly seat tube	Threaded, 1" w/forged drop-outs	1", black	SR alloy 165mm 48/38/28	Shimano Tourney	Shimano Tourney	Quickshift 60 w/Fisher Kraton rubber grips	YST 651 sealed bolt type	Shimano HG20, 14-28, 6spd	KMC HP70	Nutted, black	15
ALFRESCO	P.C. Green	13, 15, 17, 19, 21"; Ladies' 15, 18"	TIG welded double butted Cro-Moly	Cro-Moly w/forged drop-outs	Alloy 1", silver	Shimano STX 42/32/22	Shimano STX	Shimano STX	GripShift SRT-400 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano IG50, 11-28, 7spd	Shimano HG50	Shimano Alivio	14 stai stee
ZEBRANO	Wild Cherry or Black	13, 15, 17, 19, 21"; Ladies' 15, 18"	TIG welded full Cro-Moly	Cro-Moly w/forged drop-outs	1", black	Shimano Acera-X 42/34/24	Shimano Acera-X	Shimano Alivio	GripShift MRX-100 w/Fisher Hex Kraton rubber grips	Shimano BB-LP25	Shimano [illegible], 11-28, 7spd	KM[illegible] HP70	Shimano Acera-X rear w/alloy front, silver	15

*Measured from center of bottom bracket to intersection of centerlines of seat tube and top tube.

Fisher bicycles are equipped with co

	WHEELS				OTHER COMPONENTS						
Chain	Hubset	Spokes	Rims	Tires	Brakeset/ Levers	Pedals	Handlebars	Bar Ends	Stem	Seatpost	Saddle
Shimano HG90	White Industries w/Tracker front, Salsa Flip-Offs QR	Wheelsmith 15/17 gauge butted w/alloy nipples	Bontrager BCX Red front, Blue rear, 32 hole	Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"	Machine Tech w/Grafton ReEntry levers, long	Onza clipless, titanium axle, 6° float, 294g/pr	Bontrager Titec, butted titanium, 3° bend, 560mm,118g	Bontrager long magnesium Titec 130 bar ends	Control Tech aluminum Ahead stem, 10° rise	Bontrager carbon fiber post, aluminum head	Bontrager Integra, railless, leather, 176g
Shimano HG90	Shimano Deore XT w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-1, 32 hole	Tioga Psycho-LTD, Kevlar bead, 26 x 1.95"	Shimano Deore XT M-System w/Dia-Compe PC-11 levers	Onza clipless, 6° float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Bontrager long magnesium Titec 130 bar ends	Control Tech aluminum Ahead stem, 10° rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-11 levers	Onza clipless, 6° float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Fisher forged aluminum, silver	Control Tech aluminum Ahead stem, 10° rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-11 levers	Onza clipless, 6° float, 355g/pr	Bontrager Titec, 2014 T6 aluminum, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem, 10° rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager Integra, railless, leather, 176g
Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-7 levers	Onza clipless, 6° float, 355g/pr	System 2 butted 6061 T6 aluminum, 5° bend, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem, 10° rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager, black, 255g
Shimano HG70	Shimano Deore LX w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-K, Kevlar bead, 26 x 1.95"	Shimano Deore LX M-System w/Dia-Compe PC-7 levers	Onza clipless, 6° float, 355g/pr	System 2 butted 6061 T6 aluminum, 5° bend, 560mm	Fisher forged aluminum, silver	TIG welded Cro-Moly Ahead stem 10° rise	System 2 dual point rocker clamp, 2014 aluminum post	Bontrager, black, 255g
Shimano IG50	Shimano STX-RC w/front suspension hub	Sapim 14/15 gauge butted stainless steel	Bontrager BCX-2, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX-RC M-System w/Dia-Compe PC-7 levers	System 2 alloy body and cage, sealed	System 2 butted 6061 T6 aluminum, 5° bend, 560mm	System bonded aluminum	TIG welded Cro-Moly Ahead stem, 10° rise	System 1 6061 T6 aluminum, micro-adjust	Bontrager, black, 255g
Shimano IG50	Shimano STX w/front suspension hub	Ohio 14 gauge stainless steel	Bontrager BCX-3, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX M-System w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5° bend, 560mm	System bonded aluminum	TIG welded Cro-Moly Ahead stem, 10° rise	System 1 6061 T6 aluminum, micro-adjust	Bontrager, black, 255g
Shimano IG50	Shimano STX	Ohio 14 gauge stainless steel	Bontrager BCX-3, 32 hole	Tioga Psycho-KS, 26 x 1.95"	Shimano STX M-System w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5° bend, 560mm	System bonded aluminum	System 1 TIG welded Cro-Moly, silver	System 1 6061 T6 aluminum, micro-adjust	Fisher "Supersoft" foam
Shimano IG50	Shimano Acera-X rear w/alloy front	15 gauge stainless steel	Bontrager BCX-3, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Acera-X M-System w/alloy, silver levers	Victor resin body w/steel cage	Butted 6061 T6 aluminum alloy, 560mm	Bonded aluminum	TIG welded Cro-Moly, silver	Alloy micro-adjust	Fisher "Supersoft" foam
Shimano IG50	Shimano Acera-X rear w/alloy front	15 gauge stainless steel	Weinmann 4019, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Acera-X M-System w/alloy, silver levers	Victor resin body w/steel cage	Butted 6061 T6 aluminum alloy, 560mm		TIG welded Cro-Moly, silver	Alloy micro-adjust	Fisher "Supersoft" foam
KMC HP70	Alloy QR, silver	15 gauge	Weinmann 4019, 36 hole	Tioga Psycho, 26 x 1.95"	Shimano Altus C90 w/alloy, silver levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 560mm		TIG welded, black	Alloy micro-adjust	Fisher "Supersoft" foam
KMC HP70	Alloy nutted, silver	15 gauge	Weinmann 4019, 36 hole	Maxxis, 24 x 2.1"	Alloy calipers w/resin levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 540mm		TIG welded, black	Chrome steel	Fisher "Supersoft" foam
KMC HP70	Nutted, black	15 gauge	Alloy, 36 hole	Blackwall, 24 x 1.9"	Shimano Altus C90 w/resin levers	Wellgo ATB nylon w/Cro-Moly spindle	Steel, 540mm		TIG welded, black	Chrome steel	Fisher "Supersoft" foam
Shimano HG50	Shimano Alivio	14 gauge stainless steel	Weinmann ZAC19, 32 hole	Avocet, 700 x 35c	Shimano Alivio w/Dia-Compe PC-7 levers	System 1 resin body w/alloy cage, sealed	System 1 6061 T6 aluminum, 5° bend, 560mm		System 1 hybrid, TIG welded Cro-Moly, silver	Alloy micro-adjust	Velo foam w/Bio design
KMC HP70	Shimano Acera-X rear w/alloy front, silver	15 gauge	Araya PX35, 36 hole	Skinwall, 700 x 35c	Shimano Altus C90 w/alloy, silver levers	Wellgo ATB nylon	Steel, 560mm		TIG welded, black	Alloy micro-adjust	Fisher "Supersoft" foam

Fisher bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.