

FEEL IT
1996
GARY FISHER
THE FIRST AND LAST NAME IN MOUNTAIN BIKING



REAR SHOCK LOCKOUT LEVER
Ride the range while you ride the range. Full spectrum damping adjustability on the fly.

$

DEORE XT V-BRAKE
New lever and brake arch work together for one-finger braking that you modulate for ultimate control. Because objects in motion tend to see just how damn far they can push it.

ROCK SHOX JUDY SL
75mm extra long travel up front, balanced with the rear.

JOSHUA Z

Full zoot fun in a Big Rock cross country racer. Large, ovalized, "helicopter blade" style frame tubing is rigid, durable. Handlebar mounted lever will modulate or entirely lock out rear shock on the go. A fully active design with a durable single pivot.

Size: S, M, L **Frame:** Side butted 6061 T6 aluminum **Rear shock:** Stratos air/oil w/on-the-fly handlebar mount damping adjust **Fork:** Rock Shox Judy SL, extra long travel **Drivetrain:** Shimano Deore XT w/new Deore XT RapidFire SL shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** Fisher "Ginzu Pro" suspension front; Shimano Deore XT rear **Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Polished Aluminum

INNOVATION

"Morphs from hardtail to softail and back on the fly."

Gary Fisher

JOSHUA Y

Same frame as the Z with a few less bells and whistles. But that's okay, you'll make your own noise. Rock Shox's highest technology. Coil over oil damped rear. Judy elastomer oil damped front. Both fully adjustable to location and ride style.

Size: S, M, L **Frame:** Side butted 6061 T6 aluminum **Rear shock:** Rock Shox Super Deluxe Coil, adjustable oil damping w/remote oil reservoir **Fork:** Rock Shox Judy XC, extra long travel **Drivetrain:** Sugino Impel 700 cranset, Shimano Deore LX & XT derailleurs w/GripShift SRT-800 X-Ray shifters **Brakes:** Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX 1, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** *Matte Copper w/Polished rear*



FISHER GINZU TEAM SUSPENSION HUB
The stiffest front hub around. 6mm skewer rod and 25.4mm ends carve the tunnel.

ROCK SHOX JUDY XC
75mm travel and fully adjustable hydraulic cartridge technology.



ROCK SHOX REAR
Durable, compliant coil with spring curve designed to follow the Quadra's lead.

Size: S, M, L **Frame:** Side butted 6061 T6 aluminum **Rear shock:** Rock Shox Deluxe Coil spring/oil damping **Fork:** Rock Shox Quadra 21R, long travel **Drivetrain:** Sugino Impel 300 crankset, Shimano Deore LX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Matte P.C. Green

QUADRA 21R
"R" as in "race," lighter, magnesium fork brace and legs, stronger crown, more plush MCU spring system; 60mm travel.

Simplicity conquers the overcomplicated. Full suspension for everyone. Rock Shox's new Quadra 21R with plush microcellular urethane elastomer gives you 60mm front wheel travel.

JOSHUA X

WHITE INDUSTRIES HUBS
Designed to work with Rock Shox's newest forks. I've added my custom hub ends and quick release, taking the Tracker hub to a new level of performance.

$



MAVIC RIMS
Extremely light with machined sides to brake in mud and muck.

GRIPSHIFT ESP DERAILLEUR
I thought it impossible to improve on rear derailleur design, but this one shifts better and it's lighter than anything I've tested.

PROCALIBER LTD

Best frame. Best everything from everywhere in the world. There's been an explosion of high end parts by bike freaks designing their dreams. From those, I picked the real players, the stars, the stuff that will stand the test of time.



Size: 13.5, 14.75, 16.25, 17.75, 19.25" **Frame:** 100% OCLV carbon **Fork:** Rock Shox Judy SL **Drivetrain:** White Industries crankset, Shimano Deore XT and GripShift 900-ESP derailleurs w/GripShift SRT-900 X-Ray shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** White Industries: Custom Tracker front w/Fisher suspension QR; Precision Bearing rear freehub **Rims:** Mavic 217 SUP, 32 hole **Tires:** Tioga Psycho-LTD front; Psycho-T-LTD rear, SLX casing, Kevlar bead, 26 x 1.95" **Color:** Matte Violet

TEAM ISSUE
Paola Pezzo, Women's Cross Country World Champion, consistently schools the world's best on the same bike you can buy.

PERFORMANCE


"...La mia Procaliber Ltd è esclusivamente bella! E' la mia ombra!" Paola Pezzo


"My Procaliber Ltd is exclusively beautiful! It's my shadow!" Paola Pezzo

PROCALIBER

Planning to run away and join the circuit? Procaliber Ltd too rich for your blood? Here's the bike: My OCLV carbon frame, spec'd with truly controllable one-finger braking and a totally new SL shifting system that glides into gear under the most ridiculous stress. Thank you, Shimano!

Size: 13.5, 14.75, 16.25, 17.75, 19.25" **Frame:** 100% OCLV carbon **Fork:** Rock Shox Judy XC **Drivetrain:** Shimano Deore LX w/Deore XT rear derailleur & new Deore XT RapidFire SL shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** Fisher Ginzu Pro suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Moss Green






OCLV RACE FRAME GEOMETRY
(A&B) Head/Seat Angles: Customized to top tube length for optimal power transfer.
(C) Top Tube Length: Matches torso length for super comfy cockpit.



FISHER FEEL

"Racing requires an extremely light frame that holds up for the duration. Nobody carries a spare."
Gary Fisher





DEORE XT V-BRAKE
Oversize parallelogram pads swoop down from beefy brake arms to stop you alive in your tracks.

ROCK SHOX JUDY XC
High-tech hydraulics cushion rebound of supple 7 inch MCU bumper stack; convenient, quick change cartridge lets you tune your new toy.


SPD M535 PEDALS
No fat SPUDS. 77g lighter this year with perfect float for natural rotation and strain-free knees.

SUPERCALIBER

Enhance your flight time. Light, resilient, hand welded 6061 T6 and all the high end components. Manitou's Mach 5 SX fork ups the suspension ante. Those who feel aluminum frames are torsionally challenged gotta try this one.



Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy **Fork:** Manitou Mach 5 SX **Drivetrain:** Shimano Deore XT w/new Deore XT RapidFire SL shifters **Brakes:** Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers **Hubset:** Fisher Ginzu Pro suspension front; Shimano Deore XT rear **Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Matte Red



FISHER GINZU PRO SUSPENSION HUB
A feather light, extremely rigid hub and quick release skewer design.



ALUMINUM FRAME GEOMETRY
(A) Steep Head Angle: Quick, responsive steering.
(C) Long Top Tube: Better weight distribution & balance.
(T) Trail: Calculated to deliver stability and nimble handling.



NEW SHIMANO
DEORE XT RAPIDFIRE SL
No chain suck. No slipping.
Just the gear you need.

MANITOU MACH 5 SX
Externally adjustable preload and damping. Three stage elastomer delivers progressive spring curve for aggressive maneuvers.

CRAFTSMANSHIP

"USA-designed, drawn, laser cut, welded and babied every step of the way."
Gary Fisher

MT. TAM

The bike that honors the mountain: Sacred Mt. Tamalpais in Marin County... source of legend, site of physical and spiritual power. Where it all started. "Tam Time" means you're going there.

"The naked truth: I'm proud of my body... frame, that is."

Gary Fisher

FISHER FEEL

Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy **Fork:** Rock Shox Judy XC

Drivetrain: Shimano Deore LX w/Deore XT rear derailleur & new Deore LX RapidFire SL shifters **Brakes:** Shimano new Deore LX Easy Set w/Shimano Deore LX levers **Hubset:** Fisher Ginzu Pro suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Polished Aluminum

POLISHED FRAME
Just a glint of sunlight streaking down the mountain.



BONTRAGER BCX R/B RIMS
Red/Front – Premium, light-weight extrusion rim with flat, brushed braking surface, 370g.
Blue/Rear – Super strong, super tough, 410g.



DOUBLE BUTTED FRAME
Puts the strength where the stress is and saves weight everywhere else.

MANITOU MACH 5 PRO
Extreme rigidity, plush ride and easy setting preload won me over.

Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 Easton ProGram taper-wall aluminum alloy **Fork:** Manitou Mach 5 Pro **Drivetrain:** Sugino Impel 700 crankset, Shimano Deore LX & XT derailleurs w/GripShift SRT-800 X-Ray shifters **Brakes:** Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX 1, 32 hole **Tires:** Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95" **Color:** Ballistic Blue

A great high speed descender! New geometry and lighter, more resilient tubing plus Manitou's new Mach 5 Pro fork make Paragon a whole new bird.

PARAGON

MONTARE

Italian verb meaning "to climb." To fulfill that promise and elevate your expectations, I've introduced a new geometry, new tube set and the new Rock Shox Quadra 21R. Also a bead blasted finish to save precious grams.



Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Rock Shox Quadra 21R **Drivetrain:** Sugino Impel 500 crankset, Shimano STX & LX derailleurs w/GripShift SRT-600 8spd shifters **Brakes:** Shimano new STX-RC Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho rear-TS, 26 x 1.95" **Color:** Blasted Aluminum



QUADRA 21R
Compliant MCU elastomer soaks up the pebbles as well as the BAM BAMs.

SHIMANO 8-SPEED CASSETTE HUB
Widest range of gears available.



MATRIX LOBO RIMS
USA-made. Welded and machined for strength and precision. Built with SpokeTight to maintain tension and true. A killer value.

PERFORMANCE

"A Rock Shox without the sticker shox."
Gary Fisher



SUGINO IMPEL CRANKSET
Light and strong with a new super low gear range.





Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Rock Shox Quadra 5 **Drivetrain:** Sugino Impel 350 crankset, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Gloss Onyx Black

The big gun for big fun! All American-made frame with Sugino crankset, Shimano STX drivetrain and my sure tracking suspension hub. Check the thermometer and you'll know why this bike is the season's hot topic.

BIG SUR

KAITAI

Big Sur's little brother with big performance. American-made 6061 T6 aluminum hand welded in the USA with all the family features: reinforced head tube, gusseted down tube, replaceable drop outs. You're getting a serious, fully Fisherized performance frame with a lifetime warranty.

Sizes: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Forks:** Cro-Moly threaded **Drivetrain:** Sugino Impel 350 crankset, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Slate





EXTERNALLY BUTTED HEAD TUBE
Saves weight; but more importantly, gives headset bearings better seating for long lasting, smooth operation.

FISH STICKS BAR ENDS
My original recipe power bars.

INNOVATION

"Bar ends to bottom bracket, this is one hell of a bike."
Gary Fisher

FISH FINS BAR ENDS
Cut and welded at the perfect angle for comfortable cranking position and max leverage in climbs.



ROCK SHOX JUDY XC
Slickest solution yet: MCU elastomer spring and the superior damping of oil in an adjustable cartridge.

X-CALIBER RX

Hardcore, hammer'n machine. The geometry accommodates a long travel Rock Shox fork; get it with or add it later. Large diameter tube walls are the thinnest of any in my line. You're riding a very resilient, very rugged steel frame that weighs less than 4.5 lbs.

Size: 11.5, 15.5, 16.75, 18, 19.5"
Frame: True Temper TIG welded, heat treated, triple butted Cro-Moly
Fork: Rock Shox Judy XC
Drivetrain: Sugino Impel 700 crankset, Shimano Deore LX & XT derailleurs w/GripShift SRT-800 X-Ray shifters **Brakes:** Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift
Hubset: Fisher Ginzu Team suspension front; Shimano Deore LX rear
Rims: Bontrager BCX 1, 32 hole
Tires: Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"
Color: Matte Copper



X-CALIBER
Rigid model otherwise identical to the RX. Quad butted, tapered Cro-Moly steel fork with forged drop-outs.

REINFORCING TOP TUBE GUSSET
Frame strength is determined by tube diameter, wall thickness and butt lengths. I opt for the lightest overall mix and reinforce at peak load points.

HOOKOOEKOO

All the lightness, quickness and performance attributes that make a Fisher a Fisher. Ride after ride, year after year, you'll love it more.

Size: 11.5, 15.5, 16.75, 18, 19.5" **Frame:** True Temper TIG welded, double butted Cro-Moly **Fork:** Rock Shox Quadra 21R **Drivetrain:** Sugino Impel 300, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Matte P.C. Green



STEEL FRAME GEOMETRY

(C) Long Top Tube: Balanced, stretched out, aerodynamic body position.

(D) Short Chainstays: Ideal weight distribution and traction.

(F) Short Wheelbase: Steering precision of a race bike.



ROCK SHOX QUADRA 21R
60mm travel, magnesium fork brace and sliders; 7oz. lighter than a Quadra 21.

FISHER FEEL

"Don't have a cycling research grant to support your habit? Buy this bike!"
Gary Fisher



The Aquila is also available in Matte Violet.

FISH STICKS BAR ENDS
Narrow clamping area won't rob handlebar space.

CRAFTSMANSHIP

"If God is in the details, you've died and gone to heaven."
Gary Fisher



SEQUENTIAL WELDING
Applying heat to small areas and allowing tubes to cool between welds prevents distortion and preserves frame strength.

Size: 11.5, 15.5, 16.75, 18, 19.5" **Frame:** True Temper TIG welded, double butted Cro-Moly **Fork:** Cro-Moly threaded **Drivetrain:** Sugino Impel 300, Shimano STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Matte Violet or Matte White

Named for a constellation because the sky's the limit. Laser mitered, True Temper, double butted frame is the same as the HooKooEKoo. You can add a suspension fork later because the geometry's right.

AQUILA



STX/ALIVIO/GRIPSHIFT
Throttle control. You've always got your hands on the bar and your eyes on the roller coaster ahead.

$

Size: 13, 15.5, 16.75, 18, 19.5" **Frame:** TIG welded double butted Cro-Moly **Fork:** Rock Shox Quadra 5 **Drivetrain:** Shimano Alivio crankset w/Acera-X & STX derailleurs & GripShift SRT-400 shifters **Brakes:** Shimano new Acera-X Easy Set w/alloy levers, offset for GripShift **Hubset:** Shimano Acera-X rear; oversize axle front **Rims:** Weinmann 519, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Black Sable

A killer USA-made value. You get a double butted, laser mitered Cro-Moly steel frame, big league parts and, yes, that's a Rock Shox!

MAMBA

WEINMANN RIMS
Very durable so you can rock and roll and roll.


TASSAJARA

The Tassajara is also available in Ballistic Blue.

The Tassajara brings smaller sizes to serious riders without sacrificing handling and performance. Proportionally designed tube set, handlebars, stem and crankset, plus a shorter, rigid fork.

Size: 13, 15.5, 16.75, 18, 19.5"
Frame: TIG welded double butted Cro-Moly **Fork:** Cro-Moly threaded
Drivetrain: Shimano Alivio crankset w/Acera-X & STX derailleurs & GripShift SRT-400 shifters
Brakes: Shimano new Acera-X Easy Set w/alloy levers, offset for GripShift
Hubset: Shimano Acera-X rear; alloy front **Rims:** Weinmann 519, 32 hole
Tires: Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"
Color: Matte Copper or Ballistic Blue

$




TIG WELDED DOUBLE BUTTED CRO-MOLY STEEL
Paying less doesn't mean you have to settle for less.

MARLIN

A real off road bike that's tail and fins above everythin else in its class. Full Cro-Moly steel frame and fork for extra strength up front.

The Marlin is also available in Slate.

Size: 13, 15.5, 16.75, 18, 19.5" **Frame:** TIG welded full Cro-Moly **Fork:** Cro-Moly threaded **Drivetrain:** Shimano Acera-X w/Alivio rear derailleur & GripShift SRT-300 shifters **Brakes:** Shimano new Altus C91 Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy quick release sealed, silver **Rims:** Weinmann 519, 32 hole **Tires:** Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95" **Color:** Gloss Emerald or Slate



CRO-MOLY FORK
Light. Strong. Resilient.

The Wahoo is also available in Titanium.

OVERSIZE HEADSET
Not just longer lasting, the added control is something even a first timer deserves.




Size: 13, 15.5, 16.75, 18, 19.5"; 15.5L, 18L **Frame:** TIG welded Cro-Moly main tubes **Fork:** Cro-Moly threaded **Drivetrain:** Shimano Altus CT91 w/Acera-X rear derailleur & GripShift MRX-100 shifters **Brakes:** Shimano new Altus C91 Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy quick release sealed, silver **Rims:** Weinmann 519, 36 hole **Tires:** Kenda, 26 x 1.95" **Color:** Wild Cherry or Titanium

A bike slathered with secret sauce: my race-bred geometry, oversize headset, Cro-Moly fork. Step-through frames also available. What a bike! What a value!

WAHOO

SUPERLIGHT 26" WHEELS
Combined with steeper head angle and a longer fork rake make this workhorse a nimble thoroughbred.





SWEEP TO DROP ALLOY BARS
Multi-position for ripp'n in the city; pedal danc'n on the trail.

Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Cro-Moly threaded **Drivetrain:** Sugino Fuse Pro crankset, Shimano Deore LX derailleurs w/GripShift SRT-600 8spd shifters **Brakes:** Shimano new STX-RC Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Fisher Ginzu Team suspension front; Shimano Deore LX rear **Rims:** Bontrager BCX Blue rear; BCX Red front, 32 hole **Tires:** IRC Smoothie, 26 x 1.25"

This is the bike every shop rat builds. The bomb proof, all-purpose, all-season workhorse that never gets put away. Load it down, it's a gonzo aluminum commuter. Unloaded, it's a rocket. Twenty-six inch wheels add strength and 24 speeds give you the gears.




UTOPIA

NIRVANA

A 21-speed vision of paradise on earth. If you're looking to become an urban legend, it's got 6061T6—aluminum and all the right stuff. Who needs a car when you got this bike!

Size: 14, 16, 17.5, 19.5" **Frame:** TIG welded 6061 T6 aluminum alloy **Fork:** Cro-Moly threaded **Drivetrain:** Sugino Fuse Comp crankset, Shimano Deore LX & STX derailleurs w/GripShift SRT-400 shifters **Brakes:** Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Matrix Lobo, welded, 32 hole **Tires:** Tioga City Slicker 2, 60tpi, 26 x 1.5" **Color:** Slate



LARGER CHAINRINGS
Perfect for higher speed road work.

GIRVIN ALLOY FLEXSTEM
Simple, stem-mounted suspension that takes the sting out.


INNOVATION

"Europe.
Cobblestones.
Sidewalk cafes.
Fresh flowers.
Espresso.
Warm croissants.
You know...
Alfresco."


Gary Fisher

ALFRESCO

Goes from blacktop to back woods without missing a beat. A plush ride with souped up componentry. This Cro-Moly steel hybrid has bar ends and a suspension stem. It's ready for anything.



Size: 13, 15, 17, 19, 21"; 15.5L, 18.5L **Frame:** TIG welded double butted Cro-Moly **Fork:** Cro-Moly **Drivetrain:** Sugino Impel 300 crankset, Shimano STX derailleurs w/GripShift SRT-400 **Brakes:** Shimano new Alivio Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy oversize axle, sealed front; Shimano Alivio rear **Rims:** Weinmann ZAC19, 32 hole **Tires:** Tioga City Slicker 2, 60tpi, 700 x 35c **Stem:** Girvin alloy Flexstem **Color:** Ballistic Blue



ALFRESCO GEOMETRY

(F) Longer Wheelbase: Smooth, comfortable ride.

(G) Long Head Tube: Higher stem and handlebar for more upright ride.

(H) Standover Height: 2" to 3" is ideal. Fisher frames come in wide size range to fit every body.

ZEBRANO

The tool'n round town bike. Also a perfect choice for light trail and touring. Fisher geometry, full Cro-Moly steel frame, Shimano drivetrain and GripShift. It'll spoil you for sure.

Size: 13, 15, 17, 19, 21"; 15.5L, 18.5L **Frame:** TIG welded full Cro-Moly **Fork:** Cro-Moly **Drivetrain:** Shimano Alivio w/Acera-X front derailleur & GripShift SRT-400 shifters **Brakes:** Shimano new Acera-X Easy Set w/alloy levers, offset for GripShift **Hubset:** Shimano Acera-X rear; alloy front **Rims:** Weinmann 519, 32 hole **Tires:** Tioga City Slicker 2, 27tpi, 700 x 35c **Stem:** Girvin Flexstem **Color:** Matte Steel Blue or Dark Red.



The Zebrano is also available in Dark Red.



GIRVIN FLEXSTEM
Simple, stem-mounted suspension that takes the sting out.

The Avant Garde is also available in Matte Aqua Blue.

GARY FISHER

TIG WELDED CRO-MOLY
This lightweight, durable, lively frame will keep you riding happy.



Size: 13, 15, 17, 19, 21, 23"; 15.5L, 18.5L **Frame:** TIG welded Cro-Moly main tubes **Fork:** Cro-Moly **Drivetrain:** Shimano Altus CT91 w/Acera-X rear derailleur & GripShift MRX-100 shifters **Brakes:** Shimano new Altus C91 Easy Set w/alloy levers, offset for GripShift **Hubset:** Alloy quick release sealed, silver **Rims:** Weinmann 519, 36 hole **Tires:** Skinwall, 700 x 35c **Color:** Silver or Matte Aqua Blue

$

Simple, elegant design. Fast, smooth 700c wheels, Cro-Moly steel frame and fork. Shimano derailleurs, crankset and brakes, GripShift shifters. This bike will set you free.


UR

AVANT GARDE

KLUNKER

Featured in the June, 1994, *Smithsonian* magazine. The bike that started it all. A junkyard cruiser I retrofit with drum brakes and motorcycle shifters in 1974. The Klunker, world's first mountain bike. My '96 version is true to its memory. Rides over anything. Rips downhill in style. If you're an accomplished mountain biker, you'll be astounded by what you can do on this bike while styling in high form.

Size: 16.5" **Frame:** TIG welded full Cro-Moly **Fork:** Cro-Moly **Drivetrain:** Shimano STX w/new STX RapidFire SL shifters **Brakes:** Shimano new Acera-X Easy Set w/Shimano STX levers **Hubset:** Shimano STX front and rear **Rims:** Femco 26 x 1.5", alloy, 36 hole **Tires:** Duro Knobby, 26 x 2.1" **Color:** Nickle





Original frame geometry and shape executed in Cro-Moly

Shimano STX components with RapidFire SL Shifters; Bear Trap pedals circa 1980; Wide alloy swept back handlebars.

MANIAC

Future Fisher team racers to the starting line. They'll go wild over the SR suspension fork. It's big bike technology for mountain bike maniacs age 8-12.

Size: 11.5" frame, w/ 24" wheel **Frame:** TIG welded **Fork:** SR DuoTrack 7006 **Drivetrain:** SR alloy crankset, Shimano Tourney derailleurs w/GripShift QuickShift 60 shifters **Brakes:** Alloy cantilevers w/alloy levers **Hubset:** Alloy nutted, silver **Rims:** Weinmann 519, 36 hole **Tires:** Kenda, 24 x 2.0" **Color:** Dry Purple

$




TYRO

A bike that fits is fun to ride and makes cycling a friend for life. So everything is downsized including my compact fork. Twenty-four inch wheels create plenty of standover clearance for even the smallest riders, age 8-10.

Size: 11.5" frame w/24" wheel **Frame:** TIG welded **Fork:** Threaded **Drivetrain:** SR alloy crankset, Shimano Tourney derailleurs w/GripShift QuickShift 60 shifters **Brakes:** Alloy cantilevers w/alloy levers **Hubset:** Alloy nutted, silver **Rims:** Weinmann 519, 36 hole **Tires:** Kenda, 24 x 2.0" **Color:** Girl's: Dry Magenta; Boy's: Gloss Bright Blue









Has a single chainring with double guards to keep the chain on. Easy operation. Low maintenance. Sized for ages 6-8 and adjustable for years of fun to come.

SHORTCUT

MINNOSAURUS

Single speed coaster brake and knobby "Dinosaur" tread pattern. High cool factor for boys and girls, age 6-8. Compact frame design gives kids room to grow on a bike they'll grow to love.


Size: 11.5" frame w/20" wheel **Frame:** TIG welded **Fork:** Threaded **Drivetrain:** One piece crankset **Brakes:** Coaster **Hubset:** Sealed nutted, silver **Rims:** Steel, 36 hole **Tires:** ATB knobby, "Dinosaur" tread, 20 x 1.75" **Color:** Girl's: Gloss Pink; Boy's: Gloss Royal Blue



$


Size: 11.5" frame w/20" wheel **Frame:** TIG welded **Fork:** Threaded **Drivetrain:** One piece crankset, Shimano Tourney rear derailleur w/GripShift QuickShift 60 shifters **Brakes:** Alloy cantilevers w/alloy levers **Hubset:** Sealed nutted, silver **Rims:** Weinmann 519, 36 hole **Tires:** ATB knobby, 20 x 2.0" **Color:** Girl's: Dry Lavender; Boy's: Red

$




FULL SUSPENSION

New for '96. Designed to accommodate today's longer travel forks. Balanced geometry suited to rough, ever-changing, cross country terrain.



MOUNTAIN RACERS

Proportionally longer top tubes and proportionally steeper head and seat angles for nimble handling. Shorter chainstays for hooked up climbing.



URBAN BIKES

Overall geometry similar to a road bike for light, lively ride. Frame materials and construction build in the durability, comfort and impact absorption of Fisher mountain machines.

RAKE (R):

The perpendicular distance from the centerline of the head tube to the center of the front hub. Rake combined with the head tube angle yields trail.



TRAIL (T):

This measurement affects the stability of the steering system and the feel of the steering. Longer trail means a heavier or more stable feel; less trail means easier steering and more sensitive handling.

JOSHUA Z, JOSHUA Y, JOSHUA X

SIZE	A	B	C	D	E	F	G	H	R	T
S	71.0°	74.0°	55.0/21.7	43.0/16.9	31.1/12.2	104.3/41.1	12.5/4.9	67.8/26.7	4.2/1.6	41.9/16.5
M	70.5°	73.5	58.0/22.8	43.0/16.9	31.1/12.2	107.4/42.3	12.5/4.9	66.8/26.3	4.2/1.6	47.0/18.5
L	70.5°	73.5°	61.0/24.0	43.0/16.9	31.1/12.2	110.4/43.5	14.5/5.7	66.2/26.1	4.2/1.6	53.3/21.0

PROCALIBER LTD, PROCALIBER

SIZE	A	B	C	D	E	F	G	H	R	T
13.5"	70.5°	73.0°	55.4/21.8	42.4/16.7	29.8/11.7	102.9/40.5	11.0/4.3	72.0/28.3	3.8/1.5	39.2/15.4
14.75"	70.5°	73.0°	56.5/22.2	42.4/16.7	29.8/11.7	104.0/40.9	11.0/4.3	73.5/28.9	3.8/1.5	41.9/16.5
16.25"	71.0°	73.0°	59.0/23.2	42.4/16.7	29.8/11.7	106.0/41.7	11.0/4.3	74.1/29.2	3.8/1.5	45.7/18.0
17.75"	71.5°	73.0°	59.5/23.4	42.4/16.7	29.8/11.7	106.5/41.9	12.3/4.8	76.4/30.1	3.8/1.5	49.5/19.5
19.25"	71.5°	73.0°	60.0/23.6	42.4/16.7	29.8/11.7	107.0/42.1	15.9/6.3	79.9/31.5	3.8/1.5	53.3/21.0

SUPERCALIBER, MT.TAM, PARAGON, MONTARE, BIG SUR, KAITAI

SIZE	A	B	C	D	E	F	G	H	R	T
14.0"	71.0°	74.0°	55.4/21.8	42.0/16.5	29.0/11.4	102.8/40.5	9.0/3.5	72.1/28.4	3.8/1.5	39.4/15.5
16.0"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.5/11.6	104.0/40.9	10.5/4.1	75.9/29.9	3.8/1.5	44.4/17.5
17.5"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.5/11.6	105.1/41.4	12.5/4.9	78.5/30.9	3.8/1.5	48.3/19.0
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.5/11.6	106.5/41.9	14.5/5.7	82.1/32.3	3.8/1.5	53.3/21.0

KLUNKER

SIZE	A	B	C	D	E	F	G	H	R	T
16.5"	68.0°	69.0°	59.7/23.5	47.7/18.8	30.3/11.9	114.0/44.9	12.0/4.7	76.6/30.2	6.4/2.5	45.7/18.0

X-CALIBER RX, X-CALIBER, HOOKOOEKOO, AQUILA

SIZE	A	B	C	D	E	F	G	H	R	T
11.5"	70.5°	74.0°	53.7/21.1	42.0/16.5	28.8/11.3	101.2/39.8	8.5/3.3	68.1/26.8	3.8/1.5	33.0/13.0
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	29.1/11.5	102.5/40.4	8.5/3.3	73.7/29.0	3.8/1.5	44.1/17.4
16.75"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.5/11.6	103.7/40.8	10.5/4.1	76.3/30.0	3.8/1.5	47.0/18.5
18.0"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.5/11.6	104.8/41.3	12.5/4.9	78.7/31.0	3.8/1.5	50.1/19.7
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.5/11.6	106.3/41.9	14.5/5.7	81.6/32.1	3.8/1.5	53.9/21.2

MAMBA

SIZE	A	B	C	D	E	F	G	H	R	T
13.0"	71.0°	74.5°	54.0/21.3	42.0/16.5	29.1/11.5	101.6/40.0	8.5/3.3	71.1/28.0	3.8/1.5	36.7/14.4
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.8/40.5	10.5/4.1	75.6/29.8	3.8/1.5	43.1/17.0
16.75"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	104.0/40.9	12.4/4.9	77.0/30.3	3.8/1.5	46.2/18.2
18.0"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	105.1/41.4	14.5/5.7	79.0/31.1	3.8/1.5	49.4/19.4
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.5/41.9	16.5/6.5	82.2/32.4	3.8/1.5	53.2/20.9

TASSAJARA, MARLIN, WAHOO

SIZE	A	B	C	D	E	F	G	H	R	T
13.0"	71.0°	74.5°	54.0/21.3	42.0/16.5	28.8/11.3	101.4/39.9	8.5/3.3	70.3/27.7	3.8/1.5	36.7/14.4
15.5"	71.0°	74.0°	55.4/21.8	42.0/16.5	28.8/11.3	102.5/40.4	10.5/4.1	75.1/29.6	3.8/1.5	43.1/17.0
16.75"	71.5°	74.0°	56.8/22.4	42.0/16.5	29.2/11.5	103.7/40.8	12.5/4.9	76.7/30.2	3.8/1.5	46.2/18.2
18.0"	71.5°	73.5°	58.3/23.0	42.0/16.5	29.2/11.5	104.8/41.3	14.5/5.7	78.4/30.9	3.8/1.5	49.4/19.4
19.5"	71.5°	73.5°	59.7/23.5	42.0/16.5	29.2/11.5	106.3/41.9	16.5/6.5	81.5/32.1	3.8/1.5	53.2/20.9
15.5L	71.0°	74.0°	55.1/21.7	42.0/16.5	29.1/11.5	101.9/40.1	10.5/4.1	63.9/25.2	3.8/1.5	43.1/17.0
18.0L	71.5°	73.5°	58.0/22.8	42.0/16.5	29.5/11.6	104.6/41.2	14.5/5.7	66.0/26.0	3.8/1.5	49.4/19.4

UTOPIA, NIRVANA

SIZE	A	B	C	D	E	F	G	H	R	T
14.0"	72.5°	75.0°	54.8/21.6	42.0/16.5	27.9/11.0	102.3/40.3	9.0/3.5	70.3/27.7	4.5/1.8	39.4/15.5
16.0"	73.0°	75.0°	56.4/22.2	42.0/16.5	28.4/11.2	103.6/40.8	10.5/4.1	73.9/29.1	4.5/1.8	44.4/17.5
17.5"	73.0°	75.0°	57.9/22.8	42.0/16.5	28.4/11.2	104.6/41.2	12.5/4.9	76.7/30.2	4.5/1.8	48.3/19.0
19.5"	73.0°	75.0°	59.1/23.3	42.0/16.5	28.4/11.2	106.1/41.8	14.5/5.7	80.0/31.5	4.5/1.8	53.3/21.0

ALFRESCO, ZEBRANO, AVANT GARDE

SIZE	A	B	C	D	E	F	G	H	R	T
13.0"	70.0°	74.0°	54.5/21.5	43.0/16.9	28.1/11.1	103.7/40.8	9.0/3.5	70.2/27.6	5.0/2.0	38.1/15.0
15.0"	70.5°	74.0°	55.0/21.7	43.0/16.9	28.1/11.1	103.8/40.9	9.0/3.5	72.7/28.6	5.0/2.0	43.1/17.0
17.0"	70.5°	73.0°	56.0/22.0	43.0/16.9	28.1/11.1	103.9/40.9	9.0/3.5	75.0/29.5	5.0/2.0	48.2/19.0
19.0"	71.5°	73.0°	57.0/22.4	43.0/16.9	28.1/11.1	104.0/40.9	10.0/3.9	78.1/30.7	5.0/2.0	53.3/21.0
21.0"	71.5°	73.0°	58.0/22.8	43.0/16.9	28.1/11.1	105.1/41.4	14.0/5.5	82.5/32.5	5.0/2.0	58.4/23.0
23.0"	71.0°	72.5°	59.0/23.2	43.0/16.9	28.1/11.1	106.3/41.9	15.7/6.2	87.4/34.4	5.0/2.0	63.4/25.0
15.5L	70.5°	74.0°	55.0/21.7	43.0/16.9	28.1/11.1	103.8/40.9	12.0/4.7	68.1/26.8	5.0/2.0	43.1/17.0
18.5L	71.5°	73.0°	56.0/22.0	43.0/16.9	28.1/11.1	103.9/40.9	16.5/6.5	67.9/26.7	5.0/2.0	50.8/20.0

All dimensions are in centimeters/inches unless otherwise stated.

SPECS

		FULL SUSPENSION			OCLV CARBON		ALUMINUM	
		JOSHUA Z	JOSHUA Y	JOSHUA X	PROCALIBER LTD	PROCALIBER	SUPERCALIBER	MT.TAM
		25.25 lb/11.5 kg	26.5 lb/12.0 kg	27.5 lb/12.5 kg	21.4 lb/9.7 kg	23.2 lb/10.5 kg	23.2 lb/10.5 kg	23.6 lb/10.7 kg
FRAMESET	Color	Polished Aluminum	Matte Copper w/Polished rear	Matte P.C. Green	Matte Violet	Moss Green	Matte Red	Polished Aluminum
	Size	S, M, L	S, M, L	S, M, L	13.5, 14.75, 16.25, 17.75, 19.25"	13.5, 14.75, 16.25, 17.75, 19.25"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"
	Frame	Side butted 6061 T6 aluminum	Side butted 6061 T6 aluminum	Side butted 6061 T6 aluminum	100% OCLV carbon	100% OCLV carbon	TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy	TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy
	Rear Suspension	Stratos air/oil w/on-the-fly handlebar mount damping adjust	Rock Shox Super Deluxe Coil, adjustable oil damping w/remote oil reservoir	Rock Shox Deluxe Coil spring/oil damping				
	Fork	Rock Shox Judy SL MCU elastomer/adjustable oil suspension, carbon brake arch, 75mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, 75mm travel	Rock Shox Quadra 21R MCU elastomer suspension, 60mm travel	Rock Shox Judy SL MCU elastomer/adjustable oil suspension, carbon brake arch, 63mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, V-Brake arch, 63mm travel	Manitou Mach 5 SX MCU elastomer/oil suspension, alloy steerer, V-Brake arch, 63mm travel	Rock Shox Judy XC MCU elastomer/oil suspension, 63mm travel
	Headset	Tange Seiki DL-2 Aheadset, 1¼", oversize	Dia-Compe SA-2 Aheadset, 1¼", oversize	Tange Seiki Passage, 1¼", oversize	Tange Seiki/WTB Grease Guard, 1¼", oversize	Tange Seiki DL-2 Aheadset, 1¼", oversize	Tange Seiki DL-2 Aheadset, 1¼", oversize	Dia-Compe SA-2 Aheadset, 1¼", oversize
DRIVETRAIN	Crankset	Shimano Deore XT 42/32/22	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 300 w/SS3 chainrings 42/32/20	White Industries w/SS3 chainrings 42/32/20	Shimano Deore LX 42/32/22	Shimano Deore XT 42/32/22	Shimano Deore LX 42/32/22
	Front Derailleur	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT new top swing	Shimano Deore LX new top swing
	Rear Derailleur	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	GripShift 900-ESP	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS
	Shifter/Grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	GripShift SRT-900 X-Ray w/Kraton rubber grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	Shimano new Deore XT RapidFire SL w/Gary Fisher high density foam hex grips	Shimano new Deore LX RapidFire SL w/Gary Fisher high density foam hex grips
	Bottom Bracket	Shimano BB-UN72 cartridge	Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge	White Industries Titanium	Shimano BB-UN52 cartridge	Shimano BB-UN72 cartridge	Shimano BB-UN52 cartridge
	Cassette/ Freewheel	Shimano Deore XT 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano STX 11-28, 7spd	Shimano Deore XT 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano Deore XT 11-28, 8spd	Shimano Deore LX 11-28, 8spd
	Chain	Shimano IG90	Shimano IG70	Shimano IG31	Shimano IG90	Shimano IG70	Shimano IG90	Shimano IG70
WHEELS	Hubset	Fisher Ginzu Pro suspension front; Shimano Deore XT rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear	White Industries: Custom Tracker front w/Fisher suspension QR; Precision Bearing rear freehub	Fisher Ginzu Pro suspension front; Shimano Deore LX rear	Fisher Ginzu Pro suspension front; Shimano Deore XT rear	Fisher Ginzu Pro suspension front; Shimano Deore LX rear
	Spokes	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless	Union 15G stainless	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless w/alloy nipples	Wheelsmith 15/16G stainless w/alloy nipples	Union 15G stainless
	Rims	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole	Mavic 217 SUP, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole	Bontrager BCX Blue rear; BCX Red front, 32 hole
	Tires	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-LTD front; Psycho-T-LTD rear, SLX casing, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"
OTHER COMPONENTS	Brakeset/ Levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano Deore XT V-Brake w/Shimano Deore XT adjustable levers	Shimano new Deore LX Easy Set w/Shimano Deore LX levers
	Pedals	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Steel cage, resin body sealed w/clips and straps	Shimano SPD M747 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation
	Handlebars	Bontrager Ti, 560mm, 3° bend, 150g	Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 230g	Bontrager Ti, butted, 560mm, 3° bend, 125g	Bontrager Ti, butted, 560mm, 3° bend, 150g	Bontrager Ti, butted, 560mm, 3° bend, 150g	Bontrager Race, aluminum alloy, 145g
	Bar Ends	Bontrager magnesium ski bend, 110g	Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g	Bontrager magnesium ski bend, 110g	Bontrager magnesium ski bend, 110g	Bontrager magnesium ski bend, 110g	Fisher Fish Fins, welded aluminum, 125g
	Stem	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Aluminum alloy Aheadset, 10° rise, 185g	Bontrager alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g	Alloy Aheadset, 7° rise, hidden bolts, 180g
	Seatpost	Bontrager Race Lite aluminum, 225g	Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g	Synchros Ti, 185g	Race Lite aluminum, 225g	Race Lite aluminum, 225g	Comp aluminum, 250g
	Saddle	Bontrager Titanium rail, leather cover, 198g	Bontrager hollow Cro-Moly rail, leather cover, 230g	Bontrager Plus 10	Selle San Marco/Bontrager Titanium rail, leather cover, 195g	Bontrager hollow Cro-Moly rail, leather cover, 230g	Bontrager Titanium rail, leather cover, 198g	Bontrager hollow Cro-Moly rail, leather cover, 230g

Fisher bicycles are equipped with components from sources worldwide. Specifications are subject to change without notice.

STEEL							
PARAGON	MONTARE	BIG SUR	KAITAI	KLUNKER	X-CALIBER RX	X-CALIBER	HOOKOOEKOO
24.2 lb/11.0 kg	25.1 lb/11.4 kg	25.8 lb/11.7 kg	24.5 lb/11.1 kg	30.5 lb/13.8 kg	25.3 lb/11.5 kg	24.1 lb/10.9 kg	26.5 lb/12.0 kg
Ballistic Blue	Blasted Aluminum	Gloss Onyx Black	Slate	Nickle	Matte Copper	Matte Copper	Matte P.C. Green
14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	14, 16, 17.5, 19.5"	16.5"	11.5, 15.5, 16.75, 18, 19.5"	11.5, 15.5, 16.75, 18, 19.5"	11.5, 15.5, 16.75, 18, 19.5"
TIG welded 6061 T6 Easton ProGram taperwall aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded 6061 T6 aluminum alloy	TIG welded full Cro-Moly	True Temper TIG welded, heat treated, triple butted Cro-Moly	True Temper TIG welded, heat treated, triple butted Cro-Moly	True Temper TIG welded, double butted Cro-Moly
Manitou Mach 5 Pro elastomer suspension, 58mm travel	Rock Shox Quadra 21R MCU elastomer suspension, 60mm travel	Rock Shox Quadra 5 adjustable suspension, 46mm travel	Cro-Moly threaded, 1⅛" w/forged drop-outs	Cro-Moly w/forged drop-outs	Rock Shox Judy XC MCU elastomer/oil suspension, 63mm travel	Quad butted tapered Cro-Moly w/forged drop-outs	Rock Shox Quadra 21R MCU elastomer suspension, 60mm travel
Dia-Compe SA-2 Aheadset, 1⅛", oversize	Dia-Compe SA-2 Aheadset, 1⅛", oversize	Dia-Compe ST-2 Aheadset, 1⅛", oversize	Tange Seiki Passage, 1⅛", oversize	1", black	Dia-Compe SA-2 Aheadset, 1⅛", oversize	Dia-Compe SA-2 Aheadset, 1⅛", oversize	Dia-Compe ST-2 Aheadset, 1⅛", oversize
Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 500 w/SS3 chainrings 42/32/20	Sugino Impel 350 w/SS3 chainrings 42/32/20	Sugino Impel 350 w/SS3 chainrings 42/32/20	Shimano STX 42/32/22	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 700 w/SS3 hard anodized chainrings 42/32/20	Sugino Impel 300 w/SS3 chainrings 42/32/20
Shimano Deore LX new top swing	Shimano STX new top swing	Shimano STX new top swing	Shimano STX new top swing	Shimano STX	Shimano Deore LX new top swing	Shimano Deore LX new top swing	Shimano STX new top swing
Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano STX SGS	Shimano STX SGS	Shimano STX SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano STX SGS
GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-600 8spd w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips	Shimano new STX RapidFire SL w/Gary Fisher high density foam hex grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-800 X-Ray w/Kraton rubber grips	GripShift SRT-400 w/Kraton rubber grips
Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-LP26 cartridge	Shimano BB-UN52 cartridge	Shimano BB-UN52 cartridge	Shimano BB-LP26 cartridge
Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano STX 11-28, 7spd	Shimano STX 11-28, 7spd	Shimano STX 11-28, 7spd	Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano STX 11-28, 7spd
Shimano IG70	Shimano IG51	Shimano IG31	Shimano IG31	KMC IG31	Shimano IG70	Shimano IG70	Shimano IG31
Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear	Alloy oversize axle, sealed front; Shimano Alivio rear	Shimano STX front and rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Deore LX rear	Fisher Ginzu Team suspension front; Shimano Alivio rear
Union 15G stainless	Union 15G stainless	Union 15G stainless	Union 15G stainless	14G stainless	Union 15G stainless	Union 15G stainless	Union 15G stainless
Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole	Matrix Lobo, welded, 32 hole	Matrix Lobo, welded, 32 hole	Fenco 26 x 1.5", alloy, 36 hole	Bontrager BCX 1, 32 hole	Bontrager BCX 1, 32 hole	Matrix Lobo, welded, 32 hole
Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"	Duro Knobby, 26 x 2.1"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-K front; Psycho-T rear, Kevlar bead, 26 x 1.95"	Tioga Psycho-KS front; Psycho-TS rear, 26 x 1.95"
Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new STX-RC Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Acera-X Easy Set w/Shimano STX levers	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Deore LX Easy Set w/Dia-Compe PC-7N levers, offset for GripShift	Shimano new Alivio Easy Set w/Dia-Compe PC-7N levers, offset for GripShift
Shimano SPD M535 clipless w/rotation	Alloy sealed w/clips and straps	Steel cage, resin body sealed w/clips and straps	Steel cage, resin body sealed w/clips and straps	Alloy black and silver, Cro-Moly axle	Shimano SPD M535 clipless w/rotation	Shimano SPD M535 clipless w/rotation	Steel cage, resin body sealed w/clips and straps
Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 170g	Aluminum alloy, 230g	Aluminum alloy, 230g	Aluminum alloy retro bend, 630mm	Bontrager Race, aluminum alloy, 145g	Bontrager Race, aluminum alloy, 145g	Aluminum alloy, 230g
Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g	Fisher Fish Sticks, 125g		Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Fins, welded aluminum, 125g	Fisher Fish Sticks, 125g
Aluminum alloy Aheadset, 10° rise, 185g	Aluminum alloy Aheadset, 10° rise, 185g	Aluminum alloy Aheadset, 10° rise, 185g	Cro-Moly, alloy wedge, 10° rise	Alloy forged, 25° rise	Alloy Aheadset, 7° rise, 180g	Alloy Aheadset, 7° rise, 180g	Aluminum alloy Aheadset, 10° rise, 185g
Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust, 290g	Aluminum alloy, micro-adjust	Comp aluminum, 250g	Comp aluminum, 250g	Aluminum alloy, micro-adjust, 290g
Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10	Bontrager Plus 10	Bontrager Plus 10	Brooks leather	Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10 hollow Cro-Moly rail	Bontrager Plus 10