

2002



E A HARDTAIL The Sugar climbs efficiently.
bumpy stuff, the 2.8" of rear wheel travel conforms
trail. The wheels remain hooked up and under control
rider sits and continues pedaling. And the Sugar goes
d comfort: it changed the term "full suspension XC
bike" into the sweet truth.



Ryder go the fastest Ryder in the world rides a Sugar. Ryder Hesjedal is fastest Under-23 mountain biker in the world. He won the 2006 title.




SUGAR1™

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | b-link swingarm w/ carbon fiber stays | also available as a frame
wheels	Bontrager Race Lite tubeless wheelsystem | IRC SeracXC tubeless tires
suspension	Manitou Mars Super w/ Anti-Bob | TPC damping (80mm travel) | Cane Creek Cloud Nine Air rear shock (2.8" travel)
componentry	Shimano XTR SGS rear derailleur + XTR shifters + front derailleur + splined crank | Avid Single Digit Ti brakes
sizes	SM | MD | LG | XL
color	Blue Metallic and Tint Blue Clear

SUGAR2™

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | b-link swingarm w/ carbon fiber stays
wheels	Bontrager Race wheelsystem | IRC SeracXC tires
suspension	Manitou Mars Elite w/ TPC damping (80mm travel) | Cane Creek AD-12 Air rear shock (2.8" travel)
componentry	Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals
sizes	SM | MD | LG | XL
color	Gold and Tint Silver Clear





SUGAR 2+™

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | sybil link swingarm w/ 6061 T6 aluminum stays
wheels	Bontrager Race wheelsystem | IRC Backcountry tires
suspension	RockShox Psylo SL w/ U-turn adjustable travel (80–125mm) | Cane Creek AD-12 Air rear shock (2.8–4.1" travel)
componentry	Shimano XTR SGS rear derailleur | Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals
sizes	SM | MD | LG | XL
color	Flipping Green



SUGAR 2+_DISC

me	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | sybil link swingarm w/ 6061 T6 aluminum stays
els	Bontrager Race Disc OSB wheelsystem | IRC Backcountry tires
on	RockShox Psylo SL w/ U-turn adjustable travel (80–125mm) | Cane Creek AD-12 Air rear shock (2.8–4.1" travel)
ry	Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Hayes HFX Mag Hydraulic disc brakes | Bontrager Race splined crank | Time ATAC clipless pedals
es	SM | MD | LG | XL
or	Flipping Green

SUGAR 3+™_DISC

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | sybil link swingarm w/ 6061 T6 aluminum stays
wheels	Bontrager Race Disc OSB wheelsystem | IRC Backcountry tires
suspension	Manitou Black Elite w/ TPC damping & adjustable travel (80–100mm) | Cane Creek AD-5 Air rear shock (2.8–4.1" travel)
componentry	Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + M515 clipless pedals | Hayes HFX Comp Hydraulic disc brakes | Bontrager Select crank
sizes	SM | MD | LG | XL
color	Blue Metallic





SUGAR 3+

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | sybil link swingarm w/ 6061 T6 aluminum stays
wheels	Bontrager Select wheelsystem | IRC Backcountry tires
suspension	Manitou Black Elite w/ TPC damping & adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8–4.1" travel)
componentry	Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + M515 clipless pedals | Bontrager Select crank | Avid Single Digit-3 direct pull brakes
sizes	SM | MD | LG | XL
color	Blue Metallic

SUGAR 4+™

frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry | sybil link swingarm w/ 6061 T6 aluminum stays
wheels	Bontrager Superstock wheelsystem | IRC MythosXC tires
suspension	Manitou Black Comp w/ Fluid Flow damping & adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8–4.1" travel)
componentry	Shimano Deore LX SGS rear derailleur + front derailleur + Deore shifters | Bontrager Sport crank | Alloy linear pull brakes + platform pedals
sizes	SM | MD | LG | XL
color	Black Metallic



REUNION The 'Repack' was our annual race down Mt. Tam on our original coaster brake cruisers. The rear hub brakes heated up so much that we had to repack the hub grease after almost every run. Hence the name. Fast forward to 2002 and we are introducing the Repack: our new downhill specific frame.



My first 'Repack' frame

'Repack' frame

REPACK

frame	Platinum Series Zirconium 9000 double butted aluminum | Fisher Downhill
suspension	Fox Vanilla RC2
sizes	SM-MD | MD-LG
color	Blue Gray Powdercoat

Repack > Downhill Frame



- Geometry designed for current long-travel downhill forks.
- Extremely stiff monocoque construction down tube
- A patented Chain Torque Eliminator, or CTE, isolates the crank from the swingarm, preventing pedal bob and unwanted suspension feedback through the cranks.
- The Crank Case – BB shell, swingarm pivot shell, and CTE mounts – is machined from a single piece of aluminum billet, for perfect alignment of the frame swingarm, and drivetrain.
- Using a Fox downhill shock with 2.75" of stroke gives 8" of rear wheel travel.
- The single pivot suspension design, with a hollow aluminum axle and sealed cartridge bearings, will not get loose or sloppy over time and requires no maintenance.
- Elevated swingarm stays reduce chain slap for a quiet ride.
- Both dropouts are replaceable, provide 0.5" of wheelbase adjustment

> I am never satisfied with the status quo.

Why did 26" become the world's standard mountain bike wheel diameter (even in metric places?)


> when we started "klunking" – junk-picking bikes in the early 1970's and riding them down and around Mt. Tam in Marin County, California – everything we found came with 26" wheels.

> when Charlie Kelly and I started building our own frames and calling them "mountain bikes," we knew 26" wheels and tires were in good supply. We worked with what was there.

> the mountain bike world has been growing so fast it hasn't stopped to ask itself an important question: is a 26" wheel the ideal size?

Go big.

29"





SUPERCALIBER™_29

frame	29" Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry | also available as a frame and fork
wheels	Bontrager Race Lite 29" wheelsystem | IRC 29" NotosXC tires
suspension	Marzocchi Marathon 29" w/ Extension Control Cartridge (80mm travel)
componentry	Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit Ti brakes | Bontrager Race Lite splined crank | Time ATAC clipless pedals
sizes	SM | MD | LG | XL
color	Red Metallic and Blue Metallic

MT TAM™_29

frame	29" Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry
wheels	Bontrager Race 29" wheelsystem | IRC 29" NotosXC tires
suspension	Marzocchi MXR Air 29" w/ SSVF Floating Valve damping system (80mm travel)
componentry	Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals
sizes	SM | MD | LG | XL
color	Black Metallic and Flipping Green



JUST RIDES BETTER A Genesis hardtail
mart, it's simple, and it works. Genesis Geometry provides
ıore stable ride by moving the rider's center of gravity lower
l further behind the front wheel. It also concentrates the
ɐr's weight over the rear wheel for better traction. Shorter
ms enable better steering.

The effect: it climbs, descends, and handles better than other bikes. My Genesis Hardtails are available built with our Platinum, Gold, or Silver series tubing, each with a variety of parts for every riding style and budget.



PARAGON™

frame	Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry | also available as a frame
wheels	Bontrager Race wheelsystem | IRC SeracXC tires
suspension	Manitou Mars Elite w/ TPC damping (80mm travel)
componentry	Shimano XTR SGS rear derailleur + Deore LX shifters + front derailleur + M515 clipless pedals | Avid Single Di[illegible]ect pull brakes | Bontrager Race s[illegible]ank
sizes	SM | MD | LG | XL
color	Candy Red and Red



BIG SUR

frame	Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry
wheels	Bontrager Superstock wheelstystem | IRC MythosXC tires
ension	Manitou Black Elite w/ TPC damping (80/100mm w/ adjustable travel)
nentry	Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + 420 brakes + M515 clipless pedals | Bontrager Select crank
sizes	SM | MD | LG | XL
color	Black Chrome and Black Metallic

BIG SUR™_DISC

frame	Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry
wheels	Bontrager Superstock Disc OSB wheelsystem | IRC MythosXC tires
suspension	Manitou Black Elite w/ TPC damping (80/100mm w/ adjustable travel)
componentry	Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + M515 clipless pedals | Hayes HFX Comp Hydraulic disc brakes | Bontrager Select crank
sizes	SM | MD | LG | XL
color	Black Chrome and Black Metallic





HOO KOO E KOO®

frame	Gold Series 6061 T6 aluminum Genesis Geometry
wheels	Shimano 9 speed rear hub | Alloy QR front hub | Bontrager Corvair rims | IRC MythosXC tires
suspension	Marzocchi EXR w/ Dual Speed Sensitive Valving (80mm travel)
componentry	Shimano Deore LX SGS rear derailleur + Deore shifters + front derailleur + M515 clipless pedals | Alloy linear pull brakes | Bontrager Sport crank
sizes	XS | SM | MD | LG | XL
color	Black and Dublin Blue

TASSAJARA™_DISC

frame	Silver Series 7005 aluminum Genesis Geometry
wheels	Alloy Disc Sealed QR hubs | Bontrager Corvair rims | IRC MythosXC tires
suspension	Manitou Six Elite (80mm travel)
componentry	Shimano Deore derailleurs + shifters | Bontrager Sport crank | Hayes Mechanical disc brakes | Alloy platform pedals
sizes	XS | SM | MD | LG | XL
color	Black and Red Metallic





TASSAJARA

me	Silver Series 7005 aluminum Genesis Geometry
els	Shimano rear hub | Alloy Sealed QR front hub | Bontrager Corvair rims | IRC MythosXC tires
ion	Manitou Six Elite (80mm travel)
try	Shimano Deore rear derailleurs + shifters | Bontrager Sport crank | Alloy linear pull brakes | Alloy ATB platform pedals
es	XS | SM | MD | LG | XL
lor	Black Metallic and Gold Metallic | Black and Red Metallic






MARLIN

frame	Silver Series 7005 aluminum Genesis Geometry
wheels	Shimano RM-40 rear hub | Alloy Sealed QR front hub | Bontrager Corvair rims | IRC MythosXC tires
suspension	RockShox Judy TT (80mm travel)
componentry	Shimano Alivio rear derailleur + EF-33 RapidFire shifters + CT93 crank + Altus front derailleur | Alloy linear pull brakes + ATB platform pedals
sizes	XS | SM | MD | LG | XL
color	Silver Metallic and Titanium | Black Metallic and Yellow Metallic



iginal Genesisters set out on their Nevada mountain biking trip
he Blue Diamond Bike Outpost, 20 miles outside of Las Vegas.
sted? www.bikeoutpost.com. And watch for Genesisters, soon
be everywhere. Left to right: Laurie, 32 Contract Administrator,
Amy, 31 Construction Manager; Jill, 36 Dental Hygenist, Mom;
29 Massage Therapist. **Hey sister, be a Genesister!**



give me a 'G' | give me an 'A' | give me an 'R' | give me a 'Y'

> SUGAR3+_GS

frame: Platinum Series 6061 T6 double butted aluminum | Genesis Women's Geometry | sybil Plinh swingarm w/ 6061 T6 aluminum stays

wheels: Bontrager Select wheelsystem | IRC Backcountry tires

suspension: Manitou Black Elite Diva | TPC damping w/ adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8" – 4.1" travel)

componentry: Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + M515 clipless pedals | Avid Single Digit-3 Direct pull brakes | Bontrager Select crank

sizes: SM | MD

color: Blue Metallic and Pearl White



> BIG SUR_GS

frame: Platinum Series Zirconium 9000 double butted aluminum | Genesis Women's Geometry

wheels: Bontrager Superstock wheelsystem | IRC Mythos XC tires

suspension: Manitou Black Elite Diva w/ TPC damping w/ adjustable travel (80/100mm)

componentry: Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + 420 brakes + M515 clipless pedals | Bontrager Select crank

sizes: XS | SM | MD

color: Pearl White and Blue Metallic



> TASSAJARA_GS

frame: Silver Series 7005 aluminum Genesis Women's Geometry

wheels: Shimano 9 speed rear hub | Alloy Sealed QR front hub | Bontrager Corvair rims | IRC Mythos XC tires

suspension: Manitou Six Elite Diva (80mm travel)

componentry: Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Alloy linear pull brakes + ATB platform pedals | Bontrager Sport crank

sizes: XS | SM | MD

color: Silver Metallic and Pearl White





>WAHOO

frame	Oversized Butted Cromoly Steel
wheels	Shimano RM-40 rear hub | Alloy Sealed QR front hub | Matrix 550 rims | IRC MythosXC tires
nsion	RockShox Judy TT (80mm travel)
entry	Shimano Acera rear derailleur + EF29 shifters + CO50 front derailleur | Alloy linear pull brakes | Sunrace FCM55 crank | Nylon ATB platform pedals
sizes	XS | SM | MD | LG | XL | XXL
color	Black and Mirror Silver | Silver Metallic and Dark Green Metallic





>MAMBA

frame	Oversized Steel, Cromoly seat tube
wheels	Alloy Sealed QR hubs | Matrix 550 rims | Bontrager Connection tires
suspension	SR XCC (63mm Travel)
componentry	Shimano Altus rear derailleur + EF29 shifters + CO51 front derailleur | Alloy linear pull brakes | Sunrace FCM35 crank | Nylon ATB platform pedals
sizes	XS | SM | MD | LG | XL | MD-Stepthrough
color	Silver Metallic and Red | Yellow Metallic and Black Metallic






TARPON

ne	Oversized Steel, Cromoly seat tube
els	Alloy Sealed QR hubs | Matrix 550 rims | Bontrager Connection tires
on	Hi Tensile Steel
try	Shimano Altus rear derailleur + EF29 shifters + C051 front derailleur | Alloy linear pull brakes | Sunrace FCM35 crank | Nylon ATB platform pedals
es	XS | SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
lor	Silver Metallic and Blue Metallic | Pearl White and Silver Metallic







TY This is my most versatile set of bikes. There are a people I see who want to ride and be totally comfortable, so want a bike that can cruise a local dirt trail now and They want it all in one simple, comfortable, and easy-to- ke. My City/Path series could be the perfect recipe for a these riders. Mountain bike durable, road bike fast with a focus on rider comfort. Upright handlebars, suspension osts, suspension forks, great saddles, fast 700c wheels.

ZEBRANO™

frame	Fisher Aluminum Hybrid
wheels	Shimano RM40 rear hub | Alloy Sealed QR front hub | Matrix 750 rims | Bontrager Invert tires
suspension	SR T870 fork (40mm travel) | Suspension seatpost
componentry	Shimano Acera rear derailleur + EF28 shifters + C051 front derailleur + C203 crank w/ chainguard | Alloy linear pull brakes | Dual Density platform p
sizes	SM | MD | LG | XL | MD-Stepthr
color	Warm Silver Metallic and Red Metallic



FAST CITY™

ame	Fisher Platinum Series Aluminum Hybrid
eels	Bontrager Select 700c wheelsystem | IRC Duro Tour tires
sion	Manitou Luxe fork (75mm travel)
ntry	Shimano Deore LX SGS rear derailleur + Deore shifters + crank + Deore LX front derailleur + 420 brakes + M515 clipless pedals
zes	SM | MD | LG | XL
olor	Silver Metallic and Black Metallic

UTOPIA®

frame	Fisher Aluminum Hybrid
wheels	Bontrager Select 700c wheelsystem | IRC Duro Tour tires
suspension	RockShox Ruby Metro XC fork (50mm travel)
componentry	Shimano Deore LX SGS rear derailleur + Alivio shifters + Nexave T301 front derailleur + Nexave T411 crank | Alloy linear pull brakes + road pedals w/ clips and straps
sizes	SM | MD | LG | XL
color	Black Metallic and Metallic Silver





NIRVANA™

frame	Fisher Aluminum Hybrid
wheels	Shimano C201 rear hub | Alloy Sealed QR front hub | Bontrager Fairlane rims + Select Invert Blue Label tires
suspension	Cozy ST fork (40mm travel) | Suspension seatpost
componentry	Shimano Deore SGS rear derailleur + Nexave T301 front derailleur + crank | GripShift Centera shifters | Alloy linear pull brakes | ATB sealed CrMo axle pedals
sizes	XS | SM | MD | LG | XL | MD-Stepthrough
color	Silver Metallic and Deep Blue Metallic

TIBURON™

frame	Fisher Aluminum Hybrid
wheels	Alloy Sealed QR hubs | Matrix 550 rims | Bontrager Invert tires
suspension	Hi Tensile Steel fork | Suspension seatpost
componentry	Shimano TY40GS rear derailleur + C051 front derailleur | SRAM MRX Plus shifters | Alloy linear pull brakes | Sunrace FCM35 crank w/chainguard | Dual Density platform pedals
sizes	SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
color	Silver Metallic and Dark Green Metallic





PRESIDIO™

frame	Fisher Aluminum Comfort
wheels	SRAM Dual Drive rear hub | Alloy Sealed QR front hub | Matrix 750 rims | Hutchinson Acrobat w/ stop puncture protection tires and Slime
ension	RockShox Judy TT fork (80mm travel) | Suspension seatpost
onentry	SRAM ESP 7.0 rear derailleur + Dual Drive shifters + Dual Drive crank w/ chainguard | Alloy linear pull brakes w/ power modulator | Dual Density platform pedals
sizes	SM | MD | LG | XL
color	Silver Metallic and Red Metallic

SOLSTICE™

frame	Fisher Aluminum Comfort
wheels	Shimano Alivio rear hub | Alloy Sealed QR front hub | Matrix 750 rims | Hutchinson Acrobat w/ stop puncture protection tires and Slime
suspension	SR XC R-E fork (73mm travel w/ adj. preload) | Suspension seatpost
componentry	Shimano Deore rear derailleur + Alivio shifters + T301 front derailleur + T303 crank w/chainguard | Alloy linear pull brakes w/ power modulator | Dual Density platform pedals
sizes	SM | MD | LG | XL
color	Warm Silver Metallic and Deep Blue Metallic





NAPA™

frame	Fisher Aluminum Comfort
wheels	Shimano RM40 rear hub | Alloy Sealed QR front hub | Matrix 750 rims | Hutchinson Acrobat w/stop puncture protection tires
suspension	SR XC C-E fork (63mm travel w/ adj. preload) | Suspension seatpost
componentry	Shimano Acera rear derailleur + EF29 shifters + C051 front derailleur + C203 crank w/chainguard | Alloy linear pull brakes w/ power modulator | Dual Density platform pedals
sizes	SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
color	Silver Metallic and Pearl White

CAPITOLA™

frame	Fisher Aluminum Comfort
wheels	Alloy Sealed QR hubs | Matrix 550 rims | Hutchinson Acrobat tires
suspension	Hi Tensile Steel fork | Suspension seatpost
componentry	Shimano TY40GS rear derailleur + EF29 shifters + C051 front derailleur | Alloy linear pull brakes w/ power modulator | Sunrace FCM35 crank w/ chainguard | Dual Density platform pedals
sizes	SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
color	Silver Metallic and Slate Blue Metallic



FREE LOADER

Take someone for a ride . . .



201

frame Fisher all steel frame

wheels all terrain rear tire | alloy 36 hole rim

componentry Adjustable alloy, top clamp stem | Fisher padded seat | Wellgo nylon pedals

color Blue



206

frame Fisher all steel frame | folding boom arm

wheels all terrain rear tire | alloy 36 hole rim

componentry Adjustable alloy, top clamp stem | Fisher padded seat | Wellgo nylon pedals | 6 speed shifting

color Black



241

frame Fisher all steel frame | folding boom arm

wheels all terrain rear tire | alloy 36 hole rim

componentry Adjustable alloy, top clamp stem | Fisher padded seat | Wellgo nylon pedals

color Red



247

frame Fisher all steel frame | folding boom arm


wheels all terrain rear tire | alloy 36 hole rim

componentry Adjustable alloy, top clamp stem | Fisher padded seat | Wellgo nylon pedals | 7 speed shifting

color Silver

WANTED BY THE F.B.A.

FISHER BIKING ACCESSORIES: SEE THE COMPLETE LINE-UP AT YOUR LOCAL FISHER DEALER



WOODY_AIR

frame Fisher all steel Air frame | Fisher freestyle fork

wheels Fisher freestyle tires | aluminum 48 hole rims

componentry ProMax linear pull brakes | Fisher threadless stem | SST Oryg rotor | Fisher steel pegs

color Metallic Black | Metallic Green



MR SKINNER_DIRT

frame Fisher all steel Dirt frame | Fisher Dirt fork

wheels Sqaure knob dirt tires | Alloy 36 hole rims

componentry ProMax Linear pull brakes | Fisher threadless stem | SST Oryg rotor | Fisher steel pegs

color Metallic Yellow | Dark Metallic Blue



CAB_DIRT

frame Fisher Dirt frame | Cromoly top and down tube | Fisher Cromoly Dirt fork

wheels Sqaure knob dirt tires | Alloy 48 hole rims | 14 mm axles

componentry ProMax Linear pull rear brake | Fisher threadless stem | SST Oryg rotor | Fisher steel pegs | 3 piece crank

color Metallic Green



WOODY_AIR



MR SKINNER_DIRT



MULLET_DIRT

frame Fisher all Cromoly Dirt frame + fork

wheels Sqaure knob dirt tires | Alex alloy 48 hole rims | 14 mm axles

componentry ProMax Linear pull rear brake | Fisher threadless stem | SST Oryg rotor | Fisher steel pegs | 3 piece Cromoly crank

color Metallic Black





SUN SPOT™_GIRL

frame hi-tensile steel frame | Fisher steel BMX fork
wheels steel 20 hole rims | Fisher Space tires
componentry Fenders and Spokey Dokeys
color Pink (girls) | Red (boys)

Warning: this product is not intended for use of children under 3 years of age.



SUN SPOT_BOY



COSMO™_GIRL

frame 20" wheel Fisher Jr. ATB frame in all steel with RST 50mm travel suspension fork
wheels 36h alloy rims with knobby tires
componentry GripShift MRX and Shimano 6 speed shifting
color Dark Purple and Light Purple (girls)
Black and Silver w/ Blue decal (boys)



COSMO_BOY

KIDS LOVE GARY ALOT



GAMMA RAY™_GIRL

frame hi-tensile steel frame | Fisher steel BMX fork
wheels steel 28 hole rims | Fisher Space tires
componentry Fenders and Spokey Dokeys
color Purple (girls) | Blue (boys)

Warning: this product is not intended for use of children under 3 years of age.



GAMMA RAY_BOY

GARY KIDS ALOT



TYRO™_GIRL

frame 24" wheel | Fisher Jr. ATB frame with cromoly seat tube.
wheels 36h alloy rims with knobby tires
componentry GripShift MRX Plus and Shimano 21 speed shifting
color Purple and Blue (girls)| Black and Silver w/ Red decal (boys)



TYRO_BOY



COMET™_GIRL

frame hi-tensile steel | Fisher steel BMX fork
wheels alloy 36 hole rims | knobby tires
componentry Coaster brake and rear linear pull brake
color White and Pink (girls) | Black and Silver w/ Red decals (boys)



COMET_BOY



MT JAM™

frame 24" wheel | Fisher Jr. ATB frame | RST front suspension with 63mm of travel
wheels 36h alloy rims with knobby tires
componentry GripShift MRX Plus and Shimano 21 speed shifting
color Dark Blue and Yellow



MT JAM FS

frame Fisher Jr. ATB full suspension frame | 600 lb coil spring rear shock | RST front suspension with 63mm of travel
wheels 36h alloy rims with knobby tires
componentry GripShift MRX Plus and Shimano 21 speed shifting
color Yellow and Red rear triangle

PRODUCT SPECIFICATION

model	SUGAR 1	SUGAR 2	SUGAR 2+ DISC	SUGAR 2+	SUGAR 3+ DISC	SUGAR 3+ GS
page	23	23	28	27	28	49
colors	Blue Metallic / Tint Blue Clear	Gold / Tint Silver Clear	Flipping Green	Flipping Green	Blue Metallic	Blue Metallic / White Pearl
sizes	SM | MD | LG | XL	SM | MD | LG | XL	SM | MD | LG | XL	SM | MD | LG | XL	SM | MD | LG | XL	SM | MD
main frame	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Women's Geometry
swingarm	h*link swingarm | carbon fiber	h*link swingarm | carbon fiber	sybil*link swingarm | 6061 T6 aluminum	sybil*link swingarm | 6061 T6 aluminum	sybil*link swingarm | 6061 T6 aluminum	sybil*link swingarm | 6061 T6 aluminum
fork	Manitou Mara Super | w/ Anti-Bob | TPC Damping | 80mm Travel	Manitou Mara Elite | TPC Damping | 80mm Travel	RockShox Psylo SL | U-Turn Adjustable Travel | 80-125mm	RockShox Psylo SL | U-Turn Adjustable Travel | 80-125mm	Manitou Black Elite | TPC Damping | 80/100mm Adjustable Travel	Manitou Black Elite Diva | TPC Damping | 80/100mm Adjustable Travel
rear shock	Cane Creek Cloud Nine Air	Cane Creek AD-12	Cane Creek AD-12	Cane Creek AD-12	Cane Creek ADS Air	Cane Creek ADS Air
headset	Cane Creek S-6 Aheadset	Dia-Compe SAS Aheadset	Dia-Compe SAS Aheadset	Dia-Compe SAS Aheadset	Dia-Compe SAS Aheadset	Dia-Compe SAS Aheadset
bracket	Shimano XTR Splined	Bontrager Race | ISIS splined	Bontrager Race | ISIS splined	Bontrager Race, ISIS splined	Shimano BB-UN52	Shimano BB-UN52
crank	Shimano XTR | 46/34/24 Splined	Bontrager Race | 44/32/22 Splined	Bontrager Race | 44/32/22 Splined	Bontrager Race | 44/32/22 | Splined	Bontrager Select | 44/32/22	Bontrager Select | 44/32/22
pedals		Time ATAC clipless	Time ATAC clipless	Time ATAC clipless	Shimano M515 clipless	Shimano M515 clipless
front derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
rear derailleur	Shimano XTR SGS	Shimano XTR SGS	Shimano XTR SGS	Shimano XTR SGS	Shimano Deore LX SGS	Shimano Deore XT SGS
shifters	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
cassette	Shimano Deore XT | 11-34 | 9 spd	Shimano Deore LX | 11-32 | 9 spd	Shimano Deore LX | 11-32 | 9 spd	Shimano Deore LX | 11-32 | 9 spd	SRAM 720 | 11-32 | 9 spd	SRAM 720 | 11-32 | 9 spd
chain	Shimano HG-92	Shimano HG-72	Shimano HG-72	Shimano HG-72	Shimano HG-72 | 9spd	Shimano HG-72 | 9spd
front hub	Bontrager Race Lite Tubeless Wheelsystem | 24 hole	Bontrager Race Wheelsystem | Tubeless Compatible | 24 hole	Bontrager Race Disc OSB Wheelsystem | 28 hole	Bontrager Race Wheelsystem | Tubeless Compatible | 24 hole	Bontrager Race Disc OSB Wheelsystem | 28 hole	Bontrager Select Wheelsystem | 24 hole
front rim						
front spokes						
rear hub	Bontrager Race Lite Tubeless Wheelsystem | 28 hole	Bontrager Race OSB Wheelsystem | Tubeless Compatible | 28 hole	Bontrager Race Disc OSB Wheelsystem | 28 hole	Bontrager Race OSB Wheelsystem | Tubeless Compatible | 28 hole	Bontrager Race Disc OSB Wheelsystem | 28 hole	Bontrager Select OSB Wheelsystem | 28 hole
rear rim						
rear spokes						
front tire	IRC SeraXC Tubeless 26x2.1	IRC SeraXC 26x2.1	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25
rear tire	IRC SeraXC Tubeless 26x2.1	IRC SeraXC 26x2.1	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25
front brake	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Hayes HFX Mag Hydraulic Disc	Avid Single Digit 5 direct pull	Hayes HFX Comp Hydraulic Disc	Avid Single Digit 3 direct pull
rear brake	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Hayes HFX Mag Hydraulic Disc	Avid Single Digit 5 direct pull	Hayes HFX Comp Hydraulic Disc	Avid Single Digit 3 direct pull
brake levers	Shimano XTR	Shimano Deore XT	Hayes Hydraulic Disc	Shimano Deore XT	Hayes Hydraulic Disc	Alloy Linear Pull (Short Reach)
handlebar	Bontrager Race Lite	Bontrager Crowbar Race	Bontrager Crowbar Race	Bontrager Crowbar Race	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport DB
stem	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Select	Bontrager Select
grips	Serfas | dual density	Serfas | dual density	Serfas | dual density	Serfas | dual density	Serfas | dual density	Serfas | dual density
saddle	Selle San Marco Era | Tuffeather	WTB Laser V Race | CrMo rails	WTB Laser V Race | CrMo rails	WTB Laser V Race | CrMo rails	WTB Laser V Race | CrMo rails	WTB Laser V Race | CrMo rails
seatpost	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Sport	Bontrager Sport
anything else?	Titanium Hardware Kit	Titanium Hardware Kit	Replaceable derailleur hanger	Replaceable derailleur hanger	Replaceable derailleur hanger	Replaceable derailleur hanger
	Replaceable derailleur hanger	Replaceable derailleur hanger	2 Waterbottle mounts	2 Waterbottle mounts	2 Waterbottle mounts	2 Waterbottle mounts
	2 Waterbottle mounts	2 Waterbottle mounts	Rear shock pump	Rear shock pump	Rear shock pump	Rear shock pump
	Rear shock pump	Rear shock pump				

PRODUCT SPECIFICATION

model	SUGAR 3+	SUGAR 4+	REPACK	SUPERCALIBER 29	MTTAM 29	PARAGON
page	29	29	30	35	35	37
colors	Blue Metallic	Black Metallic	Blue Gray Powdercoat	Red Metallic / Blue Metallic	Black Metallic / Flipping Green	Red Metallic / Red
sizes	SM | MD | LG | XL	SM | MD | LG | XL	SM–MD | MD–LG	SM | MD | LG | XL	SM | MD | LG | XL	SM | MD | LG | XL
main frame	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 double butted aluminum | Genesis Geometry	Platinum Series 6061 T6 | double butted aluminum | Fisher Downhill	29" Platinum Series 2r 9000 double butted aluminum | Genesis Geometry	29" Platinum Series 2r 9000 double butted aluminum | Genesis Geometry	Platinum Series 2r 9000 double butted aluminum | Genesis Geometry
swingarm	sybil*link swingarm | 6061 T6 aluminum	sybil*link swingarm | 6061 T6 aluminum	Platinum Series 6061 T6 | double butted aluminum | Fisher Downhill			
fork	Manitou Black Elite | TPC Damping | 80/100mm Adjustable Travel	Manitou Black Comp | Fluid Flow Damping | 80/100mm Adjustable Travel		Marzocchi Marathon 29" | Extension Control Cartridge | 80mm travel	Marzocchi MXR Air 29" | SSVF Floating Valve Damping System | 80mm Travel	Manitou Mara Elite | TPC Damping | 80mm Travel
rear shock	Cane Creek ADS Air	Cane Creek ADS Air	Fox Vanilla RC2			
headset	Dia-Compe SAS Aheadset	Dia-Compe STR Aheadset		Cane Creek S-6 Aheadset	Dia-Compe SAS Aheadset	Dia-Compe SAS Aheadset
bracket	Shimano BB-UN52	Shimano BB-LP2B		Bontrager Race | ISIS splined	Bontrager Race | ISIS Splined	Bontrager Race | ISIS Splined
crank	Bontrager Select | 44/32/22	Bontrager Sport | 44/32/22		Bontrager Race Lite | 44/32/22 | Splined	Bontrager Race | 44/32/22 | Splined	Bontrager Race | 44/32/22 | Splined
pedals	Shimano M515 clipless	Alloy Platform		Time ATAC Carbon clipless	Time ATAC clipless	Shimano M515 clipless
front derailleur	Shimano Deore LX	Shimano Deore LX		Shimano Deore XT	Shimano Deore XT	Shimano Deore LX
rear derailleur	Shimano Deore LX SGS	Shimano Deore LX SGS		Shimano XTR SGS	Shimano XTR SGS	Shimano XTR SGS
shifters	Shimano Deore LX	Shimano Deore		Shimano XT	Shimano Deore XT	Shimano Deore LX
cassette	SRAM 720 | 11-32 | 9 spd	SRAM 720 | 11-32 | 9 spd		Shimano Deore XT | 11-34 | 9 spd	Shimano Deore LX 11-32, 9 spd	Shimano Deore LX | 11-32 | 9 spd
chain	Shimano HG-72 | 9spd	Shimano HG-53 9spd		Shimano HG-92	Shimano HG-72	Shimano HG-72
front hub	Bontrager Select Wheelsystem 24 hole	Bontrager Superstock OSB Wheelsystem | 28 hole		Bontrager Race Lite 29" Wheelsystem | 24 hole	Bontrager Race 29" OSB Wheelsystem | 24 hole	Bontrager Race Wheelsystem | Tubeless Compatible | 24 hole
front rim						
front spokes						
rear hub	Bontrager Select OSB Wheelsystem 28 hole	Bontrager Superstock OSB Wheelsystem | 28 hole		Bontrager Race Lite 29" OSB Wheelsystem | 28 hole	Bontrager Race 29" OSB Wheelsystem | 28 hole	Bontrager Race OSB Wheelsystem | Tubeless Compatible | 28 hole
rear rim						
rear spokes						
front tire	IRC Backcountry 26x2.25	IRC Mythos XC 26x2.1		IRC NotesXC 29x2.1	IRC NotesXC 29x2.1	IRC SeraXC 26x2.1
rear tire	IRC Backcountry 26x2.25	IRC Mythos XC 26x2.1		IRC NotesXC 29x2.1	IRC NotesXC 29x2.1	IRC SeraXC 26x2.1
front brake	Avid Single Digit 3 direct pull	Alloy linear pull		Avid Single Digit Ti	Avid Single Digit 5 direct pull	Avid Single Digit 5 direct pull
rear brake	Avid Single Digit 3 direct pull	Alloy linear pull		Avid Single Digit Ti	Avid Single Digit 5 direct pull	Avid Single Digit 5 direct pull
brake levers	Shimano Deore LX	Alloy linear pull		Shimano Deore XT	Shimano Deore XT	Shimano Deore LX
handlebar	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport		Bontrager Race Lite	Bontrager Race	Bontrager Crowbar Race
stem	Bontrager Select	Bontrager Sport		Bontrager Race Lite	Bontrager Race	Bontrager Select
grips	Serfas | dual density	Serfas | dual density		Serfas | dual density	Serfas | dual density	Serfas | dual density
saddle	WTB Laser V Race | CrMo rails	WTB SSTX		Selle San Marco Era Tuffeather	WTB Laser V Race CrMo rails	WTB Laser V Race | CrMo rails
seatpost	Bontrager Sport	Bontrager Sport		Bontrager Race	Bontrager Race	Bontrager Race
anything else?	Replaceable derailleur hanger	Replaceable derailleur hanger	20mm and Standard through-axle dropouts available.	Replaceable derailleur hanger	Replaceable derailleur hanger	Replaceable derailleur hanger
	2 Waterbottle mounts	2 Waterbottle mounts		3 Waterbottle mounts	3 Waterbottle mounts	3 Waterbottle mounts
	Rear shock pump	Rear shock pump				

PRODUCT SPECIFICATION

	BIG SUR **DISC**	BIG SUR **GS**	BIG SUR	HOO KOO E KOO	TASSAJARA **DISC**	TASSAJARA **GS**
model						
page	36	49	38	39	39	49
colors	Black Chrome / Black Metallic	Pearl White / Blue Metallic	Black Chrome/ Black Metallic	Black / Dublin Blue	Black / Red Metallic	Silver Metallic / Pearl White
sizes	SM | MD | LG | XL	XS | SM | MD	SM | MD | LG | XL	XS | SM | MD | LG | XL	XS | SM | MD | LG | XL	XS | SM | MD
main frame	Platinum Series Zr 9000 double butted aluminum | Genesis Geometry	Platinum Series Zr 9000 double butted aluminum | Genesis Women's Geometry	Platinum Series Zr 9000 double butted aluminum | Genesis Geometry	Gold Series 6061 T6 aluminum | Genesis Geometry	Silver Series 7005 aluminum | Genesis Geometry	Silver Series 7005 aluminum | Genesis Women's Geometry
swingarm						
fork	Manitou Black Elite | TPC Damping | 80/100mm Adjustable Travel	Manitou Black Elite Diva | TPC Damping | 80/100mm Adjustable Travel	Manitou Black Elite | TPC Damping | 80/100mm Adjustable Travel	Marzocchi EXR | Dual Spd Sensitive Valving | 80mm travel	Manitou Six Elite | 80mm	Manitou Six Elite Diva | 80mm
rear shock						
headset	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset	Dia-Compe STR | Aheadset	Dia-Compe STR Aheadset
bottom bracket	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28
crank	Bontrager Select | 44/32/22	Bontrager Select | 44/32/22	Bontrager Select | 44/32/22	Bontrager Sport | 44/32/22	Bontrager Sport | 44/32/22	Bontrager Sport | 44/32/22
pedals	Shimano M515 clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515 | clipless	Alloy ATB Platform	Alloy ATB Platform
front derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore
rear derailleur	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore SGS	Shimano Deore SGS
shifters	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore	Shimano Deore
cassette	SRAM 7.0 | 11-32 | 9 spd	SRAM 7.0 | 11-32 | 9 spd	SRAM 7.0 | 11-32 | 9 spd	SRAM 7.0 | 11-32 | 9 spd	SRAM 7.0 | 11-32 | 9 spd	SRAM 7.0 | 11-32 | 9 spd
chain	Shimano HG53 9spd	Shimano HG53 | 9spd	Shimano HG53 |9spd	Shimano HG53 | 9spd	Shimano HG53 | 9spd	Shimano HG53 | 9spd
front hub	Bontrager Supertack Disc OSB Wheelsystem | 28 hole	Bontrager Supertack Wheelsystem | 24 hole	Bontrager Supertack Wheelsystem | 24 hole	Alloy Sealed QR	Bontrager Corvair OSB	Bontrager Corvair
front rim				Bontrager Corvair		
front spokes				DT Stainless Steel | 14 Gauge	DT Stainless Steel | 14 Gauge	DT Stainless Steel | 14 Gauge
rear hub	Bontrager Supertack Disc OSB Wheelsystem | 28 hole	Bontrager Supertack OSB Wheelsystem | 28 hole	Bontrager Supertack OSB Wheelsystem | 28 hole	Shimano 9spd	Alloy Disc | Sealed QR	Shimano 9spd
rear rim				Bontrager Corvair | OSB	Bontrager Corvair | OSB	Bontrager Corvair | OSB
rear spokes				DT Stainless Steel | 14 Gauge	DT Stainless Steel | 14 Gauge	DT Stainless Steel | 14 Gauge
front tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1
rear tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	Alloy linear pull	Hayes Mechanical Disc	Alloy linear pull
front brake	Hayes HFX Comp Hydraulic Disc	Shimano 420	Shimano 420	Alloy linear pull	Hayes Mechanical Disc	Alloy linear pull
rear brake	Hayes HFX Comp Hydraulic Disc	Shimano 420	Shimano 420	Alloy linear pull	Alloy linear Pull	Alloy linear Pull (short reach)
brake levers	Hayes Hydraulic	Alloy linear pull (short reach)	Shimano Deore LX	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport
handlebar	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport	Bontrager Crowbar Sport DB	Bontrager Sport	Bontrager Sport	Bontrager Sport
stem	Bontrager Select	Bontrager Select	Bontrager Select	Serfas | dual density	Serfas | dual density	Serfas | dual density
grips	Serfas | dual density	Serfas | dual density	Serfas | dual density	WTB SSTX	WTB SSTX	WTB SSTX Women's
saddle	WTB SSTX	WTB SSTX | Women's	WTB SSTX	Bontrager Sport	Bontrager Sport	Bontrager Sport
seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport	Replaceable derailleur hanger	Replaceable derailleur hanger	Replaceable derailleur hanger
anything else?	Replaceable derailleur hanger | 3 Waterbottle mounts	Replaceable derailleur hanger | 3 Waterbottle mounts	Replaceable derailleur hanger | 3 Waterbottle mounts	3 Waterbottle mounts	3 Waterbottle mounts	3 Waterbottle mounts

PRODUCT SPECIFICATION

	TASSAJARA	MARLIN	WAHOO	MAMBA	TARPON	FAST CITY
model						
page	40	41	52	53	54	60
colors	Black / Red Metallic | Black Metallic / Gold Metallic	Silver Metallic / Titanium Black Metallic / Yellow Metallic	Black / Mirror Silver | Silver Metallic / Dark Green Metallic	Silver Metallic / Red | Yellow Metallic / Black Metallic	Silver Metallic/ Blue Metallic Pearl White/ Silver Metallic	Silver Metallic/ Black Metallic
sizes	XS | SM | MD | LG | XL	XS | SM | MD | LG | XL	XS | SM | MD | LG | XL | XXL	XS | SM | MD | LG | XL | *stepthrough* MD	XS | SM | MD | LG | XL | *stepthrough* SM | *stepthrough* MD	SM | MD | LG | XL
main frame	Silver Series 7005 aluminum | Genesis Geometry	Silver Series 7005 aluminum | Genesis Geometry	Oversized Butted Cromoly Steel	Oversized Steel | Cromoly seat tube	Oversized Steel | Cromoly seat tube	Fichter Platinum Series | Aluminum Hybrid
swingarm						
fork	Manitou Six Elite | 80mm	RockShox Judy TT | 80mm	Rock Shox Judy TT | 80mm Travel	SR XCC | 63mm Travel	Hi Tensile Steel	Manitou Loxe | 75mm
rear shock						
headset	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset	Steel 1&1/8" Sealed Aheadset	Steel 1&1/8" Sealed Aheadset	Steel 1&1/8" Sealed	Dia-Compe STR Aheadset
bottom bracket	Shimano BB-LP28	Shimano CT92	Cartridge	Semi-Cartridge	Semi-Cartridge	Shimano BB-UN40
crank	Bontrager Sport 44/32/22	Shimano CT93 42/34/24	Sunrace FCM55 | 42/34/24	Sunrace FCM35 | 48/38/28	Sunrace FCM35 | 48/38/28	Shimano Deore 48/36/26
pedals	Alloy ATB Platform	Alloy ATB Platform	Nylon ATB Platform	Nylon ATB Platform	Nylon ATB Platform	Shimano M515 clipless
front derailleur	Shimano Deore	Shimano Altus	Shimano CD50	Shimano CD51	Shimano CD51	Shimano Deore LX
rear derailleur	Shimano Deore SGS	Shimano Alivio	Shimano Acera	Shimano Altus	Shimano Altus	Shimano Deore LX SGS
shifters	Shimano Deore	Shimano EF-33 RapidFire Plus	Shimano EF29	Shimano EF29	Shimano EF29	Shimano Deore
cassette	SRAM 7.0 | 11-32 | 9 spd	SRAM 5.0 | 11-32 | 8 spd	Sram 5.0 | 11-32 | 8 spd	7 spd | 13-30	7 spd | 13-30	SRAM 7.0 11-32 | 9spd
chain	Shimano HG53 | 9spd	IG-31	KMC Z72	KMC Z51	KMC Z51	Shimano HG53 | 9spd
front hub	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Bontrager Select 700c Wheelsystem
front rim	Bontrager Corvair	Bontrager Corvair	Matrix 550 | 36 hole	Matrix 550 | 36 hole	Matrix 550 | 36 hole	
front spokes	DT Stainless Steel | 14 Gauge	DT Stainless Steel 14 Gauge	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	
rear hub	Shimano 9spd	Shimano RM-40	Shimano RM-40	Alloy Sealed QR	Alloy Sealed QR	Bontrager Select 700c Wheelsystem
rear rim	Bontrager Corvair | OSB	Bontrager Corvair | OSB	Matrix 550 | 36 hole	Matrix 550 | 36 hole	Matrix 550 | 36hole	
rear spokes	DT Stainless Steel | 14 Gauge	DT Stainless Steel 14 Gauge	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	
front tire	IRC Mythos XC 26x2.1	IRC Mythos XC, 26x2.1	IRC MythosXC 26x1.95	Bontrager Connection 26x1.95	Bontrager Connection 26x1.95	IRC Duro Tour 700x35
rear tire	IRC Mythos XC 26x2.1	IRC Mythos XC, 26x2.1	IRC MythosXC 26x1.95	Bontrager Connection 26x1.95	Bontrager Connection 26x1.95	IRC Duro Tour 700x35
front brake	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Shimano 420
rear brake	Alloy linear pull	Alloy linear pull	Shimano EF29	Shimano EF29	Shimano EF29	Shimano 420
brake levers	Bontrager Crowbar Sport	Shimano EF-33 | RapidFire Plus	Riser 30mm	Riser 30mm	Riser 30mm	Alloy Linear Pull
handlebar	Bontrager Sport	Bontrager Crowbar Sport	Bontrager Sport	25 deg Front load Aheadstem	25 deg. Front load	Bontrager Race
stem	Serfas | dual density	Bontrager Sport	Serfas | dual density	Serfas | dual density	Serfas | dual density	Bontrager Select
grips	WTB SSTX	Serfas | dual density	Gary Fisher ATB	Gary Fisher ATB	Gary Fisher ATB	Serfas | dual density
saddle	Bontrager Sport	WTB SSTX	Alloy micro adjust	Alloy micro adjust	Alloy micro adjust	WTB SSTX
seatpost	Replaceable derailleur hanger	Bontrager Sport	2 Waterbottle Mounts	2 Waterbottle mounts	2 Waterbottle Mounts	Bontrager Sport
anything else?	3 Waterbottle mounts	Replaceable derailleur hanger | 3 Waterbottle mounts				Replaceable Derailleur hanger | 2 Waterbottle mounts

PRODUCT SPECIFICATION

model	UTOPIA	NIRVANA	ZEBRANO	TIBURON	PRESIDIO	SOLSTICE
page	60	61	59	61	64	64
colors	Black Metallic/ Metallic Silver	Silver Metallic/ Deep Blue Metallic	Warm Silver Metallic/ Red Metallic	Silver Metallic/ Dark Green Metallic	Silver Metallic/ Red Metallic	Warm Silver Metallic/ Deep Blue Metallic
sizes	SM | MD | LG | XL	XS | SM | MD | LG | XL | *stepthrough* MD	SM | MD | LG | XL | *stepthrough* MD	SM | MD | LG | XL | *stepthrough* SM | *stepthrough* MD	SM | MD | LG | XL	SM | MD | LG | XL
main frame	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Comfort	Fisher Aluminum Comfort
swingarm						
fork	RockShox Ruby Metro XC | 50mm	Cezy ST | 40mm Travel	SR T870 | 40mm Travel	Hi Tensile Steel	Rock Shox Judy TT | 80mm Travel	SR XCR-E | w/adjustable preload | 73mm Travel
rear shock						
headset	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset	Steel 1&1/8" Sealed	Steel 1&1/8" Sealed	Steel Aheadstem 1&1/8" Sealed	Steel Aheadstem 1&1/8" Sealed
bottom bracket	Shimano BB-LP2B	Shimano BB-CS15	Cartridge	Semi-Cartridge	Cartridge	Cartridge
crank	Shimano Nexave T411 | 48/38/28	Shimano Nexave T301 | 48/38/28	Shimano C203 | 48/38/26 w/Chainguard	Sunrace FCM35 | 48/38/28 w/Chainguard	SRAM Dual Drive | 33t w/Chainguard	Shimano T303 | 48/38/28 w/Chainguard
pedals	Alloy road | sealed w/clips and straps	ATB | sealed | CrMo axles	Dual Density Platform	Dual Density Platform	Dual Density Platform	Dual Density Platform
front derailleur	Shimano Nexave T301	Shimano Nexave T301	Shimano C051	Shimano C051		Shimano T301
rear derailleur	Shimano Deore LX SGS	Shimano Deore SGS	Shimano Acera	Shimano TY40DS	SRAM ESP 7.0	Shimano Deore
shifters	Shimano Alivio	GripShift Centura	Shimano EF29	SRAM MRX Plus w/SDU	SRAM Dual Drive	Shimano Alivio
cassette	SRAM 5.0 | 11-32 | 8-spd	Shimano IG-50 | 11-30 | 8-spd	SRAM 5.0 | 11-32 | 8-spd	7-spd | 13-34	SRAM 5.0 | 11-32 | 8-spd	SRAM 5.0 | 11-32 | 8-spd
chain	Shimano IG-31	Shimano HG50	KMC Z72	KMC Z51	KMC Z72	KMC Z72
front hub	Bontrager Select 700c Wheelsystem	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR
front rim		Bontrager Faetune	Matrix 750 | 36 hole	Matrix 550 | 36 hole	Matrix 750 | 32 hole	Matrix 750 | 32 hole
spokes		DT 14g stainless	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
rear hub	Bontrager Select 700c Wheelsystem	Shimano C201 | 32h	Shimano RM40	Alloy Sealed QR	SRAM Dual Drive	Shimano Alivio
rear rim		Bontrager Faetune	Matrix 750 | 36 hole	Matrix 550 | 36 hole	Matrix 750 | 32 hole	Matrix 750 | 32 hole
spokes		DT Stainless Steel | 14 Gauge	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
front tire	IRC Duro Tour 700x35	Bontrager Select Invert Blue Label 700x38c	Bontrager Invert 700x38c	Bontrager Invert 700x38c	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes
rear tire	IRC Duro Tour 700x35	Bontrager Select Invert Blue Label 700x38c	Bontrager Invert 700x38c	Bontrager Invert 700x38c	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes
front brake	Alloy direct pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull w/power modulator	Alloy linear pull w/power modulator
rear brake	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull
brake levers	Shimano Alivio | Alloy direct pull	Alloy linear pull	Shimano EF29	Alloy linear pull	Alloy linear pull	Alloy linear pull
handlebar	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport	50mm riser	50mm riser	50mm riser	50mm riser
stem	Bontrager Sport	Alloy direct connect, adjustable rise	Alloy, adjustable rise, front load	Alloy, adjustable rise, front load	Alloy ,adjustable rise, front load Aheadstem	Alloy ,adjustable rise, front load Aheadstem
grips	Serfas | dual density	Serfas | dual density	Serfas	Kraton	Serfas	Serfas
saddle	Oasis CRZ +	Oasis CRZ +	Oasis Webspring	Oasis Webspring	Oasis Webspring w/integrated light	Oasis Webspring w/integrated light
seatpost	Bontrager Sport	Suspension	Suspension	Suspension	Suspension	Suspension
anything else?	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts

PRODUCT SPECIFICATION

model	NAPA	CAPITOLA	MR.SKINNER	CAB	MULLET	WOODY
page	65	65	70	70	71	70
colors	Silver Metallic/ White Pearl	Silver Metallic/ Slate Blue Metallic	Metallic Yellow | Dark Metallic Blue	Metallic Green	Metallic Black	Metallic Green | Metallic Black
sizes	SM | MD | LG | XL | *stepthrough* SM | *stepthrough* MD	SM | MD | LG | XL | *stepthrough* SM | *stepthrough* MD	Pro	Pro	Pro	Pro
main frame	Fisher Aluminum Comfort	Fisher Aluminum Comfort	Fisher all steel Dirt frame	Fisher Dirt frame | Cromoly top and down tube	Fisher Dirt frame | All cromoly	Fisher all steel Air frame
swingarm			all steel	all steel	All cromoly	All steel
fork	SR XCC-E | w/ adjustable preload | 63mm Travel	Hi Tensile Steel	Fisher Dirt fork | 1 3/8" blades | All steel | threadless	Fisher Dirt fork 1 3/8" blades | Cromoly | threadless	Fisher Dirt fork 1 3/8" blades | All cromoly | threadless	Fisher freestyle 1 3/8" blades steel | threadless
rear shock						
headset	Steel Aheadstem 1&1/8" Sealed	Steel 1&1/8" Sealed	Tioga, threadless	Tioga, threadless	Tioga, threadless	Tioga, threadless
bottom bracket	Cartridge	Semi-Cartridge	9 ball	9 ball	9 ball	9 ball
crank	Shimano C203 | 48/38/26 w/Chainguard	Sunrace FCM35 | 48/38/28 w/Chainguard	Fisher 175mm forged steel	Fisher 3-piece forged steel | Cromoly spindle	Fisher 3-piece forged Cromoly | Cromoly spindle	Fisher 175mm forged
pedals	Dual Density Platform	Dual Density Platform	Wellgo alloy platform	Wellgo alloy platform	Wellgo platform, alloy	Wellgo alloy platform
front derailleur	Shimano C051	Shimano C051				
rear derailleur	Shimano Acera	Shimano TY40CS				
shifters	Shimano EF29	Shimano EF29				
cassette	SRAM 5.0 | 11-32 | 8 spd	7-spd | 13-34	ACS 16t black	ACS 16t black	ACS, 16t, black	ACS, 16t, black
chain	KMC Z72	KMC Z51	KMC	KMC	KMC	KMC
front hub	Alloy Sealed QR	Alloy Sealed QR	Steel, 36 hole	Fisher alloy, 14mm axle, 48 hole	Fisher alloy, 14mm axle, 48 hole	steel, 48 spoke
front rim	Matrix 750 | 32 hole	Matrix 550 | 36 hole	Alloy, 36 hole	Alloy, 48 hole	Alex, alloy, 48 hole	aluminum, 48 hole
spokes	14g Stainless Steel	14g Stainless Steel	14g	14g	14g	14g
rear hub	Shimano RM40	Alloy Sealed QR	Steel, 36 hole	Fisher alloy, 14mm axle, 48 hole	Fisher alloy, 14mm axle, 48 hole	steel, 48 spoke
rear rim	Matrix 750 | 32 hole	Matrix 550 | 36 hole	Alloy, 36 hole	Alloy, 48 hole	Alex, alloy, 48 hole	aluminum, 48 hole
spokes	14g Stainless Steel	14g Stainless Steel	14g	14g	14g	14g
front tire	Hutchinson Acrobat w/stop puncture protection 26x1.95	Hutchinson Acrobat 26x1.95	Square knob dirt tire, 2.1	Square knob dirt tire, 2.1	Square knob dirt tire, 2.1	Fisher freestyle, 2.0
rear tire	Hutchinson Acrobat w/stop puncture protection 26x1.95	Hutchinson Acrobat 26x1.95	Square knob dirt tire, 2.1	Square knob dirt tire, 2.1	Square knob dirt tire, 2.1	Fisher freestyle, 2.0
front brake	Alloy linear pull w/power modulator	Alloy linear pull w/power modulator	ProMax Linear pull			ProMax linear pull
rear brake	Alloy linear pull	Alloy linear pull	ProMax Linear pull | chainstay mounted	ProMax Linear pull, chainstay mounted	ProMax Linear pull, chainstay mounted	ProMax linear pull, chainstay mounted
brake levers	Shimano EF29	Shimano EF29	ProMax, 2 finger	ProMax 2 finger	ProMax 2 finger	ProMax 2 finger
handlebar	50mm riser	50mm riser	Fisher BMX, steel	Fisher BMX, cromoly	Fisher BMX, cromoly	Fisher 2 piece freestyle
stem	Alloy ,adjustable rise, front load Aheadstem	Alloy, adjustable rise, front load	Fisher threadless	Fisher threadless	Fisher threadless	Fisher threadless
grips	Serfas	Serfas	Bontrager, kraton	Bontrager, kraton, dual density	Bontrager, kraton, dual density	Bontrager, kraton
saddle	Oasis Webspring	Oasis Webspring	Fisher jumper, padded	Fisher jumper, padded	Fisher dirt jumper, padded	Fisher freestyle, padded
seatpost	Suspension	Suspension	steel, 350mm	steel, 350mm	steel, 350mm	steel, 350mm
anything else?	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Fisher steel pegs, 1 pair SST Oryg rotor Bontrager steel, 3.2mm thick, 44 tooth chainring	Fisher steel pegs, 1 pair SST Oryg rotor Bontrager steel, 3.2mm thick, 44 tooth chainring	Fisher steel pegs, 1 pair SST Oryg rotor Bontrager steel, 3.2mm thick, 44 tooth chainring	Fisher steel pegs, 2 pairs SST Oryg rotor Bontrager steel, 3.2mm thick, 44 tooth chainring

model
page
colors
sizes
main frame
swingarm
fork
rear shock
headset
bottom bracket
crank
pedals
front derailleur
rear derailleur
shifters
cassette
chain
front hub
front rim
front spokes
rear hub
rear rim
rear spokes
front tire
rear tire
front brake
rear brake
brake levers
handlebar
stem
grips
saddle
seatpost
anything else?

GEOMETRY TABLES





standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seattube angle	STA	°
ective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

GEOMETRY GLOSSARY

standover	The vertical distance from the ground to the point on the top tube where you straddle the bike.
effective top tube	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
cockpit length	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
minimum cockpit	The shortest the cockpit can be made by changing the stem to the shortest one available.
maximum cockpit	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original. The maximum recommended to retain optimum handling.
stem length	The original stem: measured from the center of the steerer tube to the center of the handlebar.
crank length	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
headtube length	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
head angle	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
seattube angle	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
effective chainstay length	The distance from the center of the bottom bracket to the center on the rear axle.
bottom bracket height	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
bottom bracket drop	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
wheelbase	The distance between the axles. Tailored to optimize weight distribution on each frame size.
center to top	The distance from the center of the bottom bracket to the top of the seat tube. Because some people still feel they need to know.
inseam range	If your inseam is within this range, this size of bike should fit you.

GEOMETRY TABLES

models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

SUGAR **1** & FRAME | SUGAR **2**

SM	MD	LG	XL
27.6	28.2	28.8	29.5
22.2	23.9	24.7	25.5
25.7	27.4	28.8	29.6
24	25.7	26.5	27.3
26.3	28.6	30	30.8
75	90	105	105
170	175	175	175
90	105	125	145
71	71.5	71.5	71.5
73.5	73.5	73.5	73.5
410	411	411	411
298.4	298.4	298.4	298.4
20	20	20	20
1049.9	1075.8	1096.3	1115.9
15.9	17.6	19	21
29.2 – 32.1	29.7 – 34.1	30.1 – 36.1	31.5 – 38.7

models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

SUGAR **2+** & **DISC** | SUGAR **3+** & **DISC** & **GS** | SUGAR **4+**

SM	MD	LG	XL	GSSM	GSMD
28.1	28.7	29.3	30	28.1	28.7
22.2	23.9	24.7	25.5	21.6	23.3
25.7	27.4	28.8	29.6	24.6	26.25
24	25.7	26.5	27.3	23.9	25.6
26.3	28.6	30	30.8	25.7	27.4
75	90	105	105	75	75
170	175	175	175	170	175
90	105	125	145	90	105
71	71.5	71.5	71.5	71	71.5
73.5	73.5	73.5	73.5	73.5	73.5
417	417	417	417	417	417
312.4	312.4	312.4	312.4	312.4	312.4
20.6	20.6	20.6	20.6	20.6	20.6
1056.8	1082.8	1103.3	1122.9	1041.6	1067.6
16	17.5	19	21	16	17.5
29.2 – 32.1	29.7 – 34.1	30.1 – 36.1	31.5 – 38.7	29.2 – 32.1	29.7 – 34.1

REPACK

SM/MD	MD/LG
28.5	29.5
23.9	24.9
67	67
62.5	62.5
425	425
362	362
1117	1143

Sugar = Geometry is based on 4" of rear wheeltravel and 102mm of fork travel. For 2.8" travel with 10 mm extension see Sugar servo geometry.

models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

SUPERCALIBER **29** & FRAME | MTTAM **29**

SM	MD	LG	XL
27.3	28.7	29.8	31.5
23.2	23.9	24.7	25.5
26.2	27.4	28.8	29.6
25	25.7	26.5	27.3
27.3	28.6	30	30.8
75	90	105	105
170	175	175	175
80	80	90	105
70.5	71	71.5	71.5
74	74	73.5	73
433	433	433	433
292	292	292	297.2
76.3	76.3	76.3	71.1
1080.9	1093.9	1103.3	1119.4
15.5	17.5	19	21
29.6 – 32.1	31.2 – 34.1	32.2 – 36.1	33.9 – 38.8

GEOMETRY TABLES

PARAGON | BIG SUR & **DISC** & **GS** | HOO KOO E KOO | TASSAJARA & **DISC** & **GS** | MARLIN

models			XS	SM	MD	LG	XL	**GS** XS	**GS** SM	**GS** MD
sizes										
standover	SO	"	25.7	27.41	28.85	30.84	32.2	25.7	27.41	28.85
effective top tube	TT	"	21.74	22.9	23.94	24.72	25.47	21.74	22.3	23.4
cockpit length	CP	"	23.03	24.84	26.49	27.85	28.6	23.03	24.34	25.99
minimum cockpit	minCP	"	23.03	24.26	25.32	26.68	27.15	23.03	23.8	26.49
maximum cockpit	maxCP	"	24.2	26	27.21	28.51	29.26	24.2	24.97	27.66
stem length	SL	mm	60	75	90	105	105	60	75	75
crank length	CL	mm	170	175	175	175	175	170	170	175
headtube length	HTL	mm	90	90	105	125	145	90	90	105
head angle	HA	°	70.5	71	71.5	71.5	71.5	70.5	70.5	71
seat tube angle	STA	°	74.5	74	74	73.5	73	74.5	74	74
effective chainstay length	CSL	mm	410	411	411	411	411	410	411	411
bottom bracket height	BBH	mm	286.8	292.1	292.1	292.1	292.1	286.8	292.1	292.1
bottom bracket drop	BBD	mm	46.2	40.9	40.9	40.9	35.8	46.2	40.9	40.9
wheelbase	WB	mm	1030.6	1060.9	1075.9	1091.4	1107.9	1030.6	1042.1	1066.2
center to top	CT	"	13	15.5	17.5	19	21	13	15.5	17.5
inseam range	I	"	26.9 – 30.4	29.6 – 32.1	31.2 – 34.1	32.2 – 36.1	33.9 – 38.8	26.9 – 30.4	29.6 – 32.1	31.2 – 34.1

WAHOO | MAMBA | TARPON

models			XS	SM	MD	LG	XL	XXL	*stepthrough* MD
sizes									
standover	SO	"	25.43	28.42	29.56	30.58	31.81	33.99	22.2
effective top tube	TT	"	21.14	21.81	22.36	22.95	23.5	24.21	22.4
cockpit length	CP	"	22.41	23.8	24.99	26.18	26.89	27.6	26.5
minimum cockpit	minCP	"	22.41	23.31	24.02	24.73	25.44	26.58	24.14
maximum cockpit	maxCP	"	23.37	24.76	25.96	27.15	27.86	28.41	27.71
stem length	SL	mm	90	90	105	110	110	130	105
crank length	CL	mm	170	175	175	175	175	175	170
headtube length	HTL	mm	105	125	145	165	185	225	145
head angle	HA	°	70.5	71	71.5	71.5	71.5	72	71.5
seat tube angle	STA	°	74.5	74	74	73.5	73.5	73	74
effective chainstay length	CSL	mm	412	413	413	413	413	413	413
bottom bracket height	BBH	mm	288	291	295	295	295	295	295
bottom bracket drop	BBD	mm	45	42	38	38	38	38	38
wheelbase	WB	mm	1018.58	1028.35	1039.97	1050.49	1065.21	1072.94	1040
center to top	CT	"	13	17	18.3	19.5	21	23.5	18
inseam range	I	"	26.91 – 30.41	29.57 – 32.07	31.17 – 34.10	32.20 – 36.12	33.88 – 38.78	35.12 – 39.84	29.5 – 32

CAPITOLA | NAPA | SOLSTICE | PRESIDIO

models			SM	MD	LG	XL	*stepthrough* SM	*stepthrough* MD
sizes								
standover	SO	"	26.8	28.5	30.6	32.1	23.6	23.8
effective top tube	TT	"	21.7	22.6	23.5	24	21.7	22.6
cockpit length	CP	"	26	26.9	27.8	28.3	26	26.9
minimum cockpit	minCP	"	23.5	24.4	25.3	25.8	23.5	24.4
maximum cockpit	maxCP	"	26.8	27.7	28.6	29.1	26.8	27.7
stem length	SL	mm	110	110	110	110	110	110
crank length	CL	mm	170	170	170	170	170	170
headtube length	HTL	mm	125	145	165	225	125	145
head angle	HA	°	70.5	70.5	70.5	70.5	70.5	70.5
seat tube angle	STA	°	73.5	73	73	72.5	73.5	73
effective chainstay length	CSL	mm	423	423	423	423	423	423
bottom bracket height	BBH	mm	291	291	291	291	291	291
bottom bracket drop	BBD	mm	42	42	42	42	42	42
wheelbase	WB	mm	1029.1	1049	1074.8	1092.7	1029.1	1049
center to top	CT	"	14.5	17	19.5	21	14.5	17
inseam range	I	"	27.8 – 30.0	29.5 – 32	31.6 – 34.6	33.1 – 36.1	27.8 – 30.3	29.5 – 32

GEOMETRY TABLES

TIBURON | ZEBRANO | NIRVANA | UTOPIA | FAST CITY

models			SM	MD	LG	XL	*stepthrough* SM	*stepthrough* MD
sizes								
standover	SO	"	26.96	28.77	30.28	32.18	23.5	23.7
effective top tube	TT	"	21.41	21.98	22.22	22.88	21.4	22.64
cockpit length	CP	"	23.83	24.78	25.72	23.38	24.9	24.78
minimum cockpit	minCP	"	23.38	24.33	25.27	23.38	23.5	24.33
maximum cockpit	maxCP	"	24.74	25.68	26.63	24.29	26.1	25.68
stem length	SL	mm	110	110	110	110	90	90
crank length	CL	mm	175	175	175	175	170	170
headtube length	HTL	mm	90	105	105	125	105	125
head angle	HA	°	70	70.5	70.5	71.5	70	70.5
seat tube angle	STA	°	74	74	73	73	74	74
effective chainstay length	CSL	mm	440	440	440	440	440	440
bottom bracket height	BBH	mm	281	281	281	281	281	281
bottom bracket drop	BBD	mm	65	65	65	65	65	65
wheelbase	WB	mm	1055.8	1056.3	1061.9	1069.4	1055.8	1056.3
center to top	CT	"	15	17.5	20	22.5	15	17
inseam range	I	"	29.21 – 32.71	30.98 – 34.48	31.83 – 35.33	33.73 – 37.23	27.7 – 30.2	26.22 – 34.48

GARY FISHER
LIMITED LIFETIME WARRANTY

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure do to accident, misuse or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non U.S. equipment. Some models may be shown with optional equipment.

All specifications are subject to change without notice. Gary Fisher Mountain Bikes, Gary Fisher the Bicycle manufactured by Gary Fisher, **b'Twin**, **b'K'Twin**, Genesis Geometry, Genesis Geometries, Sugar1, Sugar2, Sugar3, Sugar4, Sugar4Plus, Sugar5, Sugar5+, Sugar6+, MTB in Suspension Paragon, Big Sur, Hoo Koo E Koo, Tassajara, Wahoo, Mamba, Marlin, Tarpon, Capitola, Napa, Capsela, Utopia, Nirvana, Tiburon, Zebrano, Fast City, Big Zero, Big Zero Ltd, Big Zero Pro, Big Zero XC, Big Zero 29, Williams, Two Stroke, Diesel, Formula, and Gas Cylinder are trademarks of Gary Fisher Mountain Bikes. All rights reserved. ©2008 Gary Fisher Mountain Bikes.

Brought to you by...

design + photography > rick valicenti + ewa samacka / 3st.com
typography > chaster / thirstype.com
digital imaging > richard paul / realsyos1.com
production > barb valicenti + nancy flomm / value100
bikes on white > corey redford photography
x for brex > henry ng
glossary illustrations > joanna burgraf
paragon performers > mike, cindy, sache of environmental encroachment
kids love gary > magda
extremely very special thanks > brian mc mullen
scanning > electronic premedia services
printing > joe + staff at sells printing (and three-star hotel)
printed on mead paper > shout out to amy
guest musicians:
spiritual guidance > gary
brand direction > dean gore
nevada organization > louis longi + friends / bikecultpost.com
professionalism > belle
very special thanks:
michel, andrew, kevin, scott, jon, harry, brian, ep performance crew and to all the fine men along the path who entertained sweet young ewa after hours.

gotta put faye in here somewhere, and honey and brandy of course. anyone else? giovanni! can't forget giovanni.

can we go home now?