
GARY FISHER

2005

BIKES

THE 1ST AND LAST NAME IN MOUNTAIN BIKING.



Light meets all-mountain. We bake each Cake from scratch using Genesis Geometry, a low-maintenance single-pivot design, and the Manitou Swinger SPV Shock for an efficient pedaling platform. That's why Cake is irresistible. That's also why it's the lightest and most efficient all-mountain bike available.

CAKE DLX bikes feature 5" front and 5" rear wheel travel for incredibly light and efficient, yet slightly more burly, all-mountain performance.



↑ CAKE 1 DLX **FRAME** Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Race Lite disc-specific wheelsystem w/24mm thru-axle and OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Maverick SC 32, 80mm–125mm adjustable travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT rear derailleur + shifters + front derailleur | Shimano XT 44/32/22 crank w/intregral BB | Shimano XT hydraulic disc brakes, 8" front/6" rear, w/Shimano XT levers **SIZES** SM (15") | MD (17.5") | LG (19") | XL (21") **COLOR** Matte Black + Matte Blue **ALSO AVAILABLE AS A FRAMESET**

CAKE DLX = 5x5
CAKE = 4x4

CAKE bikes feature 4" front and 4" rear wheel travel for all-mountain performance with race-ready versatility.



↑ CAKE 1

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Race Lite disc-specific wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox FRL Air w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XTR rear derailleur + XT shifters + front derailleur | Shimano XT 44/32/22 crank w/intregral BB | Shimano XT 6" hydraulic disc brakes w/Shimano XT levers **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Green + Metallic Silver

↓ CAKE 2 DLX

FRAME Platinum Series ZR9000 double-butted aluminum I Genesis Geometry I 6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific I Sealed cartridge bearings I 5" travel **WHEELS** Bontrager Race disc-specific wheelsystem w/OSB rear I Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox Float R Air, 130mm travel I Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT SGS rear derailleur + LX shifters + front derailleur I Bontrager Race 44/32/22 crank I Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers I Shimano M520 clipless pedals **SIZES** SM (16") I MD (17.5") I LG (19") I XL (21") **COLOR** Metallic Warm Silver + Matte Silver





↑ CAKE 2

FRAME Platinum Series ZR9000 double-butted aluminum I Genesis Geometry I 6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific I Sealed cartridge bearings I 4" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear I Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Super Air, 100mm travel I Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT rear derailleur + shifters + LX front derailleur I Bontrager Race 44/32/22 crank I Hayes HFX-9 6" hydraulic disc brakes w/Hayes levers I Shimano M520 clipless pedals **SIZES** SM (16") I MD (17.5") I LG (19") I XL (21") **COLOR** Matte Black + Matte Khaki



↑ CAKE 3 DLX

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite, 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Black

↓CAKE 3

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Skareb Elite, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Matte Black + Metallic Matte Silver



↓ CAKE 4 DLX

FRAME Platinum Series ZR9000 double-butted aluminum I Genesis Geometry I 6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific I Sealed cartridge bearings I 5" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear I Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Comp, 120mm travel I Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur I Bontrager Select 44/32/22 crank I Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers I Shimano M505 clipless pedals **SIZES** SM (16") I MD (17.5") I LG (19") I XL (21") **COLOR** Metallic Black + Metallic Red





↑ CAKE 4

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 tires **SUSPENSION** Manitou Splice Comp w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano M430 cartridge V brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Blue



Built to go down. Built to go off. Fisher Freeride — efficient and evil-genius tough. Built for anyone who insists on riding stuff that has no good business being ridden.

Gary's fascination with gravity began the moment he pointed his first Klunker down a fire road on Mt. Tam. Before mountain biking became so structured with start lines and gold medals there was nothing but freeriding. Gary is probably lucky he didn't have big suspension back in those days, he might not be the old man of mountain biking if he did.



↑ KING FISHER ↑

downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts **WHEELS** Bontrager Big Earl freeride wheelsystem w/20mm thru-axle and OSB rear | Bontrager Big Earl 26x2.7 front/2.5 rear tires **SUSPENSION** Manitou Sherman Breakout Plus, 170mm travel, 20mm thru-axle | Fox DHX 4.0, coil over, adjustable ProPedal, tuning range and rebound **COMPONENTRY** SRAM X.0 1:1 rear derailleur + X-9 Trigger 1:1 shifters + Shimano Deore XT front derailleur | Shimano Saint 32/22 crank | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Gloss Gray




↑ KING FISHER 2

FRAME King Fisher 6061 T6 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts **WHEELS** Bontrager Earl freeride wheelsystem w/20mm thru-axle and OSB rear | Bontrager Big Earl 26x2.5 tires **SUSPENSION** Manitou Stance Flow, 170mm travel, 20mm thru-axle | Fox DHX 4.0, coil over, adjustable ProPedal, tuning range, and rebound **COMPONENTRY** SRAM X.9 1:1 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore LX front derailleur | Bontrager Big Earl 32/22 crank w/Rock Ring | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Matte Black

BIGG'NS STORY

It's a beautiful thing to see the tangents the world of mountain bikes has taken over the years. Dirt, vert, urban, trail, free. Gary's Bigg'ns hardtails are meant to be the Jack-of-all-trades bike for the hardcore. Designed to do everything well. You name it, Bigg'ns rides it.





↑ GED **FRAME** Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M525 Disc hubs | Sun Ryno Lite rims | Bontrager Big Earl K 26x2.5 tires **SUSPENSION** Marzocchi Drop Off | 130mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Earl 32/22 crank w/Rock Ring | Hayes HFX-9 hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21.5") **COLOR** Metallic Black

↓ BITTER

FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M475 Disc hubs | Sun Ditchwitch rims | Bontrager Earl 26x tires **SUSPENSION** Manitou Stance Static | 100mm travel **COMPONENTRY** Shimano Deore rear derailleur + Alivio shifters + front derailleur | Bontrager Earl 32/22 w/Rock Ring crank | Hayes Sole XC hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Metallic Silver

↓ MULLET


FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Earl 26x2.4 tires **SUSPENSION** Manitou Splice comp | 100mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + Acera front derailleur | Shimano MC08 42/32/22 crank | Hayes Linx-2 mechanical disc brakes, 8" front/6" rear, w/alloy levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Candy Blue





↑ OPIE

FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Alloy QR front hub w/ Shimano RM30 rear hub | WTB Dual Duty rims | Bontrager Earl 26x2.4 tires **SUSPENSION** InSync Edge 4 | 100mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Red



Sugar is the ultimate performance enha
When Gary introduced Sugar, he had no id
would change the cross-country racing wo
Or did he? Sugar full-suspension bikes are
efficient, lightweight, and wicked fast. The
nail a pure, hardtail-like connection to the t
without the hard edge.



↑ SUGAR 292 **FRAME** Platinum Series ZR9000 double-butted aluminum | b
suspension | Genesis 29° Geometry **WHEELS** Bontrager Race Lite 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockS
Team 29", 100mm travel | Fox Float R **COMPONENTRY** SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Ra
44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Red

↓ SUGAR 293

FRAME Platinum Series ZR9000 double-butted aluminum | b•link suspension | Genesis 29° Geometry **WHEELS** Bontrager Race 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba Race 29", 100mm travel | Fox Float R **COMPONENTRY** SRAM X.9 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Race 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Black






↑ SUGAR4+

FRAME Gold Series 6061 T6 double-butted aluminum | sybil•link suspension | Genesis Geometry **WHEELS** Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Splice Super, 70–100mm adjustable travel | RockShox BAR Adjust **COMPONENTRY** Shimano LX SGS rear derailleur + Deore shifters + LX front derailleur | Bontrager Select 44/32/22 crank | Shimano V brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Orange + Metallic Black

29ER STORY

Gary Fisher is wise about size. Once upon a time he realized that increasing the size of a wheel effectively decreases the size of all obstacles. The 29er was born. By increasing wheels by three inches, Gary created bikes that are less affected by dips, bumps, and soft terrain. They also help maintain speed and lower the rider's center of gravity in relation to the wheels, making for an exceptionally stable ride. And a study by Pepperdine University found that 29" wheels ride 6% faster on uphill courses and 3% faster on cross-country courses than their 26" cousins. All things considered, Fisher 29ers are pretty cool. Pretty cool, indeed.

29" wheels are versatile. Dirt. Asphalt. It really doesn't matter. Fisher 29ers let you turn a great mountain bike into a great city/path bike by simply swapping 700c road tires onto the 29er wheels. Yep — standard road tires fit like a glove. Or like a tire should.



29" wheels decrease your angle of attack. Why should you care? Decreasing the angle of attack lets you roll over obstacles faster, smoother, and easier than you can with smaller wheels.



29" wheels create a longer tire contact patch. To make a longer-contact-patch story short, this helps you float through mud, sand, and snow. Not getting bogged down helps you maintain your momentum. Which is a good thing.

PARAGON →

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29° Geometry **WHEELS** Bontrager Race 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba Race 29" | 80mm travel **COMPONENTRY** SRAM X.9 rear derailleur + X.9 Trigger 1:1 alloy shifters + Shimano LX front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Ice Red



↓ X-CALIBER

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29° Geometry **WHEELS** Bontrager Super stock 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba SL 29" | 80mm travel **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Select 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black






↑ RIG

FRAME Platinum Series SS internally and externally butted aluminum w/eccentric bottom bracket | Genesis 29° Geometry **WHEELS** Bontrager Race Disc front hub w/ Bontrager Race Disc SS rear hub | Bontrager Mustang 29" disc rims | Bontrager Jones ACX K 29x2.2 tires **SUSPENSION** Rock Shox Reba SL 29" | 80mm travel **COMPONENTRY** Bontrager Race Lite SS 32T crank | Avid BB7 mechanical disc brakes w/Avid Speed Dial 7 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Purple

Gen·e
sis




Engineered for those who demand an honest, undiluted connection to the trail, these bikes are the ultimate evolution of a beautifully simple design. All new for 2005, Fisher Hardtails improve on perfection with two platforms: Platinum Series Aluminum and Aluminum Carbon Damping Composite (AC/DC) frames.



↑ ZIGGURAT **FRAME** AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry **WHEELS** Bontrager Race disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.25 front/26x2.2 rear tubeless-ready tires **SUSPENSION** Fox FRL w/Lock-Out | 100mm travel **COMPONENTRY** SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Race Lite 44/32/22 crank | Avid SD-SL cartridge V brakes w/Avid FR5 levers | Shimano M520 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Silver + Metallic Black

AC/DC STORY

AC/DC? Yep. Aluminum Carbon Damping Composite. When Ryder Hesjedal (runner up in the 2003 Elite World Championships!) of the Subaru Gary Fisher Mountain Bike Team came to Gary and said "Hey, any chance I could get a little more relief for these long World Cup races, yet stay on a hardtail?" Gary said, "Hmmm." Next thing you know, we're introducing Genesis AC/DC technology. By combining an aluminum front end with a full carbon composite back end, we built a hardtail that's light, stiff, efficient, and offers saintly forgiveness from the abuse of the trail.



Front end based on Gary's all-new Platinum Series ZR9000 aluminum frame. It's got a reinforced head tube and highly manipulated main tubes that have been internally and externally butted for optimum weight and premium ride quality.

27.2mm seat post diameter allows a more forgiving ride than more rigid, larger-diameter posts.

Full carbon composite rear end dampens vibration and tunes out the small stuff that wears a rider down.

Disc-specific dropouts have been scalloped and optimized for weight savings and stiffness.



NON-DISC MODEL ALSO AVAILABLE.
SEE PAGE 45 FOR DETAILS.

↑ BIG SUR DISC

FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.2 tires **SUSPENSION** Manitou Skareb Super w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Ice Purple

GENESIS GEOMETRY

It's what makes a Fisher a Fisher. It's what creates the unmistakable "Fisher Feel." If you've ridden one, you know exactly what we're talking about: the feeling of being in control, comfortable, and confident. Of course, as any Boston fan knows, it's more than a feeling — it's about placing the rider's center of gravity in a better position for better climbing and more confident descending. Genesis Geometry can actually help make a beginning rider good, and a good rider great.



CLIMB.
By shortening the chainstays, Genesis Geometry concentrates more of your weight on the rear wheel, aiding traction.



DESCEND.
Genesis Geometry moves your center of gravity further behind the front wheel so you're less likely to go over the handlebars.



STEER.
A shorter stem requires less hand movement to steer, creating more precise maneuvering.



MAINTAIN.
Your normal riding position is maintained to keep you comfortable.

HOO KOO E KOO →

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Genesis Geometry **WHEELS** Alloy Disc QR hubs | Bontrager Maverick rims | Bontrager ACX 26x2.2 folding tires **SUSPENSION** RockShox Pilot SL | 100mm travel **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano 420 V brakes w/Avid FR5levers | Shimano M505 clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Ice Blue



↓ TASSAJARA DISC

FRAME Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry **WHEELS** Shimano M525 Disc hubs I WTB Speed Disc rims I Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out I 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur I Bontrager Select 44/32/22 crank I Hayes Sole XC hydraulic disc brakes w/alloy levers I Shimano M505 clipless pedals **SIZES** XS (13") I SM (15.5") I MD (17.5") I LG (19") I XL (21") **COLOR** Metallic Black





↑ TASSAJARA

FRAME Gold Series butted aluminum I Genesis Geometry **WHEELS** Shimano M525 hubs I WTB Dual Duty rims I Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out I 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur I Bontrager Select 44/32/22 crank I Promax V brakes w/alloy levers I Alloy platform pedals **SIZES** XS (13") I SM (15.5") I MD (17.5") I LG (19") I XL (21.5") **COLOR** Metallic Black + Metallic Red





↑↑ MARLIN

FRAME Gold Series butted aluminum I Genesis Geometry **WHEELS** Alloy QR front hub w/ Shimano RM60 rear hub I WTB Dual Duty rims I Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Comp w/TPC Lock-Out I 100mm travel **COMPONENTRY** Shimano Deore rear derailleur + Shimano Alivio shifters + Alivio front derailleur I Bontrager Sport 42/32/22 crank I Promax V brakes w/alloy levers I Alloy platform pedals **SIZES** XS (13") I SM (15.5") I MD (17.5") I LG (19") I XL (21") **COLORS** Green I Candy Blue + Silver

↓↓WAHOO

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Bontrager Jones XR 26X2.25 front/2.2 rear tires **SUSPENSION** RS Judy | 100mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C050 front derailleur | Shimano MC08 42/32/22 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLORS** Blue | Black + Metallic Dark Gray







Bikes designed for women that fit right and build on a woman's strengths. Genesisters bikes refine Fisher's famous Genesis Geometry, taking advantage of a woman's lower center of gravity. Properly positioned, a rider's center of gravity is key to improved climbing and safer, more confident descents.



↑ CAKE 3 DLX GS **FRAME** Platinum Series ZR9000 double-butted aluminum | Genesisters Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite Diva | 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/23 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** XS (13") | MD (17") **COLOR** Metallic Black + Metallic Green



↑ CAKE 3 GS

FRAME Platinum Series ZR9000 double-butted aluminum | Genesisters Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Skareb Elite Diva | 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 WSD hydraulic disc brakes w/Hayes WSD levers | Shimano M520 clipless pedals **SIZES** XS (13") | MD (17") **COLOR** Metallic Light Blue + Metallic Silver

↓ BIG SUR GS


FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesisters Geometry **WHEELS** Bontrager Superstock disc-compatible wheelsystem | Bontrager Jones XR 26x2.2 tires **SUSPENSION** Manitou Skareb Super Diva w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Moritz Sky Blue





↑ TASSAJARA GS

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesisters Geometry **WHEELS** Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Metallic Silver



Simple, reliable mountain bikes. But they are Fishers through and through. Durable. Fun to ride. Easy to maintain. Loaded with the features and technology that have made Gary a bike-building legend. And they're priced to be budget friendly.





←↑ ADVANCE

FRAME Silver Series aluminum ATB **WHEELS** Alloy QR front hub w/Shimano RM30 rear hub | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **SUSPENSION** RST Capa T5 | 75mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLORS** Metallic Black + Metallic Blue | Metallic Orange

↓↓TARPON

FRAME Silver Series aluminum ATB **WHEELS** Alloy OR hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **SUSPENSION** RST 191C5 | 63mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLORS** Metallic Black | Metallic Light Silver + Metallic Medium Silver









↑↑MAKO

FRAME Silver Series aluminum ATB **WHEELS** Alloy QR hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **FORK** Hiten ATB **COMPONENTRY** Shimano TX50 rear derailleur + EF29 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLOR** Metallic Red | Metallic Light Silver + Metallic Blue

Road bike fast and mountain bike durable. Fisher Dual Sport bikes are a lot like the man who created them. Just like Gary, they love to wander — off road, or on. Featuring fast 700c wheels, Dual Sport bikes are light, efficient, and oh so very versatile. If you had to have only one bike, this would be the one.

MONTARE →

FRAME Platinum Series ZR9000 internally butted aluminum | Genesis 29° Geometry **WHEELS** Bontrager Superstock 29" disc-specific wheelsystem w/OSB rear | IRC Mythos CX Slick 700x42c tires **SUSPENSION** Manitou South Elite | 75mm travel **COMPONENTRY** Shimano XT SGS rear derailleur + LX shifters + Deore front derailleur | Bontrager Select 48/36/26 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver

UTOPIA →

FRAME Gold Series 6061 T6 internally butted aluminum | Genesis 29° Geometry **WHEELS** Shimano M525 Disc hubs | WTB Speed Disc rims | Mythos CX Slick 700x42c tires **SUSPENSION** RS Metro GPS | 50mm travel **COMPONENTRY** Shimano XT rear derailleur + Deore shifters + front derailleur | Bontrager Select 48/36/26 crank | Avid BB5 mechanical disc brakes w/alloy levers | Alloy ATB pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Blue

NIRVANA S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RS Metro GPS | 50mm travel **COMPONENTRY** Shimano Deore rear derailleur + Alivio shifters + C102 front derailleur | Shimano T303 48/38/28 crank w/CG | Shimano M420 V brakes w/alloy levers | Alloy ATB pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Light Silver + Metallic Red



ZEBRANO S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE T5 | 50mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | XXL (25") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Warm Silver + Metallic Black




TIBURON S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR hubs | Matrix 750 rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE C5 | 50mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C102 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Warm Silver + Metallic Blue



NIRVANA AND ZEBRANO
ARE ALSO AVAILABLE WITH A RIGID FORK.
SEE PAGE 47 FOR DETAILS.



Take the easy way out. Fisher Sport Utility Bikes are just the thing for folks who crave comfort, convenience, and extra utility. They're mountain bikes ready for the urban assault, featuring softer saddles, an upright riding position and the coolest slick tires on the planet. Add in our user-friendly Accessories Port™ and Quick Attach Mount for kid trailers and you'll realize that Gary has thought of everything.



↑ CRONUS

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Hank Semi-Slick 26x2.2 tires **FORK** Bontrager Switchblade 26" **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger shifter | Bontrager 38T crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Gloss Black

↓NAPA


FRAME Silver Series aluminum SUB **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | Matrix 550 rims | Bontrager Comfort 26x1.95 tires **SUSPENSION** RST Gila T5 | 63mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (14.5") | MD (16.5") | LG (18.5") | (XL (21") | Stepthrough SM (14.5") | Stepthrough MD (16.5") | Stepthrough LG (18.5") **COLOR** Metallic Silver + Brushed Aluminum





↑CAPITOLA

FRAME Silver Series aluminum SUB **WHEELS** Alloy QR hubs | Matrix 550 rims | Bontrager Comfort 26x1.95 tires **SUSPENSION** RST Capa C5 | 63mm travel **COMPONENTRY** Shimano Acera rear derailleur + SRAM MRX Plus shifters + Shimano C051 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers & bell | Dual-density platform pedals **SIZES** SM (14.5") | MD (16.5") | LG (18.5") | XL (21") | Stepthrough SM (14.5") | Stepthrough MD (16.5") | Stepthrough LG (18.5") **COLOR** Metallic Warm Silver + Red



Gary knows kids ('cause he still is one). Gary knows parents ('cause he still is one). He knows kids want fun and function. Parents want durability, safety, and value. Gary's kids' bikes are high performance, yet built to last, built to grow, and most important, built to be safe. With features like adjustable components, shorter-reach brakes, and a lower standover height, these bikes aren't just super fun, they're super smart too. Kids' stuff? We think not.



↑↑TYRO

FRAME Fisher Great Fit aluminum **WHEELS** 24" alloy rims + hubs | Shimano 7-speed freewheel | Bontrager Connection multitrack tires **SUSPENSION** Great Fit suspension fork | 50mm travel **COMPONENTRY** Great Fit over-adjustable stem + padded O-zone saddle + pedals | SRAM 3.0 rear derailleur + 21-speed shifters | Great Fit adjustable alloy crank | Cartridge BB | Linear pull brakes w/Great Fit levers **COLORS** Metallic Blue (boys') | Purple Metallic (girls')

↓↓COSMO

FRAME Fisher Great Fit aluminum **WHEELS** 20" alloy rims + hubs | 6-speed freewheel | Bontrager Connection multitrack tires **SUSPENSION** Great Fit suspension fork | 50mm travel **COMPONENTRY** Great Fit over-adjustable stem + padded O-zone saddle + pedals | Shimano TY-23 rear derailleur + SRAM MRX 6-speed shifters | Great Fit adjustable crank | Sealed BB | Linear pull brakes w/Great Fit levers **COLORS** Metallic Red (boys') | Dark Metallic Pink (girls')









↑↑ASTRO

FRAME Fisher Great Fit aluminum **WHEELS** 20" alloy rims | Coaster brake & rear hand brake | Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Painted steel chainguard | Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' **COLORS** Metallic Blue (boys') | Pink Metallic (girls')





↑↑ GAMMA RAY

FRAME Fisher Great Fit steel **WHEELS** 16" steel rims | Coaster brake | Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Painted steel chainguard | Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' **COLORS** Metallic Red (boys') | Pink Metallic (girls')





↑↑ SUN SPOT

FRAME Fisher Great Fit steel **WHEELS** 12" steel rims | Coaster brake | Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic fully enclosed chainguard | Stem & handlebar pads | Basket & tassels on girls' | Moto fender on boys' **COLORS** Pink Metallic (girls') | Metallic Black (boys')






↑↑ STAR FISH

FRAME Fisher Great Fit cruiser-style steel, boys' & girls' **WHEELS** 12" steel rims | Coaster brake | Balloon cruiser tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic fully enclosed chainguard | Cruiser fenders **COLORS** Metallic Blue + Metallic Silver (boys') | Pink Metallic + Pearl White (girls')

Geometry Tables



TERM	ABBR.	UNIT	GEOMETRY GLOSSARY
STANDOVER	SO	"	The vertical distance from the ground to the point on the top tube where you straddle the bike.
EFFECTIVE TOP TUBE	TT	"	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
COCKPIT LENGTH	CP	"	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
MINIMUM COCKPIT	minCP	"	The shortest the cockpit can be made by changing the stem to the shortest one available.
MAXIMUM COCKPIT	maxCP	"	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original— the maximum recommended to retain optimum handling.
STEM LENGTH	SL	mm	The original stem; measured from the center of the steerer tube to the center of the handlebar.
CRANK LENGTH	CL	mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
HEADTUBE LENGTH	HTL	mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
HEAD ANGLE	HA	°	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
SEATTUBE ANGLE	STA	°	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	The distance from the center of the bottom bracket to the center of the rear axle.
BOTTOM BRACKET HEIGHT	BBH	mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
BOTTOM BRACKET DROP	BBD	mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
WHEELBASE	WB	mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.

All sizing and geometry specifications are calculated with a standard wheel size and fork axle to race. Larger air volume tires as well as different fork lengths will change the dimensions in these charts.

MODELS			CAKE 1 ▮LX I CAKE 2 ▮LX I CAKE 3 ▮LX I CAKE 4 ▮LX				CAKE 3 ▮LX GS		CAKE 1 I CAKE 2 I CAKE 3 I CAKE 4				CAKE 3 GS	
SIZES			SM (15")	MD (17.5")	LG (19")	XL (21")	XS (13")	MD (17.5")	SM (15")	MD (17.5")	LG (19")	XL (21")	XS (13")	MD (17.5")
STANDOVER	SO	"	29.2	30.4	31.6	33.1	27.2	30.1	28.4	29.6	30.8	32.3	26.4	29.3
EFFECTIVE TOP TUBE	TT	"	22.9	23.9	24.7	25.5	22.3	23.4	22.9	23.9	24.7	25.5	22.3	23.4
COCKPIT LENGTH	CP	"	24.8	26.5	27.9	28.9	24.4	25a.4	24.8	26.5	27.9	28.9	24.4	25.4
MINIMUM COCKPIT	minCP	"	24.6	26.2	27.7	28.7	24.2	25.2	24.6	26.2	27.7	28.7	24.2	25.2
MAXIMUM COCKPIT	maxCP	"	25.4	27.0	28.4	29.4	25.0	26.4	25.4	27.0	28.4	29.4	25.0	26.4
STEM LENGTH	SL	mm	75	90	105	105	75	75	75	90	105	105	75	75
CRANK LENGTH	CL	mm	170	175	175	175	170	175	170	175	175	175	170	175
HEADTUBE LENGTH	HTL	mm	90	105	125	145	90	105	90	105	125	145	90	105
HEAD ANGLE	HA	°	70	70.5	70.5	70.5	70.0	70.5	70	70.5	70.5	70.5	70.0	70.5
SEATTUBE ANGLE	STA	°	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	417	417	417	417	417	417	417	417	417	417	417	417
BOTTOM BRACKET HEIGHT*	BBH	mm	343.2	343.2	343.2	343.2	343.2	343.2	322.5	322.5	322.5	322.5	322.5	322.5
BOTTOM BRACKET DROP*	BBD	mm	-13	-13	-13	-13	-13	-13	8	8	8	8	8	8
WHEELBASE	WB	mm	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5

*Before recommended 25–30% sag-in

MODELS			KING FISHER 1 I KING FISHER 2		
SIZES			SM (15.5")	MD (17.5")	LG (19")
STANDOVER	SO	"	29.5	30.5	31.5
EFFECTIVE TOP TUBE	TT	"	22.4	23.0	24.3
COCKPIT LENGTH	CP	"	24.4	24.9	27.1
MINIMUM COCKPIT	minCP	"	24.4	24.9	26.3
MAXIMUM COCKPIT	maxCP	"	25.2	25.7	27.1
STEM LENGTH	SL	mm	50	50	70
CRANK LENGTH	CL	mm	170	175	175
HEADTUBE LENGTH	HTL	mm	115	115	125
HEAD ANGLE	HA	°	67	67	67
SEATTUBE ANGLE	STA	°	73	73	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	434	434	434
BOTTOM BRACKET HEIGHT	BBH	mm	364.5	364.5	364.5
BOTTOM BRACKET DROP	BBD	mm	24.5	24.5	24.5
WHEELBASE	WB	mm	1126.1	1140.3	1173.2

Geometry Tables continued

MODELS			GED I BITTER I OPIE I MULLET				
SIZES			XS (13")	SM (15.5")	MD (17.5")	LG (19.5")	XL (21.5")
STANDOVER	SO	"	26.3	27.5	28.7	29.6	30.8
EFFECTIVE TOP TUBE	TT	"	21.4	22.5	23.6	24.4	25.1
COCKPIT LENGTH	CP	"	23.4	24.8	26.4	27.2	27.8
MINIMUM COCKPIT	minCP	"	23.4	24.8	25.6	26.4	27.1
MAXIMUM COCKPIT	maxCP	"	25.0	26.0	26.4	27.2	28.8
STEM LENGTH	SL	mm	50	50	70	70	70
CRANK LENGTH	CL	mm	170	170	175	175	170
HEADTUBE LENGTH	HTL	mm	90	105	117.5	130	145
HEAD ANGLE	HA	°	70	70	70	70	70
SEATTUBE ANGLE	STA	°	71	71	71	71	71
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	317.5	317.5	317.5	317.5	317.5
BOTTOM BRACKET DROP	BBD	mm	28	28	28	28	28
WHEELBASE	WB	mm	1064.9	1034.6	1061.3	1081.3	1100.6

MODELS			SUGAR 292 I SUGAR 293				SUGAR4+			
SIZES			SM (16")	MD (17.5")	LG (19")	XL (21")	SM (15.5")	MD (17.5")	LG (19")	XL (21")
STANDOVER	SO	"	26.9	27.9	29	29.2	28.1	28.7	29.4	30.0
EFFECTIVE TOP TUBE	TT	"	23.2	23.9	24.7	25.5	22.7	23.9	24.7	25.5
COCKPIT LENGTH	CP	"	25.1	26.6	28.0	28.7	24.6	26.7	28.0	28.7
MINIMUM COCKPIT	minCP	"	24.9	26.4	27.7	28.5	24.4	26.4	27.7	28.5
MAXIMUM COCKPIT	maxCP	"	25.6	27.2	28.5	29.3	25.2	27.2	28.5	29.2
STEM LENGTH	SL	mm	75	90	105	105	75	90	105	105
CRANK LENGTH	CL	mm	170	175	175	175	170	175	175	175
HEADTUBE LENGTH	HTL	mm	80	80	90	110	90	105	125	145
HEAD ANGLE	HA	°	71.5	71.5	71.5	71.5	71	71.5	71.5	71.5
SEATTUBE ANGLE	STA	°	73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	460	460	460	460	417	417	417	417
BOTTOM BRACKET HEIGHT	BBH	mm	315	315	315	315	312.4	312.4	312.4	312.4
BOTTOM BRACKET DROP	BBD	mm	50	50	50	50	20.6	20.6	20.6	20.6
WHEELBASE	WB	mm	1092.3	1110.4	1130.55	1150	1056.8	1092.8	1103.3	1122.9

MODELS			PARAGON I X-CALIBER I RIG I MONTARE I UTOPIA			
SIZES			SM (15.5")	MD (17.5")	LG (19")	XL (21")
STANDOVER	SO	"	28.9	29.9	30.8	31.2
EFFECTIVE TOP TUBE	TT	"	23.2	24	24.7	25.5
COCKPIT LENGTH	CP	"	26.2	26.9	28.8	29.6
MINIMUM COCKPIT	minCP	"	25.5	27.5	28.3	29
MAXIMUM COCKPIT	maxCP	"	26.8	28.1	29.4	30.2
STEM LENGTH	SL	mm	75	90	105	105
CRANK LENGTH	CL	mm	170	175	175	175
HEADTUBE LENGTH	HTL	mm	90	90	90	105
HEAD ANGLE	HA	°	70.5	71.0	71.5	71.5
SEATTUBE ANGLE	STA	°	74.0	74.0	73.5	73.0
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	mm	315	315	315	315
BOTTOM BRACKET DROP	BBD	mm	50	50	50	50
WHEELBASE	WB	mm	1088.2	1101.2	1110.4	1124.4

MODELS			ZIGGURAT I BIG SUR & DISC I HOO KOO E KOO I TASSAJARA & DISC I MARLIN I WAHOO I CRONUS					BIG SUR_GS I TASSAJARA_GS		
SIZES			XS (13")	SM (15.5")	MD (17.5")	LG (19")	XL (21")	SM (13")	MD (15.5")	LG (17.5")
STANDOVER	SO	"	26.6	27.8	29.0	30.1	31.6	26.6	27.8	29.0
EFFECTIVE TOP TUBE	TT	"	21.7	22.9	23.9	24.7	25.5	21.7	22.3	23.4
COCKPIT LENGTH	CP	"	24.1	25.8	27.4	28.8	29.6	24.1	25.2	26.4
MINIMUM COCKPIT	minCP	"	23.5	25.3	26.8	28.3	29.0	23.5	24.6	25.7
MAXIMUM COCKPIT	maxCP	"	24.7	26.4	28.0	29.4	30.2	24.7	25.8	26.9
STEM LENGTH	SL	mm	60	75	90	105	105	60	75	75
CRANK LENGTH	CL	mm	170	170	175	175	175	170	170	175
HEADTUBE LENGTH	HTL	mm	90	90	105	125	145	90	90	105
HEAD ANGLE	HA	°	70.0	70.5	71.0	71.0	71.0	73.0	70.5	71.0
SEATTUBE ANGLE	STA	°	74.0	73.5	73.5	73.0	72.5	74.0	73.5	73.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	312	317	317	317	323	312	317	317
BOTTOM BRACKET DROP	BBD	mm	35	30	30	30	25	35	30	30
WHEELBASE	WB	mm	1032.7	1054.1	1076.2	1091.6	1107.6	1032.7	1038.9	1062.6

MODELS			ADVANCE I TARPON I MAKO					WOMEN'S STEPTHROUGH FRAMES	
SIZES			XS (13")	SM (15")	MD (18")	LG (19.5")	XL (21.5")	SM (15")	MD (18")
STANDOVER	SO	"	25.4	27.6	29.3	30.4	31.9	23.8	23.9
EFFECTIVE TOP TUBE	TT	"	21.5	22.4	23.1	23.8	24.5	21.8	23.0
COCKPIT LENGTH	CP	"	23.0	24.2	25.6	26.3	27.5	24.0	25.3
MINIMUM COCKPIT	minCP	"	23.1	24.3	25.6	26.3	27.6	23.4	24.7
MAXIMUM COCKPIT	maxCP	"	23.4	24.7	26.0	26.7	28.0	24.6	25.9
STEM LENGTH	SL	mm	90	90	110	110	130	55	60
CRANK LENGTH	CL	mm	170	170	175	175	175	170	170
HEADTUBE LENGTH	HTL	mm	105	125	145	165	185	125	165
HEAD ANGLE	HA	°	70.5	71	71.5	71.5	71.5	71	71.5
SEATTUBE ANGLE	STA	°	74.5	74	74	73.5	73.5	74	74
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	412	412	412	412	412	420	415
BOTTOM BRACKET HEIGHT	BBH	mm	288	291	295	295	295	291	295
BOTTOM BRACKET DROP	BBD	mm	45.0	42.0	38.0	38.0	38.0	42.0	38.0
WHEELBASE	WB	mm	1021.5	1037.3	1052.9	1066.5	1085.2	1028.4	1052.8

MODELS			NIRVANA & S I ZEBRANO & S I TIBURON & S				WOMEN'S STEPTHROUGH FRAMES		
SIZES			SM (15")	MD (17.5")	LG (20")	XL (22.5")	XS (15")	MD (17.5")	LG (20")
STANDOVER	SO	"	27.0	28.6	30.3	32.2	23.5	23.7	23.8
EFFECTIVE TOP TUBE	TT	"	21.4	21.6	22.2	22.9	21.4	21.5	22.2
COCKPIT LENGTH	CP	"	23.1	23.3	23.9	24.7	22.3	23.2	23.0
MINIMUM COCKPIT	minCP	"	23.3	23.5	24.1	24.8	22.3	23.4	23.5
MAXIMUM COCKPIT	maxCP	"	23.4	23.6	24.3	25.0	22.6	23.6	23.3
STEM LENGTH	SL	mm	105	105	105	105	90	105	110
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	90	105	105	125	105	125	145
HEAD ANGLE	HA	°	70	70.5	70.5	71.5	70	70.5	70.5
SEATTUBE ANGLE	STA	°	74	74	73	73	74	74	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	440	440	440	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	mm	280.9	280.9	280.9	280.9	280.9	280.9	281
BOTTOM BRACKET DROP	BBD	mm	65.0	65.0	65.0	65.0	65.0	65.0	64.9
WHEELBASE	WB	mm	1055.8	1056.3	1061.9	1069.4	1055.8	1056.3	1061.9

MODELS			NAPA I CAPITOLA				WOMEN'S STEPTHROUGH FRAMES		
SIZES			SM (14.5")	MD (16.5")	LG (18.5")	XL (21")	SM (14.5")	MD (16.5")	LG (18.5")
STANDOVER	SO	"	25.8	27.4	29.1	30.3	23.2	23.2	23.4
EFFECTIVE TOP TUBE	TT	"	20.9	21.7	22.8	23.4	20.9	21.7	22.4
COCKPIT LENGTH	CP	"	25.0	25.8	27.7	28.3	25.0	25.8	27.7
MINIMUM COCKPIT	minCP	"	22.8	23.6	24.8	25.5	22.9	23.2	24.5
MAXIMUM COCKPIT	maxCP	"	25.8	26.6	28.0	28.7	25.8	26.6	28.0
STEM LENGTH	SL	mm	105	105	125	125	105	105	125
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	135	155	215	235	135	155	215
HEAD ANGLE	HA	°	70.5	70.5	70.5	70.5	70.5	70.5	70.5
SEATTUBE ANGLE	STA	°	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	423	423	423	423	423	423	423
BOTTOM BRACKET HEIGHT	BBH	mm	287	287	287	287	283	283	283
BOTTOM BRACKET DROP	BBD	mm	45.0	45.0	45.0	45.0	50.0	50.0	50.0
WHEELBASE	WB	mm	1010.9	1031.7	1058.9	1079.6	1010.9	1031.7	1058.9

GARY FISHER LIMITED LIFETIME WARRANTY

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized International Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse, or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment.

All Gary Fisher bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Gary Fisher Bicycles extends a Limited Lifetime Warranty on every frame. Warranty duration and detail may differ by frame type and/or by country.

All specifications are subject to change without notice. Gary Fisher Mountain Bikes, Gary Fisher, the double mountain logo, Cake, Sugar, Genesisters, OCLV, sybil•link, b•link, Accessories Port, Cake 1, Cake 2, Cake 3, Cake 4, King Fisher, King Fisher 1, King Fisher 2, Bigg'ns, Ged, Bitter, Op'e, Mullet, Sugar4+, Sugar 292, Sugar 293, Rig, Dual Sport, Montare, Ziggurat, Big Sur, Hoo Koo E Koo, Tassajara, Marlin, Wahoo, Advance, Tarpon, Utopia, Nirvana, Zebrano, Tiburon, Cronus, Napa, Capitola, Tyro, Cosmo, Astro, Gamma Ray, and Sun Spot are trademarks of Trek Bicycle Corporation. All rights reserved. ©2004 Trek Bicycle Corporation. Copyright 2004 Trek Bicycle Corporation. All Rights Reserved. Fisher is a Registered Trademark of Trek Bicycle Corporation. US Patent Numbers: 5,445,439; 5,624,519; 5,931,544; 6,270,104; 6,497,042 and others pending.

The following riding practices increase your risk of injury: jumping your bicycle, performing bicycle stunts, severe off-road riding, downhill riding and any abnormal bike riding. Each of these conditions increases the stress on every part of your bicycle. Frames or parts under high stress may fatigue prematurely, causing them to fail and increasing the risk of injury to the rider. Avoid these riding practices to decrease your risk of injury.

MODEL	CAKE 1 BLX	CAKE 1	CAKE 2 BLX	CAKE 2	CAKE 3 BLX	CAKE 3	CAKE 4 BLX	CAKE 4	KING FISHER 1	KING FISHER 2	GED	BITTER
PAGE	2	3	5	5	6	7	8	9	10	12	13	14
COLORS	Matte Black + Matte Blue	Metallic Green + Metallic Silver	Matte Warm Silver + Matte Silver	Matte Black + Matte Khaki	Metallic Silver + Metallic Black	Metallic Matte Black + Metallic Matte Silver	Metallic Black + Metallic Red	Metallic Silver + Metallic Blue	Gloss Gray	Matte Black	Metallic Black	Metallic Silver
SIZES	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5 | LG (19)	SM (16) | MD (17.5 | LG (19)	XS (13) | SM (15.5) | MD (17.5) | LG (19.5) | XL (21.5)	XS (13) | SM (15.5) | MD (17.5) | LG (19.5) | XL (21)
DETAIL FRAME	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis Geometry	King Fisher 6061 T6 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube	King Fisher 6061 T6 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube	Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts	Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts
SWINGARM	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Sealed cartridge bearings | 4" travel	6061 T6 aluminum asymmetric swingarm | Cartridge bearings | replaceable dropouts	6061 T6 aluminum asymmetric swingarm | Cartridge bearings | replaceable dropouts	N/A	N/A
FORK	Maverick SC 32 | 80–125mm adj. travel | 24mm thru-axle	Fox FRL Air w/Lock-Out | 100mm travel	Fox Float R Air | 130mm travel	Manitou Black Super Air | 100mm travel	Manitou Black Elite | 120mm travel	Manitou Skareb Elite | 100mm travel	Manitou Black Comp | 120mm travel	Manitou Spice Comp w/Lock-Out | 100mm travel	Manitou Sherman Breakout Plus | 170mm travel | 20mm thru-axle	Manitou Stance Flow | 170mm travel | 20mm thru-axle	Marzocchi Drop Off | 130mm travel	Manitou Stance Static | 100mm travel
REAR SHOCK	Manitou Swinger 3-Way Air w/SPV	Manitou Swingar 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	Fox DHX 4.0, coil over | Adj. ProPedal, rebound, tuning range	Fox DHX 4.0, coil over | Adj. ProPedal, rebound, tuning range	N/A	N/A
HEADSET	Cane Creek S-6 Aheadset, sealed | 27.1 stack	Cane Creek S-6 Aheadset, sealed | 27.1 stack	Alloy Aheadset, semi-cartridge sealed | 27.2	Alloy Aheadset, semi-cartridge, sealed | 27.2	Alloy Aheadset, semi-cartridge, sealed | 27.2	Aheadset, semi-cartridge, sealed | 26.5	Aheadset, semi-cartridge, sealed | 26.5	Aheadset, semi-cartridge, sealed | 26.5	Cane Creek 1.5	Cane Creek 1.5	DC Tank AHS, semi-cartridge, sealed	DC Tank AHS, semi-cartridge, sealed
BOTTOM BRACKET	Shimano XT integrated	Shimano XT integrated	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	Shimano Saint Pipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe
CRANK	Shimano XT 44/32/22 w/intregral BB	Shimano XT 44/32/22 w/intregral BB	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Shimano Saint 32/22	Bontrager Big Earl 32/22 w/Rock Ring	Bontrager Big Earl 32/22 w/Rock Ring	Bontrager Earl 32/22 w/Rock Ring
PEDALS	N/A	N/A	Shimano M520 clipless	Shimano M520 clipless	Shimano M520 clipless	Shimano M520 clipless	Shimano M505 clipless	Shimano M505 clipless	Platform | Cromoly spindle	Platform | Cromoly spindle	Alloy BMX	Alloy BMX
FRONT DERAILLEUR	Shimano XT	Shimano XT	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano Deore	Shimano Deore	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano Alivio
REAR DERAILLEUR	Shimano XT	Shimano XTR	Shimano XT SGS	Shimano XT	Shimano LX SGS	Shimano LX SGS	Shimano Deore SGS	Shimano Deore SGS	SRAM X.0 | 9 speed	SRAM X.9 | 9 speed	Shimano LX	Shimano Deore
SHIFTERS	Shimano XT	Shimano XT	Shimano LX	Shimano XT	Shimano LX	Shimano LX	Shimano Deore	Shimano Deore	SRAM X-9 Trigger 1:1	SRAM X-7 Trigger 1:1	Shimano Deore	Shimano Alivio
CASSETTE	Shimano XT | 11–34 | 9 speed	Shimano XT | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	Shimano XT | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG830 | 11–32 | 8 speed
CHAIN	Shimano HG93	Shimano HG93	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG93	Shimano HG73	Shimano HG73	Shimano IG51
FRONT WHEEL	Bontrager Race Lite disc-specific wheelsystem w/24mm thru-axle	Bontrager Race Lite disc-specific wheelsystem	Bontrager Race disc-specific wheelsystem	Bontrager Select disc-compatible wheelsystem	Bontrager Select disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Big Earl freeride wheelsystem w/20mm thru-axle	Bontrager Earl freeride wheelsystem w/20mm thru-axle		
FRONT HUB											Shimano M525 Disc	Shimano M475 Disc
FRONT RIM											Sun Ryno Lite	Sun Ditchwitch
FRONT SPOKES											14G stainless steel	14G stainless steel
REAR WHEEL	Bontrager Race Lite disc-specific wheelsystem	Bontrager Race Lite disc-specific wheelsystem	Bontrager Race disc-specific wheelsystem	Bontrager Select disc-compatible wheelsystem	Bontrager Select disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Big Earl freeride wheelsystem	Bontrager Earl freeride wheelsystem		
REAR HUB											Shimano M525 Disc	Shimano M475 Disc
REAR RIM											Sun Ryno Lite	Sun Ditchwitch
REAR SPOKES											14G stainless steel	14G stainless steel
FRONT TIRE	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2	Bontrager Big Earl 26x2.7	Bontrager Big Earl 26x2.5	Bontrager Big Earl K 26x2.5	Bontrager Earl 26x2.4
REAR TIRE	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2	Bontrager Big Earl 26x2.5	Bontrager Big Earl 26x2.5	Bontrager Big Earl K 26x2.5	Bontrager Earl 26x2.4
FRONT BRAKE	Shimano XT 8" hydraulic disc	Shimano XT 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Hayes HFX-9 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Hayes HFX-9 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Shimano M430 cartridge V	Hayes HFX-MAG HD 8" hydraulic disc	Hayes HFX-MAG HD 8" hydraulic disc	Hayes HFX-9 8" hydraulic disc	Hayes Sole XC 8" hydraulic disc
REAR BRAKE	Shimano XT 6" hydraulic disc	Shimano XT 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Hayes HFX-9 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Hayes HFX-9 6" hydraulic disc	Hayes HFX-9 HD 6" hydraulic disc	Shimano M430 cartridge V	Hayes HFX-MAG HD 8" hydraulic disc	Hayes HFX-MAG HD 8" hydraulic disc	Hayes HFX-9 6" hydraulic disc	Hayes Sole XC 6" hydraulic disc
BRAKE LEVERS	Shimano XT	Shimano XT	Hayes	Hayes	Hayes	Hayes	Hayes	Avid FR5	Hayes HFX-MAG	Hayes HFX-MAG	Hayes	Hayes
HANDLEBAR	Bontrager Race Lite OS | 31.8mm clamp | 630mm W	Bontrager Race X Lite Carbon OS | 31.8mm clamp | 620mm W | 40mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Big Earl | 7050 aluminum | 31.8 clamp	Bontrager Big Earl | 7050 aluminum | 31.8 clamp	Bontrager Big Earl	Bontrager Earl
STEM	Bontrager Race X Lite | 31.8mm clamp | 7 deg. rise	Bontrager Race X Lite OS | 31.8mm clamp | 7 deg. rise	Bontrager Race OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Big Earl | 31.8mm clamp | 1.5 inch steerer	Bontrager Big Earl | 31.8mm clamp | 1.5 inch steerer	Bontrager Big Earl | 10 deg. rise	Bontrager Earl | 10 deg. rise
GRIPS	Bontrager Lock-On	Bontrager Performance	Bontrager Lock-On	Bontrager Performance	Bontrager Lock-On	Bontrager Performance	Bontrager Lock-On	Bontrager Performance	Bontrager Lock-On	Bontrager Lock-On		
SADDLE	Bontrager FS2000 | Cromoly rails | Leather cover	Bontrager Race Luxe | Hollow cromoly rails	Bontrager FS2000 | Hollow cromoly rails	Bontrager Race Luxe | Hollow cromoly rails	Bontrager FS2000	Bontrager Race Luxe	Bontrager FS2000	Bontrager Race Luxe	Bontrager Big Earl | Kevlar | 8mm Cromoly Rails	Bontrager Earl | Kevlar | 8mm Cromoly Rails	Bontrager Earl K	Bontrager Earl K
SEATPOST	Bontrager Race X Lite Carbon	Bontrager Race X Lite Carbon	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Big Earl | 7050 Tube, 6061 Head, 2-Bolt Rocker Head | 31.6mm	Bontrager Earl | 7050 Tube, 6061 Head, 2-Bolt Rocker Head, Hard Anodized | 31.6mm	Bontrager Select	Bontrager Sport

MODEL	MULLET	SPIE	SUGAR 292	SUGAR 293	SUGAR4+	PARAGON	X-CALIBER	RIG	ZIGGURAT	BIG SUR DISC	BIG SUR	
PAGE	15	15	16	17	17	18	19	19	20	21	21	
COLORS	Candy Blue	Red	Red	Black	Metallic Orange + Metallic Black	Ice Red	Metallic Black	Pearl Purple	Silver + Black Metallic	Ice Purple	Ice Purple	
SIZES	XS (13) | SM (15.5) | MD (17.5) | LG (19.5) | XL (21.5)	XS (13) | SM (15.5) | MD (17.5) | LG (19.5) | XL (21.5)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (16) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	
DETAIL FRAME	Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts	Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts	Platinum Series ZR9000 double-butted aluminum | Genesis 29° Geometry	Platinum Series ZR9000 double-butted aluminum | Genesis 29° Geometry	Gold Series 6061 T6 double-butted aluminum | Genesis Geometry	Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29° Geometry	Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29° Geometry	Platinum Series SS internally and externally butted aluminum w/eccentric bottom bracket | Genesis 29° Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Disc Specific | Genesis Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry	
SWINGARM	N/A	N/A	b-link swingarm | Carbon fiber seatstays | Disc specific | 4" travel	b-link swingarm | Carbon fiber seatstays | Disc specific | 4" travel	sybil-link swingarm | 6061 T6 aluminum stays | 2.8-4" adjustable travel	N/A	N/A	N/A	N/A	N/A	N/A	
FORK	Manitou Splice Comp | 100mm travel	InSync Edge 4 | 100mm travel	RockShox Reba Team 29" | 100mm travel	RockShox Reba Race 29" | 100mm travel	Manitou Splice Super I 70–100mm adjustable travel	RockShox Reba Race 29" | 80mm travel	RockShox Reba SL 29" | 80mm travel	RockShox Reba SL 29" | 80mm travel	Fox FRL w/Lock-Out | 100mm travel	Manitou Skareb Super w/TPC Lock-Out | 100mm travel	Manitou Skareb Super w/TPC Lock-Out | 100mm travel	
REAR SHOCK	N/A	N/A	Fox Float R	Fox Float R	RockShox BAR Adjust	N/A	N/A	N/A	N/A	N/A	N/A	
HEADSET	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S-6 Aheadset, sealed	Alloy Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S-2 Aheadset, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S-2 Aheadset, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	
BOTTOM BRACKET	Cartridge	Cartridge	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe, eccentric	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	
CRANK	Shimano MC09 42/32/22	SR XCC-150 42/34/24	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	Bontrager Select 44/32/22	Bontrager Race 44/32/22	Bontrager Select 44/32/22	Bontrager Race Lite SS 32T	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	
PEDALS	Alloy BMX	Nylon BMX	Shimano M520 clipless	Shimano M520 clipless	Shimano M505 clipless	Shimano M520 clipless	Shimano M505 clipless	Shimano M505 clipless	Shimano M520 clipless	Shimano M505 clipless	Shimano M505 clipless	
FRONT DERAILLEUR	Shimano Acera	Shimano C050	Shimano XT	Shimano Deore	Shimano LX	Shimano LX	Shimano Deore	N/A	Shimano XT	Shimano LX	Shimano LX	
REAR DERAILLEUR	Shimano Alivio	Shimano Acera	SRAM X.0 1:1 alloy	SRAM X.9	Shimano LX SGS	SRAM X.9	SRAM X.7	N/A	SRAM X.0 1:1 alloy	Shimano XT SGS	Shimano XT SGS	
SHIFTERS	Shimano EF29	Shimano EF29	SRAM X-9 Trigger 1:1 alloy	SRAM X-7 Trigger 1:1	Shimano Deore	SRAM X-9 Trigger 1:1 alloy	SRAM X-7 Trigger 1:1	N/A	SRAM X-9 Trigger 1:1 alloy	Shimano LX	Shimano LX	
CASSETTE	SRAM PG830 | 11–32 | 8 speed	SRAM PG830 | 11–32 | 8 speed	Shimano XT | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	18T	SRAM PG970 | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	
CHAIN	Shimano IG51	Shimano IG51	Shimano HG73	Shimano HG53	Shimano HG53	Shimano HG73	Shimano HG53	KMC Z51 Rustbuster	Shimano HG73	Shimano HG53	Shimano HG53	
FRONT WHEEL			Bontrager Race Lite 29" disc-specific wheelsystem	Bontrager Race 29" disc-specific wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Race 29" disc-specific wheelsystem	Bontrager Superstock 29" disc-specific wheelsystem		Bontrager Race disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	
FRONT HUB	Shimano M475 Disc	Alloy QR						Bontrager Race Disc				
FRONT RIM	WTB Speed Disc	WTB Dual Duty						Bontrager Mustang 29" Disc				
FRONT SPOKES	14G stainless steel	14G stainless steel						14G DT Champion				
REAR WHEEL			Bontrager Race Lite 29" disc-specific wheelsystem	Bontrager Race 29" disc-specific wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Race 29" disc-specific wheelsystem	Bontrager Superstock 29" disc-specific wheelsystem		Bontrager Race disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	
REAR HUB	Shimano M475 Disc	Shimano RM30						Bontrager Race Disc SS				
REAR RIM	WTB Speed Disc	WTB Dual Duty						Bontrager Mustang 29" Disc				
REAR SPOKES	14G stainless steel	14G stainless steel						14G stainless steel				
FRONT TIRE	Bontrager Earl 26x2.4	Bontrager Earl 26x2.4	Bontrager ACX 29x2.2 folding	Bontrager ACX 29x2.2 folding	Bontrager Jones XR 26x2.25	Bontrager ACX 29x2.2 folding	Bontrager ACX 29x2.2 folding	Bontrager Jones ACX K 29x2.2	Bontrager Jones XR 26x2.25 tubeless ready	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	
REAR TIRE	Bontrager Earl 26x2.4	Bontrager Earl 26x2.4	Bontrager ACX 29x2.2 folding	Bontrager ACX 29x2.2 folding	Bontrager Jones XR 26x2.2	Bontrager ACX 29x2.2 folding	Bontrager ACX 29x2.2 folding	Bontrager Jones ACX K 29x2.2	Bontrager Jones XR 26x2.2 tubeless ready	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	
FRONT BRAKE	Hayes Linx-2 6" mechanical disc	Tektro V	Hayes HFX-9 hydraulic disc	Avid BB7 mechanical disc	Shimano V	Hayes HFX-9 hydraulic disc	Avid BB7 mechanical disc	Avid BB7 mechanical disc	Avid SD-SL cartridge V	Hayes HFX-9 hydraulic disc	Avid SD-5	
REAR BRAKE	Hayes Linx-2 6" mechanical disc	Tektro V	Hayes HFX-9 hydraulic disc	Avid BB7 mechanical disc	Shimano V	Hayes HFX-9 hydraulic disc	Avid BB7 mechanical disc	Avid BB7 mechanical disc	Avid SD-SL cartridge V	Hayes HFX-9 hydraulic disc	Avid SD-5	
BRAKE LEVERS	Alloy	Alloy	Hayes	Avid FR5	Avid FR5	Hayes	Avid FR5	Avid Speed Dial 7	Avid FR5	Hayes HFX-9 hydraulic disc	Avid FR5	
HANDLEBAR	Bontrager Earl	Hiten	Bontrager Race OS | 31.8mm clamp | 25 deg. rise | 630mm W	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select | 31.8mm clamp | 25mm rise	Bontrager Select | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS	Bontrager Race Lite | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	
STEM	Bontrager Earl | 10 deg. rise	Bontrager | 15 deg. rise	Bontrager Race X Lite OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Sport | 31.8mm clamp | 7 deg. rise	Bontrager Race OS | 31.8mm clamp | 7 deg. rise	Bontrager Select | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 7 deg. rise	Bontrager Race Lite | 31.8mmclamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	
GRIP			Bontrager Performance	Bontrager Performance	Bontrager DD	Bontrager DD	Bontrager DD		Bontrager Performance	Bontrager Performance	Bontrager Performance	
SADDLE	Bontrager Earl	Bontrager Earl	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe	Bontrager Select	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe | Hollow cromoly rails	
SEATPOST	Bontrager Sport	Bontrager	Bontrager Race X Lite Carbon | 31.6mm	Bontrager Select | 31.6mm	Bontrager Sport | 31.6mm	Bontrager Select | 27.2mm	Bontrager Sport | 27.2mm	Bontrager Select | 27.2mm	Bontrager Race X Lite Carbon | 27.2mm	Bontrager Select | 27.2mm	Bontrager Select | 27.2mm	



MODEL	H●● K●● E K●●	TASSAJARA DISC	TASSAJARA	MARLIN	WAH●●	CAKE 3 DLX GS	CAKE 3 GS	BIG SUR GS	TASSAJARA GS	ADVANCE	TARPON	
PAGE	22	23	23	24	25	26	27	29	29	30–31	32	
COLORS	Ice Blue	Metallic Black	Metallic Black + Metallic Red	Candy Blue + Silver | Green	Black + Metallic Dark Gray | Blue	Metallic Black + Metallic Green	Metallic Light Blue + Metallic Silver	Moritz Sky Blue	Metallic Silver	Metallic Black + Metallic Blue | Metallic Orange	Metallic Lt. Silver + Metallic Med. Silver | Metallic Black	
SIZES	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	XS (13) | MD (17)	XS (13) | MD (17)	XS (13) | SM (15.5) | MD (17.5)	XS (13) | SM (15.5) | MD (17.5)	XS (13) | SM (16) | MD (18) | LG (19.5) | XL (21.5) | Stepthrough SM (16) | MD (18)	XS (13) | SM (16) | MD (18) | LG (19.5) | XL (21.5) | Stepthrough SM (16) | MD (18)	
DETAIL FRAME	Platinum Series ZR9000 internally and externally butted aluminum | Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry	Platinum Series ZR9000 double-butted aluminum | Genesisters Geometry	Platinum Series ZR9000 double-butted aluminum | Genesisters Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesisters Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesisters Geometry	Silver Series aluminum ATB	Silver Series aluminum ATB	
SWINGARM	N/A	N/A	N/A	N/A	N/A	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel	6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel	N/A	N/A	N/A	N/A	
FORK	RockShox | Motion control | 100mm travel	Manitou Axel Elite w/TPC Lock-Out | 100mm travel	Manitou Axel Elite w/TPC Lock-Out | 100mm travel	Manitou Axel Comp w/TPC Lock-Out | 100mm travel	RS Judy TT | 100mm travel	Manitou Black Elite Diva | 120mm travel	Manitou Skareb Elite Diva | 100mm travel	Manitou Skareb Super Diva w/TPC Lock-Out | 100mm travel	Manitou Axel Elite w/TPC Lock-Out | 100mm travel	RST Capa T5 | 75mm travel	RST 191C5 | 63mm travel	
REAR SHOCK	N/A	N/A	N/A	N/A	N/A	Manitou Swinger 3-Way Air w/SPV	Manitou Swinger 3-Way Air w/SPV	N/A	N/A	N/A	N/A	
HEADSET	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Alloy Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	
BOTTOM BRACKET	Shimano spline	ISIS GigaPipe	ISIS GigaPipe	Cartridge	Cartridge	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	ISIS GigaPipe	Cartridge	Cartridge	
CRANK	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 42/32/22	Shimano MC08 42/32/22	Bontrager Select 44/32/23	Bontrager Select 44/32/22	Bontrager Race 44/32/22	Bontrager Select 44/32/22	SR XCC-150 42/34/24	SR XCC-100 48/36/28	
PEDALS	Shimano M505 clipless	Shimano M505 clipless	Alloy platform	Alloy platform	Nylon platform	Shimano M520 clipless	Shimano M520 clipless	Shimano M505 clipless	Alloy platform	Nylon platform	Nylon platform	
FRONT DERAILLEUR	Shimano LX	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano C050	Shimano LX	Shimano LX	Shimano LX	Shimano Deore	Shimano C050	Shimano C051	
REAR DERAILLEUR	Shimano LX SGS	Shimano LX	Shimano LX	Shimano Deore	Shimano Alivio	Shimano LX SGS	Shimano LX SGS	Shimano XT SGS	Shimano LX	Shimano Alivio	Shimano Acera	
SHIFTERS	Shimano LX	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano EF29	Shimano LX	Shimano LX	Shimano LX	Shimano Deore	Shimano EF29	Shimano EF29	
CASSETTE	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG830 | 11–32 | 8 speed	SRAM PG830 | 11–32 | 8 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG970 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG830 | 11–32 | 8 speed	SR XCC-100 | 13–34 | 7 speed	
CHAIN	Shimano HG53	Shimano HG73	Shimano HG73	Shimano IG51	Shimano IG51	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG73	Shimano IG51	KMC Z51	
FRONT WHEEL						Bontrager Select disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock Disc Compatible wheelsystem				
FRONT HUB	Alloy Disc QR	Shimano M525 Disc	Shimano M525	Alloy QR	Alloy QR				Shimano M525 Disc	Alloy QR	Alloy QR	
FRONT RIM	Bontrager Maverick	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty				WTB Dual Duty	Matrix 550	Matrix 550	
FRONT SPOKES	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel				14G stainless steel	14G stainless steel	14G	
REAR WHEEL						Bontrager Select disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock Disc Compatible wheelsystem				
REAR HUB	Alloy Disc QR	Shimano M525 Disc	Shimano M525	Shimano RM60	Shimano RM60				Shimano M525 Disc	Shimano RM30	Alloy QR	
REAR RIM	Bontrager Maverick OSB	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty				WTB Dual Duty	Matrix 550	Matrix 550	
REAR SPOKES	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel				14G stainless steel	14G stainless steel	14G	
FRONT TIRE	Bontrager ACX 26x2.2, folding	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.25	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	
REAR TIRE	Bontrager ACX 26x2.2, folding	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.2	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	
FRONT BRAKE	Shimano 420 V	Hayes Solo XC hydraulic disc	Promax V	Promax V	Tektro V	Hayes HFX-9 HD 8" hydraulic disc	Hayes HFX-9 WSD hydraulic disc	Avid SD-5	Promax V	Tektro V	Tektro V	
REAR BRAKE	Shimano 420 V	Hayes Solo XC hydraulic disc	Promax V	Promax V	Tektro V	Hayes HFX-9 HD 6" hydraulic disc	Hayes HFX-9 WSD hydraulic disc	Avid SD-5	Promax V	Tektro V	Tektro V	
BRAKE LEVERS	Avid FR5	Alloy	Alloy	Alloy	Alloy	Hayes	Hayes WSD	Avid FR5	Alloy	Alloy	Alloy	
HANDLEBAR	Bontrager Select | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Select OS | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Crowbar Select | 25.4mm clamp | 600mm W | 25mm rise	Bontrager Select | 31.8mm clamp | 630mm W | 25mm rise	Bontrager Crowbar Sport	Hiten	Hiten	
STEM	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Sport	Bontrager Sport	Bontrager Sport | 25 deg. rise	Bontrager Sport | 25 deg. rise	Bontrager Select OS | 31.8mm clamp | 7 deg. rise	Bontrager Select | 31.8mm clamp | 7 deg. rise	Bontrager Select | 31.8mm clamp | 7 deg. rise	Bontrager Sport | 10 deg. rise	Bontrager | 25 deg. rise	Bontrager | 25 deg. rise	
GRIP	Bontrager DD					Bontrager Lock-On	Bontrager Performance	Bontrager Performance				
SADDLE	Bontrager Race Luxe	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select WSD	Bontrager Select WSD	Bontrager Race Luxe | Hollow Cromoly rails	Bontrager Select WSD	Bontrager Sport	Bontrager Sport	
SEATPOST	Bontrager Select | 27.2mm	Bontrager Sport | 27.2mm	Bontrager Sport | 27.2mm	Bontrager Sport | 27.2mm	Bontrager Sport | 27.2mm	Bontrager Sport | 31.6mm	Bontrager Sport | 31.6mm	Bontrager Select | 27.2mm	Bontrager Sport | 27.2mm	Bontrager	Bontrager	

MODEL	MAKO	MONTARE	UTOPIA	NIRVANA	NIRVANA S	ZEBRANO	ZEBRANO S	TIBURON S	CRONUS	NAPA	CAPITOLA	
PAGE	33	34	34	35	35	35	35	35	36	37	37	
COLORS	Metallic Light Silver + Metallic Blue | Metallic Red	Metallic Silver	Metallic Blue	Metallic Light Silver + Metallic Red	Metallic Light Silver + Metallic Red	Metallic Warm Silver + Metallic Black	Metallic Warm Silver + Metallic Black	Metallic Warm Silver + Metallic Blue	Gloss Black	Metallic Silver + Brushed Aluminum	Metallic Warm Silver + Red	
SIZES	XS (13) | SM (16) | MD (18) | LG (19.5) | XL (21.5) | Stepthrough SM (16) | MD (18)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (15) | MD (17.5) | LG (20) | XL (22.5) | Stepthrough SM (15) | MD (17.5) | LG (20)	SM (15) | MD (17.5) | LG (20) | XL (22.5) | Stepthrough SM (15) | MD (17.5) | LG (20)	SM (15) | MD (17.5) | LG (20) | XL (22.5) | XXL (25) | Stepthrough SM (15) | MD (17.5) | LG (20)	SM (15) | MD (17.5) | LG (20) | XL (22.5) | XXL (25) | Stepthrough SM (15) | MD (17.5) | LG (20)	SM (15) | MD (17.5) | LG (20) | XL (22.5) | Stepthrough SM (15) | MD (17.5) | LG (20)	XS (13) | SM (15.5) | MD (17.5) | LG (19) | XL (21)	SM (14.5) | MD (16.5) | LG (18.5) | XL (21) | Stepthrough SM (14.5) | MD (16.5) | LG (18.5)	SM (14.5) | MD (16.5) | LG (18.5) | XL (21) | Stepthrough SM (14.5) | MD (16.5) | LG (18.5)	
DETAIL FRAME	Silver Series aluminum ATB	Platinum Series ZR9000 internally and externally butted aluminum | Genesis 29" Geometry	Gold Series 6061 T6 internally and externally butted aluminum | Genesis 29" Geometry	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry	Silver Series aluminum SUB	Silver Series aluminum SUB	
SWINGARM	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FORK	Hiten ATB	Manitou South Elite | 75mm travel	RS Metro GPS | 50mm travel	Cromoly ATB	RS Metro GPS | 50mm travel	Cromoly ATB	RST CT FREE TS | 50mm travel	RST CT FREE CS | 50mm travel	Bontrager Switchblade 26"	RST Gila TS | 63mm travel	RST Capa CS | 63mm travel	
REAR SHOCK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
HEADSET	Semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Semi-cartridge, sealed	Semi-cartridge, sealed	Semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	
BOTTOM BRACKET	Cartridge	ISIS GigaPipe	ISIS GigaPipe	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	
CRANK	SR XCC-100 48/38/28	Bontrager Select 48/36/26	Bontrager Select 48/36/26	Shimano T303 48/38/28 w/CG	Shimano T303 48/38/28 w/CG	Shimano TX71 48/38/28 w/CG	Shimano TX71 48/38/28 w/CG	SR XCC-100 48/38/28 w/CG	Bontrager 38T w/CG	Shimano TX71 48/38/28 w/CG	SR XCC-100 48/38/28 w/CG	
PEDALS	Nylon platform	Shimano M505 clipless	Alloy ATB	Alloy ATB	Alloy ATB	Dual-density platform	Dual-density platform	Dual-density platform	Alloy platform	Dual-density platform	Dual-density platform	
FRONT DERAILLEUR	Shimano C051	Shimano Deore	Shimano Deore	Shimano C102	Shimano C102	Shimano C102	Shimano C102	Shimano C102	N/A	Shimano C102	Shimano C051	
REAR DERAILLEUR	Shimano TX50	Shimano XT SGS	Shimano XT	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Acera	SRAM X.7	Shimano Alivio	Shimano Acera	
SHIFTERS	Shimano EF29	Shimano LX	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano EF29	Shimano EF29	Shimano EF29	SRAM X-7 Trigger	Shimano EF29	SRAM MRX Plus	
CASSETTE	SR XCC-100 | 13–34 | 7 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG830 | 11–32 | 8 speed	SRAM PG830 | 11–32 | 8 speed	SRAM PG830 | 11–32 | 8 speed	SRAM PG830 | 11–32 | 8 speed	SR XCC-100 | 13–34 | 7 speed	SRAM PG950 | 11–34 | 9 speed	SRAM PG830 | 11–32 | 8 speed	SR XCC-100 | 13–34 | 7 speed	
CHAIN	KMC Z51	Shimano HG53	Shimano HG73	Shimano IG51	Shimano IG51	Shimano IG51	Shimano IG51	KMC Z51	Shimano HG73 Rustbuster	Shimano IG51	KMC Z51	
FRONT WHEEL		Bontrager Superstock 29" disc-specific wheelsystem										
FRONT HUB	Alloy QR		Shimano M525 Disc	Alloy QR	Alloy QR	Alloy QR	Alloy QR	Alloy QR	Shimano M475 Disc	Alloy QR	Alloy QR	
FRONT RIM	Matrix 550		WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	Matrix 750	WTB Speed Disc	Matrix 550	Matrix 550	
FRONT SPOKES	14G		14G Stainless Steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G	
REAR WHEEL		Bontrager Superstock 29" disc-specific wheelsystem										
REAR HUB	Alloy QR		Shimano M525 Disc	Shimano RM60	Shimano RM60	Shimano RM60	Shimano RM60	Alloy QR	Shimano M475 Disc	Shimano RM60	Alloy QR	
REAR RIM	Matrix 550		WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	Matrix 750	WTB Speed Disc	Matrix 550	Matrix 550	
REAR SPOKES	14G		14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G	
FRONT TIRE	Bontrager Connection Trail 26X2.0	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontrager Invert HC 700x35	IRC Mythos CX Slick 700x42c	Bontrager Invert HC 700x35	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontrager Hank Semi-Slick 26x2.2	Bontrager Comfort 26x1.95	Bontrager Comfort 26x1.95	
REAR TIRE	Bontrager Connection Trail 26x2.0	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontrager Invert HC 700x35	IRC Mythos CX Slick 700x42c	Bontrager Invert HC 700x35	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontrager Hank Semi-Slick 26x2.2	Bontrager Comfort 26x1.95	Bontrager Comfort 26x1.95	
FRONT BRAKE	Tektro V	Avid BB7 mechanical disc	Avid BB5 mechanical disc	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Avid BB7 mechanical disc	Tektro V	Tektro V	
REAR BRAKE	Tektro V	Avid BB7 mechanical disc	Avid BB5 mechanical disc	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Avid BB7 mechanical disc	Tektro V	Tektro V	
BRAKE LEVERS	Alloy	Avid FR5	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Avid FR5	Alloy	Alloy, w/bell	
HANDLEBAR	Hiten	Bontrager Select | 25.4mm clamp | 600mm W | 7 deg. bend	Bontrager Crowbar Select	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Hiten	Bontrager Crowbar Sport	Hiten	Hiten	
STEM	Hiten | 25 deg. rise	Bontrager Sport | 25.4mm clamp | 10 deg. rise	Bontrager Select | 10 deg. rise	AHS alloy adjustable rise	AHS alloy adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Bontrager Sport | 25 deg. rise	Alloy adjustable rise	Alloy adjustable rise	
GRIP												
SADDLE	Bontrager Sport	Bontrager Race Luxe | Hollow cromoly rails	Bontrager Race Luxe	Bontrager CRZ+	Bontrager CRZ+	Bontrager Webspring Comfort	Bontrager Webspring Comfort	Bontrager Webspring Comfort	Bontrager Sport	Bontrager Webspring Comfort	Bontrager Webspring Comfort	
SEATPOST	Bontrager	Bontrager Sport	Bontrager Select	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Bontrager Sport	Alloy suspension	Alloy suspension	