
2006

Fish

GARY FISHER 2006

V.2





Ziggurat

FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Disc specific | Genesis Geometry **WHEELS** Bontrager Race Lite Disc wheelsystem/Bontrager Jones XR 26x2.25 front/2.2 rear folding tubeless-ready tires **SUSPENSION** FOX F100RL | Rebound and lock-out adjust | Aluminum steerer | 100mm travel **COMPONENTRY** SRAM X.0 rear derailleur + X.0 Trigger shifters + Shimano M760 XT front derailleur | Bontrager Race X Lite Carbon GXP 44/32/22 crank | Avid Juicy 7 6" hydraulic disc brakes w/Avid Juicy 7 levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Silver/Fisher Dry Blue

FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Disc specific | Genesis Geometry **WHEELS** Bontrager Select disc- specific wheelsystem | Bontrager Jones XR 26x2.25 front/2.2 rear folding tires **SUSPENSION** Manitou R7 Super w/TPC Lockout | Aluminum steerer | 100mm travel **COMPONENTRY** Shimano M750 XT rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Race GXP 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes HFX-9 levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Silver/Fisher Dry Red

Big Sur



Big Sur GS



FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Disc specific | Genesisters Geometry **WHEELS** Bontrager Select disc-specific wheelsystem | Bontrager Jones XR 26x2.25 front/2.2 rear folding tires **SUSPENSION** Manitou R7 Super w/TPC Lockout | Aluminum steerer | 100mm travel **COMPONENTRY** Shimano M750 XT rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Race GXP 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes HFX 9 short-reach levers | Shimano M520 ATB clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Silver/Gloss Blue



Cake 1 DLX

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Race Lite Disc Specific wheelsystem | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox FLOAT X TrailTune, Terralogic with external bump threshold adjustment, external rebound adjust, aluminum steerer, 130mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M750 XT rear derailleur + M750 XT shifters + M761 XT front derailleur | Shimano M760 XT 44/32/22 crank | Avid Juicy 7 6" hydraulic disc brakes w/Avid Juicy 7 levers **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Gloss Black



Cake 1

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Race Disc Specific wheelsystem | Bontrager ACX 26x2.2 folding tires **SUSPENSION** FOX F100RL, rebound and lock-out adjust, aluminum steerer, 100mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M750 XT rear derailleur + M750 XT shifters + M761 XT front derailleur | Bontrager Race Lite 44/32/22 crank | Hayes HFX-9 XC 6" hydraulic disc brakes w/Hayes levers **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Fisher Dry Silver/Fisher Dry Charcoal

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Race Disc wheelsystem | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox FLOAT R, aluminum steerer, external rebound adjust, 130mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M751 XT rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 XC 6" hydraulic disc brakes w/Hayes levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Gloss Reflex Blue

Cake 2 DLX



Cake 2



FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Select Disc Specific wheelsystem | Bontrager ACX 26x2.2 tires **SUSPENSION** RockShox Recon 351 Air, external rebound, external compression and lock-out, Motion Control, 100mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 XC 6" hydraulic disc brakes w/Hayes levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Fisher Dry Silver/Fisher Dry Blue

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select Disc Specific wheelsystem | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite, aluminum steerer, external preload and rebound adjust, 120mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M571 LX rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 XC 6" hydraulic disc brakes w/Hayes levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Red

R

Cake 3 DLX



T

AM

FR

Cake 3 Disc



PK

NB

Non-disc model available. See page 86 for details.

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Alloy disc hubs | Bontrager Maverick rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axle Elite w/lock-out, 100mm travel | Manitou Radium R, external rebound **COMPONENTRY** Shimano M511 Deore rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Sport 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR 5 levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Matte Silver/Fisher Dry Gold

Genesis Hardtails



CLIMB.
By shortening the chainstays, Genesis Geometry concentrates more of your weight on the rear wheel, aiding traction.

DESCEND.
Genesis Geometry moves your center of gravity further behind the front wheel so you're less likely to go over the handlebars.

STEER.
A shorter stem requires less hand movement to steer, creating more precise maneuvering.

MAINTAIN.
Your normal riding position is maintained to keep you comfortable.

Why a hardtail in this age of amazing full-suspension designs? Because there's an undeniable purity in a hardtail, a hardwired connection to the dirt. It may seem old-school to some, but it will never go out of style. In fact, when you see Gary out on the trail these days, he's probably on a hardtail. But of course, not just any hardtail. Gary's Genesis Geometry designs are light, agile, responsive, and engineered to make average riders good and good riders even better.

How does Genesis Geometry work? It places the rider's center of gravity in position for better climbing and more confident descending. Bottom line, Genesis Geometry is cold, hard science that rides like magic.

Hoo Koo E Koo



FRAME Platinum Series ZR9000 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M525 disc hubs | Bontrager Ranger Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** RockShox Tora 318 Air | Alloy steerer | 100mm travel | Motion Control **COMPONENTRY** Shimano M571 LX rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes HFX-9 levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Fisher Dry Silver/Fisher Dry Charcoal

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M525 disc hubs | Bontrager Ranger Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Platinum Air w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Hayes Sole XC 6" hydraulic disc brakes w/Hayes Sole XC levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Matte Gray

Tassajara Disc



Tassajara



FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M525 disc hubs | Bontrager Camino rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Platinum Air w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Avid SD3 linear-pull brakes w/Tektro RS360A levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Yellow/Metallic Black | Matte Gray

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M475 disc hubs | Bontrager Ranger Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M511 Deore rear derailleur + M511 Deore shifters + M410 Alivio front derailleur | Shimano M410 42/32/22 crank | Hayes MX-2 6" mechanical disc brakes w/Tektro RS360A levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Blue


Piranha



T

TRAIL

Marlin



FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axle Elite w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M511 Deore rear derailleur + M410 Alivio shifters + M410 Alivio front derailleur | Bontrager Sport 42/32/22 crank | Avid SD3 linear-pull brakes w/Tektro RS360A levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black/Ball Burnished | Metallic Purple

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Shimano M475 disc hubs | Bontrager Ranger Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** RockShox J1 | 100mm travel | Preload adjust **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + Acera front derailleur | Shimano MC09 42/32/22 crank | Hayes MX-2 6" mechanical disc brakes w/Shimano EF50 levers | Nylon platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black

Wahoo Disc



FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesis Geometry **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** RockShox J1 | 100mm travel | Preload adjust **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + Acera front derailleur | Shimano MC09 42/32/22 crank | Tektro 845AL V brakes w/Shimano EF50 levers | Nylon platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black/Metallic Red | Metallic Black

Wahoo



Classic Hardtails

Gary Fisher Classic hardtails are for riders who simply want a reliable mountain bike. They're looking for durable. They're looking for affordable. They're looking for a fun bike that will get them around for a long time. And these bikes do all that. They feature many of the same components, materials, and technologies found on higher-performance Fisher bikes.




Advance

FRAME Silver Series aluminum ATB **WHEELS** Alloy front hub w/Shimano RM30-8 rear hub | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **SUSPENSION** RST Capa T6 | 75mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro 845AL V brakes w/Shimano EF50 levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLOR** Pearl White/Metallic Silver | Metallic Orange



R

Tarpon



T


TRAIL

AM

FRAME Silver Series aluminum ATB WHEELS Alloy hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires SUSPENSION RST 191 C6 | 63mm travel COMPONENTRY Shimano Acera rear derailleur + EF50 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro 845AL V brakes w/Shimano EF50 levers | Nylon platform pedals SIZES XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") COLOR Metallic Black/Metallic Blue | Matte Gray

FR

Mako



PK

NB

FRAME Silver Series aluminum ATB WHEELS Alloy hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires FORK Hiten ATB COMPONENTRY Shimano TX50 rear derailleur + EF50 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro 845AL V brakes w/Shimano EF50 levers | Nylon platform pedals SIZES XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") COLOR Metallic Black/Metallic Charcoal | Metallic Green



Paragon

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry **WHEELS** Bontrager Race 29 Disc wheelsystem | Bontrager Jones XR 29x2.25 front/2.2 rear folding tires **SUSPENSION** RockShox Reba Race Dual Air 29 | External rebound, external floodgate, external compression and lockout | Butted aluminum steerer | 80mm travel **COMPONENTRY** SRAM X.9 rear derailleur + X.9 Trigger shifters + Shimano M580 LX front derailleur | Bontrager Race GXP 44/32/22 crank | Avid Juicy 7 hydraulic disc brakes w/Avid Juicy 7 levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Yellow

X-Caliber

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry **WHEELS** Bontrager Superstock 29 Disc wheelsystem | Bontrager Jones XR 29x2.25 front/2.2 rear tires **SUSPENSION** RockShox Reba SL Dual Air 29 | External rebound, internal floodgate, external compression and lock-out | Butted aluminum steerer | 80mm travel **COMPONENTRY** SRAM X.7 rear derailleur + X.7 Trigger shifters + Shimano M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Avid BB7 6" mechanical disc brakes w/Avid FR 5 levers | Shimano M506 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Orange



Cobia



FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry **WHEELS** Shimano M475 disc hubs | Bontrager Ranger 29 Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** RockShox Tora 318 Solo Air 29 | External rebound, external compression and lock-out | Motion Control | 80mm travel **COMPONENTRY** Shimano M511 Deore rear derailleur + M511 Deore shifters + M410 Alivio front derailleur | Bontrager Sport 42/32/22 crank | Avid BB5 6" mechanical disc brakes w/Avid FR 5 levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Reflex Blue






Rig

FRAME Platinum Series ZR9000 SS internally and externally butted aluminum w/eccentric bottom bracket | Genesis 29" Geometry **WHEELS** Bontrager Race 29 Disc SS wheelsystem | Bontrager Jones ACX K 29x2.2 tires **SUSPENSION** RockShox Reba SL Dual Air 29 | External rebound, internal floodgate, external compression and lock-out | Butted aluminum steerer | 80mm travel **COMPONENTRY** Bontrager Race Lite SS 32t crank | Avid BB7 6" mechanical disc brakes w/Avid FR 5 levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Black

The thing about single speeds is, you either get it, or you don't. If you have to ask "Why?", you probably don't get it. Gary does. So he skipped "Why" and went straight to "Why Not?" as we designed the Rig. Why not 29" wheels? Why not disc brakes? Why not an eccentric bottom bracket? That's the answer to most things about single speeds: Why not?

Genesisters



Women's saddle increases comfort.

Genesisters Geometry optimally positions a woman's center of gravity for better control. Compact frame design offers an easier reach.

Narrower handlebars fit narrow shoulders better.

Custom-tuned front shocks suit lighter-weight riders.

Shorter-reach brake levers fit a woman's hands.

Genesisters bikes aren't just engineered specifically for women — they're equipped to fit better from the start. Genesisters frame geometry provides a better biomechanical fit, while the parts mix proves to fit more women right the first time. No more swapping saddles, adjusting the reach, switching this or that. From full-suspension models with plush travel to quick and speedy hardtails, Genesisters bikes are offered in a range of models to accommodate the full spectrum of riding styles. See Big Sur GS on page 37 – Fisher's Genesisters Race Bike.

Cake 2 GS



FRAME Platinum Series ZR9000 double-butted aluminum | Genesisters Geometry | 6062 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Race Disc wheelsystem | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox FLOAT R, aluminum steerer, external rebound adjust, 130mm travel | Manitou Swinger 3-Way SPV, external rebound **COMPONENTRY** Shimano M751 XT rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Race GXP 44/32/22 crank | Hayes HFX-9 XC 6" hydraulic disc brakes w/Hayes HFX-9 short-reach levers | Shimano M505 ATB clipless pedals **SIZES** XS (13") | MD (17.5") **COLOR** Pearl White/Gloss White

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesisters Geometry **WHEELS** Shimano M525 disc hubs | Bontrager Ranger Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Platinum Air w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Hayes Sole XC 6" hydraulic disc brakes w/Hayes Sole XC short-reach levers | Shimano M505 ATB clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Metallic Light Blue

R

Tassajara Disc GS



T

TRAIL

AM

FR

Marlin GS



PK

NB

FRAME Gold Series 6061 T6 internally and externally butted aluminum | Genesisters Geometry **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axle Elite w/TPC Lockout | 100mm travel | Magnesium lowers **COMPONENTRY** Shimano M511 Deore rear derailleur + M410 Alivio shifters + M410 Alivio front derailleur | Bontrager Sport 42/32/22 crank | Avid SD3 linear-pull brakes w/Tektro RS360A levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | | MD (17.5") **COLOR** Pearl White



Fat Possum XO

FRAME Platinum Series ZR9000 externally butted aluminum | Genesis All Mountain Geometry | 6061 T6 aluminum swingarm | Box channel main pivot | External 38mm OD cartridge bearings with eccentric cam **WHEELS** Bontrager Race Lite Disc wheelsystem w/24mm thru-axle | Bontrager Big Earl 26x2.35 folding tires **SUSPENSION** Maverick DUC 32, external rebound and climbing mode, internal volume adjust, 24mm thru-axle, 150mm travel | Manitou Split RPA, externally adjustable Platform Plus damping, external rebound **COMPONENTRY** SRAM X.0 rear derailleur + X.0 shifters + Shimano M761 XT front derailleur | Bontrager Race Lite GXP 44/32/22 crank | Avid Juicy 7 6" hydraulic disc brakes w/Avid Juicy 7 levers **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Orange

FRAME Platinum Series ZR9000 externally butted aluminum | Genesis All Mountain Geometry | 6061 T6 aluminum swingarm | Box channel main pivot | External 38mm OD cartridge bearings with eccentric cam **WHEELS** Bontrager Race Disc wheelsystem w/20mm thru-axle | Bontrager Big Earl 26x2.35 folding tires **SUSPENSION** RockShox Pike 409 Dual Air w/Maxle thru-axle, 140mm travel | Manitou Split RPA, externally adjustable Platform Plus damping, external rebound **COMPONENTRY** Shimano M571 LX rear derailleur + M570 LX shifters + M580 LX front derailleur | Bontrager Race GXP 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes HFX-9 levers | Shimano M520 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Power Blue

Fat Possum XT




Fat Possum LX



FRAME Platinum Series ZR9000 externally butted aluminum | Genesis All Mountain Geometry | 6061 T6 aluminum swingarm | Box channel main pivot | External 38mm OD cartridge bearings with eccentric cam **WHEELS** Bontrager Select Disc Specific wheelsystem | Bontrager Big Earl 26x2.35 folding tires **SUSPENSION** Manitou Nixon Comp, external rebound and compression adjustment, 148mm travel | Manitou Split RP, Platform Plus damping, external rebound **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes HFX-9 levers | Shimano M505 ATB clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Matte Charcoal

King Fisher Full Suspension



Replaceable rear dropouts allow rider to choose from a through axle, standard quick release, or floating caliper wheel/frame interface while eliminating the need for a replaceable derailleur hanger.

7" of plush, tunable travel front and rear that can be dialed in to suit any riding style.

Pivot bearings have been moved outboard and are captured in the swingarm to provide a wider, more robust stance for the bearings and to reduce maintenance issues.

Top and down tubes are heavily manipulated to add superior strength where it's needed and to reduce frame weight wherever possible.

Junction between top tube and seat tube is gusseted for rock-solid strength for no "surprise" landings.

Geometry features a slack head tube and a less-slack seat tube in order to maintain rider's center of gravity and make it easier to pedal.

Some of the greatest advancements in mountain biking over the last decade haven't been in bike technology, but in trail artistry. Mountains are transforming into bike playgrounds, and the Fisher is made for those trails. It is designed to be able to pedal along the trail, even up it. And when you get to that technical section, you have the tool at your fingertips to master it.

King Fisher 1



FRAME King Fisher ZR9000 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum swingarm | External 38mm OD cartridge bearings with eccentric cam | Replaceable dropouts **WHEELS** Bontrager King Earl wheelsystem w/20mm thru-axle | Bontrager Big Earl 26x2.5 tires w/SCC **SUSPENSION** Manitou Travis single intrinsic, cartridge intrinsic damping system, externally adjustable compression and rebound adjustment, 180mm travel, no-tools 20mm hex axle system | Fox DHX 4.0 coil over, adj. ProPedal, rebound, tuning range **COMPONENTRY** SRAM X.0 rear derailleur + X.0 Trigger shifters + Shimano M761 XT front derailleur | Bontrager King Earl 32/22 crank w/Rock Ring | Hayes HFX MAG 8" hydraulic disc brakes w/Hayes BFL levers | Bontrager King Earl Freeride platform pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Matte Prime Blue




FR

FREERIDE

King Fisher 2

FRAME King Fisher ZR9000 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | External 38mm OD cartridge bearings with eccentric cam | Replaceable dropouts **WHEELS** Bontrager Earl wheelsystem w/20mm thru-axle | Bontrager Big Earl 26x2.5 tires w/SCC **SUSPENSION** Manitou Travis Single TPC w/rebound, compression, 180mm travel | Fox DHX 4.0 coil over, adj. ProPedal, rebound, tuning range **COMPONENTRY** SRAM X.9 rear derailleur + X.7 Trigger shifters + Shimano M580 LX front derailleur | Bontrager Big Earl 32/22 crank w/Rock Ring | Hayes HFX MAG 8" hydraulic disc brakes w/Hayes BFL levers | Bontrager Big Earl Freeride platform pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Gunmetal Blue



Replaceable rear dropouts, just in case

Cable routing through the stays to reduce interference with midair rider

Modified King Fisher front triangle mated to robust box section rear

Replaceable stainless steel bash guards for grinding

Extremely low standover height for clearance when doing tricks

1.5" reinforced headtube for best-in-class front-end stiffness

Dirt, street, trail — you choose. Bigg'ns are built for riders who see every terrain as their personal playground. They are light, yet super robust, simple, yet refined. We've done many versions of these bikes and shown them to some of best riders. Like Chris Duncan, who helped us develop the new-for-2006 PhD. Duncan's goal was a bike tuned to every trick in his bag, and we knew there was only one way to achieve it. Give him a prototype. Let him ride. Listen to his feedback and make the necessary changes. Repeat as necessary. The result? Freeride maximus. The natural evolution of the GED, and a perfect example of the Fisher process in action: listening, riding, dialing it in.

Model Shown: PhD

R

T

AM

FR FREERIDE

PK

NB

PhD



FRAME PhD oversized ZR9000 and 6061 aluminum | 1.5" reinforced headtube | Box section stay | Replaceable dropouts **WHEELS** Bontrager King Earl wheelsystem w/20mm thru-axle | Bontrager Urban Earl 26x2.0 tires **SUSPENSION** RockShox Pike 409 Coil U-Turn | External rebound, internal floodgate, external compression and lock-out | 20mm Maxle thru-axle | 95-140mm travel **COMPONENTRY** SRAM X.9 rear derailleur + X.7 Trigger shifter | Bontrager King Earl 38t crank w/Truvativ BoxGuide | Avid BB7 6" mechanical disc brakes w/Avid FR 5 levers | Bontrager Big Earl Freeride platform pedals **SIZES** SM | MD | LG **COLOR** Commando Green

FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts **WHEELS** Shimano M525 disc hubs | Sun Ryno Lite rims | Bontrager Big Earl K 26x2.5 folding tires **SUSPENSION** Marzocchi Drop-off III | 130mm travel **COMPONENTRY** Shimano M571 LX rear derailleur + M511 Deore shifters + M510 Deore front derailleur | Bontrager Big Earl 32/22 crank w/Rock Ring | Hayes HFX-9 hydraulic disc brakes, 8" front/6" rear, w/Hayes HFX-9 levers | Alloy BMX platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Bronze

GED



FR

FREERIDE

Bitter



FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts **WHEELS** Shimano M475 disc hubs | Sun Ditchwitch Disc rims | Bontrager Earl 26x2.4 tires **SUSPENSION** Manitou Splice Super w/rapid-travel winddown 100-130mm travel **COMPONENTRY** Shimano M511 Deore rear derailleur + M511 Deore shifters + M410 Alivio front derailleur | Bontrager Earl 32/22 crank w/Rock Ring | Hayes Sole XC hydraulic disc brakes, 8" front/6" rear, w/Hayes Sole XC levers | Alloy BMX platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver

FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts **WHEELS** Shimano M475 disc hubs | Bontrager Ranger Disc rims | Bontrager Earl 26x2.4 tires **SUSPENSION** Manitou Splice Comp | 100mm travel **COMPONENTRY** Shimano M410 Alivio rear derailleur + EF50 shifters + Acera front derailleur | Bontrager Earl 42/32/22 crank | Hayes MX-2 mechanical disc brakes, 8" front/6" rear, w/Shimano EF50 levers | Alloy BMX platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Candy Blue

Also available with 24" rims. See page 88 for details.

Mullet



Opie



FRAME Bigg'ns 6061 straight gauge aluminum | Reinforced headtube | Box section top & downtubes | Manipulated seat & chainstays | Cold-forged dropouts **WHEELS** Alloy front hub w/Shimano RM30-8 rear hub | Bontrager Camino rims | Bontrager Earl 26x2.4 tires **SUSPENSION** RST Gila Plus T6 | 100mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF50 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro 845AL V brakes w/Shimano EF50 levers | BMX platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Black

Dual Sport

Dual Sport bikes start with a full-on Fisher mountain bike frame. That's right, we use the exact same frame platform as we do on Fisher 29ers. But we then equip our Dual Sports with faster-rolling tires, and quick, short-travel suspension forks for fast cruising. The result? Road bike fast, mountain bike durable. If you want to simplify your life and have one bike to do it all, make it this one.

Montare



FRAME Platinum Series ZR9000 double-butted aluminum | Genesis 29" Geometry **WHEELS** Bontrager Superstock 29 Disc wheelsystem | IRC Mythos XC 700x42c tires **SUSPENSION** Manitou South w/lock-out | 75mm travel **COMPONENTRY** Shimano XT rear derailleur + LX shifters + M810 Deore front derailleur | Bontrager Select 48/36/26 crank | Avid BB7 6" mechanical disc brakes w/Avid FR 5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Prime Blue

FRAME Gold Series aluminum | Genesis 29" Geometry **WHEELS** Bontrager Superstock Disc hubs | Bontrager Ranger rims | IRC Mythos XC 700x42c tires **SUSPENSION** Manitou Empire Elite | 75mm travel **COMPONENTRY** Shimano XT rear derailleur + M510 Deore shifters + M510 Deore front derailleur | Bontrager Select 48/36/26 crank | Avid BB5 6" mechanical disc brakes w/Tektro RS360A levers | Alloy platform pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver

Utopia



Kaitai



PK

PAVEMENT & KIDS

FRAME Gold Series aluminum | Genesis 29" Geometry **WHEELS** Bontrager Superstock Disc hubs | Bontrager Ranger rims | IRC Mythos XC 700x42c tires **SUSPENSION** SR NRX6500 w/lock-out | 63mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank | Avid BB5 6" mechanical disc brakes w/Shimano EF50 levers | Alloy platform pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black

City/Path

Fisher City/Path bikes are aptly named. Equally at home on pavement or smoother paths, they're set up perfectly for charity rides, converted railroad beds, commutes to work and school, or cruising wherever the weekend family ride takes you. It's a perfect blend of the fast-rolling wheels of a road bike with the comfortable position and durability of an offroad model. Most models are available as a standard or stepthrough (ladies) frameset, with or without suspension forks.

Nirvana S



Available with rigid fork. See page 89 for details.

FRAME Silver Series aluminum hybrid **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | IRC Mythos XC 700x42c tires **SUSPENSION** Manitou Lola Elite | 60mm travel **COMPONENTRY** Shimano Deore rear derailleur + M410 Alivio shifters + C102 front derailleur | Shimano T303 48/38/28 crank w/chainguard | Shimano M421 V brakes w/front modulator & Tektro RS360A levers | Alloy platform pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | Stepthrough SM (15") | Stepthrough MD (17") **COLOR** Metallic Light Silver/Metallic Red



Zebrano S

FRAME Silver Series aluminum hybrid WHEELS Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | IRC Mythos XC 700x42c tires SUSPENSION RST CT FREE T6 | 60mm travel COMPONENTRY Shimano Alivio rear derailleur + EF50 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/chainguard | Tektro 845ALV brakes w/front modulator & Shimano EF50 levers | Dual-density platform pedals SIZES SM (15") | MD (17.5") | LG (20") | XL (22.5") | XXL (25") | Stepthrough SM (15") | Stepthrough MD (17") | Stepthrough LG (20") COLOR Warm Metallic Silver/Black



Available with rigid fork. See page 89 for details.



Tiburon S

FRAME Silver Series aluminum hybrid WHEELS Alloy hubs | Matrix 750 rims | IRC Mythos XC 700x42c tires SUSPENSION RST CT FREE C6 | 60mm travel COMPONENTRY Shimano Acera rear derailleur + EF50 shifters + C102 front derailleur | SR XCC-100 48/38/28 crank w/chainguard | Tektro 845AL V brakes w/front modulator & Shimano EF50 levers | Dual-density platform pedals SIZES SM (15") | MD (17.5") | LG (20") | XL (22.5") | XXL (25") | Stepthrough SM (15") | Stepthrough MD (17") | Stepthrough LG (20") COLOR Warm Metallic Silver/Metallic Blue





Napa

FRAME Silver Series aluminum comfort **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Matrix 550 rims | Bontrager Comfort HC 26x1.95 tires **SUSPENSION** RST Gila T6 | 63mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/chainguard | Tektro 845AL V brakes w/front modulator & Shimano EF50 levers | Dual-density platform pedals **SIZES** SM (14.5") | MD (16.5") | LG (18.5") | XL (21") | Stepthrough XS (14.5") | Stepthrough SM (16.5") | Stepthrough MD (18.5") **COLOR** Metallic Silver/Brushed Aluminum





Capitola

FRAME Silver Series aluminum comfort WHEELS Alloy hubs | Matrix 550 rims | Bontrager Comfort 26x1.95 tires SUSPENSION RST Capa C6 | 63mm travel COMPONENTRY Shimano Acera rear derailleur + SRAM MRX Plus shifters + Shimano C051 front derailleur | SR XCC-100 48/38/28 crank w/chainguard | Tektro 845AL V brakes w/front modulator & Tektro alloy levers w/Kraton insert & bell | Dual-density nylon platform pedals SIZES SM (14.5") | MD (16.5") | LG (18.5") | XL (21") | Stepthrough XS (14.5") | Stepthrough SM (16.5") | Stepthrough MD (18.5") COLOR Metallic Warm Silver/Red



Urban

Gary Fisher Urban bikes are built for riders who want a bomber built for the city. They're fast-rolling, durable models ready for the urban assault on traffic, potholes, crowds, and the stop-and-go riding you'll find any time you put a lot of folks in a concentrated place. They can start fast, stop fast, and maneuver around and through the masses.

Triton





PK

PAVEMENT & KIDS

FRAME Fisher double-butted Deluxe HD Steel w/horizontal dropouts | Rack and fender mounts **WHEELS** Bontrager Track wheelsystem, fixed or free rear | Bontrager Select 700x25c tires **SUSPENSION** Bontrager Satellite | Aluminum steerer w/carbon legs **COMPONENTRY** Bontrager Race GXP Track crank | Cane Creek SC3 cartridge pads w/long reach & two-finger ATB levers for caliper brake | Shimano M505 clipless pedals **SIZES** 49 | 53 | 55 | 57 | 61 **COLOR** Metallic Black

FRAME Gold Series butted aluminum | Genesis Geometry **WHEELS** Shimano M475 disc hubs | Bontrager Ranger Disc rims | Bontrager Hank 26x2.2 tires **FORK** Bontrager Switchblade ATB **COMPONENTRY** SRAM X.7 rear derailleur + SRAM X.7 trigger shifter | Bontrager 38t crank w/chainguard | Avid BB 5 6" mechanical disc brakes w/Avid FR 5 levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black

Cronus




Artemis



FRAME Gold Series butted aluminum | Genesis Geometry **WHEELS** Alloy front hub w/Shimano RM60-8 rear hub | Bontrager Camino rims | Bontrager Hank 26x2.2 tires **FORK** Hiten straight blade ATB **COMPONENTRY** Shimano Alivio rear derailleur + EF50 shifters + C102 front derailleur | Shimano TX70 42/34/24 crank w/chainguard | Tektro 845AL V brakes w/Shimano EF50 levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Blue

Kids



Kids-specific frame and a shorter suspension fork create a lower standover height.

Pedal position can be easily switched to accommodate growing legs.

Adjustable stem keeps pace with growing kids.

Shorter-reach brakes increase control and safety.

Kids might not know it, but they want bikes that are durable and safe, yet still fun to ride. Though there are bikes out there that are just as shiny, few, if any, are as well made as Gary Fisher Kids bikes. They're built to last and also built to grow, with adjustable components, shorter-reach brakes, and lower standover heights. Kids may think of bikes as just another toy, but with the head of a parent and heart of a kid, Gary Fisher knows better. Who better to design kids' bikes?

Tyro

PK

PAVEMENT & KIDS



FRAME Silver Series aluminum **WHEELS** Aluminum hubs and rims | Bontrager Connection 24x2.0 tires **SUSPENSION** Great Fit SR suspension fork | 50mm travel **COMPONENTRY** SRAM 3.0 rear derailleur + MRX Plus shifters + Shimano C-051 front derailleur | Great Fit adjustable length 125mm–150mm crank | Alloy linear-pull brakes w/alloy junior-size levers | Great Fit 24" size pedals **SIZES** Great Fit 24" kids frame **COLOR** Metallic Blue/Metallic Silver (boys') | Metallic Purple (girls')

Cosmo






FRAME Silver Series aluminum WHEELS Aluminum hubs and rims | Bontrager Connection 20x2.0 tires SUSPENSION Great Fit SR suspension fork | 50mm travel COMPONENTRY SRAM 6 speed rear derailleur + SRAM MRX shifter | Great Fit adjustable length 120mm–140mm crank | Alloy linear-pull brakes w/alloy junior-size levers | Great Fit 20" size pedals SIZES Great Fit 20" kids frame COLOR Green/Metallic Black (boys') | Dark Metallic Pink (girls')


Astro





FRAME Silver Series aluminum WHEELS Steel front hub, coaster brake rear hub | Aluminum rims | Cross knobby 20x2.125 tires FORK 100% pure steel COMPONENTRY Great Fit 4.5" 32t crank | Alloy linear pull w/alloy lever, plus coaster brake | Great Fit 20" size pedals SIZES Great Fit 20" kids frame COLOR Metallic Red/Metallic Black (boys') | Metallic Pink (girls')

Gamma Ray




FRAME 100% pure steel WHEELS Steel front hub, coaster brake rear hub | Steel chrome-plated rims | Cross knobby 16x2.125 tires FORK 100% pure steel COMPONENTRY Great Fit 3.5" 28t crank | Coaster brake | Great Fit 16" size pedals SIZES Great Fit 16" kids frame COLOR Dark Metallic Red (boys')| Metallic Pink (girls')

Sun Spot




FRAME 100% pure steel WHEELS Steel front hub Coster brake Steel | Chrome plated rims | Cross knobby 12x2.125 tires FORK 100% pure steel COMPONENTRY Great Fit 2.75" 28t crank | Coaster brake | Great Fit 12" size pedals SIZES Great Fit 12" kids frame COLOR Metallic Black (boys')| Metallic Pink (girls')

Star Fish



FRAME 100% pure steel WHEELS Steel front hub Coster brake Steel | Chrome plated rims | Cruiser 12x2.125 tires FORK 100% pure steel COMPONENTRY Great Fit 2.75" 28t crank | Coaster brake | Great Fit 12" size pedals SIZES Great Fit 12" kids frame COLOR Metallic Blue/Metallic Silver (boys')| Metallic Pink/Pearl White (girls')

Geometry Tables



TERM	ABBR.	UNIT	GEOMETRY GLOSSARY
STANDOVER	SO	in	The vertical distance from the ground to the point on the top tube where you straddle the bike.
EFFECTIVE TOP TUBE	TT	in	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
COCKPIT LENGTH	CP	in	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
MINIMUM COCKPIT	minCP	in	The shortest the cockpit can be made by changing the stem to the shortest one available.
MAXIMUM COCKPIT	maxCP	in	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original— the maximum recommended to retain optimum handling.
STEM LENGTH	SL	mm	The original stem, measured from the center of the steerer tube to the center of the handlebar.
CRANK LENGTH	CL	mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
HEADTUBE LENGTH	HTL	mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
HEAD ANGLE	HA	°	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
SEATTUBE ANGLE	STA	°	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	The distance from the center of the bottom bracket to the center of the rear axle.
BOTTOM BRACKET HEIGHT	BBH	mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
BOTTOM BRACKET DROP	BBD	mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
WHEELBASE	WB	mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.

All sizing and geometry specifications are calculated with a standard wheel size and fork axle to race. Larger air volume tires as well as different fork lengths will change the dimensions in these charts.

MODELS			CAKE 1 DLX I CAKE 2 DLX I CAKE 3 DLX				CAKE 1 I CAKE 2 I CAKE 3 & DISC				CAKE 2 GS	
SIZES			SM (16")	MD (17.5")	LG (19")	XL (21")	SM (16")	MD (17.5")	LG (19")	XL (21")	XS (13")	MD (17.5")
STANDOVER	SO	in	29.2	30.4	31.6	33.1	28.4	29.6	30.8	32.3	27.2	30.1
EFFECTIVE TOP TUBE	TT	in	22.9	23.9	24.7	25.5	22.9	23.9	24.7	25.5	22.3	23.4
COCKPIT LENGTH	CP	in	24.8	26.5	27.9	28.9	24.8	26.5	27.9	28.9	24.4	25a 4
MINIMUM COCKPIT	minCP	in	24.6	26.2	27.7	28.7	24.6	26.2	27.7	28.7	24.2	25.2
MAXIMUM COCKPIT	maxCP	in	25.4	27.0	28.4	29.4	25.4	27.0	28.4	29.4	25.0	26.4
STEM LENGTH	SL	mm	75	90	105	105	75	90	105	105	75	75
CRANK LENGTH	CL	mm	170	175	175	175	170	175	175	175	170	175
HEADTUBE LENGTH	HTL	mm	90	105	125	145	90	105	125	145	90	105
HEAD ANGLE	HA	°	70	70.5	70.5	70.5	70	70.5	70.5	70.5	70.0	70.5
SEATTUBE ANGLE	STA	°	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	417	417	417	417	417	417	417	417	417	417
BOTTOM BRACKET HEIGHT*	BBH	mm	343.2	343.2	343.2	343.2	322.5	322.5	322.5	322.5	343.2	343.2
BOTTOM BRACKET DROP*	BBD	mm	-13	-13	-13	-13	8	8	8	8	-13	-13
WHEELBASE	WB	mm	1070.2	1090.5	1112.2	1132.7	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5

*Before recommended 25–30% sag-in

MODELS			ZIGGURAT I BIG SUR I HKEK I TASSAJARA & DISC I PIRANHA I MARLIN I WAHOO & DISC I CRONUS I ARTEMIS					BIG SUR_GS I TASSAJARA DISC_GS		
SIZES			XS (13")	SM (15.5")	MD (17.5")	LG (19")	XL (21")	SM (13")	MD (15.5")	LG (17.5")
STANDOVER	SO	in	26.6	27.8	29.0	30.1	31.6	26.6	27.8	29.0
EFFECTIVE TOP TUBE	TT	in	21.7	22.9	23.9	24.7	25.5	21.7	22.3	23.4
COCKPIT LENGTH	CP	in	24.1	25.8	27.4	28.8	29.6	24.1	25.2	26.4
MINIMUM COCKPIT	minCP	in	23.5	25.3	26.8	28.3	29.0	23.5	24.6	25.7
MAXIMUM COCKPIT	maxCP	in	24.7	26.4	28.0	29.4	30.2	24.7	25.8	26.9
STEM LENGTH	SL	mm	60	75	90	105	105	60	75	75
CRANK LENGTH	CL	mm	170	170	175	175	175	170	170	175
HEADTUBE LENGTH	HTL	mm	90	90	105	125	145	90	90	105
HEAD ANGLE	HA	°	70.0	70.5	71.0	71.0	71.0	70.0	70.5	71.0
SEATTUBE ANGLE	STA	°	74.0	73.5	73.5	73.0	72.5	74.0	73.5	73.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	312	317	317	317	323	312	317	317
BOTTOM BRACKET DROP	BBD	mm	35	30	30	30	25	35	30	30
WHEELBASE	WB	mm	1032.7	1054.1	1076.2	1091.6	1107.6	1032.7	1038.9	1062.6

Geometry Tables continued

MODELS			ADVANCE I TARPON I MAKO					WOMEN'S STEPTHROUGH FRAMES	
SIZES			XS (13")	SM (15")	MD (18")	LG (19.5")	XL (21.5")	SM (15")	MD (18")
STANDOVER	SO	in	25.4	27.6	29.3	30.4	31.9	23.8	23.9
EFFECTIVE TOP TUBE	TT	in	21.5	22.4	23.1	23.8	24.5	21.8	23.0
COCKPIT LENGTH	CP	in	23.0	24.2	25.6	26.3	27.5	24.0	25.3
MINIMUM COCKPIT	minCP	in	23.1	24.3	25.6	26.3	27.6	23.4	24.7
MAXIMUM COCKPIT	maxCP	in	23.4	24.7	26.0	26.7	28.0	24.6	25.9
STEM LENGTH	SL	mm	90	90	110	110	130	55	60
CRANK LENGTH	CL	mm	170	170	175	175	175	170	170
HEADTUBE LENGTH	HTL	mm	105	125	145	165	185	125	165
HEAD ANGLE	HA	°	70.5	71	71.5	71.5	71.5	71	71.5
SEATTUBE ANGLE	STA	°	74.5	74	74	73.5	73.5	74	74
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	412	412	412	412	412	420	415
BOTTOM BRACKET HEIGHT	BBH	mm	268	291	295	295	295	291	295
BOTTOM BRACKET DROP	BBD	mm	45.0	42.0	38.0	38.0	38.0	42.0	38.0
WHEELBASE	WB	mm	1021.5	1037.3	1052.9	1066.5	1085.2	1028.4	1052.8

MODELS			PARAGON I X-CALIBER I COBIA I RIG I MONTARE I UTOPIA I KAITAI			
SIZES			SM (15.5")	MD (17.5")	LG (19")	XL (21")
STANDOVER	SO	in	28.9	29.9	30.8	31.2
EFFECTIVE TOP TUBE	TT	in	23.2	24	24.7	25.5
COCKPIT LENGTH	CP	in	26.2	26.9	28.8	29.6
MINIMUM COCKPIT	minCP	in	25.5	27.5	28.3	29
MAXIMUM COCKPIT	maxCP	in	26.8	28.1	29.4	30.2
STEM LENGTH	SL	mm	75	90	105	105
CRANK LENGTH	CL	mm	170	175	175	175
HEADTUBE LENGTH	HTL	mm	90	90	90	105
HEAD ANGLE	HA	°	70.5	71.0	71.5	71.5
SEATTUBE ANGLE	STA	°	74.0	74.0	73.5	73.0
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	mm	315	315	315	315
BOTTOM BRACKET DROP	BBD	mm	50	50	50	50
WHEELBASE	WB	mm	1088.2	1101.2	1110.4	1124.4

MODELS			FAT POSSUM XO, FAT POSSUM XT, FAT POSSUM LX			
SIZES			SM (15.5")	MD (17.5")	LG (19")	XL (21")
STANDOVER	SO	in	28.5	29.4	30.9	32.6
EFFECTIVE TOP TUBE	TT	in	21.5	22.5	23.7	24.7
COCKPIT LENGTH	CP	in	24.3	25.3	26.5	28.2
MINIMUM COCKPIT	minCP	in	23.6	24.7	25.9	27.6
MAXIMUM COCKPIT	maxCP	in	24.8	25.9	27.1	28.8
STEM LENGTH	SL	mm	70	70	70	90
CRANK LENGTH	CL	mm	170	175	175	175
HEADTUBE LENGTH	HTL	mm	105	115	125	145
HEAD ANGLE	HA	°	68	68	68	68
SEATTUBE ANGLE	STA	°	72	72	72	72
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	428	428	428	428
BOTTOM BRACKET HEIGHT	BBH	mm	352	352	352	352
BOTTOM BRACKET DROP	BBD	mm	14.3	14.3	14.3	14.3
WHEELBASE	WB	mm	1068.3	1094.4	1126.9	1152.5

MODELS			KING FISHER 1 I KING FISHER 2		
SIZES			SM (15.5")	MD (17.5")	LG (19")
STANDOVER	SO	in	29.5	30.5	31.5
EFFECTIVE TOP TUBE	TT	in	22.4	23.0	24.3
COCKPIT LENGTH	CP	in	24.4	24.9	27.1
MINIMUM COCKPIT	minCP	in	24.4	24.9	26.3
MAXIMUM COCKPIT	maxCP	in	25.2	25.7	27.1
STEM LENGTH	SL	mm	50	50	70
CRANK LENGTH	CL	mm	170	175	175
HEADTUBE LENGTH	HTL	mm	115	115	125
HEAD ANGLE	HA	°	67	67	67
SEATTUBE ANGLE	STA	°	73	73	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	434	434	434
BOTTOM BRACKET HEIGHT	BBH	mm	364.5	364.5	364.5
BOTTOM BRACKET DROP	BBD	mm	24.5	24.5	24.5
WHEELBASE	WB	mm	1126.1	1140.3	1173.2

MODELS			GED I BITTER I MULLET I OPIE				
SIZES			XS (13")	SM (15.5")	MD (17.5")	LG (19.5")	XL (21.5")
STANDOVER	SO	in	26.3	27.5	28.7	29.6	30.6
EFFECTIVE TOP TUBE	TT	in	21.4	22.5	23.6	24.4	25.1
COCKPIT LENGTH	CP	in	23.4	24.8	26.4	27.2	27.8
MINIMUM COCKPIT	minCP	in	23.4	24.8	25.6	26.4	27.1
MAXIMUM COCKPIT	maxCP	in	25.0	26.0	26.4	27.2	28.6
STEM LENGTH	SL	mm	50	50	70	70	70
CRANK LENGTH	CL	mm	170	170	175	175	170
HEADTUBE LENGTH	HTL	mm	90	105	117.5	130	145
HEAD ANGLE	HA	°	70	70	70	70	70
SEATTUBE ANGLE	STA	°	71	71	71	71	71
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	317.5	317.5	317.5	317.5	317.5
BOTTOM BRACKET DROP	BBD	mm	28	28	28	28	28
WHEELBASE	WB	mm	1004.9	1034.6	1061.3	1081.3	1100.6

MODELS			PHD		
SIZES			SM	MD	LG
STANDOVER	SO	in	26.0	25.6	26.0
EFFECTIVE TOP TUBE	TT	in	21.7	22.9	23.9
COCKPIT LENGTH	CP	in	23.7	24.9	26.7
MINIMUM COCKPIT	minCP	in	23.1	24.3	26.1
MAXIMUM COCKPIT	maxCP	in	24.3	25.5	27.3
STEM LENGTH	SL	mm	50	50	70
CRANK LENGTH	CL	mm	165	170	170
HEADTUBE LENGTH	HTL	mm	115	125	140
HEAD ANGLE	HA	°	70	70	70
SEATTUBE ANGLE	STA	°	71	71	71
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	361	361	361
BOTTOM BRACKET DROP	BBD	mm	28	28	28
WHEELBASE	WB	mm	1005	1035	1061.5

MODELS			NIRVANA & S I ZEBRANO & S I TIBURON S				WOMEN'S STEPTHROUGH FRAMES		
SIZES			SM (15")	MD (17.5")	LG (20")	XL (22.5")	XS (15")	MD (17.5")	LG (20")
STANDOVER	SO	in	27.0	28.8	30.3	32.2	23.5	23.7	23.8
EFFECTIVE TOP TUBE	TT	in	21.4	21.6	22.2	22.9	21.4	21.5	22.2
COCKPIT LENGTH	CP	in	23.1	23.3	23.9	24.7	22.3	23.2	23.0
MINIMUM COCKPIT	minCP	in	23.3	23.5	24.1	24.8	22.3	23.4	23.5
MAXIMUM COCKPIT	maxCP	in	23.4	23.6	24.3	25.0	22.6	23.6	23.3
STEM LENGTH	SL	mm	105	105	105	105	90	105	110
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	90	105	105	125	105	125	145
HEAD ANGLE	HA	°	70	70.5	70.5	71.5	70	70.5	70.5
SEATTUBE ANGLE	STA	°	74	74	73	73	74	74	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	440	440	440	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	mm	280.9	280.9	280.9	280.9	280.9	280.9	281
BOTTOM BRACKET DROP	BBD	mm	65.0	65.0	65.0	65.0	65.0	65.0	64.9
WHEELBASE	WB	mm	1055.8	1056.3	1061.9	1069.4	1055.8	1056.3	1061.9

MODELS			NAPA I CAPITOLA				WOMEN'S STEPTHROUGH FRAMES		
SIZES			SM (14.5")	MD (16.5")	LG (18.5")	XL (21")	SM (14.5")	MD (16.5")	LG (18.5")
STANDOVER	SO	in	25.9	27.4	29.1	30.3	23.2	23.2	23.4
EFFECTIVE TOP TUBE	TT	in	20.9	21.7	22.6	23.4	20.9	21.7	22.4
COCKPIT LENGTH	CP	in	25.0	25.8	27.7	28.3	25.0	25.8	27.7
MINIMUM COCKPIT	minCP	in	22.8	23.6	24.8	25.5	22.9	23.2	24.5
MAXIMUM COCKPIT	maxCP	in	25.8	26.6	28.0	28.7	25.8	26.6	28.0
STEM LENGTH	SL	mm	105	105	125	125	105	105	125
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	135	155	215	235	135	155	215
HEAD ANGLE	HA	°	70.5	70.5	70.5	73.5	70.5	70.5	70.5
SEATTUBE ANGLE	STA	°	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	423	423	423	423	423	423	423
BOTTOM BRACKET HEIGHT	BBH	mm	287	287	287	287	283	283	283
BOTTOM BRACKET DROP	BBD	mm	46.0	46.0	46.0	46.0	50.0	50.0	50.0
WHEELBASE	WB	mm	1010.9	1031.7	1058.9	1073.6	1010.9	1031.7	1058.9

MODEL			TRITON				
SIZES			49	53	55	57	61
STANDOVER	SO	in	29.5	30.9	31.7	32.4	34.0
EFFECTIVE TOP TUBE	TT	in	20.4	21.5	22.2	22.6	23.9
COCKPIT LENGTH	CP	in	24.0	25.4	26.2	27.0	28.6
MINIMUM COCKPIT	minCP	in	23.4	24.8	25.6	26.4	28.0
MAXIMUM COCKPIT	maxCP	in	24.6	26.0	26.8	27.6	29.2
STEM LENGTH	SL	mm	90	100	100	110	120
CRANK LENGTH	CL	mm	170	170	170	175	175
HEADTUBE LENGTH	HTL	mm	85	116	133	151	155
HEAD ANGLE	HA	°	72	73	73.5	73.5	74
SEATTUBE ANGLE	STA	°	74	73.25	73	72.5	72
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	mm	266	266	266	266	266
BOTTOM BRACKET DROP	BBD	mm	70	70	70	70	66
WHEELBASE	WB	mm	970	980	987	992	1013

Gary Fisher Limited Lifetime Warranty

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse, or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.


All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment.

All Gary Fisher bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Gary Fisher Bicycles extends a Limited Lifetime Warranty on every frame. Warranty duration and detail may differ by frame type and/or by country.

All specifications are subject to change without notice. Gary Fisher Mountain Bikes, Gary Fisher, the double mountain logo, Cake, Genesisters, OCLV, Ziggurat, Big Sur, Cake 1, Cake 2, Cake 3, Hoo Koo E Koo, Tassajara, Marlin, Piranha, Wahoo, Advance, Tarpon, Mako, Paragon, X-Caliber, Cobia, Rig, Fat Possum, Fat Possum XO, Fat Possum XT, Fat Possum LX, King Fisher, King Fisher 1, King Fisher 2, Biggins, PhD, GED, Bitter, Mullet, Opie, Dual Sport, Montare, Utopia, Kaitai, Nirvana, Zebrano, Tiburon, Napa, Capitola, Triton, Cronus, Artemis, Tyro, Cosmo, Astro, Gamma Ray, and Sun Spot are trademarks of Trek Bicycle Corporation. All rights reserved. ©2005 Trek Bicycle Corporation. All Rights Reserved. Fisher is a Registered Trademark of Trek Bicycle Corporation. US Patent Numbers: 5,445,439; 5,624,519; 5,931,544; 6,270,104; 6,497,042 and others pending.

The following riding practices increase your risk of injury: jumping your bicycle, performing bicycle stunts, severe off-road riding, downhill riding and any abnormal bike riding. Each of these conditions increases the stress on every part of your bicycle. Frames or parts under high stress may fatigue prematurely, causing them to fail and increasing the risk of injury to the rider. Avoid these riding practices to decrease your risk of injury.

Suspension Setup



	CAKE		CAKE DLX		FAT POSSUM		KING FISHER		
TRAVEL (mm)	100		120		150		180		
STROKE (mm)	40		51		57		63.5		
SAG (%)	30		30		30		30		
SAG (mm)	12		15		17		20		
	RECOMMENDED AIR PRESSURE (PRELOAD)						RECOMMENDED PRESSURE (PRELOAD)		
RIDER (lbs)	Main Spring (psi)	SPV (psi)	Main Spring (psi)	SPV (psi)	Main Spring (psi)	Platform Plus (XT and XO)	Main Spring	ProPedal	Boost Valve (psi)
100	75	50	75	50	38	Adjust to efficiency preference	Manually adjust coil spring	7 clicks away from fully open	120
110	83	55	83	55	45				120
120	90	60	90	60	52				120
130	98	65	98	65	60				120
140	105	70	105	70	67				120
150	113	75	113	75	74				120
160	120	80	120	80	81				120
170	128	85	128	85	88				120
180	135	90	135	90	95				120
190	143	95	143	95	102				120
200	150	100	150	100	109				120
210	158	105	158	105	116				120
220	165	110	165	110	123				120
230	173	115	173	115	131				120
240	180	120	180	120	138				120
250	188	125	188	125	145				120
REBOUND	6 clicks from slow		6 clicks from slow		6 clicks from slow		6–10 clicks from slow		

Travel Distance the rear axle travels as suspension is actuated.
Stroke Distance the piston travels as the suspension is actuated.
Sag Percent of total travel utilized under the weight of the rider. (also measured in mm)
Spring Amount of air pressure pumped into main spring to determine preload. (On King Fisher, actual coil spring is used and preload is adjusted by turning preload adjustor.)
SPV *(Stable Platform Valve)* Changes in air pressure tunes the amount of rider and pedal forces the shock isolates.
Rebound *(Rebound Damping)* Speed at which suspension returns to extended position.
Platform Plus Dial on the Split RPA that allows the rider to set the amount of pedaling efficiency.
ProPedal Affects the first part of the compression stroke to reduce pedal-induced suspension movement.
Boost Valve A position-sensitive damping scheme that allows seamless transition from ProPedal to bump absorption. (75-200psi range)

Model	Ziggurat	Big Sur	Big Sur GS	Cake 1 DLX	Cake 1	Cake 2 DLX	Cake 2	Cake 3 DLX	Cake 3 Disc	Cake 3	Hoo Koo E Koo	Tassajara Disc	Tassajara
Page	36	37	37	40	41	42	42	43	43	43	44	45	45
Colors	Silver/Fisher Dry Blue	Silver/Fisher Dry Red	Silver/Gloss Blue	Gloss Black	Fisher Dry Silver/Fisher Dry Charcoal	Gloss Reflex Blue	Fisher Dry Silver/Fisher Dry Blue	Pearl Red	Metallic Matte Silver/ Fisher Dry Gold	Metallic Matte Silver/ Fisher Dry Gold	Fisher Dry Silver/Fisher Dry Charcoal	Matte Gray	Metallic Yellow/Metallic Black I Matte Gray
Sizes	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (15.5) I MD (17.5)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (15.5) I MD (17.5) I LG (19) I XL (21)
Detail Frame	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays I Disc specific I Genesis Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays I Disc specific I Genesis Geometry	AC/DC ZR9000 internally and externally butted aluminum main frame w/ carbon composite seat and chainstays I Disc specific I Genesisters Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 double-butted aluminum I Genesis Geometry	Platinum Series ZR9000 internally and externally butted aluminum I Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry
Swingarm	N/A	N/A	N/A	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 5" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 4" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 5" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 4" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 5" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 4" travel	6061 T6 aluminum swingarm I Carbon fiber seatstays, sealed cartridge bearings I 4" travel	N/A	N/A	N/A
Fork	FOX F100RL I Rebound and lock-out adjust I Aluminum steerer I 100mm travel	Manitou R7 Super w/TPC Lockout I Aluminum steerer I 100mm travel	Manitou R7 Super w/TPC Lockout I Aluminum steerer I 100mm travel	Fox FLOAT X TrailTune I Terralogic with external bump threshold adjustment, external rebound adjust I Aluminum steerer I 130mm travel	FOX F100RL I Rebound and lock-out adjust I Aluminum steerer I 100mm travel	Fox FLOAT R I Aluminum steerer I External rebound adjust I 130mm travel	RockShox Recon 351 Air I External rebound, external compression and lock-out I Motion Control I 100mm travel	Manitou Black Elite I Aluminum steerer I External preload and rebound adjust I 120mm travel	Manitou Axel Elite w/lock-out I 100mm travel	Manitou Axel Elite w/lock-out I 100mm travel	RockShox Tora 318 Air I Alloy steerer I 100mm travel I Motion Control	Manitou Axel Platinum Air w/TPC Lockout I 100mm travel I Magnesium lowers	Manitou Axel Platinum Air w/TPC Lockout I 100mm travel I Magnesium lowers
Rear Shock	N/A	N/A	N/A	Manitou Swinger 3-Way SPV I External rebound	Manitou Swinger 3-Way SPV I External rebound	Manitou Swinger 3-Way SPV	Manitou Swinger 3-Way SPV I External rebound	Manitou Swinger 3-Way SPV I External rebound	Manitou Radium R I External rebound	Manitou Radium R I External rebound	N/A	N/A	N/A
Headset	Cane Creek S8, cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S8, cartridge, sealed	Cane Creek S3, cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed
Bottom Bracket	Truvativ GXP external	Truvativ GXP external	Truvativ GXP external	Shimano XT Pipe	Truvativ GXP external	Truvativ GXP external	Truvativ GigaPipe	Truvativ GigaPipe	Cartridge	Cartridge	Truvativ ISIS GigaPipe	Truvativ ISIS GigaPipe	Truvativ ISIS GigaPipe
Crank	Bontrager Race X Lite Carbon 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Shimano M760 XT 44/32/22	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 44/32/22	Bontrager Sport 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22
Pedals	Shimano M520 ATB clipless	Shimano M520 ATB clipless	Shimano M520 ATB clipless	N/A	N/A	Shimano M520 ATB clipless	Shimano M505 ATB clipless	Shimano M520 ATB clipless	Shimano M505 ATB clipless	Alloy I Clipless adaptable	Shimano M505 ATB clipless	Shimano M505 ATB clipless	Alloy platform
Front Derailleur	Shimano M760 XT	Shimano M580 LX	Shimano M580 LX	Shimano M761 XT	Shimano M761 XT	Shimano M580 LX	Shimano M510 Deore	Shimano M580 LX	Shimano M510 Deore	Shimano M510 Deore	Shimano M580 LX	Shimano M510 Deore	Shimano M510 Deore
Rear Derailleur	SRAM X.0	Shimano M750 XT	Shimano M750 XT	Shimano M750 XT	Shimano M750 XT	Shimano M751 XT	Shimano M571 LX	Shimano M571 LX	Shimano M511 Deore	Shimano M511 Deore	Shimano M571 LX	Shimano M571 LX	Shimano M571 LX
Shifters	SRAM X.0 Triggers	Shimano M570 LX	Shimano M570 LX	Shimano M750 XT	Shimano M750 XT	Shimano M570 LX	Shimano M511 Deore	Shimano M570 LX	Shimano M511 Deore	Shimano M511 Deore	Shimano M570 LX	Shimano M511 Deore	Shimano M511 Deore
Cassette	SRAM PG990 I 11-34 I 9 spd	SRAM PG970 I 11-34 I 9spd	SRAM PG970 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG970 I 11-34 I 9spd	SRAM PG970 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG990 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd
Chain	Shimano HG93	Shimano HG73	Shimano HG73	Shimano HG93	Shimano HG73	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG73	Shimano HG73	Shimano HG73
Front Wheel	Bontrager Race Lite Disc wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Race Lite Disc Specific wheelsystem	Bontrager Race Disc Specific wheelsystem	Bontrager Race Disc wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Select Disc Specific wheelsystem					
Front Hub									Alloy disc	Alloy disc	Shimano M525 disc	Shimano M525 disc	Shimano M525 disc
Front Rim									Bontrager Maverick	Bontrager Maverick	Bontrager Ranger Disc	Bontrager Ranger Disc	Bontrager Camino
Front Spokes									14G Stainless Steel	14G Stainless Steel	15G DT Champion stainless steel	14G stainless steel	14G stainless steel
Rear Wheel	Bontrager Race Lite Disc wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Race Lite Disc Specific wheelsystem	Bontrager Race Disc Specific wheelsystem	Bontrager Race Disc wheelsystem	Bontrager Select Disc Specific wheelsystem	Bontrager Select Disc Specific wheelsystem					
Rear Hub									Alloy disc	Alloy disc	Shimano M525 Disc	Shimano M525 Disc	Shimano M525 Disc
Rear Rim									Bontrager Maverick	Bontrager Maverick	Bontrager Ranger Disc	Bontrager Ranger Disc	Bontrager Camino
Rear Spokes									14G Stainless Steel	14G Stainless Steel	15G DT Champion stainless steel	14G stainless steel	14G stainless steel
Front Tire	Bontrager Jones XR 26x2.25 folding I Tubeless ready	Bontrager Jones XR 26x2.25 folding	Bontrager Jones XR 26x2.25 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25
Rear Tire	Bontrager Jones XR 26x2.2 folding I Tubeless ready	Bontrager Jones XR 26x2.2 folding	Bontrager Jones XR 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2 folding	Bontrager ACX 26x2.2	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2
Front Brake	Avid Juicy 7 hydraulic disc I 6" rotor	Hayes HFX-9 hydraulic disc I 6" rotor	Hayes HFX-9 hydraulic disc I 6" rotor	Avid Juicy 7 hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Avid BB7 mechanical disc	Alloy linear pull	Hayes HFX-9 hydraulic disc I 6" rotor	Hayes Sole XC hydraulic disc I 6" rotor	Avid SD3 linear pull
Rear Brake	Avid Juicy 7 hydraulic disc I 6" rotor	Hayes HFX-9 hydraulic disc I 6" rotor	Hayes HFX-9 hydraulic disc I 6" rotor	Avid Juicy 7 hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Avid BB7 mechanical disc	Alloy linear pull	Hayes HFX-9 hydraulic disc I 6" rotor	Hayes Sole XC hydraulic disc I 6" rotor	Avid SD3 linear pull
Brake Levers	Avid Juicy 7	Hayes	Hayes HFX-9 short reach	Avid Juicy 7	Hayes	Hayes	Hayes	Hayes	Avid FR 5	Avid FR 5	Hayes HFX-9	Hayes Sole XC	Tektro RS360A
Handlebar	Bontrager Race X Lite OS Carbon Riser	Bontrager Crowbar Select OS	Bontrager Crowbar Select	Bontrager Race X Lite Carbon OS Riser	Bontrager Race Lite OS	Bontrager Select OS Riser	Bontrager Select OS Riser	Bontrager Select OS	Bontrager Sport Riser	Bontrager Sport Riser	Bontrager Select OS Riser	Bontrager Sport Riser	Bontrager Sport Riser
Stem	Bontrager Race Lite I 7d rise	Bontrager Select OS I 7d rise	Bontrager Select I 7d rise	Bontrager Race Lite OS I 7d rise	Bontrager Race Lite OS I 7d rise	Bontrager Race OS I 7d rise	Bontrager Select OS I 7d rise	Bontrager Select OS I 7d rise	Bontrager Sport	Bontrager Sport	Bontrager Select OS I 7d rise	Bontrager Sport I 10d rise	Bontrager Sport I 10d rise
Grip	Bontrager Race	Bontrager Race	Bontrager Race FIT	Bontrager Lock-On	Bontrager Performance	Bontrager Lock-On	Bontrager Race	Bontrager Lock-On	Bontrager Race	Bontrager Race	Bontrager Dual Density	Bontrager Dual Density	Bontrager Dual Density
Saddle	Bontrager Race Lite Lux I Ti rails	Bontrager Race Lux	Bontrager CR2+ Race FIT	Bontrager Race Lite Lux I Ti Rails	Bontrager Race Lux I Hollow cromoly rails	Bontrager Select I Hollow cromoly rails	Bontrager Race Lux	Bontrager Select I Hollow cromoly rails	Bontrager Race Lux	Bontrager Race Lux	Bontrager Select ATB	Bontrager Select ATB	Bontrager Select ATB
Seatpost	Bontrager Race X Lite Carbon	Bontrager Select	Bontrager Select	Bontrager Race X Lite Carbon	Bontrager Race Lite	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Select	Bontrager Sport	Bontrager Sport

Seatpost	Bontrager Race X Lite Carbon	Bontrager Select	Bontrager Select	Bontrager Race X Lite Carbon	Bontrager Race Lite	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Select	Bontrager Sport	Bontrager Sport

Model	Pirahna	Marlin	Wahoo Disc	Wahoo	Advance	Tarpon	Mako	Paragon	X-Caliber	Cobia	Rig	Cake 2 GS	Tassajara Disc GS
Page	46	46	47	47	48	49	49	51	52	52	53	54	55
Colors	Metallic Blue	Metallic Black/Ball Burnished I Metallic Purple	Metallic Black	Metallic Black/Metallic Red I Metallic Black	Pearl White/Metallic Silver I Metallic Orange	Metallic Black/Metallic Blue I Matte Gray	Metallic Black/Metallic Charcoal I Metallic Green	Pearl Yellow	Pearl Orange	Pearl Reflex Blue	Pearl Black	Pearl White/Gloss White	Metallic Light Blue
Sizes	XS (13) I SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I SM (16) I MD (18) I LG (19.5) I XL (21.5) I Stepthrough SM (16) I MD (18)	XS (13) I SM (16) I MD (18) I LG (19.5) I XL (21.5) I Stepthrough SM (16) I MD (18)	XS (13) I SM (16) I MD (18) I LG (19.5) I XL (21.5) I Stepthrough SM (16) I MD (18)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	SM (15.5) I MD (17.5) I LG (19) I XL (21)	XS (13) I MD (17.5)	XS (13) I SM (15.5) I MD (17.5)
Detail Frame	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesis Geometry	Silver Series aluminum ATB	Silver Series aluminum ATB	Silver Series aluminum ATB	Platinum Series ZR9000 internally and externally butted aluminum I Disc specific I Genesis 29" Geometry	Platinum Series ZR9000 internally and externally butted aluminum I Disc specific I Genesis 29" Geometry	Platinum Series ZR9000 internally and externally butted aluminum I Disc specific I Genesis 29" Geometry	Platinum Series ZR9000 SS internally and externally butted aluminum w/eccentric bottom bracket I Genesis 29" Geometry	Platinum Series ZR9000 double-butted aluminum I Genesisters Geometry	Gold Series 6061 T6 internally and externally butted aluminum I Genesisters Geometry
Swingarm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6061 T6 aluminum swingarm I Carbon fiber seatstays I Disc specific, sealed cartridge bearings I 4" travel	N/A
Fork	Manitou Axel Elite w/TPC Lockout I 100mm travel I Magnesium lowers	Manitou Axel Elite w/TPC Lockout I 100mm travel I Magnesium lowers	RockShox J1 I 100mm travel I Preload adjust	RockShox J1 I 100mm travel I Preload adjust	RST Capa T6 I 75mm travel	RST 191 C6 I 63mm travel	Hiten ATB	RockShox Reba Race Dual Air 29 I External rebound, external floodgate, external compression and lockout, Butted aluminum steerer I 80mm travel	RockShox Reba SL Dual Air 29 I External rebound, internal floodgate, external compression and lockout I Butted aluminum steerer I 80mm travel	RockShox Tora 318 Solo Air 29 I External rebound, external compression and lock-out I Motion Control I 80mm travel	RockShox Reba SL Dual Air 29 I External rebound, internal floodgate, external compression and lock-out I Butted aluminum steerer I 80mm travel	Fox FLOAT R I Aluminum steerer I External rebound adjust I 130mm travel	Manitou Axel Platinum Air w/TPC Lockout I 100mm travel I Magnesium lowers
Rear Shock	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Manitou Swinger 3-Way SPV I External rebound	N/A
Headset	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S3, cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Cane Creek S1, cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed
Bottom Bracket	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Truvativ GXP external	Truvativ ISIS GigaPipe	Cartridge	Truvativ ISIS GigaPipe w/eccentric	Truvativ GXP external	Truvativ ISIS GigaPipe
Crank	Shimano M410 42/32/22	Bontrager Sport 42/32/22	Shimano MC09 42/32/22	Shimano MC09 42/32/22	SR XCC-150 42/34/24	SR XCC-100 48/38/28	SR XCC-100 46/36/26	Bontrager Race 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 42/32/22	Bontrager Race Lite SS 32T	Bontrager Race GXP 44/32/22	Bontrager Select 44/32/22
Pedals	Alloy platform	Alloy platform	Nylon platform	Nylon platform	Nylon platform	Nylon platform	Nylon platform	Shimano M520 ATB clipless	Shimano M505 ATB clipless	Shimano M505 ATB clipless	Shimano M505 ATB clipless	Shimano M505 ATB clipless	Shimano M505 ATB clipless
Front Derailleur	Shimano M410 Alivio	Shimano M410 Alivio	Shimano Acera	Shimano Acera	Shimano C050	Shimano C051	Shimano C051	Shimano M580 LX	Shimano M510 Deore	Shimano M410 Alivio	N/A	Shimano M580 LX	Shimano M510 Deore
Rear Derailleur	Shimano M511 Deore	Shimano M511 Deore	Shimano Alivio	Shimano Alivio	Shimano Alivio	Shimano Acera	Shimano TX50	SRAM X.9	SRAM X.7	Shimano M511 Deore	N/A	Shimano M751 XT	Shimano M571 LX
Shifters	Shimano M511 Deore	Shimano M410 Alivio	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	SRAM X.9 Triggers	SRAM X.7 Triggers	Shimano M511 Deore	N/A	Shimano M570 LX	Shimano M511 Deore
Cassette	SRAM PG950 I 11-34 I 9spd	SRAM PG830 I 11-32 I 8spd	SRAM PG830 I 11-32 I 8spd	SRAM PG830 I 11-32 I 8spd	SRAM PG830 I 11-32 I 8spd	Sunrace I13-34 I 7spd	Sunrace I13-34 I 7spd	SRAM PG970 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd	18t 1/2x1/8	SRAM PG970 I 11-34 I 9spd	SRAM PG950 I 11-34 I 9spd
Chain	Shimano HG73	Shimano IG51	Shimano IG51	Shimano IG51	Shimano IG51	KMC Z51	KMC Z51	Shimano HG73	Shimano HG73	Shimano HG73	KMC Z51 RustBuster	Shimano HG53	Shimano HG73
Front Wheel								Bontrager Race 29 Disc wheelsystem	Bontrager Superstock 29 Disc wheelsystem		Bontrager Race 29 Disc SS wheelsystem	Bontrager Race Disc wheelsystem	
Front Hub	Shimano M475 disc	Alloy	Shimano M475 disc	Alloy	Alloy	Alloy	Alloy			Shimano M475 disc			Shimano M525 disc
Front Rim	Bontrager Ranger Disc	Bontrager Camino	Bontrager Ranger Disc	Bontrager Camino	Matrix 550	Matrix 550	Matrix 550			Bontrager Ranger 29 Disc			Bontrager Ranger Disc
Front Spokes	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G	14G			14G stainless steel			14G stainless steel
Rear Wheel								Bontrager Race 29 Disc wheelsystem	Bontrager Superstock 29 Disc wheelsystem		Bontrager Race 29 Disc SS wheelsystem	Bontrager Race Disc wheelsystem	
Rear Hub	Shimano M475 Disc	Shimano RM60-8	Shimano M475 Disc	Shimano RM60-8	Shimano RM30-8	Alloy	Alloy			Shimano M475 Disc			Shimano M525 Disc
Rear Rim	Bontrager Ranger Disc	Bontrager Camino	Bontrager Ranger Disc	Bontrager Camino	Matrix 550	Matrix 550	Matrix 550			Bontrager Ranger 29 Disc			Bontrager Ranger Disc
Rear Spokes	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G	14G			14G stainless steel			14G stainless steel
Front Tire	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Jones XR 26x2.25	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	Bontrager Jones XR 29x2.25 folding	Bontrager Jones XR 29x2.25	Bontrager Jones XR 29x2.25	Bontrager Jones ACX K 29x2.2	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.25
Rear Tire	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Jones XR 26x2.2	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	Bontrager Connection Trail 26x2.0	Bontrager Jones XR 29x2.2 folding	Bontrager Jones XR 29x2.2	Bontrager Jones XR 29x2.2	Bontrager Jones ACX K 29x2.2	Bontrager ACX 26x2.2 folding	Bontrager Jones XR 26x2.2
Front Brake	Hayes MX-2 mechanical disc I 6" rotor	Avid SD3 linear pull	Hayes MX-2 mechanical disc I 6" rotor	Tektro 845AL V	Tektro 845AL V	Tektro 845AL V	Tektro 845AL V	Avid Juicy 7 hydraulic disc	Avid BB7 mechanical disc I 6" rotor	Avid BB5 mechanical disc I 6" rotor	Avid BB 7 mechanical disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes Sole XC hydraulic disc I 6" rotor
Rear Brake	Hayes MX-2 mechanical disc I 6" rotor	Avid SD3 linear pull	Hayes MX-2 mechanical disc I 6" rotor	Tektro 845AL V	Tektro 845AL V	Tektro 845AL V	Tektro 845AL V	Avid Juicy 7 hydraulic disc	Avid BB7 mechanical disc I 6" rotor	Avid BB5 mechanical disc I 6" rotor	Avid BB 7 mechanical disc I 6" rotor	Hayes HFX-9 XC hydraulic disc I 6" rotor	Hayes Sole XC hydraulic disc I 6" rotor
Brake Levers	Tektro RS360A	Tektro RS360A	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	Avid Juicy 7	Avid FR 5	Avid FR 5	Avid FR 5	Hayes HFX-9 short reach	Hayes Sole XC short reach
Handlebar	Bontrager Sport Riser	Bontrager Sport Riser	Bontrager Sport Riser	Bontrager Sport Riser	Bontrager aluminum	Bontrager aluminum	Bontrager aluminum	Bontrager Race OS Riser	Bontrager Select OS Riser	Bontrager Sport	Bontrager Select OS Riser	Bontrager Select Riser	Bontrager Crowbar Sport
Stem	Bontrager Sport I 10d rise	Bontrager Sport I 25d rise	Bontrager Sport I 10d rise	Bontrager Sport I 25d rise	Bontrager I 25d rise (M) 40d rise (L)	Bontrager I 25d rise (M) 40d rise (L)	Steel I 25d rise (M) 40d rise (L)	Bontrager Race OS I 7d rise	Bontrager Select OS I 7d rise	Bontrager Sport I 10d rise	Bontrager Select OS I 7d rise	Bontrager Select I 7d rise	Bontrager Sport I 10d rise
Grip	Bontrager Dual Density	Bontrager Dual Density	Bontrager Dual Density	Bontrager Dual Density	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Race	Bontrager Dual Density	Bontrager Dual Density	Bontrager Dual Density	Bontrager Race FIT	Bontrager Race FIT
Saddle	Bontrager Select ATB	Bontrager Select ATB	Bontrager Select ATB	Bontrager Select ATB	Bontrager Sport ATB	Bontrager Sport ATB	Bontrager Sport ATB	Bontrager Race Lux I Hollow cromoly rails	Bontrager Race Lux	Bontrager Select ATB	Bontrager Select	Bontrager Select FIT	Bontrager Select FIT
Seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Alloy micro adjust	Bontrager Alloy micro adjust	Bontrager Alloy micro adjust	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Select	Bontrager Sport	Bontrager Sport

NUTS & BOLTS