
GARY FISHER

Pg.04 Frame
Big Wheels and Fenders

Pg.05 Superfly
Pg.06 Paragon
Pg.07 Ferrous 29
Pg.08 X-Caliber
Pg.09 Big
Pg.11 Cobia
Pg.12 HiFi Pro 29
Pg.14 HiFi Deluxe 29
Pg.16 HiFi Plus 29

Pg.18 Full Suspension
Multi-travel and rear

Pg.19 ProCaliber
Pg.20 SuperCaliber
Pg.21 Caliber
Pg.22 HiFi Pro Carbon
Pg.23 HiFi Carbon
Pg.24 HiFi Pro
Pg.25 HiFi Deluxe
Pg.27 HiFi Plus
Pg.28 HiFi

Pg.30 Suspension
Wheel-specific models

Pg.31 HiFi Deluxe QS
Pg.32 HiFi QS
Pg.33 Big Sur QS
Pg.34 Marlin QS

Pg.36 Hardtails
Race to all-mountain

Pg.37 Genesis Hardtails
Pg.38 Classic Hardtails
Pg.39 Diggins

Pg.40 Cross-Handtails
Mountain bikes, evolved

Pg.41 ProCaliber 29
Pg.42 ProCaliber 29
Pg.43 ProCaliber SS

Pg.44 Placement
Performance off the trail

Pg.45 Dual Sport
Pg.46 Fast City
Pg.47 Simple City
Urban
Path

Pg.48 Notes & Stats
Reference galore

Pg.51 Warranty
Pg.52 Geometry
Pg.63 Specs

2008.BIKES
GARY FISHER

THE 1ST AND LAST NAME IN MOUNTAIN BIKES.

When you think and rethink bikes as much as Gary does, each year's lineup is less an arrival than a point marked on the journey. That said, we're making no attempt to hide our excitement over this year's bikes. The big story is our ongoing leadership in the 29er movement. We introduced them in 2000, have since made more than any other company, and we've dramatically improved them yet again for '08. The refinements include (but aren't even sort of limited to) the introduction of G2 geometry and the first-ever custom Fox Fork. What else made the cut? How about serious expansion to the HiFi line, with the addition of a carbon version and a collection of HiFi 29ers. We normally don't believe it when anything claims to be superior across the board, but the HiFi really is head and shoulders above anything else, both in weight and in handling. No small feat, if we do say so ourselves. And in our ongoing quest for two-wheeled awesomeness we even developed a line of real-deal Fisher bikes for kids. Not just kiddie bikes with the Gary name slapped on. We're talking serious mountain bikes for kids. So read on. And then bike on.

PAPER INFORMATION
Printed in the USA on recycled paper that contains 30% post-consumer waste and is FSC certified. Cover paper contains 100% post-consumer waste and is FSC certified and produced using wind power. Please pass this catalog on or recycle it again.



GARY FISHER

Transmissions from a perpetual motion machine.

I've been thinking a lot lately about bikes. And by "lately," I mean the last 40 years or so. I'd like to share a thought or two.

I think a bike is an optimistic creature. An anti-inertia machine. It opposes stagnation. It despises atrophy.

A bike wants to go. Look at it. You can tell. There's something weird about a bike standing still, like an organ playing the same note over and over. The song needs movement. It needs a progression.

Of course, I'm biased. I like bikes. All bikes. I like wheels, because wheels want to move. I like that that, with a bike, you get two wheels. Kind of an added bonus. Two is the perfect number, I say. It means you've got balance.

Important thing, balance.

It's on a bike that I feel most at home. It's motion, but not the kind of motion that's taking you away from something. I think it's the opposite of that. Singletrack or switchback or city street, when I'm on a bike, I feel like I'm moving toward something. It's forward motion, motion that that has its own value. It is its own destination (to borrow someone's cliché).

Of course, I get carried away. It's also true that a bike's not much of anything. Rubber and metal, chains and posts. It needs a pilot. I've been a pilot for as long as I can remember. Longer, because some of my memories are a little hazy, to be perfectly honest. I've known hundreds of other pilots. Thousands. I meet more every day. People with hands on the controls, some kind of elemental liftoff achieved, all plugged in to the buzz of two wheels moving in the same direction.

Thousands of pilots times two wheels each. It's a lot of momentum

Maybe I'm a bit of an old-school idealist (aka: hippie), but I count all bike people as friends. You too. Seriously. "Hippie" is defined as "a person who opposes and rejects many of the conventional standards and customs of society," and, for the moment, disciples of the bike fit that definition.

Riding around powered by your own two legs is not a "conventional standard." It's just not. Knowing that you need to be careful about your pant leg getting caught is not what most people are thinking about as they begin their morning commute. Sitting somewhere behind your bike seat on a steep descent, watching trees go by at a wholly disturbing angle, blood tingling with panic and then elation? Definitely not conventional behavior.

Some see this non-maintream-ness as a good thing, a badge of pride. Some see it as bad. Me, I'm not worried about good or bad as much as WHY. Why are more people not riding bikes? You know how many people live within biking distance of their work? Did you know that in Amsterdam, 40 percent of commuters get to work by bike? (I knew I liked that place.)

Maybe you think it's weird for a mountain bike guy to be talking about commuting, but that's kind of my point. I'm about bikes. Two wheels. Momentum. Arriving under your own power, on your own terms. Arriving at the top of a mountain, at the base of a hill, at the revolving front door of a 100-story building in a city of millions, arriving on Mars. It's all good to me, as long as it's arriving on a bike.

The point is, in all these years of thinking about bikes and working on bikes and dreaming about bikes and falling in love with bikes and the people who ride them, one thought—maybe THE one thought—I keep coming back to is that I'm going to continue doing everything I can to get more people on bikes.

Why? Because bikes are good. Pretty simple.

That's what I've been thinking. I'll see you around.

Gary

01.29ERS

BIG WHEELS ARE FASTER.

WHY:


The reasons to go big when it comes to wheel size are well accepted these days: more momentum, more stability, more traction. The real question is, why a Fisher 29er? Because Gary's built more 29ers than anyone on earth, and all that experience has been refined into an '08 line of Fisher 29ers that amplify all the benefits of bigger wheels while making light of any drawbacks.

Gary's proprietary G2 geometry with custom offset forks improves the slow-speed handling of the 29er wheels across the whole line. Combine that with our new Superfly, the lightest Fisher hardtail ever, and the new HiFi full suspension in a 29" platform, and once again Gary has changed the question from why a Fisher, to which one?

HOW:

Two of the generally accepted compromises with 29" wheels are that they take more input to steer and are tougher to fit to smaller riders. Good thing Gary doesn't readily accept compromise. The introduction of G2 Geometry—custom offset forks for 29ers—reduces the amount of trail built into the front end. This has the benefit of quicker handling, plus more toe/wheel clearance, so Fishers can fit smaller riders right out of the box. Compared to the rest of the bikes aboard the 29er bandwagon, Fishers are more responsive, easier to fit, and most likely lighter. Good things come in uncompromising packages.

Available in hardtail, full suspension, aluminum, and carbon.



ANOTHER ANGLE ON 29ERS

29" wheels decrease your angle of attack. Why should you care? Decreasing the angle of attack lets you roll over obstacles faster, smoother, and easier than you can with smaller wheels.

01.1. SUPERFLY 29

WHY:

The goal was a 29er with no compromises. Lighter, stiffer, quicker. Take away all the final obstacles anyone could have to moving up in wheel size. The Superfly is it. The lightest Fisher frame — of any size, not just 29ers — combined with Fisher exclusive G2 geometry. Lighter, quicker, and just plain faster. In other words, fly.

HOW:

The execution is an elegant monocoque carbon construction, leaning on all the latest developments in carbon technology. The custom offset G2 Fox fork provides reduced trail, for quicker handling with less rider input. Asymmetric chainstays improve rear wheel tracking and allow for great tire clearance.

It takes a lot of bike to earn the name Superfly. This is a lot of bike.

FRAME
1 Fisher G2 29" co-molded monocoque carbon

WHEELS
Bontrager Race X Lite 29 disc, tubeless ready
Bontrager Jones ACX 29x2.2 tires, folding, tubeless ready

SUSPENSION
Fox FB0 RLC 29 w/air pressure, rebound, compression, lockout, alloy steerer, 80mm travel, G2 offset

COMPONENTRY
1 SRAM X.0 front derailleur
1 SRAM X.0 rear derailleur
1 SRAM X.0 shifters
1 Bontrager Race X Lite 4 (32/22 x 11-36) carbon
1 Avid Juicy Ultimate hydraulic disc brakes, 160mm rotors

Upgrades over Horsethief next



Paragon
29ER//HARDTAIL

FRAME
True Temper OX Platinum 29 w/eccentric bottom bracket

WHEELS
Bontrager Rhythm Comp 29 disc, tubeless ready
Bontrager Jones ACX 29x2.2 tires, folding, tubeless ready

SUSPENSION
Fork 80 mm travel, alloy steerer, rebound, lockout, alloy crown, Motion Control 29 inch

COMPONENTRY
+ SRAM X.9 front derailleur
+ SRAM X.9 rear derailleur
+ SRAM X.9 shifters
+ Shimano LX 44/32/22 crank
+ Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over X-Caliber in white



FRAME
True Temper OX Platinum 29 w/eccentric bottom bracket

WHEELS
Bontrager Race Disc 29
Bontrager Jones ACX 29x2.2 tires, folding, tubeless ready

SUSPENSION
Rockshox Reba Race 29 w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm travel

COMPONENTRY
SRAM X.9 front derailleur
SRAM X.9 rear derailleur
SRAM X.9 shifters
Bontrager Race GXP 44/32/22 crank
Avid BB7 mechanical disc brakes w/Avid FR-5 levers

Ferrous 29
29ER // STEEL // SINGLE SPEED READY
29" wheels, single speed ready, made in America
steel. This is the all-around ride.





FRAME
Platinum Series 6066 butted and hydroformed aluminum, G2 29" Geometry

WHEELS
* Bontrager Rhythm 29 disc
Bontrager Jones ACX 29x2.2 tires, folding, tubeless ready

SUSPENSION
* Fox F80 RL 29 w/air pressure, rebo, lockout, a lov steerer, 80mm travel, G2 offset

COMPONENTRY
Shimano Deore front derailleur
* SRAM X7 rear derailleur
* SRAM X7 shifters
Shimano M581 44/32/22 crank, Octalink
* Shimano M485 hydraulic disc brakes 160mm rotors

Upgrades over Cobia in white

X-Caliber
29ER //HARDTAIL

FRAME
Platinum Series 6066 butted and hydroformed aluminum w/ accented bottom bracket, G2 29" Geometry

WHEELS
Bontrager Race Singlespeed Hubs, Bontrager Duster 29" rims, Bontrager Jones ACX 29x2.2 tires, folding, tubeless ready

SUSPENSION
Fox F80 RL 29 w/air pressure, rebound, lockout, 80mm travel, G2 offset

COMPONENTRY
Bontrager Race Singlespeed crankset, 32T chainring, Bontrager Race Singlespeed rear cog, Bontrager Race Singlespeed chain tensioner, Bontrager Race Singlespeed chain, Bontrager Race Singlespeed front and rear wheel quick release, Bontrager Race Singlespeed handlebar



Rig
29ER // SINGLE SPEED
New dropout can accept a non-derailleur hanger for those who succumb to the temptation of gears



Cobia
29ER // HARDTAIL

FRAME
Platinum Series 6066 butted and hydroformed aluminum, G2 29" Geometry

WHEELS
Shimano M475 disc hubs
Bontrager Ranger disc rims
Bontrager Jones ACX 29x2.2 tires, folding

SUSPENSION
RockShox Tora 318 Solo Air 29 w/positive air pressure, Motion Control, rebound, compression, lockout, 80mm travel, G2 offset

COMPONENTRY
SRAM Deore front derailleur
SRAM X.5 rear derailleur
SRAM X.5 shifters
Shimano M442 44/32/22 crank, Octalink
Avid BB5 mechanical disc brakes w/Avid FR-5 levers



FRAME
6066 hydroformed butted aluminum, G2 Geometry, co-molded carbon seatstays, 4" rear wheel travel


WHEELS
• Bontrager Rhythm Elite 29 disc, tubeless ready
Bontrager Jones AO X 29 x 2.2 tires, folding, tubeless ready

SUSPENSION
• Rock Shox Reba SL 29 w/air pressure, rebound, compression, lockout, alloy steerer, 100mm travel, 42 offset

COMPONENTRY
• Shimano XT triple derailleur
• Shimano XT Shadow rear derailleur
• Shimano XT shifters
• Shimano XT 44/32/22 crank
• Avid Juicy 7 hydraulic disc brakes, 160mm rotors

Upgrades over HiFi Plus 29 in white

HiFi Pro 29
29ER // FULL SUSPENSION





HiFi Deluxe 29
29ER // FULL SUSPENSION

FRAME
6066 hydroformed butted aluminum, G2 Geometry, co-molded carbon seatstays, 4" rear wheel travel

WHEELS
• Bontrager Rhythm Comp 29 disc, tubeless ready
Bontrager Jones AO X 29 x 2.2 tires, folding, tubeless ready

SUSPENSION
• Rock Shox Reba SL 29 w/air pressure, rebound, lockout, alloy steerer, 100mm travel, 42 offset

COMPONENTRY
• SRAM X.9 Front derailleur
• SRAM X.9 rear derailleur
• SRAM X.9 shifters
• Shimano FC-M540 44/32/22 crank, Octalink
• Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over HiFi Plus 29 in white



FRAME
6066 hydroformed butted aluminum, G2 Geometry, co-molded carbon seatstays, 4" rear wheel travel

WHEELS
Bontrager Superstock 29 disc
Bontrager Jones AO X 29 x 2.2 tires, folding, tubeless ready

SUSPENSION
RockShox Reba SL 29 w/positive and negative air pressure, Motion Control rebound, compression, lockout, alloy steerer, 100mm travel

COMPONENTRY
Shimano Deore Front derailleur
SRAM X.7 rear derailleur
SRAM X.7 shifters
Shimano M540 44/32/22 crank, Octalink
Avid Juicy 7 hydraulic disc brakes, 160mm rotors

HiFi Plus 29
29ER // FULL SUSPENSION

02. FULL SUSPENSION

FISHER PLUSH, FRONT AND REAR.

WHY:

Take the edge off while putting the power on. That's the mission behind each of Gary's full-suspension offerings. And while the technology behind both front and rear suspension continues to advance at a dizzying pace, Gary works very hard to keep things simple, efficient, and easy to maintain. And oh yeah, the whole fast and light part is pretty nice too.

02.1. HIFI XC

HOW:

Way back in 2006 Gary Fisher introduced the HiFi trail bike, and with it his all-new Genesis 2.0 Geometry. G2 improved upon the slow-speed handling of original Genesis Geometry without affecting its trademark high-speed stability or climbing power. Many happy miles on the trail later, HiFi has become one of the most popular 5" travel bikes ever.

But Gary can't leave well enough alone. He knows you don't always need 5" of suspension. He knows you'd often gladly trade travel inches for ounces. Gary knows that sometimes, you want the ultimate cross-country machine because that's what the trail dictates or simply how you like to ride.

Enter the new HiFi XC. Gary's lightest, stiffest, most efficient full-suspension bike to date, race ready and cross-country dialed to keep you moving ahead. Quickly.



1. Lightweight 3350 gram frame (17.5")
2. Genesis 2.0 Geometry for improved slow-speed handling while maintaining high-speed stability
3. Custom 46mm offset G2 Fox 100mm travel fork
4. 90mm rear travel
5. Fox rear shock tuned for cross-country racers with less pedal-induced compression
6. Long cockpit and low hand position for the XC rider
7. Co-molded M7 v carbon chainstays and seatstays increase stiffness by 15% while also saving 160 grams in the swingarm over previous models



ProCaliber
FULL SUSPENSION // HIFI XC

Bike of Choice For The Serious Gary Fisher Racer

FRAME
ZR9000 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 Geometry

WHEELS
- Bontrager Race X Lite Disc, tubeless ready
- Bontrager Dry X, 26x2.1 tires, 120 tpi, folding

SUSPENSION
- Fox Float RP2 w/air pressure, 3 position Pro Pedal, rebound, 8.5x1.5
- Fox F-100 RLC w/air pressure, rebound, compression, lockout, alloy stanchions, 100mm travel, 62 offset

COMPONENTRY
- Shimano XTR front derailleur
- SRAM X.0 rear derailleur
- SRAM X.0 shifters
- Shimano XTR 44/32/22 crank
- Avid Juicy Ultimate hydraulic disc brakes, 160mm rotors

Upgrades over SuperCaliber in white



SuperCaliber
FULL SUSPENSION // HIFI XC

FRAME
ZR9000 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 Geometry

WHEELS
- Bontrager Race Disc
- Bontrager Dry X, 26x2.1 tires, 120 tpi, folding

SUSPENSION
- Fox Float RP2 w/air pressure, Pro Pedal, rebound, 8.5x1.5
- Fox F-100 RLC w/air pressure, rebound, compression, lockout, alloy stanchions, 100mm travel, 62 offset

COMPONENTRY
- Shimano LX front derailleur
- Shimano XT Shadow rear derailleur
- Shimano LX shifters
- Shimano LX 44/32/22 crank
- Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over Caliber in white



Caliber
FULL SUSPENSION // HIFI XC

FRAME
ZR9000 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 Geometry

WHEELS
Bontrager Select Disc
Bontrager Dry X, 26x2.1 tires, 120 tpi, folding

SUSPENSION
Fox Float RP2 w/air pressure, Pro Pedal, rebound, 8.5x1.5"
RockShox Recon Race Solo Air w/positive air pressure, rebound control, rebound, compression, lockout, 100mm travel, 62 offset

COMPONENTRY
Shimano Deore front derailleur
Shimano Deore LX rear derailleur
Shimano Deore shifters
Shimano M522 44/32/22 crank, Octalink
Avid Juicy 3 hydraulic disc brakes, 160mm rotors

02.2.HIFI

HIGH FIDELITY FOR THE TRAIL.

WHY:

The experts agree. This is it. THE trail bike. They say it has flawless traction. Power uphill. Makes the technical easier and the gnarly smoother. Requires minimal rider input. Accelerates with authority. Turns on a dime. Crams the heart and soul of the mountain bike experience into one bike. Its possibilities are endless. (Seriously, they said that.) Oh yeah, maybe most important: IS A BLAST TO RIDE.

And even with all the praise they heaped on it, the new Carbon Pro version still weighs just a bit over 23 pounds.

HOW:

It starts with G2 Geometry, the first-ever update to Gary's original Genesis Geometry. It's the Famous Fisher Feel, fine tuned. G2 uses a custom offset fork to improve the handling characteristics of the bike at slow speeds, while maintaining the stability that Genesis Geometry provides at high speeds. Add in the lightest-weight full-suspension frame in the entire Fisher line, and you have the formula for the next generation of full-suspension trail bikes.



1. Genesis 2 (G2) Geometry for improved slow-speed handling while maintaining high-speed stability
2. Custom 46mm offset G2 forks from Fox and RockShox
3. 9" front and rear travel
4. Linkage-activated pivot system
5. Quadruple FourBarrel™ bearing dropout pivots
6. Cartridge bearings press-fit into the main pivot, dropout, and link
7. Custom-tuned Fox RP23 and RP3 rear suspension on all HiFis
8. Carbon models feature an OCLV® 110gen carbon main frame with 40% greater stiffness-to-weight ratio than aluminum counterpart
9. Carbon HiFis feature co-molded shock and link mounts that increase durability and reduce weight

02.3. HIFI PRO CARBON

WHY:

We think it's the finest 5" travel trail bike in the world. True, we're biased. But we've got the facts to back us up. First off, it's the lightest 5" travel trail bike on, well, the trail. And even though it's light, Gary didn't compromise on anything. As with every Fisher bike, it's got a limited lifetime frame warranty. So it's guaranteed to not only be light, but durable too. It's got custom G2 geometry, courtesy of an exclusive Fisher-only fork from Fox, meaning that it handles great in tight twisty singletrack. Let's not forget co-molded link mounts, OCLV® carbon fiber, Made-in-USA construction, and a rear suspension design that's earned rave reviews from the magazines. It's the most expensive platform in the Fisher line, and worth every cent. It's an investment in fun.

FRAME
G2 co-molded 110 GSM OCLV carbon mainframe; carbon/aluminum swingarm; 5" travel

WHEELS
- Bontrager Race X Lite disc tubeless ready
- Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
- Fox F120 RL C w/air pressure, rebound compression, lockout, alloy steerer, tapered travel, 62 offset

COMPONENTRY
- Shimano XTR front derailleur
- SRAM X.0 rear derailleur
- SRAM X.0 shifters
- Shimano XTR 44/32/22 cranks
- Avid Juicy Ultimate hydraulic disc brakes, 180mm rotors

Upgraded over HIFI Carbon 0 unit



HiFi Carbon
FULL SUSPENSION // HIFI


FRAME
- 92 g-matched 110 GSM OCLV carbon mainframe; carbon/aluminum swingarm, 5" travel

WHEELS
Bontrager Race Lite disc, tubeless ready
Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
Fox F 120 RL w/air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset
Fox Float RP23 w/air pressure, 3 position tunable Pro Pedal, rebound; 7.5x2.0"

COMPONENTRY
- Shimano XT Front derailleur
Shimano XT Shadow rear derailleur
- Shimano XT shifters
Shimano XT 44/32/22 crank
Avid Juicy 7 hydraulic disc brakes, 185mm front, 160mm rear rotor

Upgrades over HiFi Pro in white





FRAME
Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
- Bontrager Race Lite disc, tubeless ready
Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
- Fox F120 RL w/air pressure, rebound, compression, lockout, alloy steerer, 120mm travel, G2 offset
- Fox Float RP23 w/air pressure, 3 position tunable Pro Pedal, rebound; 7.5x2.0"

COMPONENTRY
- Shimano LX Front derailleur
- Shimano XT rear derailleur
- Shimano LX shifters
- Shimano XT 44/32/22 crank
- Avid Juicy 7 hydraulic disc brakes, 185mm front, 160mm rear rotor

Upgrades over HiFi Deluxe in white

HiFi Pro
FULL SUSPENSION // HIFI



HiFi Deluxe
FULL SUSPENSION // HIFI

FRAME
Aluminum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
- Bontrager Race disc
Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
- Fox X-29 RL w/air pressure, rebound, lockout, 120mm travel, G2 offset
Fox Float RP2 w/air pressure, Pro Pedal, rebound, 7.5x2.0"

COMPONENTRY
- Shimano LX front derailleur
- SRAM X.9 rear derailleur
- SRAM X.7 shifters
- Shimano LX 44/32/22 crank
- Avid Juicy 5 hydraulic disc brakes, 185mm front, 160mm rear rotor

Upgrades over HiFi Plus in white





HiFi Plus
FULL SUSPENSION // HIFI

FRAME
Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
Bontrager Select disc
Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
- RockShox Recon 351 Air w/positive air pressure, Motion Control rebound, compression, lockout, 120mm travel, G2 offset
Fox Float RP2 w/air pressure, Pro Pedal, rebound, 7.5x2.0"

COMPONENTRY
Shimano Deore front derailleur
- Shimano Shadow XT rear derailleur
Shimano Deore shifters
Shimano M510 44/32/22 crank, Octalink
- Avid Juicy 3 hydraulic disc brakes, 185mm front, 160mm rear rotor

Upgrades over HiFi white



FRAME
Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
Shimano M475 disc hubs
Bontrager Ranger disc rims
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
RockShox Recon 335 Solo Air w/positive air pressure, rebound, Turnkey lockout, 120mm travel, G2 offset
Fox Float RP2 w/air pressure, Pro Pedal, rebound, 7.5x2.0"

COMPONENTRY
Shimano Deore front derailleur
Shimano Deore rear derailleur
Shimano Deore shifters
Shimano M442 44/32/22 crank, Octalink
Avid BB5 mechanical disc brakes w/Avid FR-5 levers

HiFi
FULL SUSPENSION // HIFI

03. GENESISTERS


MEN ARE FROM MARS. WOMEN RIDE GENESISTERS.

WHY:

Genesisters is Gary's famous Genesis Geometry (see page 28), refined for a woman's center of gravity. Genesis Geometry varies from most other bike designs in that it concentrates the rider's weight over the rear wheel for better traction and further behind the front axle to lessen the likelihood of going over the handlebars when encountering rough terrain. With a woman's center of gravity on average a bit lower than a man's, Gary's Genesisters models shorten the reach of the bars while still optimizing the focus of the rider's weight. Add in women-specific components and suspension that is pre-tuned to a woman's lighter average weight, and you get a bike that helps a beginning rider gain confidence, and experienced riders gain speed and improved technical ability.

HOW:

Genesisters bikes aren't just engineered specifically for women — they're equipped to fit better from the start. Genesisters frame geometry provides a better biomechanical fit, while the parts mix proves to fit more women right the first time. No more swapping saddles, adjusting the reach, switching this or that. From full-suspension models with plush travel to quick and speedy hardtails, Genesisters bikes are offered in a range of models to accommodate the full spectrum of riding styles.



1. Women's saddle increases comfort
2. Genesisters Geometry optimally positions a woman's center of gravity for better control, while compect frame design offers an easier reach
3. Narrower handlebars fit narrow shoulders better
4. Custom-tuned front shocks suit lighter-weight riders
5. Shorter-reach breke levers fit a woman's hands

HiFi Deluxe GS
GENESISTERS // FULL SUSPENSION



FRAME
Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
* Bontrager Race disc
* Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
* Fox F120 RL w/air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset

COMPONENTRY
* Shimano LX front derailleur
* SRAM X.9 rear derailleur
* SRAM X.7 shifters
* Shimano LX 44/32/22 crank
* Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over HiFi SS in white

Big Sur GS
GENESISTERS // HARDTAIL

FRAME
* Platinum Series ZR6000 internally and externally butted aluminum, Genesisters Geometry

WHEELS
* Bontrager Select disc
* Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
* Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm travel

COMPONENTRY
* Shimano LX front derailleur
* Shimano X.7 Shadow rear derailleur
* Shimano LX shifters
* Shimano LX 44/32/22 crank
* Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over Marlin GS in white





HiFi GS
GENESISTERS // FULL SUSPENSION

FRAME
Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry; aluminum, co-molded carbon swingarm, 5" rear wheel travel

WHEELS
Shimano M475 disc hubs
Bontrager Ranger disc rims
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
RockShox Recon 338 Solo Air w/positive air pressure, rebound, Turnkey lockout, 120mm travel, G2 offset

COMPONENTRY
Shimano Deore front derailleur
Shimano Deore rear derailleur
Shimano Deore shifters
Shimano M442 44/32/22 crank, Octalink
Avid BB5 mechanical disc brakes w/Avid FR-5 levers



Marlin GS
GENESISTERS // HARDTAIL

FRAME
* Gold Series 6061 TB internally and externally butted aluminum, Genesisters Geometry

WHEELS
Shimano M475 disc hubs
Bontrager Ranger disc rims
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
* RockShox Dart 3 w/manual lockout, custom spring weight, 100mm travel

COMPONENTRY
* Shimano Deore Front derailleur
* Shimano Deore rear derailleur
* Shimano Deore shifters
* Shimano M442 44/32/22 crank
* Avid BD-3 brakes w/alloy levers

Upgrades over Advanced in white

04. HARDTAILS

PURE TRAIL CONNECTION.

WHY:

Why a hardtail, in this age of amazing full-suspension designs? Because there's an undeniable purity in a hardtail, a hardwired connection to the dirt. It may seem old-school to some, but it will never go out of style. In fact, when you see Gary out on the trail these days, he's probably on a hardtail.

04.1. GENESIS HARDTAILS

HOW:

Gravity is your friend. You can either fight gravity or work with it—that's the thought Gary put into designing Genesis Geometry. Genesis works with gravity by aligning your body weight over the bicycle where it will gain you the most traction and reduce your tendency to go over the bars when encountering rough terrain. These are good things. Genesis builds confidence and makes beginning riders good, and good riders great.



CLIMB
By shortening the chainstays, Genesis Geometry concentrates more of your weight on the rear wheel, adding traction.



DESCEND
Genesis Geometry moves your center of gravity further behind the front wheel so you're less likely to go over the handlebars.



STEER
A shorter stem requires less hand movement to steer, creating more precise maneuvering.



MAINTAIN
Your normal riding position is maintained to keep you comfortable.



Big Sur

HARDTAILS // GENESIS

The same durable, butted Genesis frame used by our World Cup Racing Team.

FRAME
Full-suspension Genesis 6061 butted aluminum, with an overall tapered aluminum steerer tube

WHEELS
- Bontrager Select disc
- Bontrager Jones VR Plus 2.0 all-mtn tubeless

SUSPENSION
- Fox F100 FLW air (pressure, rebound, lockout, alloy steerer, 100mm travel

COMPONENTRY
- Shimano LX front derailleur
- Shimano XT Shadow rear derailleur
- Shimano LX shifters
- Shimano LX 44/32/22 crank
- Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades may require tool-free wheels

FRAME
True Temper OX Platinum w/eccentric bottom bracket

WHEELS
Bontrager Race disc
Bontrager Jones ACX 200E tubeless tubeless

SUSPENSION
Rock Shox Pilot Platinum ATA w/positive and negative air pressure Motion Control, rebound, lockout, alloy steerer, 100mm travel

COMPONENTRY
Shimano LX front derailleur
SRAM X.9 rear derailleur
SRAM X.9 shifters
Bontrager Race Lite GXP 44/32/22 crank
Avid BB7 mechanical disc brakes w/Avid Ib.3 levers

Ferrous

HARDTAILS // STEEL // SINGLE SPEED READY

The fabulous feel of steel in a tapered diamond frame with eccentric bottom bracket makes it single speed ready.





Hoo Koo E Koo
HARDTAILS // GENESIS



FRAME
- Shimano Exage 7 M5000 internally and externally butted aluminum, Genesis Geometry

WHEELS
- Shimano M525 disc hubs
Bontrager Ranger disc rims
- Bontrager Jones XR 26x2.2/2.25 tires, folding

SUSPENSION
- RockShox Recon SL w/manual, rebound, lockout, alloy steerer, 100mm travel

COMPONENTRY
- SRAM X.7 front derailleur
- SRAM X.9 rear derailleur
- SRAM X.7 shifters
- Shimano M525 44/32/22 crank, Octalink
- Avid Juicy 5 hydraulic disc brakes, 160mm rotors

Upgrades over Tassajara in white



FRAME
Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
Shimano M495 disc hubs
Bontrager Ranger disc rims
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm travel

COMPONENTRY
Shimano Deore front derailleur
- Shimano LX rear derailleur
Shimano Deore shifters
Shimano M442 44/32/22 crank, Octalink
Shimano M485 hydraulic disc brakes, 160mm rotors

Upgrades over Piranha in white

Tassajara
HARDTAILS // GENESIS



FRAME
Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
- Shimano M495 disc hubs
Bontrager Ranger disc rims
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Tora 302 w/preload, rebound, lockout, 100mm travel

Colors
Dry Green
Matte Pearl White

COMPONENTRY
- SRAM X.9 rear derailleur
- SRAM X.5 shifters
- Shimano M442 44/32/22 crank, Octalink
- Shimano M485 hydraulic disc brakes, 160mm rotors

Upgrades over Martin Disc in white

Piranha
HARDTAILS // GENESIS



Marlin Disc
HARDTAILS // GENESIS



FRAME
Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
- Shimano M475 disc hubs
- Bontrager Ranger disc rims
- Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Dart 3 w/preload, lockout, 100mm travel

COMPONENTRY
- Shimano Deore front derailleur
- Shimano Deore rear derailleur
- Shimano Deore shifters
- Shimano M442 44/32/22 crank
- Avid BB5 — mechanical disc brakes w/Avid FR-5 levers

Upgrades over Wahoo Disc in white



Wahoo Disc
HARDTAILS // GENESIS

FRAME
Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
- Shimano M66 disc hubs
- Bontrager Ranger disc rims
- Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Dart 3 w/preload, 100mm travel

COMPONENTRY
- Shimano Deore front derailleur
- Shimano Deore rear derailleur
- Shimano Deore shifters
- Shimano M442 44/32/22 crank
- Shimano M416 mechanical disc brakes w/Shimano ST63 levers

Upgrades over Wahoo in white



Marlin
HARDTAILS // GENESIS

FRAME
Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
Shimano M475 hubs; Bontrager Camino rims
Bontrager Camino tires
Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Dart 3 w/preload, lockout, 100mm travel

COMPONENTRY
- Shimano Deore front derailleur
- Shimano Deore rear derailleur
- Shimano Deore shifters
- Shimano M442 44/32/22 crank
- Avid BB5 mechanical disc brakes w/Avid FR-5 levers

COLORS
Red Metallic
Silver Metallic

Upgrades over Wahoo in white



Wahoo
HARDTAILS // GENESIS

FRAME
- Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry

WHEELS
Alex rims; Shimano M432 rear hub
Front: Bontrager Camino rims
Rear: Bontrager Jones XR 26x2.2/2.25 tires

SUSPENSION
- RockShox Dart 3 w/preload, 100mm travel

COMPONENTRY
- Shimano Acera front derailleur
- Shimano Deore rear derailleur
- Shimano EF51 shifters
- Shimano M341 42/32/22 crank
- Tektro Draco 5 w/Shimano EF51 levers

COLORS
Purple Metallic
Neon Green Metallic

Upgrades over Advance in white

All | 26ers | Full Suspension | Hardtails | Fisher Originals | Women's

Hardtails
Classic Hardtails

04.2. CLASSIC HARDTAILS

JUST REAL GOOD BIKES.

WHY:

Looking for durable? Looking for affordable? Looking for a fun bike that will get you around for a long time? These bikes do all that. They feature many of the same components, materials, and technologies found on higher-performance Fisher bikes.





Advance

HARDTAILS // CLASSIC

FRAME
Silver: Series aluminum

WHEELS
Alloy front, Shimano RM30 rear hub
Matrix 550 rims
Ranger Connection Trail 26x2.0 tires

SUSPENSION
SR Suntour XCT V2 w/preload
80mm travel

COLORS
Yellow Pearl
Metallic Dark Silver
Light Blue (stepthrough)

COMPONENTRY
Shimano C[illegible] derailleur
Shimano Alivio rear derailleur
Shimano [illegible] shifters
SR Suntour [illegible]-T102 42/34/24 crank
Tektro V [illegible] w/Shimano EF50 levers

Upgrades over Tarpon in white





Tarpon
HARDTAILS // CLASSIC

FRAME
Silver Series aluminum

WHEELS
Alloy hubs
Matrix 550 rims
Bontrager Connection Trail 26x2.0 tires

SUSPENSION
FSP SunTour XCT 26" (2008 travel)

COMPONENTRY
Shimano CS-HG31 rear derailleur
• Shimano Acera rear derailleur
Shimano EF50 shifters
SR SunTour XCT FSP 48/38/28 crank
Tektro V brakes w/ Shimano EF50 levers

COLORS
Orange Metallic
Silver Metallic
Lime (stepthrough)

Upgrades over Mako in white





FRAME
Silver Series aluminum

WHEELS
Alloy hubs
Matrix 550 rims
Bontrager Connection Trail 26x2.0 tires

COMPONENTRY
Shimano CS-HG31 rear derailleur
Shimano TX51 rear derailleur
Shimano EF50 shifters
SR SunTour XCT FSP 48/38/28 crank
Tektro V brakes w/ Shimano EF50 levers

COLORS
Blue Metallic
Light Green (stepthrough)

Mako
HARDTAILS // CLASSIC



04.3. BIGG'NS HARDTAILS

DIAL IT IN.

WHY:

If you're a trail rider looking for more durability, this is for you. If you're into tailwhips and trannys, this is for you. If you're into urban assault, this is for you. We've given prototypes upon prototypes of this bike to the best riders in the world. They rode. They gave us their two cents. We made adjustments. We repeated as necessary. We all rode happily ever after. Trail, dirt jumps, street. Yup. This is for you.

HOW:

It takes careful engineering to offer a limited lifetime warranty on a model intended to be ridden hard. With proper testing, you learn where to add gussets and what kind of weld pattern works and what doesn't. You learn what gauge tubing survives and what ends up in the dumpster. Which is great — but all that durability is wasted effort if the rest of the design lacks. Gary has done his homework and gotten the geometry right. It's got short chainstays, for ease of weighting the rear wheel for manualing or setting trajectory off jumps. It's got a neutral geometry that makes it extremely versatile. Bigg'ns does everything well — especially going Big.



1. Durable 6061 straight-gauge aluminum frame
2. Reinforced headtube junction and seatmast cluster increases strength at critical junctions
3. Robust box section toptube and downtube for added strength
4. Manipulated seatstays and chainstays
5. Low standover height for plenty of clearance during tricks



Mullet
HARDTAILS // BIGG'NS

FRAME
Bigg'ns 6061 straight-gauge aluminum, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts

WHEELS
Shimano M475 disc hubs
† Bontrager Camino disc rims
Bontrager Earl 26x2.4 tires

SUSPENSION
† Marzocchi Dirt Jumper 3 w/preload, 100mm travel

COMPONENTRY
Shimano XT rear derailleur
Shimano Alivio rear derailleur
Shimano HG50 shifters
† Bontrager Big Earl 22x32x42 crank
† Avid BB5 mechanical disc brakes w/Avid SD-5 levers

Upgrades over Opie in white



Opie
HARDTAILS // BIGG'NS

FRAME
Bigg'ns 6061 straight-gauge aluminum, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts

WHEELS
Alloy front hub w/ Shimano M446 rear hub, Bontrager Camino rims
Bontrager Earl 26x2.4 tires

SUSPENSION
RST Alpha T7 w/preload, 100mm travel

COMPONENTRY
Shimano Deore rear derailleur
Shimano Acera rear derailleur
Shimano EF50 shifters
Bontrager Race Lite 170/24/32 crank, 68mm bb
Tektro V-brakes



Mullet Single Speed
HARDTAILS // BIGG'NS

FRAME
Bigg'ns 6061 straight-gauge aluminum w/eccentric bottom bracket, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts

WHEELS
Shimano M475 front, Bontrager Race Disc SS rear hubs
† Bontrager Camino disc rims
Bontrager Earl 26x2.4 tires

SUSPENSION
† Marzocchi Dirt Jumper 3 w/preload, 100mm travel

COMPONENTRY
† Bontrager Earl Singlespeed, 32t crank w/bashguard
† Avid BB5 mechanical disc brakes w/Avid SD-5 levers

Upgrades over Opie in white



Opie 24
HARDTAILS // BIGG'NS // 24" WHEELS

FRAME
Bigg'ns 6061 straight-gauge aluminum, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts

WHEELS
Alloy front hub w/ Shimano M446 rear hub, Bontrager Camino rims
Bontrager Earl 24x2.4 tires

SUSPENSION
RST Alpha T7 w/preload, 100mm travel

COMPONENTRY
Shimano Deore rear derailleur
Shimano Acera rear derailleur
Shimano EF50 shifters
Bontrager Race Lite 170/24/32 crank, 68mm bb
Tektro V-brakes

05. KIDS' HARDTAILS

WEIGH YOUR KID.
NOW WEIGH THE AVERAGE KIDS' BIKE.

WHY:

Do the math as a ratio. We have a strict rule: offer only bikes we would want to ride, or would want our family to ride. We want kids to have fun on bikes. If they have to ride a bike heavier than they are, it's not going to be fun.

Introducing Fisher's new Procaliber series. That's right, the prelude to our Procaliber race heritage. Lightweight yet durable bikes that actually weigh less than your kid. More fun for the rider, and more fun for the parents, too. Fun is contagious.



FRAME
Gold Series butted and hydroformed aluminum

WHEELS
Aluminum hubs w/alloy 24" rims
Kenda 24x1.95 tires

SUSPENSION
SR M6000

COMPONENTRY
Suntour XCM front derailleur
SRAM 3.0 rear derailleur
Great Fit SRAM 3.0 Comp shifter
Alloy linear pull brakes w/Great Fit alloy levers

COLORS
Blue
Pearl White

PreCaliber 24
KIDS' HARDTAILS // 24" WHEELS

A real mountain bike with a specific 24" wheels, durable enough to endure the world of the young





PreCaliber 20
KIDS' HARDTAILS // 20" WHEELS

FRAME
Gold Series butted and hydroformed aluminum

WHEELS
Aluminum hubs w/alloy 20" rims
Kenda 20x2.0 tires

SUSPENSION
SR M6000 suspension fork - 80mm travel

COMPONENTRY
SRAM 3.0 rear derailleur
Great Fit SRAM 3.0 Comp shifter
Bontrager Approved crank
Alloy linear pull brakes w/Great Fit alloy levers

COLORS
Chi Red
Blue



PreCaliber Single Speed
KIDS' HARDTAILS // 20" WHEELS

FRAME
Gold Series butted and hydroformed aluminum

WHEELS
Alloy hubs w/Alex rims
Kenda 20x2.0

COMPONENTRY
Pro wheel 32-tooth single ring crank with double-sided chain guard
Tektro V brakes w/Great Fit alloy levers
16T single-speed cog

COLORS
Yellow
Pink

06. PAVEMENT

MOUNTAIN, MAYBE. BIKE, DEFINITELY.

WHY:

Fisher is a mountain bike company, but that does not exclude us from making great bikes for pavement and path. It just means we make them more interesting and more versatile. You could even call them eclectic. In fact, they're a lot like Gary. And Gary likes bikes. He'd rather ride than run to stay fit. He'd rather ride than drive to the store. He'd rather ride most everywhere, and it's the reason he keeps designing better bikes for every use under the sun.

06.1. DUAL SPORT

WE'RE ALL FOR KEEPING IT SIMPLE.

WHY:

Simple is good. We start with a frame platform that deep down is a Fisher 29er mountain bike. We then equip our Dual Sports with faster-rolling tires and quick, short-travel suspension forks for smooth, efficient transport. The result? Road bike fast, mountain bike durable. If you want to simplify your life and have one bike to do it all, make it this one.



FRAME
Gold Series aluminum

WHEELS
• Shimano M525 disc hubs
Bontrager Ranger disc rims
WTB Laserwolf 700x38 tires, tubeless

SUSPENSION
• SR Suntour SF8-NRX, adjustable w/ remote lockout, alloy steerer, 63mm travel

COMPONENTRY
• Shimano LX front derailleur
• Shimano XT Shadow rear derailleur
• Shimano LX shifters
• Shimano M543 48/36/26 crank
• Avid BB7 mechanical disc brakes

Upgrades over Utopia in white

Montare
PAVEMENT // DUAL SPORT

Utopia
PAVEMENT // DUAL SPORT

FRAME
Gold Series aluminum

WHEELS
• Shimano M475 disc hubs
Bontrager Ranger disc rims
WTB Laserwolf 700x38 tires

SUSPENSION
• SR Suntour SF8-NRX, adjustable w/ remote lockout, alloy steerer, 63mm travel

COMPONENTRY
• SRAM X.5 front derailleur
• SRAM X.7 rear derailleur
• SRAM X.9 shifters
• Shimano M475 48/36/26 crank, Octalink
• Avid BB5 mechanical disc brakes

Upgrades over Kaitai in white



Kaitai
PAVEMENT // DUAL SPORT

06.2. FAST CITY

BIKE AT THE SPEED OF CITY.

WHY:

The Fast City is a new platform from Gary Fisher, designed to meet the needs of the rider who is looking to get fast and fit, but is not looking for the hunched-over position of a road bike. It has 700c wheels with puncture-resistant street tires, is sleek and light for long fitness rides, and is rack and fender ready for utility.



1. Bi-ovalized top and downtubes for added lateral stiffness and vertical compliance
2. Rack, fender, and disc brake mounts
3. 700 x 32 puncture-resistant tires are fast rolling, yet stable and comfortable
4. Lightweight Gold Series butted aluminum
5. Disc brake caliper mounts out of the way for easy access to rack and fender eyelets
6. Lightweight straight blade rigid fork

06.3. MENDOTA

Lake Mendota, for which this Fisher model is named, is the largest of three lakes that comprise the heart of Madison, Wisconsin. The downtown is nestled on a narrow strip of land between two of the lakes. Geographers call this feature an isthmus. Drivers call this feature a headache. A bustling state capital city on a lake-locked strip of land may not be auto friendly, but it's great for bikes.

The Mendota is highly tuned for everything the urban environment may offer. It's our lightest hybrid, which is great not only for riding performance, but also for carrying to second-floor apartments or hanging on the garage hook. It's got a Bontrager Carbon Satellite Elite fork to dampen road shock. Disc brakes work great whatever the weather, and puncture-resistant tires make sure you keep rolling. It's ready to easily accept a rack, and specifically geared to match your speed. It's designed for fast transport, and fitness made fun—down the block, around the lake, and beyond.

FRAME
Gold Series butted aluminum hybrid

WHEELS
Bontrager Satellite Disc Road
Bontrager Satellite Plus 700x32 tires

FORK
Bontrager Satellite Elite carbon disc

COMPONENTRY
Shimano Deore front derailleur
Shimano 48/36/26 crank, Octalink



FRAME
Gold Series butted aluminum hybrid

WHEELS
Alloy front, Shimano RM60 rear hub
Matrix 750 rims
Bontrager Satellite Plus 700x32 tires

FORK
Cromoly straight blade

COMPONENTRY
Shimano C100 front derailleur
Shimano Alivio rear derailleur
Shimano EF50 shifters
Shimano M341 48/38/28 crank
Tektro V brakes

Wingra
PAVEMENT // FAST CITY



FRAME
Gold Series butted aluminum hybrid

WHEELS
Alloy front, Shimano RM60 rear hub
Alex AT-450 rims
Bontrager Satellite Plus 700x32 tires

FORK
Cromoly straight blade

COMPONENTRY
Shimano Deore front derailleur
Shimano Deore rear derailleur
Shimano Alivio shifters
Shimano M441 48/38/28 crank, Octalink
Avid BB9 V brakes

Upgrades over Wingra in white

Monona
PAVEMENT // FAST CITY

06.4. SIMPLE CITY


100% PURE BIKE.

WHY:

The world is a better place with more people on two wheels. And the best way to get more people on two wheels is to make it simple and fun. It's no coincidence that "simple and fun" describes Gary Fisher's new Simple City series to a T.

HOW:

Simple City began the way most Fisher bikes begin: Gary went for a ride. He pedaled a Dutch shopping bike, complete with basket, rack, chainguard, and kickstand, through the streets of Amsterdam. He loved the bike so much he brought it home — and in typical Gary fashion, he made it better. He stayed true to the bike's honest commuter roots, but made it faster, lighter, more beautiful. In other words, he made it a Fisher.



1. Firmly mounted front rack with five-point mounting system keeps cargo stable and close to the head tube for flaw-free handling
2. Swiss-made double-leg Pletscher kickstand keeps bike perfectly upright for easy parking and loading
3. Custom alloy chainguard is durable yet lightweight with high level of coverage to keep pants leg free of grease
4. Simple City 8 includes an anti-rotational spring between the downtube and fork to stabilize the front basket while loading gear
5. Low-rider mounts on fork for front rack
6. Full-coverage aluminum fenders are durable and prevent road spray
7. Front facing dropouts allow for a traditional full coverage fender on the rear wheel
8. Internally routed cables for a clean look and ease of maintenance



FRAME
Fisher Cool Series Aluminum

WHEELS
* Nexus 8-speed roll w/roller brake
Satellite Nebula Aramid HD puncture-resistant 700x32 tires

FORK
Chromoly unicrown, low-rider mounts

COMPONENTRY
* Nexus 8-speed internal hub rear derailleur
* Shimano Alfine shifters
Bontrager Nebula 44T crank
* Shimano roller rear brake, alloy caliper front brake

Upgrades over Simple City 3 in white

COLORS
Gloss Sand
Pearl White (stepthrough)

Simple City 8
PAVEMENT // SIMPLE CITY





FRAME
Fisher Cool Series Aluminum

WHEELS
Shimano 3-speed hub w/coaster brake
Satellite Nebula Aramid HD puncture-resistant 700x32 tires

FORK
Cromoly unicrown, low-rider mounts

COMPONENTRY
Shimano 3-speed internal hub rear derailleur
Shimano Twist shifters
Bontrager Nebula 44T crank
Coaster rear brake, alloy caliper front brake

COLORS
Matte Black
Gloss Aqua (stepthrough)

Simple City 3
PAVEMENT // SIMPLE CITY




06.5. URBAN

NAVIGATE THE CONCRETE JUNGLE.

WHY:

They're fast-rolling, durable models ready for the urban assault on traffic, potholes, crowds, and the stop-and-go riding you'll find any time you put a lot of folks in a concentrated place. They can start fast, stop fast, and maneuver around and through the masses. They're mountain bike tough, but move at the pace of a more urban lifestyle.



Cronus

PAVEMENT // URBAN

FRAME
Gold Series aluminum

WHEELS
- Shimano M475 disc hubs
- Bontrager Race Lite rims
Bontrager Satellite Plus 26x1.5 tires

COMPONENTRY
- SRAM X.7 rear derailleur
- SRAM X.7 shifters
Bontrager 38T crank w/chainguard
- Avid BB5 mechanical disc brakes w/Avid FR-5 levers

Upgrades over Artemis in white



Artemis

PAVEMENT // URBAN

FRAME
Gold Series aluminum

WHEELS
Alloy front, Shimano RM60 rear hub
Bontrager Cambio rims
Bontrager Satellite Plus 26x1.5 tires

COMPONENTRY
Shimano C102 front derailleur
Shimano Alivio rear derailleur
Shimano EF50 shifters
Shimano M191 48/38/28 crank w/chainguard
Tektro V brakes w/Shimano EF50 levers



Triton

PAVEMENT // URBAN // SINGLE SPEED

Our great alloy 8-speed urban assault machine. Durable, fun and maneuverable.

FRAME
Fisher VS full cromoly horizontal drops, fender and rack mounts

WHEELS
Alloy sealed-bearing track flip-flop
Bontrager Race Lite Hardcase 700x28c tires

COMPONENTRY
Alloy 44T 1/8" pitch crank
Tektro caliper brakes




06.6.PATH

BEAT THE BEATEN PATH.

WHY:

Equally at home on pavement or smoother paths, Fisher path bikes are set up perfectly for charity rides, converted railroad beds, commutes to work and school, or cruising wherever the weekend family ride takes you. They're the perfect blend of the fast-rolling wheels of a road bike with the comfortable position and durability of an offroad model. All are available as a standard or stepthrough (ladies) frameset.





FRAME
Silver Series aluminum

WHEELS
Alloy front, Shimano RM60 rear hub
Bontrager Duema rims
Bontrager Invert, puncture resistant, 700x38 tires

SUSPENSION
* SR Suntour NEX 4610, adjustable w/lockout, 63mm travel

COMPONENTRY
Shimano C102 front derailleur
* Shimano Deore rear derailleur
* Shimano Alivio shifters
Shimano M341 48/38/28 crank w/chainguard
Shimano M421 brakes

Upgrades over Zebrano drivetrain

Nirvana

PAVEMENT // PATH





FRAME
Silver Series aluminum

WHEELS
Alloy front, Shimano RM60 rear hub
* Bontrager Sapling rims
Bontrager Invert, puncture resistant, 700x35 tires

SUSPENSION
* RST Neon TS, adjustable, 60mm travel

COMPONENTRY
Shimano C102 front derailleur
* Shimano Alivio rear derailleur
Shimano EF50 shifters
Shimano M191 48/38/28 crank w/chainguard
Tektro V brakes w/Shimano EF50 levers

* Upgrades over Tiburon in white

Zebrano
PAVEMENT // PATH





FRAME
Silver Series aluminum

WHEELS
Alloy rims
Matrix 700 rims
Bontrager Invert 700x35 tires

SUSPENSION
RST Neon CS, 60mm travel

COMPONENTRY
Shimano C102 front derailleur
Shimano Acera rear derailleur
Shimano EF50 shifters
SR Suntour NEX-D8 48/38/28 crank w/chainguard
Tektro V brakes w/Shimano EF50 levers

Tiburon
PAVEMENT // PATH



NOT EVERY TRAIL IS OUT THE BACK DOOR.

When getting to 2-wheel trails requires a 4-wheel ride, we look exclusively to Subaru. Just like us, they believe all good things start outside, and that's why they share our commitment to the environment. Subaru Partial Zero Emissions Vehicles are deemed SmartWay choices by the Environmental Protection Agency for their outstanding ranking in both air pollution and greenhouse gases. Which means the Subaru Gary Fisher Team rolls in good company.



07.1. GARY FISHER LIMITED WARRANTY

ALL GARY FISHER BIKES ARE SOLD EXCLUSIVELY THROUGH OUR NETWORK OF AUTHORIZED DEALERS WHO WE ENTRUST WITH PROFESSIONAL ASSEMBLY AND SERVICE OF YOUR BICYCLE.

Gary Fisher Bicycles warrants each new Gary Fisher frame, rigid fork, or original component part of the bicycle against defects in workmanship and materials:

For the lifetime of the original owner:
- The bicycle frame, except the fork

For five years:
- Rigid forks
- All Bontrager components and accessories, except consumables such as tires and inner tubes

For one year:
- Paint and decals
- All original parts, excluding Shimano parts, suspension forks, and rear shock absorbers

All Shimano parts, suspension forks, and rear shock absorbers shall be covered by the stated warranty of the original manufacturer.

This warranty does not cover:

- Normal wear and tear
- Improper assembly
- Improper follow-up maintenance
- Installation of parts or accessories not originally intended for, or compatible with, the bicycle as sold
- Damage or failure due to accident, misuse, abuse, or neglect
- Labor charges for part replacement or changeover

The warranty is void in its entirety by any modification of the frame, fork, or components.

This warranty is expressly limited to the repair or replacement of a defective item and is the sole remedy of the warranty. This warranty extends from the date of purchase, applies only to the original owner, and is not transferable. Gary Fisher Bicycles is not responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you.

Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. The subject item must be registered with Gary Fisher Bicycles either through on-line registration or by the receipt of a warranty registration card by Gary Fisher Bicycles, before a warranty claim may be processed. Warranty duration and detail may differ by frame type and/or by country.

Carbon crash replacement policy
Assessing any damage done to a carbon fiber part requires more experience than is needed to inspect metal parts. If you crash or impact your bike and the force of the impact is absorbed by a carbon part, we strongly encourage you to replace the part, even if there are no indications of damage. If such a crash or impact occurs, Fisher offers a crash replacement program for carbon parts, substantially reducing any replacement cost. To take advantage of this program, contact us using the information listed above and ask for the Warranty department.

All photos, illustrations, colors, weights and specifications contained in this website are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Any variation in color or finish due to the reproductive variations of the printing process. There may not be 100% agreement. Some images may be shown with optional equipment.

All specifications are subject to change without notice. Gary Fisher, the double oval logo, HiFi, GS, Dress Code, DLX, Sugar, Fly Carbon, Fly Cross X-Caliber, Rig, Cobia, ProCaliber, Super Caliber, Caliber, Big Sur, Hot Rock, Kaos, Tassajara, Primita, Marlin, Wahoo, Advocate, Terrain, Mako, Marlin Trail, ProCaliber, Montare, Utopia, Rolle, Montesa, Montare, Wahoo, Nirvana, Zenhiser, Tourer, Simple City, Cruiser, Artemis and Triton are trademarks of Trek Bicycle Corporation. All rights reserved. "Trek" is a registered trademark of Trek Bicycle Corporation. US Patent Numbers: 6,345,829; 6,494,819; 6,991,849; 6,279,104; 6,497,345 and others pending.


The following activities increase your risk of injury. Landing your bicycle after jumping, doing stunts, riding down stairs, downhill racing and any extreme bike riding. Each of these conditions increases the stress on every part of your bicycle. Frames or parts under high stress may fatigue prematurely, causing them to fail and increasing the risk of injury to the rider. Avoid these activities to decrease your risk of injury.

07.2. SUSPENSION SETUP

	HiFi					HiFi Plus 29, DLX 29 (RP2) / HiFi Pro 29 (RP23)					Supercaliber, Caliber (RP2) / Procaliber (RP23)				
	HiFi, GS, Plus, DLX, DLX GS (RP2)		Pro, Carbon, Carbon Pro (RP23)												
Travel (mm)	116		116			100		100			90		90		
Stroke (mm)	50		50			50		50			50		50		
Sag (%)	25		25			25		25			20		20		
Sag (mm)	12		12			12		12			9		9		
Rider (lbs / kg)	Spring (psi)	Rebound	Spring (psi)	Rebound	Platform No. Setting	Spring (psi)	Rebound	Spring (psi)	Rebound	Platform No. Setting	Spring (psi)	Rebound	Spring (psi)	Rebound	Platform No. Setting
100 / 45	75		75			45		45			71		71		
110 / 50	83		83			50		50			78		78		
120 / 55	90	7 clicks out from slow	90	7 clicks out from slow		65	7 clicks out from slow	65	7 clicks out from slow		85	7 clicks out from slow	85	7 clicks out from slow	
130 / 59	98		98			72		72			92		92		
140 / 63	105		105			80		80			99		99		
150 / 68	113		113			90		90			107		107		
160 / 73	120		120			100		100			114		114		
170 / 77	128	5 clicks out from slow	128	5 clicks out from slow	Start in #2 Position. Adjust per desired efficiency (3 for more platform, 1 for more active)	110	5 clicks out from slow	110	5 clicks out from slow	Start in #2 Position. Adjust per desired efficiency (3 for more platform, 1 for more active)	121	5 clicks out from slow	121	5 clicks out from slow	Start in #2 Position. Adjust per desired efficiency (3 for more platform, 1 for more active)
180 / 82	135		135			115		115			128		128		
190 / 86	143		143			118		118			135		135		
200 / 90	150		150			120		120			142		142		
210 / 95	158		158			125		125			149		149		
220 / 100	165	3 clicks out from slow	165	3 clicks out from slow		135	3 clicks out from slow	135	3 clicks out from slow		156	3 clicks out from slow	156	3 clicks out from slow	
230 / 104	173		173			140		140			163		163		
240 / 109	180		180			145		145			170		170		
250 / 113	188		188			150		150			178		178		

07.3. GEOMETRY TABLES

STANDOVER	SO mm	The vertical distance from the ground to the point on the top tube where you straddle the bike, measured 8.25" in front of seattube.
EFFECTIVE TOP TUBE	ETT mm	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
COCKPIT LENGTH	CP mm	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
MINIMUM COCKPIT	minCP mm	The shortest the cockpit can be made by changing the stem to the shortest one available.
MAXIMUM COCKPIT	maxCP mm	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original—the maximum recommended to retain optimum handling.
STEM LENGTH	SL mm	The original stem: measured from the center of the steerer tube to the center of the handlebar.
CRANK LENGTH	CL mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
HEADTUBE LENGTH	HTL mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
HEAD ANGLE	HA °	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
TRAIL	TR mm	The distance the front wheel's contact patch lags behind the steering axis.
SEATTUBE ANGLE	STA °	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
EFFECTIVE CHAINSTAY LENGTH	CSL mm	The distance from the center of the bottom bracket to the center of the rear axle.
BOTTOM BRACKET HEIGHT	BBH mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
BOTTOM BRACKET DROP	BBD mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
WHEELBASE	WB mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.



All sizing and geometry specifications are calculated with a standard wheel size and fork axle to race. Larger air volume tires as well as different fork lengths will change the dimensions in these charts.

29ers

Sizes	SM (15.5")	MD (17.5")	LG (19")	XL (21")	SM (15.5")	MD (17.5")	LG (19")	XL (21")	SM (15")	MD (17.5")	LG (19")	XL (21")
Standover mm	726.8	751.8	772.5	805.1	711.2	741.7	762	797.6	752	754	748	752
Effective Top Tube mm	570	601.9	622	642.5	589.3	607	627.4	647.7	565.4	597.2	617.2	637.6
Cockpit Length mm	645	692	727	747.5	664.2	682	717.3	737.6	640.4	687	722	742.6
Minimum Cockpit mm	630	677	712	732.5	604	621.8	642.1	662.4	625.4	672	707	727.6
Maximum Cockpit mm	660	707	742	762.5	677.9	771.8	822.2	842.5	655.4	702	737	757.6
Stem Length mm	75	90	105	105	75	75	90	90	75	90	105	105
Crank Length mm	170	175	175	175	170	175	175	175	170	175	175	175
Headtube Length mm	102.5	102.5	102.5	117.5	90	90	90	105	105	115	125	135
Head Angle °	69.3	69.3	69.3	69.9	72.1	72.6	72.6	72.6	71	71	71	71
Head Angle Sagged °	69.7	69.7	70	70					69.9	69.9	70	70
Trail mm	83.4	83.4	81.3	81.3	78.0	74.6	74.6	74.6	71.7	71.7	71.7	71.7
Trail Sagged mm	80.7	80.7	78.7	78.7					79.3	79	78.9	78.8
Seattube Angle °	73	72.5	72	72	74.0	74.0	73.5	73.0	73.6	73.6	73.6	73.6
Seattube Angle Sagged °	73.4	72.9	72.4	72.4					72.5	72.5	72.5	72.6
Effective Chainstay Length mm	440	440	440	440	440	440	440	440	462.1	462.1	462.1	462.1
Bottom Bracket Height mm	312	312	312	312	315	315	315	315	320	320	320	320
Bottom Bracket Height Sagged mm	309	309	309.1	309.1					298.3	298.1	297.9	297.8
Bottom Bracket Drop mm	53	53	53	53	50	50	50	50	45	45	45	45
Wheelbase mm	1083.6	1109.9	1121.1	1142.3	1088	1101	1100	1124	1094	1126.2	1146.7	1167.6
Wheelbase Sagged mm	1080.8	1107.1	1118.3	1139.5								

Urban

Sizes	49	53	55	57	61
Standover mm	749.3	784.9	805.2	823	863.6
Effective Top Tube mm	518.2	546.1	563.9	874	607.1
Cockpit Length mm	609.6	645.2	665.5	685.8	726.4
Minimum Cockpit mm	594.4	629.9	650.2	670.6	711.2
Maximum Cockpit mm	624.8	660.4	680.7	701	741.7
Stem Length mm	90	100	100	110	120
Crank Length mm	170	170	170	175	175
Headtube Length mm	65	118	133	151	195
Head Angle °	72	73	73.5	73.5	74
Head Angle Sagged °					
Trail mm					
Trail Sagged mm					
Seattube Angle °	74	73.25	73	72.5	72
Seattube Angle Sagged °					
Effective Chainstay Length mm	413	413	413	413	413
Bottom Bracket Height mm	266	266	266	266	266
Bottom Bracket Height Sagged mm					
Bottom Bracket Drop mm	70	70	70	70	65
Wheelbase mm	970	980	987	992	1013

Full Suspension

Sizes	SM (16")	MD (17.5")	LG (19")	XL (21")	SM (16")	MD (17.5")	LG (19")	XL (21")	14 GS	15.5 GS	17.5 GS
Standover mm	721	721	727	733	740	738	741	743	737	738	738
Effective Top Tube mm	569.9	595.2	615.7	641.4	569	594.4	614.7	640.1	538.5	553.7	581.7
Cockpit Length mm	644.9	686.2	720.7	746.7	644	684.4	720	745	598.5	624	672
Minimum Cockpit mm	639.9	665.2	685.7	711.7	629	669.4	705	730	598.5	614	657
Maximum Cockpit mm	674.9	715.2	750.7	776.7	659	699.4	735	760	613.5	639	687
Stem Length mm	75	90	105	105	75	90	105	105	60	70	90
Crank Length mm	170	175	175	175	170	175	175	175	170	170	175
Headtube Length mm	105	115	125	135	105	115	130	145	105	105	115
Head Angle °	69.5	69.5	69.5	69.5	69.7	69.7	69.7	69.7	69.7	69.7	69.7
Head Angle Sagged °	68.9	68.9	68.9	68.9	68.9	68.9	68.9	68.9	68.9	68.9	68.9
Trail mm	75.4	75.4	75.4	75.4	74.1	74.1	74.1	74.1	74.1	74.1	74.1
Trail Sagged mm	79.3	79.3	79.3	79.3	78.3	78.3	78.3	78.3	78.3	78.3	78.3
Seattube Angle °	73.5	73.5	73.5	73.5	73	73	73	73	73	73	73
Seattube Angle Sagged °	72.9	72.9	72.9	72.9	72.2	72.2	72.2	72.2	72.2	72.2	72.2
Effective Chainstay Length mm	420	420	420	420	420	420	420	420	420	420	420
Bottom Bracket Height mm	317.5	317.5	317.5	317.5	325	325	325	325	325	325	325
Bottom Bracket Height Sagged mm	301	301	301	301	304.3	304.1	304	303.9	304.5	304.4	304.2
Bottom Bracket Drop mm	15.5	15.5	15.5	15.5	8	8	8	8	8	8	8
Wheelbase mm	1075	1101.2	1122.4	1148.8	1071	1097	1118.2	1144.5	1040.5	1055.8	1084.3
Wheelbase Sagged mm	1073.5	1099.5	1120.6	1147.1	1069	1095	1116.3	1142.6	1038.6	1053.8	1082.3

Hardtails

Sizes	XS (13")	SM (15.5")	MD (17.5")	LG (19")	XL (21")	XS (13")	SM (15")	MD (17.5")	XS (13")	SM (15.5")	MD (17.5")	LG (19.5")	XL (21.5")	Opie 24	PreCal 24	PreCal 20	Precal SS	SM (15.5")	MD (17.5")	LG (19")	XL (21")
Standover mm	645.2	701	744.2	772.2	810.3	586.7	604.6	607.1	668	698.5	729	751.8	782.3	596	597	518	518	703.5	732.9	754.7	789.5
Effective Top Tube mm	546.1	569	585.7	604.5	622.3	543.6	563.7	584.2	548.6	571.5	599.5	619.9	637.5	528.7	528.7	504.7	504.7	590	608.1	627.9	646.9
Cockpit Length mm	584.2	614.7	650.2	668	698.5	635	645.2	688.3	594.4	630	670.6	690.9	706.1	589	589	585	585	680	698	738	757
Minimum Cockpit mm	586.7	617.2	650.2	668.0	701	604.5	614.7	645.2	594.4	630	650.2	670.6	688.3					665	683	723	742
Maximum Cockpit mm	599.4	627.4	660.4	678.2	711.2	662.9	673.1	718.1	635	660.4	670.6	690.9	731.5					695	713	753	772
Stem Length mm	90	90	110	110	130	90	90	105	50	50	70	70	70	60	60	60	60	90	80	110	110
Crank Length mm	170	170	175	175	175	165	170	170	170	170	175	175	170	127	140	165	152	170	170	175	175
Headtube Length mm	105	125	145	165	185	105	125	155	90	105	117.5	130	145	105	95	95	95	90	90	90	105
Head Angle °	70.5	71	71.5	71.5	71.5	70.5	71	71.5	70	70	70	70	70	70	70	70	70	70.5	71	71.5	71.5
Trail mm																		82.2	78.9	75.7	75.7
Seattube Angle °	74.5	74	74	73.5	73.5	74.5	74	74	71	71	71	71	71	72	72	72	72	74	74	73.5	73
Effective Chainstay Length mm	412	412	412	412	412	415	420	415	413	413	413	413	413	409	409.1	358.5	358.5	440	440	440	440
Bottom Bracket Height mm	288	291	295	295	295	288	291	295	317.5	317.5	317.5	317.5	317.5	216	266.6	239	239	296	296	296	296
Bottom Bracket Drop mm	45.0	42.0	38.0	38.0	36.0	45.0	42.0	38.0	28	28	28	28	28					50	50	50	50
Wheelbase mm	1021.5	1037.3	1052.9	1066.5	1085.2	1021.5	1028.4	1052.8	1004.9	1034.8	1061.3	1081.3	1100.6	N/A	988.7	917.4	917.4	1087.9	1100.9	1110.3	1124.2

Hardtails

Sizes	SM (15.5")	MD (17.5")	LG (19")	XL (21")	XXL (22.5")	MD (18.5")	LG (21")	XL (23.5")	18 ST	16.5 ST	SM (15")	MD (17.5")	LG (20")	XL (22.5")	XXL (25")	SM (15")	MD (17.5")	LG (20")
Standover mm	694.6	727	751.8	784.1	810	736.6	795.5	825.4	528.7	522.8	685.8	731.5	769.6	817.9	872.2	597	602	604.5
Effective Top Tube mm	556.3	563.9	569	581.7	591.8	570	580	595	580	570	543.6	546.6	563.9	591.7	570	543.6	546.1	563.9
Cockpit Length mm	629.9	653	674.9	687.1	713	850	660	875	640	550	586.7	591.8	607.1	627.4	701	586.4	589.3	584.2
Minimum Cockpit mm	614.9	639	659.9	672.1	698	635	645	680	625	635	591.8	596.9	612.1	629.9	646.2	566.4	594.4	597
Maximum Cockpit mm	644.9	668	690.1	702.1	728	665	675	890	655	665	594.4	599.4	617.2	635	721.4	574.0	599.4	591.8
Stem Length mm	75	90	105	105	120	80	80	80	80	80	105	105	105	105	105	90	105	110
Crank Length mm	170	170	170	170	170	175	175	175	170	175	170	170	170	170	175	170	170	170
Headtube Length mm	115	125	135	145	155	160	180	200	150	160	90	105	105	125	145	105	125	145
Head Angle °	72.3	72.5	72.5	72.5	72.5	69	69	69	69	69	70	70.5	70.5	71.5	72.5	70	70.5	70.5
Trail mm	63.2	61.9	61.9	61.9	61.9	78.5	76.5	78.5	78.5	78.5								
Seattube Angle °	74.5	74	73.5	73	73	70.2	70.5	71	70	70.2	74	74	73	73	72	74	74	73
Effective Chainstay Length mm	440	440	440	440	440	470	470	470	470	470	440	440	440	440	440	440	440	440
Bottom Bracket Height mm	281.94	281.94	281.94	281.94	281.94	279	279	279	279	279	280.9	280.9	280.9	280.9	281.0	280.9	280.9	281
Bottom Bracket Drop mm	65	65	65	65	65	65	65	65	65	65	65.0	65.0	65.0	65.0	65.0	65.0	65.0	64
Wheelbase mm	1034.9	1036	1037.8	1044.4	1055.5	1077.8	1091.8	1113.3	1065.4	1077.8	1055.6	1056.3	1061.9	1069.4	1057.7	1055.8		

*Nirvana not available in XXL (25") or stepthrough LG (20")



	Superfly	Paragon	Ferrous 29	X-Caliber	Illo	Cobia	HiFi Pro 29	HiFi Deluxe 29	HiFi Plus 29	Procaliber	Supercaliber	Caliber	HiFi Pro Carbon
Page	9	10	11	12	13	15	14	15	15	16	19	19	20
Color 1	Carbon Fiber	Light Blue	Devo Blue	Ceramic White	Mocha	Gloss Charcoal	Medium Gloss Blue	Dark Gloss Blue	Olive Gloss Green	Pearl White	Chi Red	Bomber Orange	Blue Tinted Carbon
Color 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sizes	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)	SM (15), MD (17.5), LG (19), XL (21)
Frame	Fisher G2 29" co-molded monocoque carbon	Platinum Series 6066 buttband hydroformed aluminum, G2 29" Geometry	True Temper DX Platinum 29 w/ eccentric bottom bracket	Platinum Series 6066 buttes and hydroformed aluminum, G2 29" Geometry	Platinum Series 6066 butted and hydroformed aluminum w/ eccentric bottom bracket, G2 29" Geometry	Platinum Series 6066 butted and hydroformed aluminum, G2 29" Geometry	6066 hydroformed butted aluminum, G2 Geometry	6066 hydroformed butted aluminum, G2 Geometry	6066 hydroformed butted aluminum, G2 Geometry	ZR9000 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 geometry	ZR9300 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 geometry	ZR9000 internally and externally butted aluminum mainframe, OCLV carbon chainstays and seatstays, G2 geometry	G2 co-molded 121 fiber OCLV carbon
Swingarm	N/A	N/A	N/A	N/A	N/A	N/A	6066 hydroformed butted aluminum, co-molded carbon seatstays, 4" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 4" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 4" rear wheel travel				6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel
Fork	Fox F90 RLC 29 w/air pressure, rebound, compression, 120mm, alloy steerer, 80mm travel, G2 offset	Fox F80 RL 29 w/air pressure, rebound, lockout, alloy steerer, 80mm travel, G2 offset	RockShox Reba Race 29 w/positive and negative air pressure, Motion Control, rebound compression, lockout, alloy steerer, 80mm travel	Fox F80 RL 29 w/air pressure, rebound, lockout, alloy steerer, 80mm travel, G2 offset	Fox F80 RL 29 w/air pressure, rebound, lockout, alloy steerer, 80mm travel, G2 offset	RockShox Sora 218 Solo Air 29 w/positive air pressure, Motion Control rebound, compression, lockout, 80mm travel, G2 offset	Fox F100 RLC 29 w/air pressure, rebound, compression, lockout, alloy steerer, 100mm travel, G2 offset	Fox F100 RL 29 w/air pressure, rebound, lockout, alloy steerer, 100mm travel, G2 offset	RockShox Reba RL 29 w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 100mm travel	Fox Float RP9 w/air pressure, 3 position Pro Pedal, rebound, 6.0x1.8"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 6.0x1.8"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 6.0x1.5"	Fox F120 RLC w/air pressure, rebound, compression, lockout, alloy steerer, 120mm travel, G2 offset
Rear Suspension	N/A	N/A	N/A	N/A	N/A	N/A	Fox Float RP23 w/air pressure, 3 position tunable Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox F100 RLC w/air pressure, rebound, compression, lockout, alloy steerer, 100mm travel, G2 offset	Fox F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm travel, G2 offset	RockShox Recon Solo Air w/positive air pressure, rebound, lockout, 120mm travel, G2 offset	RockShox Recon Silver RL w/positive air pressure, rebound, lockout, 100mm travel, G2 offset
Headset	Cane Creek 28.6 w/cartridge bearings, sealed	Cane Creek 28.6 w/cartridge bearings, sealed	Aheadset Shimano w/cartridge bearings, sealed, alloy	Aheadset semi-integrated w/semi-cartridge bearings, sealed	Aheadset semi-integrated w/semi-cartridge bearings, sealed	Aheadset semi-integrated w/semi-cartridge bearings, sealed	Cane Creek 28.6 w/headset cartridge bearings, sealed	Cane Creek 28.6 w/headset cartridge bearings, sealed	Aheadset semi-integrated w/semi-cartridge bearings, sealed	Cane Creek 28.6 w/cartridge bearings, sealed	Cane Creek ZS1 w/cartridge bearings	Aheadset w/semi-cartridge bearings, sealed	Cane Creek 28.6 w/cartridge bearings, sealed
Crankset	Boutrager Rebel X Lite 24/32/42, carbon	Shimano LX 44/32/22	Bontrager Race RXP 44/32/22 Octalink	Shimano M591 44/32/22 Octalink	Bontrager Race Lite Shapeshed, 32T	Shimano M442 44/32/22, Octalink	Shimano XT 44/32/22	Shimano LX 44/32/22	Shimano M540 44/32/22, Octalink	Shimano XTR 44/32/22	Shimano LX 44/32/22	Shimano M821 44/32/22, Octalink	Shimano XTR 44/32/22
Pedals	N/A	N/A	Shimano M505, clipless	N/A	N/A	Alloy platform	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Front Derailleur	SRAM X 9	SRAM X 9	SRAM X 9	Shimano Deore	N/A	Shimano Deore	Shimano XT	SRAM X 9	Shimano Deore	Shimano XTR	Shimano LX	Shimano Deore	Shimano XTR
Rear Derailleur	SRAM X 9	SRAM X 9	SRAM X 9	SRAM X 7	N/A	SRAM X 5	Shimano XT Shadow	SRAM X 9	SRAM X 7	SRAM X 9	Shimano XT Shadow	Shimano Deore	SRAM X 9
Shifters	SRAM X 9	SRAM X 9	SRAM X 9	SRAM X 7	N/A	SRAM X 5	Shimano XT	SRAM X 9	SRAM X 7	SRAM X 9, 9 speed	Shimano LX, 9 speed	Shimano Deore, 9 speed	SRAM X 9
Cassette	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG850 11-34, 9 speed	SRAM PG850 11-34, 9 speed	Single cog, 18t	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	Shimano XTR 11-32, 9 speed
Wheels	Bontrager Race X Lite 29 disc, tubeless ready	Bontrager Rhythm Comp 29 disc, tubeless ready	Bontrager Race Disc 29 disc	Bontrager Rhythm 29 disc	Bontrager Race Singlespeed hubs, Bontrager Duster 29" rims	Shimano M475 disc hubs, Bontrager Ranger disc rims	Bontrager Rhythm Elite 29 disc, tubeless ready	Bontrager Rhythm Comp 29 disc, tubeless ready	Bontrager Supersloch 29 disc	Bontrager Race X Lite Disc, tubeless ready	Bontrager Race Disc	Bontrager Select Disc	Bontrager Race X Lite disc, tubeless ready
Tires	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, Folding	Bontrager Jones RCX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Jones ACX, 29x2.2, folding, tubeless ready	Bontrager Dry X, 26x2.1, 120 tpi, folding	Bontrager Dry X, 26x2.1, 120 tpi, folding	Bontrager Dry X, 26x2.1, 120 tpi, folding	Bontrager Jones XR, 29x2.2, folding
Brakeset	Avid Juicy Ultimate, hydraulic disc, 160mm rotors	Avid Juicy 5, hydraulic disc, 160mm rotors	Avid BB7 mechanical disc w/Avid FR-5 levers	Shimano M485, hydraulic disc, 160mm rotors	Avid BB7 mechanical disc w/Avid SD 7 levers	Avid BB5 mechanical disc w/Avid FR-5 levers	Avid Juicy 7, hydraulic disc, 160mm rotors	Avid Juicy 5, hydraulic disc, 160mm rotors	Avid Juicy 3, hydraulic disc, 160mm rotors	Avid Juicy Ultimate hydraulic disc, 180mm rotors	Avid Juicy 5 hydraulic disc, 160mm rotors	Avid Juicy 3 hydraulic disc, 160mm rotors	Avid Juicy Ultimate hydraulic disc, 180mm rotors
Handlebars	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Big Sweep, 12d	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Race X Lite carbon 31.8mm	Bontrager Race Lite Big Sweep, 31.8mm	Bontrager Select Big Sweep, 31.8mm	Bontrager Race X Lite carbon, 31.8mm 40mm rise
Stem	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Sport, 10 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree
Saddle	Bontrager Race Lite	Bontrager Race Lite	Bontrager Select	Bontrager Race	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race X Lite, hollow Ti rails	Bontrager Race	Bontrager Race X Lite
Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Race Lite	Bontrager Race Lite	Bontrager Select	Bontrager Race X Lite ACC carbon, 20mm offset	Bontrager Race X Lite ACC carbon, 20mm offset	Bontrager Select, 20mm offset	Bontrager Race X Lite ACC carbon

	HiFi Carbon	HiFi Pro	HiFi Deluxe	HiFi Plus	HiFi	HiFi Deluxe GS	HiFi GS	Big Sur GS	Merlin GS	Big Sur	Enchant	Hot Rod Cruiser	Lowrider
Page	29	24	26	27	27	30	30	31	31	34	35	38	38
Color 1	Red Tinted Carbon	Matte Pearl White	Matte Metallic Black	Matte Metallic Blue	Matte Metallic Silver	Matte Pink	Matte Moss	Sea Foam Metallic	St. Moritz Blue	Chi Red	Gloss Orange	Matte Prime Blue	Matte Black Metallic
Color 2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sizes	SM (16), MD (17.5), LG (19), XL (21)	SM (16), MD (17.5), LG (19), XL (21)	SM (16), MD (17.5), LG (19), XL (21)	SM (16), MD (17.5), LG (19), XL (21)	SM (16), MD (17.5), LG (19), XL (21)	XS (14), SM (15.5), MD (17.5)	XS (14), SM (15.5), MD (17.5)	XS (13), SM (15.5), MD (17.5)	XS (13), SM (15.5) MD (17.5)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)
Frame	G2 co-molded 110 fiber OCLV carbon	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series 6066 and 6061 butted and hydroformed aluminum, disc specific, G2 Geometry	Platinum Series ZR9200 internally and externally butted aluminum, Seriesisers Geometry	Solid Series 6061 T6 internally and externally butted aluminum, Geraasscrs Geometry	Platinum Series ZR9000 internally and externally butted aluminum, Genesis Geometry	True Temper DX Platinum w/ eccentric bottom bracket	Platinum Series ZR9000 internally and externally butted aluminum, Genesis Geometry	Gold Series 6061 T6 internally and externally butted aluminum, Genesis Geometry
Swingarm	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	6066 hydroformed butted aluminum, co-molded carbon seatstays, 5" rear wheel travel	N/A	N/A	N/A	N/A	N/A	N/A
Fork	Fox F120 RL w/air pressure, rebound, lockout, alloy steerer, 120mm travel G2 offset	Fox F120 RLC w/air pressure, rebound, lockout, compression, alloy steerer, 120mm travel, G2 offset	Fox F120 RL w/air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset	RockShox Recon 351 RL w/positive air pressure, Motion Control, rebound, compression, lockout, 120mm travel, G2 offset	RockShox Recon 338 Solo Air w/positive air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset	Fox F120 RL w/air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset	RockShox 338 Solo Air w/positive air pressure, rebound, lockout, alloy steerer, 120mm travel, G2 offset	Fox F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm travel	RockShox Dart 2 w/rebound, lockout, custom spring weight, 100mm travel	Fox F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm travel	RockShox Revelation 409 w/positive and negative air pressure, Motion Control, rebound, lockout, alloy steerer, 115mm travel	RockShox Recon Gold RL w/preload, rebound, turnkey lockout, alloy steerer, 100mm travel	RockShox Tora 30R Solo Air w/positive air pressure, rebound, turnkey lockout, 100mm travel
Rear Suspension	Fox Float RP23 w/air pressure, 3 position tunable Pro Pedal, rebound, 7.5x2.0"	Fox Float RP23 w/air pressure, 3 position tunable Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	Fox Float RP2 w/ air pressure, Pro Pedal, rebound, 7.5x2.0"	N/A	N/A	N/A	N/A	N/A	N/A
Headset	Cane Creek 28.6 w/cartridge bearings, sealed	Cane Creek 28.6 w/cartridge bearings, sealed	Aheadset Shimano w/cartridge bearings, sealed, alloy	Aheadset w/semi-cartridge bearings, sealed	Aheadset Shimano w/cartridge bearings, sealed, alloy	Aheadset Shimano w/cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Aheadset Shimano w/cartridge bearings, sealed, alloy	Aheadset Shimano w/cartridge bearings, sealed, alloy	Aheadset Shimano w/cartridge bearings, sealed	Cane Creek 40-series w/cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed
Crankset	Shimano XT 44/32/22	Shimano XT 44/32/22	Shimano M510 44/32/22, Octalink	Shimano M442 44/32/22, Octalink	Shimano LX 44/32/22	Shimano M442 44/32/22, Octalink	Shimano XT 44/32/22	Shimano LX 44/32/22	Shimano M442 44/32/22	Bontrager Race Lite SXP 44/32/22	Shimano M605 44/26/36, Octalink	Shimano M605 44/26/36, Octalink	Shimano M605 44/26/36, Octalink
Pedals	N/A	N/A	Shimano M530, clipless	Shimano M505, clipless	N/A	Shimano M540 w/pins	N/A	N/A	Alloy platform	N/A	N/A	Shimano M361 w/pins	Alloy platform
Front Derailleur	Shimano XT	Shimano LX	Shimano LX	Shimano Deore	Shimano Deore	Shimano LX	Shimano Deore	Shimano LX	Shimano Deore	Shimano LX	Shimano LX	SRAM X 7	Shimano Deore
Rear Derailleur	Shimano XT Shadow	Shimano XTR	SRAM X 9	Shimano XT Shadow	Shimano Deore	SRAM X 9	Shimano Deore	Shimano XT Shadow	Shimano Deore	Shimano XT Shadow	SRAM X 9	SRAM X 9	Shimano LX
Shifters	Shimano XT	Shimano LX	SRAM X 9	Shimano Deore	Shimano Deore	SRAM X 7	Shimano Deore	Shimano XT	Shimano Deore	Shimano XT	SRAM X 9	SRAM X 9	Shimano Deore
Cassette	Shimano XT 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG951 11-32, 9 speed	SRAM PG850 11-32, 9 speed	SRAM PG970 11-32, 9 speed
Wheels	Bontrager Race Lite, tubeless ready	Bontrager Race Lite, tubeless ready	Bontrager Race disc	Bontrager Select disc	Shimano M475 disc hubs, Bontrager Ranger disc rims	Bontrager Race disc	Shimano M475 disc hubs, Bontrager Ranger disc rims	Bontrager Select disc	Shimano M475 disc hubs, Bontrager Comp rims	Bontrager Select disc	Bontrager Race disc	Shimano M525 disc hubs, Bontrager Ranger disc rims	Shimano M488 disc hubs, Bontrager Ranger disc rims
Tires	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XC, 29x2.2, folding	Bontrager Jones XR, 29x2.2/2.25, folding	Bontrager Jones XR, 29x2.2/2.25, folding
Brakeset	Avid Juicy 7, hydraulic disc, 180mm front, 160mm rear rotor	Avid Juicy 7, hydraulic disc, 185mm front, 160mm rear rotor	Avid Juicy 5, hydraulic disc, 185mm front, 180mm rear rotor	Avid BB5 mechanical disc w/Avid FR-5 levers	Avid Juicy 5, hydraulic disc, 180mm rotors	Avid BB5 mechanical disc w/Avid FR-5 levers	Avid Juicy 5, hydraulic disc, 160mm rotors	Avid BB7 mechanical disc w/Avid FR-5 levers	Avid Juicy 3, hydraulic disc, 160mm rotors	Avid BB7 mechanical disc w/Avid FR-5 levers	Avid Juicy 3, hydraulic disc, 160mm rotors	Shimano M395, hydraulic disc, 180mm rotors	
Handlebars	Bontrager Race X Lite carbon, 30 Rise, 40mm rise	Bontrager Race Lite, 31.8mm, 40mm rise	Bontrager Race, 31.8mm, 40mm rise	Bontrager Select, 31.8mm, 25mm rise	Bontrager Select Riser, 25mm rise	Bontrager Race, 31.8mm, 40mm rise	Bontrager Sport Riser, 10mm rise	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Sport Riser, 20mm rise	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Race Lite Big Sweep, 31.8mm, 12d	Bontrager Select Big Sweep, 31.8mm, 12d	Bontrager Sport Riser, 25mm rise
Stem	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race X Lite, 31.8mm, 7 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Sport, 10 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Sport, 10 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Sport, 10 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Race, 31.8mm, 7 degree	Bontrager Select, 31.8mm, 7 degree	Bontrager Sport, 10 degree
Saddle	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Select FIT	Bontrager Select FIT	Bontrager Race Lite FIT	Bontrager Select FIT	Bontrager Race	Bontrager Select	Bontrager Race	Bontrager Race
Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race	Bontrager Select	Bontrager Sport	Bontrager Race Lite	Bontrager Sport	Bontrager Select	Bontrager Sport	Bontrager Select	Bontrager Race	Bontrager Select	Bontrager Race

Model	Pilsner	Hawk One	Matrix	Warrior Elite	Wahoo	Advance	Impact	Matrix	Impact	Mount XX	Blue	Blue 24	Red Phantom	Fly Carbon	Fly Carbon Step-Through
Page	37	38	38	39	39	41	42	43	46	46	47	47	50	51	51
Color 1	Sky Green	Silver Metallic	Red Metallic	Warm Earth Metallic	Purple Metallic	Yellow Pearl	Orange Metallic	Blue Metallic	Matte Ceramic White	Matte Dark Charcoal	Dark Gloss Blue	Dark Mocha	Blue	Ice Blue	Yellow
Color 2	Matte Pearl White	N/A	Silver Metallic	N/A	Warm Earth Metallic	Metallic Dark Silver	Silver Metallic	N/A	N/A	N/A	N/A	N/A	Pearl White	Blue	Blue
Color 3	N/A	N/A	N/A	N/A	N/A	Light Blue (Stepthrough)	Lime (Stepthrough)	Light Grape (Stepthrough)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sizes	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (16), MD (18), LG (19.5), XL (21.5), Stepthrough XS (13), SM (16), MD (18)	XS (13), SM (15.5), MD (18), LG (19.5), XL (21.5), Stepthrough XS (13), SM (16), MD (18)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (27.5), LG (19), XL (21)	24" Regular Frame size	24" Great Fit frame size	25" Great Fit frame size	25" Great Fit Triple size
Frame	Gold Series 6061 T6 internally and externally butted aluminum, Series 6 Geometry	Gold Series 6061 T6 internally and externally butted aluminum, Series 6 Geometry	Gold Series 6061 T6 internally and externally butted aluminum, Series 6 Geometry	Gold Series 6061 T6 internally and externally butted aluminum, Series 6 Geometry	Gold Series 6061 T6 internally and externally butted aluminum, Series 6 Geometry	Silver Series aluminum	Silver Series aluminum	Silver Series aluminum	Biggins 6061 straight-gauge aluminum reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts	Biggins 6061 straight-gauge aluminum, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts	Biggins 6061 straight-gauge aluminum, reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts	Biggins 6061 straight-gauge aluminum reinforced headtube, box section top & downtube, manipulated seat and chain stays, cold-forged dropouts	Gold Series butted and hydroformed aluminum	Gold Series butted and hydroformed aluminum	Gold Series butted and hydroformed aluminum
Swingarm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fork	Rockshox Tora 302 w/preload, rebound, lockout, 100mm travel	Rockshox Recon Silver RL w/preload, rebound, lockout, 100mm travel	RockShox Dart 3 w/preload, lockout, 100mm travel	RockShox Dart 3 w/preload, lockout, 100mm travel	RockShox Dart 3 w/preload 100mm travel	SR Suntour XCT V2 w/preload 63mm travel	SR Suntour M-2025 63mm travel	High tensile steel rigid fork	Manitou Dirt Jumper 3 w/preload, 100mm travel	Manitou Dirt Jumper 3 w/preload, 100mm travel	RST Bia T7 w/preload, 100mm travel	Insync Grind 2, alloy steerer	SR M2000	SR M2100 SW suspension, 63mm travel	High tensile steel
Rear Susp.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Headset	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Threaded w/ semi-cartridge bearings, sealed	Mallet Aheadset, semi-cartridge, sealed	Mallet Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	VP-A76C AHS semi-cartridge	Adjustable ball bearing	Adjustable ball bearing	1-1/8" threadless w/ semi-cartridge bearings
Crankset	Shimano M442 44/32/22, Octalink	Shimano M442 44/32/22	Shimano M442 44/32/22	Shimano M341 48/36/22	Shimano M341 48/32/22	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T208 46/36/26	SR Suntour XCC-T208 46/36/28	Bontrager Big Earl 22x36x42	Bontrager Earl Singlespeed, 32T w/ bashguard	Suntour XCC-T208 46/34/24	Bontrager Sport 42/34/22, 165mm	Bontrager Approved	Bontrager Approved	Pro wheel, 32-tooth single ring w/ bashguard and chainguard
Pedals	Alloy platform	Alloy platform	Alloy platform	Alloy platform	Alloy platform	Nylon platform	Nylon platform	Nylon platform	Alloy platform	Alloy platform	Nylon platform	Wellgo platform	Wellgo platform	Wellgo platform	Wellgo platform
Front Derailleur	SRAM X.5	Shimano Deore	Shimano Deore	Shimano Acera	Shimano Acera	Shimano C050	Shimano C051	Shimano C051	Shimano, Acera	N/A	Shimano C050	Shimano FD-C050	Suntour XCM	N/A	N/A
Rear Derailleur	SRAM X.5	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Acera	Shimano 7X61	Shimano, Alivio	N/A	Shimano Acera	Shimano Alivio RD-M410-L	SRAM 3.0	SRAM 3.0	N/A
Shifters	SRAM X.5	Shimano Deore	Shimano Deore	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	Shimano EF50	N/A	Shimano EF50	Shimano EF50	Great Fit SRAM 3.0 Comp shifter	Great Fit SRAM 3.0 Comp shifter	N/A
Cassette	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG850 11-36, 9 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	SRAM PG830 11-32, 8 speed	Single cog, 18T	SRAM PG830 11-32T, 8 speed	Sram PG830 11-32, 8 speed	Shimano 14-28 7 speed	Shimano 14-28 8 speed	18T single-speed cog
Wheels	Shimano M495 disc hubs, Bontrager Ranger disc rims	Shimano M475 disc hubs, Bontrager Ranger disc rims	Shimano M475 disc hubs, Bontrager Ranger disc rims	Shimano M65 disc hubs, Bontrager Ranger disc rims	Alloy front, Shimano RM50 rear hub, Bontrager Camino rims	Alloy front, Shimano RM30 rear hub, Matrix 550 rims	Alloy hubs, Matrix 550 rims	Alloy hubs; Matrix 550 rims	Shimano M475 disc hubs; Bontrager Camino disc rims	Bontrager Race Disc SS hub rear; Shimano M475 hub front; Bontrager Camino disc rims	Alloy Front, Shimano RM30 rear hub, Bontrager Camino rims	Alloy hubs; Alex DM-18 rims	Aluminum hubs w/alloy 24" rims	Aluminum hubs w/alloy 26" rims	Alloy hubs w/Alex rims
Tires	Bontrager Jones XR, 26x2.2/2.25	Bontrager Jones XR, 26x2.2/2.25	Bontrager Jones XR, 26x2.2/2.25	Bontrager Jones XR, 26x2.2/2.25	Bontrager Jones XR, 26x2.2/2.25	Bontrager Connection Trail, 26x2.0	Bontrager Connection Trail, 26x2.0	Bontrager Connection Trail, 26x2.0	Bontrager Earl, 26x2.4	Bontrager Earl, 26x2.4	Bontrager Earl, 26x2.4	Kenda K-816 26x2.2	Kenda 24x1.95	Kenda 26x2.0	Kenda 26x2.0
Brakeset	Shimano M485 hydraulic disc, 160/160 rotors	Avid BB5 mechanical disc w/Avid FR-5 levers	Avid SD 3 w/alloy levers	Shimano M415 mechanical disc w/Shimano EF50 levers	Tektro V w/ Shimano EF50 levers	Tektro V w/ Shimano EF50 levers	Tektro V w/ Shimano EF50 levers	Tektro V w/ Shimano EF50 levers	Avid BB-5 mechanical disc w/Avid FR-5 levers	Avid BB5 mechanical disc w/Avid FR-5 levers	Tektro V	Tektro 945AL	Alloy linear pull w/Great Fit alloy levers	Alloy linear pull w/Great Fit alloy levers	Tektro V-brakes w/Great Fit alloy levers
Handlebars	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Earl, 31.8mm, 50mm rise	Bontrager Earl, 31.8mm, 80mm rise	Bontrager, 32mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Alloy riser bar	Alloy riser bar
Stem	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Bontrager Sport, 25 degree	Bontrager Sport, 25 degree	Bontrager Approved 25 degree (women's 40 degree)	Bontrager Approved 25 degree (women's 40 degree)	Bontrager Approved 25 degree (women's 40 degree)	Bontrager Earl, 10d	Bontrager Earl, 10d	Bontrager, 15d	Bontrager, 80mm, 15d	Bontrager, 80mm, 15d	Bontrager, 80mm, 15d	Bontrager, 80mm, 15d
Saddle	Bontrager Race Lux	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Approved	Bontrager Approved	Bontrager Approved	Bontrager Earl	Bontrager Earl	Bontrager Earl	Bontrager Sport, kids	Great Fit 24 size, padded	Great Fit 26 size, padded	Great Fit 26 size, padded
Seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Approved	Bontrager Approved	Bontrager Approved	Bontrager Sport	Bontrager Sport	Bontrager	Bontrager	Steel	Steel	Aluminum

Model	Dozer	Blade	Dozer	Dozer S	Blade	Blade	Blade SS	Blade	Blade	Blade	Blade	Dozer	Dozer	Dozer
Page	54	55	55	58	59	62	63	66	67	67	68	70	70	70
Color 1	Gun Metal Gray	Black	Charcoal Metallic	Matte Gray	Chrome	Gloss Black	Blood Red	Matte Black	Metallic Black	Metallic Blue	Metallic Black	Metallic Silver / Metallic Blue	Metallic Silver / Gloss Red	Metallic Silver / Metallic Silver
Color 2	N/A	N/A	N/A	N/A	N/A	N/A	Pearl White (Stepthrough)	Gloss Black (Stepthrough)	N/A	N/A	N/A	N/A	N/A	N/A
Sizes	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21)	SM (15.5), MD (17.5), LG (19), XL (21), XXL (23.5)	SM (15.5), MD (17.5), LG (19), XL (21), XXL (23.5)	SM (15.5), MD (17.5), LG (19), XL (21), XXL (23.5)	MD (17.5), LG (19), XL (21.5), Stepthrough SM (15), MD (17.5)	MD (17.5), LG (19), XL (21.5), Stepthrough SM (15), MD (17.5)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	XS (13), SM (15.5), MD (17.5), LG (19), XL (21)	49, 53, 56, 57, 61	SM (15), MD (17.5), LG (19), XL (20.5), Stepthrough SM (15), MD (17.5), LG (19)	SM (15), MD (17.5), LG (19.5), XL (20.5), XXL (22.5), Stepthrough SM (15), MD (17.5), LG (19)	SM (15), MD (17.5), LG (19.5), XL (20.5), XXL (22.5), Stepthrough SM (15), MD (17.5), LG (19)
Frame	Gold Series aluminum	Gold Series aluminum	Gold Series aluminum	Gold Series access aluminum frame	Gold Series access aluminum frame	Gold Series access aluminum frame	Fisher Gold Series Aluminum	Fisher Gold Series Aluminum	Gold Series aluminum	Gold Series aluminum	Fisher HB Full smooth, horizontal dropout, hydroformed tubes	Silver Series aluminum	Silver Series aluminum	Silver Series aluminum
Swingarm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fork	SR Suntour SF6-RVX, adjustable w/ remote lockout, alloy steerer, 63mm travel	SR Suntour SF6-RVX, adjustable w/ lockout, 63mm travel	SR Suntour NEX-D adjustable w/ lockout, 63mm travel	Bontrager Satchet Evo carbon disc	Promax straight blade	Promax straight blade	Promax Unicrown, low-rider mounts	Promax Unicrown, low-rider mounts	Bontrager Switchblade rigid aluminum	Bontrager, straight steel rigid steel	Forged steel, rigid or suspension	SR Suntour NEX HLO, adjustable w/lockout, 63mm travel	SR Suntour NEX HLO, adjustable, 63mm travel	RST Neon TR adjustable, 63mm travel
Rear Suspension	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Headset	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Aheadset, semi-cartridge, sealed	Steel, threaded	Steel, threaded	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Aheadset, semi-cartridge	Aheadset w/ semi-cartridge bearings, sealed	Aheadset w/ semi-cartridge bearings, sealed	Threadless w/ semi-cartridge bearings, sealed
Crankset	Shimano M545 48/36/26	Shimano M442 48/36/26	Shimano M341 48/36/26	Shimano 48/36/26, Octalink	Shimano 48/30/26, Octalink	Shimano M341 48/36/26	Bontrager Hubba 24T	Bontrager Hubba 44T	Bontrager 36T w/Eliminator 3	Shimano M151 48/36/26 w/chainguard	Alloy 44T 3/32" pitch	Shimano M331 48/36/26 w/chainguard	Shimano M331 48/36/26 w/chainguard	SR Suntour NPS-406 48/36/26 w/chainguard
Pedals	Alloy platform	Alloy platform	Alloy platform	Alloy nylon platform	Alloy nylon platform	Alloy nylon platform	Alloy pedals with toe clip mounts	Alloy pedals with toe clip mounts	Alloy platform	Nylon Platform	Aluminum platform	Alloy with w/alloy cage	Alloy with w/alloy cage	Cage clipless platform
Front Derailleur	Shimano L8	SRAM X.5	Shimano C102	Shimano Deore	Shimano Deore	Shimano C102	N/A	N/A	N/A	Shimano C102	N/A	Shimano C102	Shimano C102	Shimano C102
Rear Derailleur	Shimano RT Shadow	SRAM X.7	Shimano Deore	SRAM X.7	Shimano Deore	Shimano Alivio	Sunrace 8-speed internal hub	Shimano 8-speed internal hub	SRAM X.7	Shimano Alivio	N/A	Shimano Deore	Shimano Alivio	Shimano Alivio
Shifters	Shimano L8	SRAM X.5	Shimano EF50	SRAM X.5	Shimano Deore	Shimano EF50	Shimano Alivio	Shimano Twist Shifter	SRAM X.5	Shimano EF50	N/A	Shimano Alivio	Shimano EF50	Shimano EF50
Cassette	SRAM PG970 11-36, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG850 11-36, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	18T fixed cog	18T fixed cog	SRAM PG830 11-32, 8 speed	SRAM PG950 11-36, 9 speed	Shimano HG50 12T, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	Sunrace 8-speed 11-32, 8 speed
Wheels	Shimano M495 disc hubs, Bontrager Ranger disc rims	Shimano M475 disc hubs, Bontrager Ranger disc rims	Shimano M475 disc hubs, Bontrager Ranger disc rims	Bontrager Satchet Disc Road	Alloy front, Shimano rear hub, Alex AT-350 rims	Alloy front, Shimano rear hub, Matrix 550 rims	Sunrace 8-speed hub, w/rear brake	Shimano 8-speed hub, Kenda/Kwick-Grip tires	Shimano 8-speed internal hub, Bontrager Ranger disc rims	Alex Front, Shimano RM30 rear hub, Bontrager Camino rims	Alex, alloy, double wall, tubeless ready, Fat-Pop	Alloy front, Shimano RM30 rear hub, Bontrager Camino rims	Alloy front, Shimano RM30 rear hub, Bontrager Camino rims	Alloy hubs, Matrix 700 rims
Tires	WTB Intercept 700x38, Folding	WTB Interwolf 700x38	WTB Interwolf 700x38	Bontrager Satchet Plus 700x28	Bontrager Satchet Plus 700x28	Bontrager Satchet Plus 700x28	Satellite Hebus Aramid HD puncture resistant, 700x38	Satellite Hebus Aramid HD puncture resistant, 700x38	Bontrager Satchet Plus 700x28	Bontrager Satchet Plus 700x28	Bontrager Race Lite Hardcase, 700x38	Bontrager Race Lite Hardcase, 700x38	Bontrager Hard-Case Lite, puncture resistant, 700x35	Bontrager Hard-Case, 700x35
Brakeset	Avid BB7 mechanical disc	Avid BB5 mechanical disc	Shimano M415 mechanical disc	Avid BB5 mechanical disc	Avid BB7	Tektro V	Shimano roller cam brake, side-pull front brake	Cantilever brake, alloy caliper, front brake	Avid BB5 mechanical disc w/Avid FR-5 levers	Tektro V w/Shimano EF50 levers	Tektro cable	Shimano M431 w/alloy levers	Tektro V w/ Shimano EF50 levers	Tektro V w/ Shimano EF50 levers
Handlebars	Bontrager Satchet, 31.8mm, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Satchet	Bontrager Satchet	Bontrager Satchet	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Sport Riser, 25mm rise	Bontrager Upcross Riser, 25mm rise
Stem	Bontrager Satchet, 31.8mm, 7 degree	Bontrager Sport, 10 degree	Bontrager, 10 degree	Bontrager Satchet, 10 degree	Bontrager, 25 degree	Bontrager, 25 degree	Alloy road quill, 20mm	Alloy road quill, 31mm	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Bontrager Approved, 15d	Alloy, adjustable	Alloy, adjustable	Alloy, adjustable
Saddle	Bontrager Race Lux	Bontrager Race Lux	Bontrager Race Lux	Bontrager Select, City	Bontrager Select, City	Bontrager Select, City	Bontrager Satchet Plus gel padding	Bontrager Satchet Plus, gel padding	Bontrager Race Lux	Bontrager Race Lux	Bontrager Select, City	Bontrager Sport	Bontrager Sport	Bontrager Sport
Seatpost	Bontrager Duotten	Bontrager Comfort	Bontrager	Bontrager Comfort	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Alloy, adjustable suspension	Alloy	Alloy