
NOTHING ELSE EVEN COMES CLOSE

KLEIN

1996 BICYCLES AND ACCESSORIES

Ride a bike that shares your animal urge
to conquer everything between you and victory.



PULSE COMP
LX/STX-RC




PATENTED KLEIN TUNING

Our newest off-road racer features all the instincts and sinew you need to compete. Short, stable Gradient™ chainstays ensure fast uphill scrambles — and extra tire clearance to charge freely through mud and thickets. A Klein-tuned lightweight frame with Full-On™ racing geometry delivers nimble, precise handling on technical sections. Micro-Dropouts™ with Re-Entry Ramps™ (patent #5,364,115) increase wheel stability and make quick work of tire changes. A durable Shimano component group rounds out this rugged competitor. Overall, superior rigidity and strength make this a lightweight terrain beater that tears it up with ferocity.


Pulse COMP
KLEIN

As your pulse quickens, your Pulse Comp delivers maximum response at every turn of the crank.




PATENTED KLEIN

High-speed cross country trips require maximum response from every ounce of pedal effort. This Pulse Comp frame combines Klein's Full-On™ cross country/singletrack race geometry with fully heat-treated Klein Power Tubing™, crafted into framesets with a deep-penetration TIG welding process for incredible rigidity, strength and lightness. Chainstays made from Gradient™ tubing enforce unparalleled powertrain efficiency. Micro-Dropouts™ with Re-Entry Ramps™ stabilize wheels while making tire changes fast. An optional tri-ramped Chain Control Device (CCD) (patent #4,960,402) continuously guides the chain away from chainring jams while helping to keep it clean. Durable, responsive Shimano components deliver smooth, reliable shifting and braking. Finally, front suspension delivers control at top speed, which should lower your heart rate over variable ground conditions.




Pulse COMP
KLEIN
ROCK SHOX
ROCK SHOX



Over gullies and stumps, even over your shoulder, Klein is the pinnacle of lightweight strength.

PULSE COMP XT/LX

PATENTED KLEIN TUNING




You don't know what's coming next, but you know it's coming fast. Your Pulse Comp is ready for any challenge. It's Klein-tuned for unmatched lightness and strength, with Full-On™ cross-country race geometry. Gradient™ tubing on the chainstays delivers cycling's most efficient powertrain performance. Extra-wide High-Performance Chainstays (patent #4,621,827) allow unfettered mud-chewing traction. And, heading into jagged terrain, a Rock Shox Judy XC long-travel suspension fork gives you supple control and confidence. No matter where you ride, it's a performance machine that'll get you there and back with aplomb.


Pulse COMP
KLEIN
ROCK SHOX

Our "Breakfast of Champions" includes rocks over easy, a face-full of mud and a large order of perfect aluminum.

PULSE II



Rishi Grewal and Caroline Alexender prove it: this bike has pure winning power. A custom-crafted Klein frame made with advanced Gradient™ aluminum tubing packs superior strength into an amazingly light, responsive frame. Full-On™ race geometry delivers finely tuned performance with front suspension forks. Klein-tuned internal cable routing (patent #5,433,465) actually strengthens and lightens the frame while ensuring clean shifting and braking. Klein's rigid Precision Sealed Bottom Bracket provides a long life of maintenance-free, durable cranking. With all these earth-defying features at your disposal, you'll be more than happy to wake up and smell the coffee.

PATENTED KLEIN TUNING




Pulse II
KLEIN
KLEIN Theoretical
RACE SHOP
XC

As everything around you begins to blur, the advantages of Klein-tuning become stunningly clear.

ATTITUDE




Entering the speed & bleed zone, the slightest miscue is deadly. The Attitude features Klein's integrated Fuselage™: a fork, headset and stem system that's seven-times more durable, and much lighter, than standard assemblies — dramatically increasing overall performance. Klein's patented AirHead™ Set (patent #5,273,301) uses sealed aircraft torque tube bearings for unbeatable control and durability. The Patented MC2™ collet bar-stem assembly further perfects steering dynamics. Klein's proprietary Gradient™ aluminum tubing delivers an ultra-responsive frame that's amazingly strong and light. Plus, it's optimally designed to function with a rigid Unicrown fork or a Rock Shox Judy XC. Here's your new attitude: think fast, ride faster.

PATENTED KLEIN TUNING


Attitude
KLEIN
KLEIN
SACHS

In your sport, the only technical foul is riding a bike that can't skillfully maneuver through cruel terrain.

ADROIT





PATENTED KLEIN TUNING

Klein's Adroit is the most responsive hardtail ever; an extremely light bike with excellent power transfer at the rear wheel for fast climbing or zig-zags through technical sections.

A frameset crafted from patented Gradient™ aluminum provides an advanced performance base, with a larger down tube, stiffer head tube and super-rigid Klein High Performance Chainstays. Klein's exclusive Precision Sealed Bottom Bracket adds unmatched, unfailing rigidity. Point-and-shoot steering is assured, thanks to a Strata™ boron-carbon-aluminum fork — the lightest, strongest fork Klein's R&D tormentors have ever tested. Or, a Rock Shox Judy SL fork can be integrated to keep you on course when the going gets ugly.


Adroit
KLEIN

If you've been praying for the ultimate full-suspension machine, it's time to get off your knees and start jamming.

MANTRA PRO



Mantra Pro presents a stunning feat of engineering with a singular purpose: screaming-fast, ultra-light cross country performance. Klein's design isolates the rider from shock absorption with fully-active, progressive suspension capable of supple response to extreme impacts. The rear shock combines two parallel Elastocell® springs and a Fluid Logic™ damper for smooth, supple shock absorption. Klein's ultra-rigid unified rear triangle (URT) makes the most of aggressive pedaling forces by maintaining excellent traction with minimal energy loss. Over treacherous technical sections, skilled riders can pick high-speed lines and attack with ease and accuracy. Hallelujah! Finally it's full suspension without compromise, a peak example of Klein-tuned race machinery. (Please turn the page for more details.)

PATENTED KLEIN TUNING




Aeolus
KLEIN
SPINERGY
SPINERGY

When every fraction of a second counts,
its every aerodynamic ounce is pulling for you.

AEOLUS



PATENTED KLEIN TUNING


Aeolus was the Greek God of Wind. Today, it's your ticket to great time-trials and triathlons. The key is aerodynamic riding perfection: low and balanced for stability at high speeds. Klein does it with extra-short, coupled chainstays, a shallow head-tube angle, a 78° seat-tube angle and a long top tube. Patented Gradient™ tubing creates a strong, light frameset; with an ovalized top tube for reduced air resistance and an Aeros™ carbon fork for sweet handling. Ideal internal cable routing is achieved with its own aerodynamic design. Micro-Dropouts™ with Re-Entry Ramps™ (patent #5,364,115) improve wheel stability and make tire changes remarkably fast. When time and wind are your principal foes, Aeolus makes the most of every spin.




KLEIN
Titanium
Flite
SYNCROS
Mantra Pro
Luna
ROCK SHOX

Under the gun, everything under the saddle transforms your energy into furious forward motion.

QUANTUM



KLEIN TUNING

Klein riders claim they can actually feel Gary's engineering at work as they accelerate, corner or cruise at top speed. It's no surprise. With criterium geometry and a custom-tuned frameset made from Klein Power Tubing™, the Quantum enters the race way ahead. Its frameset is heat treated and precision machined to the highest standards in the industry. Deep-penetration TIG welds are skillfully crafted for maximum durability. The result? Guaranteed perfect frame alignment and the pure pleasure of sweet handling. And, Klein's exclusive Precision Sealed Bottom Bracket delivers unbeatable cranking efficiency for momentous forward thrust.




Quantum
KLEIN

A Klein bike takes 21 painstaking days to build and about 21 blazing seconds to appreciate.

QUANTUM II





PATENTED KLEIN TUNING

The most dynamic aspects of a Klein racer occur where you can't see them: under the paint. Klein's patented Gradient™ tubing is aluminum transformed by careful, long tapers into ultra-light, strong, responsive framesets. The Quantum II features a laterally ovalized top tube for optimum airflow. Internal cable routing (patent #5,433,465) is designed to actually boost frame strength while reducing weight. Short, coupled high performance chainstays and a Precision Sealed Bottom Bracket ensure rigid powertrain performance. A bonded aluminum fork provides stiff, responsive cornering. There's a lot going on in a Klein. But you're moving too fast to care.


Quantum II

90% of the races are won by 10% of the pros. Here's 100% of what it takes to join them.

QUANTUM PRO

Points Jersey winner Laurent Jalabert, riding a custom Klein racer in the 19th Stage of the 1995 Tour de France.



PATENTED KLEIN TUNING

In the U.S. and overseas press, the Quantum Pro has been hailed as the world's best racing bike. That bears repeating. THE WORLD'S BEST RACING BIKE. Why? The heart is the Klein Integrated Fuselage™: a fork, headset and stem system lighter and more durable than standard assemblies. Klein's patented AirHead™ Set (patent #5,273,301) uses sealed aircraft torque tube bearings for stiff, responsive steering. Framesets are fully heat-treated and precision machined for guaranteed perfect alignment. Top it off with a sweet handling Aeros™ fork and Precision Sealed Bottom Bracket. It's everything you need to climb up in the standings.




SYNCROS
QUANTUM PRO
KLEIN
AEROS

MODEL	PULSE COMP			PULSE II		ATTITUDE		ADROIT			MANTRA PRO			QUANTUM		
Group	**Shimano Deore LX/STX-RC**	**Shimano Deore LX/STX-RC**	**Shimano Deore XT/LX**	**Shimano Deore XT**	**Shimano Deore XT/LX**	**Shimano XTR**	**Shimano Deore XT**	**Shimano XTR**	**Shimano Deore XT**	**Shimano Deore XT Tune**	**Shimano XTR**	**Shimano Deore XT**	**Shimano Deore XT Tune**	**Shimano Ultegra**	**Shimano 105 SC**	**Campagnolo Mirage Triple**
Color	Emerald	Midnight Blue	Race Red	Ebony Black	Ebony Black	Team	Team	Burgundy Blue	Burgundy Blue	Burgundy Blue	Race Red	Race Red	Race Red	White Pearl	White Pearl	White Pearl
Fork options	Spinner Unicrown	Rock Shox Quadra 21R	Rock Shox Judy XC	Spartan, Rock Shox Judy XC	Spartan, Rock Shox Judy XC	Klein Attitude Unicrown, Rock Shox Judy XC, Rock Shox Judy SL	Klein Attitude Unicrown, Rock Shox Judy XC, Rock Shox Judy SL	Klein Strata Unicrown, Rock Shox Judy SL	Klein Strata Unicrown, Rock Shox Judy SL	Klein Strata Unicrown, Rock Shox Judy SL	Rock Shox Judy XC, Rock Shox Judy SL, Klein Strata Unicrown	Rock Shox Judy XC, Rock Shox Judy SL, Klein Strata Unicrown	Rock Shox Judy XC, Rock Shox Judy SL, Klein Strata Unicrown	Bonded Aluminum	Bonded Aluminum	Bonded Aluminum
Headset	Dia-Compe 1 1/8" A-Headset	Dia-Compe 1 1/8" A-Headset	Dia-Compe 1 1/8" A-Headset	Dia-Compe SA-2 1 1/8" A-Headset with Frame	Dia-Compe SA-2 1 1/8" A-Headset with Frame	Klein Airhead	Klein Airhead	Klein Airhead	Klein Airhead	Klein Airhead	Klein Airhead	Klein Airhead	Klein Airhead	Tange Seiki Levin CDS with Frame	Tange Seiki Levin CDS with Frame	Tange Seiki Levin CDS with Frame
Handlebar	System 2, 170g	System 2, 170g	Bontrager Race, 145g	Bontrager Race, 145g	Bontrager Race, 145g	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	System 2 Road with Frame	System 2 Road with Frame	System 2 Road with Frame
Stem	System 2 Alloy A-Head	System 2 Alloy A-Head	System 2 Alloy A-Head	Bontrager Race A-Head Alloy with Frame	Bontrager Race A-Head Alloy with Frame	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	Klein MC2	System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame
Bottom bracket/ spindle	Shimano BB-UN52	Shimano BB-UN52	Shimano BB-UN72	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Titanium Precision	Klein Precision	Klein Precision	Titanium Precision	Klein Precision	Klein Precision	Klein Precision
Crankset	Shimano STX-RC 170/175	Shimano STX-RC 170/175	Shimano Deore LX 170/175	Shimano Deore XT 175	Shimano Deore LX 175	Shimano XTR 175	Shimano Deore XT 175	Shimano XTR 175	Shimano Deore XT 175	Tune Shimano Deore XT Pattern 170, 172.5, 175, 177.5	Shimano XTR 175	Shimano Deore XT 175	Tune Shimano Deore XT Pattern 170, 172.5, 175, 177.5	Shimano Ultegra 172.5/175	Shimano 105 172.5/175	Campagnolo Mirage 170/175
Chainrings	Shimano STX-RC 42/32/22	Shimano STX-RC 42/32/22	Shimano Deore LX 42/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 42/32/22	Shimano XTR 46/36/26	Shimano Deore XT 44/32/22	Shimano XTR 46/36/26	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano XTR 46/36/26	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Ultegra 53/39	Shimano 105 53/39	Campagnolo Mirage 52/42/32
Rear derailleur	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT SGS	Shimano Deore XT	Shimano Deore XT	Shimano XTR	Shimano Deore XT	Shimano XTR	Shimano Deore XT	Shimano XTR with Tune Kit	Shimano XTR	Shimano Deore XT	Shimano XTR with Tune Kit	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage GS
Front derailleur	Shimano STX-RC Top Swing	Shimano STX-RC Top Swing	Shimano Deore LX Top Swing	Shimano Deore XT Top Swing	Shimano Deore LX Top Swing	Shimano XTR Top Swing	Shimano Deore XT Top Swing	Shimano XTR Top Swing	Shimano Deore XT Top Swing	Shimano Deore XT Top Swing with Tune Kit	Shimano XTR Top Swing	Shimano Deore XT Top Swing	Shimano Deore XT Top Swing with Tune Kit	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage GS
Shift levers	SRT-800 GripShift X-Ray	SRT-800 GripShift X-Ray	Shimano Deore LX RapidFire SL	Shimano Deore XT RapidFire SL	Shimano Deore LX RapidFire SL	Shimano XTR RapidFire SL	Shimano Deore XT RapidFire SL	Shimano XTR RapidFire SL	Shimano Deore XT RapidFire SL	Shimano Deore XT RapidFire SL with Tune Kit	Shimano XTR RapidFire SL	Shimano Deore XT RapidFire SL	Shimano Deore LX RapidFire SL with Tune Kit	Shimano Ultegra STI	Shimano 105 STI	Campagnolo Mirage Ergo
Chain	Shimano IG70	Shimano IG70	Shimano IG70	Shimano IG90	Shimano IG70	Shimano IG90	Shimano IG90	Shimano IG90	Shimano IG90	Sedis SC-90	Shimano IG90	Shimano IG90	Sedis SC-90	Shimano HG90	Shimano HG70	Sedis SC-30
Rear cluster	Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano Deore XT 11-28, 8spd	Shimano Deore LX 11-28, 8spd	Shimano XTR 12-32, 8spd	Shimano Deore XT 11-28, 8spd	Shimano XTR 12-32, 8spd	Shimano Deore XT 11-28, 8spd	Shimano Deore XT 11-28, 8spd	Shimano XTR 12-32, 8spd	Shimano Deore XT 11-28, 8spd	Shimano Deore XT 11-28, 8spd	Shimano HG90 12-23T	Shimano HG70 12-23T	Campagnolo Mirage 12-23T
Front brake	Shimano STX	Shimano STX	Shimano Deore LX	Shimano Deore XT V-Brake	Shimano Deore LX M-System	Shimano Deore XTR V-Brake	Shimano Deore XT V-Brake	Shimano XTR V-Brake	Shimano Deore XT V-Brake	Tune Cantilevers	Shimano XTR V-Brake	Shimano Deore XT V-Brake	Tune Cantilevers	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage MonoPlaner
Rear brake	Shimano STX	Shimano STX	Shimano Deore LX	Shimano Deore XT Cantilever	Shimano Deore LX M-System	Shimano Deore XTR Cantilever	Shimano Deore XT Cantilever	Shimano XTR Cantilever	Shimano Deore XT Cantilever	Avid Tri-Align with Tune Kit	Shimano XT V-Brake	Shimano Deore XT V-Brake	Shimano Deore XT V-Brake with Tune Kit	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage MonoPlaner
Brake levers	Dia-Compe PC-7N	Dia-Compe PC-7N	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX	Shimano XTR V-Brake	Shimano Deore XT V-Brake	Shimano XTR V-Brake	Shimano Deore XT V-Brake	Shimano Deore XT with Tune Kit	Shimano XTR V-Brake	Shimano Deore XT	Shimano Deore XT V-Brake	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage
Front hub	System 2 32 Hole	System 2 32 Hole	System 3 32 Hole	Shimano Deore XT 32 Hole	System 3 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Tune Precision 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Tune Precision 32 Hole	Shimano Ultegra 32 Hole	Shimano 105 32 Hole	Campagnolo Mirage 32 Hole
Rear hub	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT	Shimano Deore XT 32 Hole	Shimano Deore XT 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Tune Precision 32 Hole	Shimano XTR 32 Hole	Shimano Deore XT 32 Hole	Tune Precision 32 Hole	Shimano Ultegra 32 Hole	Shimano 105 32 Hole	Campagnolo Mirage 32 Hole
Spokes	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14g Titanium; 14/15g Stainless drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14g Titanium; 14/15g Stainless drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear
Rims	Matrix Swami SLV Anodized	Matrix Swami SLV Anodized	Matrix Swami SLV Anodized	BCX Red and Blue	Matrix Swami SLV Anodized	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	BCX Red and Blue	Matrix Aurora Silver Anodized	Matrix Aurora Silver Anodized	Matrix Aurora Silver Anodized
Tires	Tioga Psycho KS/TS	Tioga Psycho KS/TS	Tioga Psycho K/T Kevlar Bead	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein DeathGrip 26 x 2.35"	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C
Rim strips	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth
Tubes	26 x 1.5" Presta	26 x 1.5" Presta	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Klein Cloud 9, 100g	Presta	Presta	Presta
Seatpost	System 2 31.6 x 350	System 2 31.6 x 350	System 2 31.6 x 350	System 2 31.6 x 350	System 2 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	Synchros 7075 31.6 x 350	System 2 27.2 x 250	System 2 27.2 x 250	System 2 27.2 x 250
Saddle	Vetta TT-TS with Manganese Rails	Vetta TT-TS with Manganese Rails	Vetta TT-TS with Manganese Rails	Vetta TT-TS with Vanadium Rails	Vetta TT-TS with Manganese Rails	Flite with Titanium Rails	Vetta TT-TS with Vanadium Rails	Flite with Titanium Rails	Vetta TT-TS with Vanadium Rails	Vetta TT-TS with Carbon Rails	Flite with Titanium Rails	Vetta TT-TS with Vanadium Rails	Vetta TT-TS with Carbon Rails	Vetta TT-TS with Vanadium Rails	Vetta TT-TS with Manganese Rails	Vetta TT-TS with Manganese Rails
Pedals	System 2 with clips and straps	System 2 with clips and straps	System 2 with clips and straps	Shimano SPD M747 clipless	Shimano SPD M535 clipless	Shimano SPD M747 clipless	Shimano SPD M747 clipless	Shimano SPD M747 clipless	Shimano SPD M747 clipless	Shimano SPD M747 clipless with Titanium axle	Shimano SPD M747 clipless	Shimano SPD M747 clipless	Shimano SPD M747 clipless with Titanium axle	N/A	N/A	N/A
Grips/tape	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Klein Instinct	Cork Tape	Cork Tape	Cork Tape
Frame weight	N/A	N/A	N/A	2.9 lbs.	2.9 lbs.	3.0 lbs.	3.0 lbs.	3.0 lbs.	3.0 lbs.	3.0 lbs.	4.4 lbs.	4.4 lbs.	4.4 lbs.	3.5 lbs.	3.5 lbs.	3.5 lbs.

Klein bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice. Mountain bike frame weights are based upon 19" frame. Road bike frame weights are based upon a 57cm frame.

QUANTUM II					QUANTUM PRO			AEOLUS
Shimano Dura-Ace	**Campagnolo Chorus**	**Shimano Ultegra**	**Shimano 105 SC**	**Campagnolo Mirage Triple**	**Shimano Dura-Ace**	**Campagnolo Chorus**	**Shimano Dura-Ace Tune**	**Shimano Ultegra**
Teal/Blue fade	Teal/Blue fade	Teal/Blue fade	Teal/Blue fade	Teal/Blue fade	Burgundy Blue	Burgundy Blue	Burgundy Blue	Sea & Sky
Bonded Carbon	Bonded Carbon	Bonded Carbon	Bonded Carbon	Bonded Carbon	Klein Aeros	Klein Aeros	Klein Aeros	Bonded Aluminum
Tange Seiki VR-254 with Frame	Tange Seiki VR-254 with Frame	Tange Seiki VR-254 with Frame	Tange Seiki VR-254 with Frame	Tange Seiki VR-254 with Frame	Klein Airhead	Klein Airhead	Klein Airhead	Tange Seiki VR-254 with Frame
System 2 Alloy with Frame	System 2 Alloy with Frame	System 2 Alloy with Frame	System 2 Alloy with Frame	System 2 Alloy with Frame	ITM Pro 2, 250g with Frame	ITM Pro 2, 250g with Frame	ITM Pro 2, 250g with Frame	ITM Ergo Aero with Frame
System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame	System 2 Cro-Moly Road with Frame	Klein Airhead with Frame	Klein Airhead with Frame	Klein Airhead with Frame	System 2 Cro-Moly Road with Frame
Klein Precision	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Klein Precision	Titanium Precision	Klein Precision
Shimano Dura-Ace 172.5/175	Campagnolo Chorus 172.5/175	Shimano Ultegra 172.5/175	Shimano 105 172.5/175	Campagnolo Mirage 170/175	Shimano Dura-Ace 172.5/175	Campagnolo Chorus 172.5/175	Shimano Dura-Ace with Tune Kit 172.5/175	Shimano Ultegra 172.5/175
Shimano Dura-Ace 53/39	Campagnolo Chorus 53/39	Shimano Ultegra 53/39	Shimano 105 53/39	Campagnolo Mirage 52/42/32	Shimano Dura-Ace 53/39	Campagnolo Chorus 53/39	Shimano Dura-Ace 53/39	Shimano Ultegra 53/39 or 56/42 for 650 wheels
Shimano Dura-Ace	Campagnolo Chorus	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage GS	Shimano Dura-Ace	Campagnolo Chorus	Shimano Dura-Ace with Tune Kit	Shimano Ultegra
Shimano Dura-Ace	Campagnolo Chorus	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage GS	Shimano Dura-Ace	Campagnolo Chorus	Campagnolo Record with Tune Kit	Shimano Ultegra
Shimano Dura-Ace STI	Campagnolo Chorus Ergo	Shimano Ultegra STI	Shimano 105 STI	Campagnolo Mirage Ergo	Shimano Dura-Ace STI	Campagnolo Chorus Ergo	Shimano Dura-Ace STI with Tune Kit	Shimano Ultegra STI
Shimano Dura-Ace	Sedis SC-90	Shimano HG90	Shimano HG70	Sedis SC-30	Shimano Dura-Ace	Sedis SC-90	Sedis SC-90	Shimano HG90
Shimano Dura-Ace 12-23T	Campagnolo Chorus 12-23T	Shimano HG90 12-23T	Shimano HG70 12-23T	Campagnolo Mirage 12-23T	Shimano Dura-Ace 12-23T	Campagnolo Chorus 12-23T	Shimano Dura-Ace 12-23T	Shimano Ultegra 12-23T
Shimano Dura-Ace	Campagnolo Chorus Dual Pivot	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage MonoPlaner	Shimano Dura-Ace	Campagnolo Chorus Dual Pivot	Shimano Dura-Ace with Tune Kit	Shimano Ultegra
Shimano Dura-Ace	Campagnolo Chorus Dual Pivot	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage MonoPlaner	Shimano Dura-Ace	Campagnolo Chorus Dual Pivot	Shimano Dura-Ace with Tune Kit	Shimano Ultegra
Shimano Dura-Ace	Campagnolo Chorus	Shimano Ultegra	Shimano 105 SC	Campagnolo Mirage	Shimano Dura-Ace	Campagnolo Chorus	Shimano Dura-Ace with Tune Kit	Shimano Ultegra
Shimano Dura-Ace 32 Hole	Campagnolo Chorus 32 Hole	Shimano Ultegra 32 Hole	Shimano 105 32 Hole	Campagnolo Mirage 32 Hole	Shimano Dura-Ace 32 Hole	Campagnolo Chorus 32 Hole	Tune 28 Hole with Tune QR	Spinergy RevX
Shimano Dura-Ace 32 Hole	Campagnolo Chorus 32 Hole	Shimano Ultegra 32 Hole	Shimano 105 32 Hole	Campagnolo Mirage 32 Hole	Shimano Dura-Ace 32 Hole	Campagnolo Chorus 32 Hole	Tune 32 Hole with Tune QR	Spinergy RevX
14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14/15g double butted Stainless; 14g drive side rear	14g Titanium; 14/15g butted Stainless drive side rear	N/A
Matrix Aurora Ceramic	Matrix Aurora Ceramic	Matrix Aurora Silver Anodized	Matrix Aurora Silver Anodized	Matrix Aurora Silver Anodized	Matrix Aurora Silver Ceramic	Matrix Aurora Silver Ceramic	Campagnolo Omega V	Spinergy 650B/ 700C (59-63 mm)
Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Klein Prime 700 x 25C	Vittoria Tubular, 140g	Continental 650B/ Klein Prime 700C
Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	N/A	Cloth
Presta	Presta	Presta	Presta	Presta	Presta	Presta	N/A	Presta
System 2 31.6 x 250	System 2 31.6 x 250	System 2 31.6 x 250	System 2 31.6 x 250	System 2 31.6 x 250	Synchros 31.6 x 230	Synchros 31.6 x 230	Synchros 31.6 x 230	Synchros 31.6 x 230
Flite with Titanium Rails	Flite with Titanium Rails	Vetta TT-TS with Vanadium Rails	Vetta TT-TS with Manganese Rails	Vetta TT-TS with Manganese Rails	Flite with Titanium Rails	Flite with Titanium Rails	Vetta TT-TS with Carbon Rails	Vetta TT-TS with Vanadium Rails
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cork Tape	Cork Tape	Cork Tape	Cork Tape	Cork Tape	Cork Tape	Cork Tape	Cork Tape	Cork Tape
2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.	2.7 lbs.

GEOMETRY

	Frame size	Typical rider		Stand-over	Bottom bracket	Top tube	Chain stay	Wheel base	Front fork rake	Top tube angle	Seat tube angle	Head tube angle
PILOT CHP PULSE II	18.0/46	5'0"-5'4"	152-162	27.78/70.56	11.4/29.00	22.03/55.4	16.40/41.70	40.07/101.80	1.38/3.49	17.20°	73.2°	71.0°
	19.0/48	5'4"-5'7"	162-170	28.58/72.59	11.5/29.20	22.76/57.4	16.40/41.70	40.67/103.30	1.38/3.49	12.50°	73.2°	71.5°
	20.0/53	5'7"-5'10"	170-177	29.62/75.23	11.7/29.70	23.38/59.4	16.40/41.70	41.21/104.70	1.38/3.49	8.27°	73.2°	72.0°
	21.0/55	5'10"-6'1"	177-185	30.68/77.93	11.8/30.00	23.60/59.9	16.40/41.70	41.64/105.80	1.50/3.81	8.47°	73.2°	72.2°
	22.0/57	6'1"-6'6"	185-198	31.76/80.72	11.9/30.20	24.05/61.1	16.40/41.70	42.04/106.80	1.50/3.81	8.07°	73.2°	72.2°
ATTITUDE ADROIT	18.0/46	5'0"-5'4"	152-162	27.42/69.65	11.4/29.00	22.02/55.9	16.40/41.70	40.07/101.80	1.38/3.49	15.40°	73.2°	71.0°
	19.0/48	5'4"-5'7"	162-170	28.21/71.65	11.5/29.20	22.78/57.9	16.40/41.70	40.67/103.30	1.38/3.49	10.50°	73.2°	71.5°
	20.0/53	5'7"-5'10"	170-177	29.62/75.23	11.7/29.70	23.38/59.4	16.40/41.70	41.21/104.70	1.38/3.49	8.20°	73.2°	72.0°
	21.0/55	5'10"-6'1"	177-185	30.66/77.88	11.8/30.00	23.70/60.2	16.40/41.70	41.64/105.80	1.50/3.81	8.40°	73.2°	72.2°
	22.0/57	6'1"-6'6"	185-198	31.76/80.67	11.9/30.20	24.05/61.1	16.40/41.70	42.04/106.80	1.50/3.81	8.00°	73.2°	72.2°
MATRIX PRO	19.0/48	5'4"-5'7"	162-170	30.70/77.98	11.5/29.20	22.78/57.9	16.40/41.70	40.67/103.30	1.38/3.49	10.50°	73.2°	71.5°
	20.0/53	5'7"-5'10"	170-177	31.76/80.67	11.7/29.70	23.38/59.4	16.40/41.70	41.21/104.70	1.38/3.49	8.20°	73.2°	72.0°
	21.0/55	5'10"-6'1"	177-185	32.72/83.11	11.8/30.00	23.70/60.2	16.40/41.70	41.64/105.80	1.50/3.81	8.40°	73.2°	72.2°
QUANTUM QUANTUM II	20.1/51	5'2"-5'4"	157-162	29.80/75.69	10.5/26.67	21.06/53.5	16.30/41.40	38.10/96.77	1.50/3.81	0°	74.0°	73.5°
	20.9/53	5'4"-5'6"	162-167	30.60/77.72	10.6/26.92	21.54/54.7	16.30/41.40	38.60/98.04	1.50/3.81	0°	74.0°	73.5°
	21.7/55	5'6"-5'8"	167-172	31.50/80.01	10.7/27.18	22.01/55.9	16.30/41.40	39.10/99.31	1.50/3.81	0°	74.0°	73.5°
	22.4/57	5'8"-5'11"	172-180	32.40/82.30	10.8/27.43	22.48/57.1	16.30/41.40	39.40/100.08	1.50/3.81	0°	74.0°	74.0°
	23.2/59	5'11"-6'1"	180-185	33.20/84.33	10.9/27.69	22.95/58.3	16.30/41.40	40.00/101.60	1.50/3.81	0°	74.0°	74.0°
	24.0/61	6'1"-6'3"	185-190	34.10/86.61	11.0/27.94	23.43/59.5	16.30/41.40	40.40/102.62	1.50/3.81	0°	74.0°	74.0°
	24.8/63	6'3"-6'5"	190-195	34.80/88.39	11.0/27.94	23.90/60.7	16.30/41.40	40.90/103.89	1.50/3.81	0°	74.0°	74.0°
QUANTUM PRO	20.1/51	5'2"-5'4"	157-162	29.80/75.69	10.5/26.67	21.06/53.5	16.30/41.40	37.98/96.47	1.375/3.49	0°	74.0°	73.5°
	20.9/53	5'4"-5'6"	162-167	30.60/77.72	10.6/26.92	21.54/54.7	16.30/41.40	38.48/97.74	1.375/3.49	0°	74.0°	73.5°
	21.7/55	5'6"-5'8"	167-172	31.50/80.01	10.7/27.18	22.01/55.9	16.30/41.40	38.98/99.01	1.375/3.49	0°	74.0°	73.5°
	22.4/57	5'8"-5'11"	172-180	32.40/82.30	10.8/27.43	22.48/57.1	16.30/41.40	39.28/99.77	1.375/3.49	0°	74.0°	74.0°
	23.2/59	5'11"-6'1"	180-185	33.20/84.33	10.9/27.69	22.95/58.3	16.30/41.40	39.88/101.30	1.375/3.49	0°	74.0°	74.0°
	24.0/61	6'1"-6'3"	185-190	34.10/86.61	11.0/27.94	23.43/59.5	16.30/41.40	40.28/102.31	1.375/3.49	0°	74.0°	74.0°
	24.8/63	6'3"-6'5"	190-195	34.80/88.39	11.0/27.94	23.90/60.7	16.30/41.40	40.78/103.58	1.375/3.49	0°	74.0°	74.0°
AEOLUS	20.1/51	5'2"-5'4"	157-162	29.36/74.57	10.3/26.20	21.06/53.5	14.73/37.40	38.59/98.0	1.375/3.49	0°	78.0°	72.0°
	20.9/53	5'4"-5'6"	162-167	30.14/76.55	10.4/26.40	21.54/54.7	14.73/37.40	39.18/99.5	1.375/3.49	0°	78.0°	72.0°
	21.7/55	5'6"-5'8"	167-172	30.91/78.51	10.5/26.70	22.01/55.9	14.73/37.40	39.78/101.0	1.375/3.49	0°	78.0°	72.0°
	22.4/57	5'8"-5'11"	172-180	31.69/80.49	10.6/26.90	22.48/57.1	14.73/37.40	40.37/102.5	1.375/3.49	0°	78.0°	72.0°
	23.2/59	5'11"-6'1"	180-185	32.51/82.57	10.7/27.20	22.95/58.3	15.50/39.40	41.41/105.2	1.5/3.81	0°	78.0°	72.5°
	24.0/61	6'1"-6'3"	185-190	33.28/84.53	10.8/27.40	24.21/61.5	15.50/39.40	42.79/105.7	1.5/3.81	0°	78.0°	72.5°
	24.8/63	6'3"-6'5"	190-195	33.46/84.98	10.8/27.40	24.70/62.7	15.50/39.40	43.35/110.1	1.5/3.81	0°	78.0°	72.5°

All dimensions are in inches/centimeters unless otherwise stated.

KLEIN BICYCLE CORPORATION LIMITED WARRANTY

Klein Bicycle Corporation warrants each new Klein bicycle frame and rigid fork against defects in workmanship and materials for the first five years of ownership by original owner. Klein Bicycle Corporation likewise warrants all original parts, excluding suspension forks, for a period of one year from the date of purchase. Suspension forks shall be covered under the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable.

Claims under this warranty are to be made through an authorized Klein dealer. Proof of purchase is required. A warranty registration card must be completed and received by Klein Bicycle Corporation before a warranty claim may be processed.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, or installation of parts or accessories not originally intended or compatible with the bicycle as sold.

The warranty does not apply to damage or failure due to accident, abuse or neglect.

Klein Bicycle Corporation shall not be responsible for incidental or consequential damages. Labor charges for parts changeovers or the individual costs incurred by dealer are not covered in the warranty. The user assumes the risk of any personal injury or damage to the bicycle or other losses if the bicycle is used at any time for stunt riding or similar activities, power or motor assist of any kind or anything other than normal use.

This warranty gives the consumer specific legal rights, and those rights may vary from state to state. This warranty does not affect the statutory rights of the consumer.

©1995 Klein Bicycle Corporation

Printed in the U.S.A.