1998
Klein

JUST BECAUSE A BIKE IS MADE BY HAND,
DOESN'T MEAN YOU'D WANT TO RIDE IT.



MANTRA PRO™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Rock Shox SID 63mm travel (F) Fox Alps 5R (R)
DRIVETRAIN	Shimano XTR Rapid Rise
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKESET	XTR V-brakes
WEIGHT	24.8 lbs. (11.2kg) Made in Chehalis, Washington



MANTRA RACE LT™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Manitou X-vert R 100mm travel (F) Fox Alps 5R (R)
DRIVETRAIN	Shimano XT (F) XTR (R) and XT Rapid Fire SL shifters
PEDALS	Time ATAC Carbon clipless
RIMS	Bontrager Mustang ASYM (F&R)
BRAKESET	Hayes Hydraulic Disk (F) XT V-brake (R)
WEIGHT	28.9 lbs. (13.2kg) Made in Chehalis, Washington

1.75"

Also available as Mantra Race with following exceptions: Manitou SX-R 70mm travel (F) Fox Alps 5R (R), Shimano XT V-brakes, Bontrager Mustang (F) Mustang ASYM (R), Revolt SS folding tires, Bontrager Race bars. Details on p. 57.

Race = 26.5 lbs



MANTRA COMP™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Rock Shox Judy T2 63mm travel (F) Fox Vanilla (R)
DRIVETRAIN	Shimano LX (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKESET	Avid single digit 20 direct pull
WEIGHT	27.4 lbs. (12.5kg) Made in Chehalis, Washington



MANTRA™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Manitou Spyder R 70mm travel (F) Fox Vanilla X (R)
DRIVETRAIN	Shimano STX-RC (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKESET	Avid single digit 10 direct pull
WEIGHT	28.0 lbs. (12.7kg) Made in Chehalis, Washington



KARMA™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam and stays
SUSPENSION	Rock Shox Indy XC 63mm travel (F) Klein BASF elastomer (R)
DRIVETRAIN	Shimano STX (F) LX (R) Grip Shift 6.0 shifters
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKESET	Dia-Compe 737 direct pull
WEIGHT	29.0 lbs. (13.2kg) Made in Chehalis, Washington



KARMA PAVÉ™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam and stays
SUSPENSION	Klein Unicrown CroMoly rigid fork (F) BASF Elastomer (R)
DRIVETRAIN	Shimano Nexave Rapid Rise
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKESET	Shimano Nexave v-brakes with power modulation
WEIGHT	29.0 lbs. (13.2kg) Made in Chehalis, Washington



ATTITUDE PRO™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Rock Shox SID 63mm travel
DRIVETRAIN	Shimano XTR Rapid Rise
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKESET	Shimano XTR V-brakes
WEIGHT	22.2 lbs. (10.1kg) Made in Chehalis, Washington



ATTITUDE RACE™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Manitou SX-R 70mm travel
DRIVETRAIN	Shimano XT (F) XTR (R) and shifters
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKESET	Shimano XT V-brakes
WEIGHT	24.2 lbs. (11kg) Made in Chehalis, Washington



ATTITUDE COMP™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Rock Shox Judy XC 63mm travel
DRIVETRAIN	Shimano LX (F) XTR (R) XT shifters
PEDALS	Time ATAC clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKESET	Avid single digit 20 direct pull
WEIGHT	24.2 lbs. (11kg) Made in Chehalis, Washington



PULSE PRO™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Rock Shox Judy T2 63mm travel
DRIVETRAIN	Shimano LX (F) Grip Shift ESP 9.0 (R) ESP 900 shifters
PEDALS	Time ATAC clipless
WHEELS	Cane Creek CronoMetro (F) Bontrager Mustang ASYM (R)
BRAKESET	Avid single digit 20 direct pull
WEIGHT	24.3 lbs. (11.0kg)



PULSE RACE™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Manitou Spyder R 70mm travel
DRIVETRAIN	Shimano STX-RC (F) XTR (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKESET	Shimano M600 V-brakes
WEIGHT	24.8 lbs. (11.2kg)



PULSE COMP™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Manitou Spyder 70mm travel
DRIVETRAIN	Shimano STX (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKESET	Avid single digit 10 direct pull
WEIGHT	25.9 lbs. (11.8kg)



PULSE™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Rock Shox Indy C 63mm travel
DRIVETRAIN	Shimano Alivio (F) LX (R) Grip Shift SRT 4.0
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKESET	Dia-Compe 737 direct pull
WEIGHT	25.9 lbs. (11.8kg)



QUANTUM PRO™

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	Klein Aeros Carbon
DRIVETRAIN	Shimano DuraAce 9 speed
PEDALS	Shimano DuraAce SPD
WHEELS	Rolf Custom AS 550
BRAKESET	Shimano DuraAce
WEIGHT	17.1 lbs. (7.8kg) Made in Chehalis, Washington



QUANTUM RACE™

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	ICON AirRail carbon
DRIVETRAIN	Shimano Ultegra 9 speed
PEDALS	Shimano Ultegra SPD
RIMS	Matrix ISO 3
BRAKESET	Shimano Ultegra
WEIGHT	18.0 lbs. (8.2kg) Made in Chehalis, Washington



STAGE COMP R™

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	ICON Classic Carbon
DRIVETRAIN	Shimano Ultegra (F&R) 105 STI shifters
PEDALS	Shimano Ultegra SPD
RIMS	Matrix ISO 3
BRAKESET	Shimano 105
WEIGHT	21.5 lbs. (9.8kg) Made in Chehalis, Washington



STAGE COMP T™

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	ICON Classic Carbon
DRIVETRAIN	Shimano Ultegra triple (F) Ultegra GS (R) 105 STI triple shifters
PEDALS	ICON clipless
RIMS	Matrix ISO 3
BRAKESET	Shimano 105
WEIGHT	21.8 lbs. (9.9kg) Made in Chehalis, Washington



STAGE™

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	System 2 bonded aluminum
DRIVETRAIN	Shimano RX-100 (F) 105 (R) RSX STI shifters
PEDALS	ICON clipless
RIMS	Matrix Aurora
BRAKESET	Shimano RSX
WEIGHT	22.0 lbs. (10.0kg) Made in Chehalis, Washington



NAVIGATOR™

SIZES	52, 56, 58, 60, 64
FRAME	Klein Power Tubing main and stays
FORK	Klein Unicrown with low rider bosses
DRIVETRAIN	Shimano 105 Triple (F) XT (R) Sachs Ergopower shifters
PEDALS	ICON clipless
RIMS	Matrix ISO 3
BRAKESET	Dia-Compe 757
WEIGHT	22.9 lbs. (10.4kg) Made in Chehalis, Washington



AEOLUS™

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	Klein Aeros 650cm
WEIGHT	2.7 lbs. (1.2kg) for fuselage. Made in Chehalis, Washington



ADROIT™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient Tubing main and stays

	Size	Typical Rider Height (inches)	(millimeters)	Top Tube Standover (in./mm)	Bottom Bracket (in./mm)	Top Tube Length (in./mm)	Chainstay Length (in./mm)	Wheelbase (in./mm)	Front Fork Rake (in./mm)	Top Tube Angle	Seat Tube Angle	Head Tube Angle
MANTRA PRO	S	5' 4"– 5' 7"	162 – 170	27.58/70.04	12.0/32.00	22.84/58.02	16.40/41.66	40.55/103.00	1.50/3.81	16.79°	68.40°	72.20°
	M	5' 7"– 5' 10"	170 – 177	28.80/73.15	12.8/32.51	23.40/59.44	16.40/41.66	41.17/104.57	1.50/3.81	13.04°	62.80°	72.80°
	L	5' 10"– 6' 1"	177 – 185	30.13/76.54	12.9/32.77	23.88/60.66	16.40/41.66	41.76/106.07	1.50/3.81	8.99°	63.70°	72.20°
MANTRA COMP/RACE	S	5' 4"– 5' 7"	162 – 170	28.61/72.67	12.5/31.75	22.93/58.25	16.40/41.66	40.76/103.53	1.50/3.81	18.00°	62.50°	71.50°
	M	5' 7"– 5' 10"	170 – 177	28.78/73.09	12.7/32.28	23.63/60.02	16.40/41.66	41.33/104.98	1.50/3.81	16.62°	64.40°	72.00°
	L	5' 10"– 6' 1"	177 – 185	30.02/76.25	12.9/32.77	23.69/60.18	16.40/41.66	41.33/104.98	1.50/3.81	15.93°	66.90°	72.20°
KARMA	S	5' 4"– 5' 7"	162 – 169	27.3/69.3	12.0/30.5	57.5/146.1	16.54/42.0	41.0/104.1	1.49/3.8	20.4°	73.20°	71.50°
	M	5' 7"– 5' 10"	170 – 176	27.6/70.1	12.2/30.9	59.0/149.8	16.54/42.0	41.7/105.9	1.49/3.8	21.2°	73.20°	71.50°
	L	5' 10"– 6' 1"	177 – 185	31.9/81.0	12.3/31.2	60.0/152.4	16.54/42.0	42.0/106.6	1.49/3.8	5.3°	73.20°	72.00°
ADROIT	XS	5' 0"– 5' 4"	152 – 162	27.42/69.65	11.4/29.00	22.02/55.93	16.40/41.70	40.19/102.08	1.50/3.81	15.40°	73.20°	71.00°
	S	5' 4"– 5' 7"	162 – 170	28.21/71.65	11.5/29.20	22.78/57.86	16.40/41.70	40.78/103.61	1.50/3.81	13.50°	73.20°	71.50°
	M	5' 7"– 5' 10"	170 – 177	29.62/75.23	11.7/29.70	23.38/59.38	16.40/41.70	41.33/104.98	1.50/3.81	8.20°	73.20°	72.00°
	L	5' 10"– 6' 1"	177 – 185	30.66/77.88	11.8/30.00	23.70/60.20	16.40/41.70	41.64/105.80	1.50/3.81	8.40°	73.20°	72.20°
	XL	6' 1"– 6' 6"	185 – 198	31.76/80.67	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.00°	73.20°	72.20°
ATTITUDE/ PULSE	XS	5' 0"– 5' 4"	152 – 162	27.78/70.56	11.4/29.00	22.03/55.96	16.40/41.70	40.19/102.08	1.50/3.81	17.20°	73.20°	71.00°
	S	5' 4"– 5' 7"	162 – 170	28.58/72.59	11.5/29.20	22.76/57.81	16.40/41.70	40.79/103.61	1.50/3.81	12.50°	73.20°	71.50°
	M	5' 7"– 5' 10"	170 – 177	29.62/75.23	11.7/29.70	23.38/59.38	16.40/41.70	41.33/104.98	1.50/3.81	8.27°	73.20°	72.00°
	L	5' 10"– 6' 1"	177 – 185	30.68/77.93	11.8/30.00	23.60/59.94	16.40/41.70	41.64/105.80	1.50/3.81	8.47°	73.20°	72.20°
	XL	6' 1"– 6' 6"	185 – 198	31.78/80.72	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.07°	73.20°	72.20°
QUANTUM PRO	51cm	5' 2"– 5' 4"	157 – 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.10/96.77	1.50/3.81	0.0°	74.00°	73.50°
	53cm	5' 4"– 5' 6"	162 – 167	30.60/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.60/98.04	1.50/3.81	0.0°	74.00°	73.50°
	55cm	5' 6"– 5' 8"	167 – 172	31.50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.10/99.31	1.50/3.81	0.0°	74.00°	73.50°
	57cm	5' 8"– 5' 11"	172 – 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.40/100.08	1.50/3.81	0.0°	74.00°	74.00°
	59cm	5' 11"– 6' 1"	180 – 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.00/101.60	1.50/3.81	0.0°	74.00°	74.00°
	61cm	6' 1"– 6' 3"	185 – 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.40/102.62	1.50/3.81	0.0°	74.00°	74.00°
	63cm	6' 3"– 6' 5"	190 – 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	40.90/103.89	1.50/3.81	0.0°	74.00°	74.00°
QUANTUM RACE	51cm	5' 2"– 5' 4"	157 – 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.37/97.46	1.77/4.50	0.0°	74.00°	73.50°
	53cm	5' 4"– 5' 6"	162 – 167	30.60/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.87/98.73	1.77/4.50	0.0°	74.00°	73.50°
	55cm	5' 6"– 5' 8"	167 – 172	31.50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.37/100.00	1.77/4.50	0.0°	74.00°	73.50°
	57cm	5' 8"– 5' 11"	172 – 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.67/100.76	1.77/4.50	0.0°	74.00°	74.00°
	59cm	5' 11"– 6' 1"	180 – 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.27/102.28	1.77/4.50	0.0°	74.00°	74.00°
	61cm	6' 1"– 6' 3"	185 – 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.67/103.30	1.77/4.50	0.0°	74.00°	74.00°
	63cm	6' 3"– 6' 5"	190 – 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	41.17/104.57	1.77/4.50	0.0°	74.00°	74.00°
STAGE	47cm	4' 10"– 5' 1"	147 – 154	28.18/66.49	10.1/25.65	20.14/51.16	16.60/42.16	31.22/79.29	1.85/4.70	17.7°	73.00°	71.00°
	51cm	5' 1"– 5' 4"	154 – 162	27.52/69.91	10.2/25.91	21.23/53.92	16.60/42.16	38.82/88.59	1.85/4.70	9.6°	73.00°	72.00°
	55cm	5' 5"– 5' 8"	165 – 172	31.11/79.01	10.4/26.42	22.20/56.40	16.60/42.16	39.56/100.48	1.69/4.30	0.0°	73.00°	72.50°
	57cm	5' 8"– 5' 11"	172 – 180	31.96/81.18	10.5/26.67	22.68/57.60	16.60/42.16	40.05/101.73	1.69/4.30	0.0°	73.00°	73.00°
	59cm	5' 11"– 6' 2"	180 – 185	32.81/83.35	10.6/28.92	23.15/58.80	16.60/42.16	40.57/103.05	1.69/4.30	0.0°	73.00°	73.00°
	63cm	6' 2"– 6' 5"	185 – 190	34.52/87.68	10.8/27.43	24.13/61.30	16.60/42.16	41.31/104.93	1.69/4.30	0.0°	73.00°	73.00°
AEOLUS	51cm	5' 2"– 5' 4"	157 – 162	29.36/74.57	10.3/26.20	21.06/53.49	14.73/37.40	38.59/98.02	1.38/3.49	0.0°	78.00°	72.00°
	53cm	5' 4"– 5' 6"	162 – 167	30.14/76.55	10.4/26.40	21.54/54.71	14.73/37.40	39.18/99.52	1.38/3.49	0.0°	78.00°	72.00°
	55cm	5' 6"– 5' 8"	167 – 172	30.91/78.51	10.5/26.70	22.01/55.90	14.73/37.40	39.78/101.04	1.38/3.49	0.0°	78.00°	72.00°
	57cm	5' 8"– 5' 11"	172 – 180	31.69/80.49	10.6/26.90	22.48/57.10	14.73/37.40	40.37/102.54	1.38/3.49	0.0°	78.00°	72.00°
	59cm	5' 11"– 6' 1"	180 – 185	32.51/82.57	10.7/27.20	22.95/58.29	15.50/39.40	41.60/105.66	1.69/4.30	0.0°	78.00°	72.50°
	61cm	6' 1"– 6' 3"	185 – 190	33.28/84.53	10.8/27.40	24.21/61.49	15.50/39.40	42.98/109.17	1.69/4.30	0.0°	78.00°	72.50°
	63cm	6' 3"– 6' 5"	190 – 195	33.48/84.98	10.8/27.40	24.70/62.74	15.50/39.40	43.54/110.59	1.69/4.30	0.0°	78.00°	72.50°
NAVIGATOR	48cm	4' 10"– 5' 0"	147 – 152	26.72/67.8	10.1/25.6	20.32/51.61	18.00/45.7	39.73/100.8	1.92/4.9	18.82°	71.87°	69.27°
	52cm	5' 2"– 5' 4"	157 – 162	28.27/71.8	10.2/25.9	21.38/54.31	18.00/45.7	40.32/102.3	1.92/4.9	10.69°	71.89°	70.89°
	54cm	5' 4"– 5' 6"	162 – 167	30.34/77.0	10.3/26.1	21.82/55.42	18.00/45.7	40.82/103.6	1.92/4.9	1.044°	71.96°	70.96°
	56cm	5' 6"– 5' 8"	167 – 172	31.19/79.2	10.4/26.4	22.32/56.7	18.00/45.7	41.22/104.6	1.92/4.9	0.961°	72.04°	71.54°
	58cm	5' 8"– 5' 11"	172 – 180	32.06/81.4	10.5/26.6	22.82/57.97	18.00/45.7	41.47/105.3	1.92/4.9	1.161°	71.84°	71.84°
	60cm	5' 11"– 6' 1"	180 – 185	32.91/83.6	10.6/26.9	23.3/59.17	18.00/45.7	41.99/106.6	1.92/4.9	1.137°	71.86°	71.86°
	64cm	6' 3"– 6' 5"	190 – 195	34.60/87.8	10.8/27.4	24.27/61.64	18.00/45.7	42.86/108.8	1.92/4.9	0.991°	72.01°	72.51°

ICON Carbon, 5° bend; 25.4mm clamp diameter	ICON Diesel, 25.4mm clamp diameter, 620mm wide	ICON 2014 Aluminum; 7° bend; 25.4mm clamp diameter	5° bend; 25.4mm clamp diameter	7° bend; 25.4mm clamp diameter	alloy; 25.4mm clamp diameter	alloy; 30.0mm rise; 25.4mm clamp diam.		bend; 25.4mm clamp diameter	clamp diameter	clamp diameter	clamp diameter	clamp diameter	clamp diameter	clamp diameter
ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Melt forged alloy direct connect; 41.0mm steerer clamp diameter	Klein MC3	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Melt forged alloy direct connect; 41.0mm steerer clamp height
Thomson +12° 1 piece machined; 31.6mm diameter	Thomson +12° 1 piece machined; 31.6mm diameter	Thomson +12° 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Thudbuster suspension; 31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter
Selle Italia Flite, Titanium perforated leather	WTB SSTX CroMoly rails, leather cover	WTB SSTX CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager Race FS+10, CroMoly rails	Bontrager FS+10 Comp	Selle Bassano Vision		Selle Italia Flite, Titanium perforated leather	WTB SSTX, CroMoly rails, leather cover	WTB SSTX, CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Comp	Bontrager FS+10 Comp
1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD	1 water bottle mount, CCD	1 water bottle mount	1 water bottle mount	1 water bottle mount CCD, shock pump	3 water bottle mounts, CCD	3 water bottle mounts, CCD	3 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts; CCD	2 water bottle mounts

	QUANTUM PRO	QUANTUM RACE	STAGE COMP R	STAGE COMP T	STAGE	AEOLUS FUSELAGE	NAVIGATOR
	51/53/55/57/ 59/61/63	51/53/55/57/ 59/61/63	51/55/57/59/63	51/55/57/59/63	51/55/57/59/63	51/53/55/57/ 59/61/63	52/56/58/60/64
	Jade chameleon	Caribbean linear	Yellow pearl	Candy blue	Race red	Sea & Sky or Blue lime	Raven
S	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Tubing	Klein Power Tubing
	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing
	Klein Aeros Carbon	ICON AirRail Carbon	ICON Carbon classic	ICON Carbon classic	System 2 bonded	Klein Aluminum alloy	Klein Unicrown
	Klein Airhead precision	Tange Seiki VR254 22.2/30.2/26.4 35.2mm stack	Tange Seiki Passage DX alloy 22.2/30.2/26.4; 35.3mm stack	Tange Seiki Passage DX alloy 22.2/30.2/26.4 35.3mm stack	Tange Seiki CDS 22.2/30.2/26.4 33.7mm stack	Klein Airhead precision	Tange Seiki CDS 22.2/30.2/26.4 33.7mm stack
	Shimano DuraAce 53/39 Bolt hole: 130mm	Shimano Ultegra 53/39 Bolt hole: 130mm	Sugino RD7000 53/39 Bolt hole: 130mm	Sugino RD7000 52/42/30 Bolt hole: 130/74mm	Sugino RD5000 52/42/30 Bolt hole: 130/74mm		Sugino RD7000 52/42/30 Bolt hole: 130/74mm
S	(F) Shimano DuraAce down pull; 34.9mm/ 1 ⅛"; (R) Shimano DuraAce	(F) Shimano Ultegra down pull 34.9mm/1 ⅛"; (R) Shimano Ultegra	(F) Shimano Ultegra down pull; 34.9mm/ 1 ⅛"; (R) Shimano Ultegra SS	(F) Shimano Ultegra triple down pull; 34.9mm/1 ⅛"; (R) Shimano Ultegra GS	(F) Shimano RX-100 down pull; 34.9mm/ 1 ⅛"; (R) Shimano 105 GS		(F) Shimano 105 GS down pull; 34.9mm/ 1 ⅛"; (R) Shimano Deore XT SGS
	Shimano DuraAce STI, dual control	Shimano Ultegra STI, dual control	Shimano 105 STI, dual control	Shimano 105 STI, dual control	Shimano RSX STI dual control		Sachs Ergopower, dual control
	Shimano DuraAce, 68 x 109.5, splined	Shimano Ultegra, 68 x 109.5, splined	Shimano BB-UN52, 68 x 113	Shimano BB-UN52, 68 x 118	Shimano BB-UN52, 68 x 118		Shimano BB-UN52, 68 x 118
	Shimano DuraAce, 108 length	Shimano HG92, 108 length	Shimano HG50, 106 length	Shimano HG50, 106 length	Shimano HG50, 108 length		Shimano HG50, 108 length
	Shimano DuraAce SPD clipless, ⅜" axle	Shimano Ultegra SPD clipless, ⅜"axle	Shimano Ultegra SPD clipless, ⅜" axle	ICON clipless, ⅜" axle	ICON clipless, ⅜" axle		ICON clipless, ⅜" axle
	Rolf Aero; HyperGlide compact cassette, 9 spd; (F) 14" (R) 16"	Shimano Ultegra HyperGlide compact cassette, 9 spd; (F) 32" (R) 32"	Shimano 105, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano 105, HyperGlide compact cassette, 8 spd; (F) 32" (F) 32"	Shimano RSX, HyperGlide compact cassette, 7 spd; (F) 32" (R) 32"		Shimano STX-RC, HyperGlide compact cassette, 7 spd; (F) 32" (R) 32"
E	Shimano DuraAce, 12-23, 9 spd	Shimano DuraAce, 12-23, 9 spd	Shimano HG70, 13-26, 8 spd	Shimano HG70, 13-26, 8 spd	Shimano HG50, 13-26, 7 spd		Shimano HG50, 13-26, 7 spd
	Wheelsmith ACE-3 tb blade; (F) 14" radial; (R) 284/ 286mm, 16" 1x	(F) DT 14/15g, 32" 3x; (R) DT 14g; 32" 3x	(F) DT 14/15g; 291mm, 32" 3x (R) DT 14g; 288/ 290mm, 32" 3x	(F) DT 14/15g; 291mm 32" 3x (R) DT 14g; 288/ 290mm, 32" 3x	DT 14g; 32" 3x		DT 14g, 32" 3x 297/299mm
	Araya Super Aero SA-530C; 597 ERD	Matrix Iso 3, 592 ERD; 32"	Matrix Iso 3, 592 ERD; 32"	Matrix Iso 3, 592 ERD; 32"	Matrix Aurora, (F) 610 ERD, 32" (R) 603 ERD; 32"		Matrix Iso 3, 592 ERD; 32"
	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Sport, 700 x 25c		Panaracer Pasela, 700 x 28c
	Presta valve; 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve		Presta valve
ET	Shimano DuraAce	Shimano Ultegra	Shimano 105	Shimano 105	Shimano RSX		Dia-Compe 757 direct pull
ARS	Ital Pro; 26.0mm clamp diameter	ICON 2014 Aluminum; 26.0mm clamp diameter	ICON 6061 Aluminum; 26.0mm clamp diameter	ICON 6061 Aluminum; 26.0mm clamp diameter	System 1; 26.0mm clamp diameter		ICON 6061 Aluminum; 26.0mm clamp diameter
	Klein MC3	3T Evol 2002 forged front load; 22.2mm insertion	Alloy; 22.2mm insertion	Alloy 90°; 22.2mm insertion	CroMoly 90°; 22.2mm insertion		Alloy 90°; 22.2mm insertion
ST	Thomson 1 piece machined; 31.6mm diameter	ICON 2, 2014 Aluminum; 31.6mm diameter	ICON 1, 6061 alloy; 31.6mm diameter	ICON 1, 6061 Aluminum; 31.6mm diameter	SP-312 alloy, micro-adjust; 31.6mm diameter	31.6mm diameter	ICON 1, 6061 Aluminum; 31.6mm diameter
E	Selle Italia Flite, Titanium perforated leather	Selle Bassano Vuelta, CroMoly rails, leather cover	Selle Bassano Vuelta, CroMoly rails, leather cover	Selle Bassano Vision, CroMoly rails, leather cover	Selle Bassano Vision		Selle Bassano Vision, leather cover
S	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts		3 water bottle mounts, front and rear rack mounts

WARRANTY

Klein Bicycle Corporation warrants each new Klein bicycle frame and rigid fork purchased from an authorized Klein dealer against defects in workmanship and materials for the lifetime of the original owner. Klein Bicycles likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered under the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. Labor charges for frame changeovers shall be covered for one year from the date of purchase. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Klein dealer. Proof of purchase is required. A warranty registration card must be completed and received by Klein Bicycles before a warranty claim may be processed. This warranty covers bicycles and components purchased outside the United States only if they are purchased through an authorized international Klein distributor or Klein dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse abuse or neglect or modification of the frame, fork or components. Klein Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

©1997 Klein Bicycle Corp. Printed in U.S.A.

DOMESTIC

Design & Manufacturing
Klein Bicycle Corporation
118 Klein Road
Chehalis, WA 98532

Customer Service
Klein Bicycle Corporation
801 West Madison Street
P. O. Box 183
Waterloo, WI 53594

Call 1-800-52-KLEIN for the Klein dealer nearest you.

INTERNATIONAL

Austria
Fahrradhandel Gesellschaft GMBH
Husslstrasse 29B
6130 Schwaz
Austria
Tel: 43 524 272 440
Fax: 43 524 272 440 90

Benelux
Bikeurope B.V.
Edisonstraat 14-16
3861 NE Nijerk
Netherlands
Tel: 31 33 245 5500
Fax: 31 33 245 4587

England
Trek UK
15 Old Bridge Way
Shefford Bedfordshire
SG17 5HQ England
Tel: 44 1 46 281 1458
Fax: 44 1 46 281 2799

European Central Office
Bikeurope
Europalaan 101
3526 KR Utrecht, Nether
Tel: 31 30 2888 434
Fax: 31 30 2870 215

Germany
Trek Bicycle GMBH
Heinrich Hertzstrasse 9
63225 Langen, Germany
Tel: 49 61 035 0700
Fax: 49 61 037 4741

Japan
Trek Japan
81 Fukaehama-Machi
Higashinada-Ku
Kobe 658, Japan
Tel: 81 78 413 6606
Fax: 81 78 413 6607

Switzerland
Trek Fahrrad AG
Schutzenstrasse 33
8902 Urdorf/Zurich
Switzerland
Tel: 41 1 735 85 85
Fax: 41 1 735 85 75

SHOCK MEASUREMENTS 6.75 EYE TO EYE 1.75 STROKE 6" "WHEEL" TRAVEL 7/8" EYE TOP+BOT. (.875" OR 22MM 6mm ID

	MANTRA PRO	MANTRA RACE LT	MANTRA RACE	MANTRA COMP	MANTRA	KARMA ATB	KARMA PAVÉ	ADROIT FUSELAGE	ATTITUDE PRO	ATTITUDE RACE	ATTITUDE COMP	PULSE PRO	PULSE RACE	PULSE COMP	P
ES:	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M
OR:	Blue Koi with black rear, blue fork	Koi with black rear, mango fork	Koi with black rear, mango fork	Blastberry chameleon with black rear, black fork	Black with black rear, mango fork	Graphite pearl with mango rear, black fork	Forest green pearl with black rear	Koi, yellow fork	Blue Koi, black fork	Koi, mango fork	Blue to blue linear fade, black fork	Solar yellow, black fork	Orange nectar, mango fork	Clear blue, silver fork	Red wit
TUBES:	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Po
YS:	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gr Aluminu
NSION:	(F) Rock Shox SID, 63mm travel (R) Fox Alps SR air/oil with adjustable damping	(F) Manitou X-Vert, double triple clamp, 100mm travel; (R) Fox Alps SR air/oil with adjustable damping	(F) Manitou SX-R, Twin Piston Chamber, 70mm travel; (R) Fox Alps SR air/oil with adjustable damping	(F) Rock Shox Judy T2, 63mm travel; (R) Fox Vanilla coil/oil	(F) Manitou Spyder R, 70mm travel (R) Fox Vanilla X coil/oil with adjustable damping	(F) Rock Shox Indy XC, 63mm travel (R) Klein elastomer, 105mm travel	(F) Klein Unicrown CroMoly; (R) Klein BASF elastomer, 105mm travel	Rock Shox Judy SL, 63mm travel	Rock Shox SID, 63mm travel	Manitou SX-R Twin Piston Chamber, 70mm travel	Rock Shox Judy XC with alloy steerer, 63mm travel	Rock Shox Judy T2 alloy steerer, 63mm travel	Manitou Spyder R, 70mm travel	Manitou Spyder, 70mm travel	Rock Sh 63mm t
SET:	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset, alloy; 25.4/34.0/30.0 25.4mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Klein Airhead precision	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset, alloy, 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Com Aheadse 25.4/34. 25.0mm
KSET:	Shimano XTR 4 arm; 46/34/24 Bolt hole: 112/68mm	Shimano Deore XT 4 arm; 42/32/22 Bolt hole: 104/64mm	Shimano Deore XT 4 arm; 42/32/22 Bolt hole: 104/64mm	Sugino Mighty 500 42/32/20 Bolt hole: 58/104mm	Sugino Mighty 350 42/32/20 Bolt hole: 58/104mm	Sugino Impel 300 42/32/20 Bolt hole: 58/94mm	Shimano Nexave with chainguard 48/38/28 Bolt hole: 79mm		Shimano XTR 4 arm; 46/34/24 Bolt hole: 112/68mm	Shimano Deore XT 4 arm; 42/32/22 Bolt hole: 104/64mm	Shimano Deore LX 4 arm; 42/32/22 Bolt hole: 104/64mm	Sugino Mighty 700 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 500 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 350 42/32/20 Bolt hole: 104/58mm	Sugino 42/32/2 Bolt hol 94/58m
LEURS:	(F) Shimano XTR top swing, down pull; 31.8mm/1 1/4"; (R) Shimano XTR Rapid Rise SGS	(F) Shimano Deore XT, top swing, down pull; 31.8mm/1 1/4"; (R) Shimano XTR SGS	(F) Shimano Deore XT, top swing, down pull; 31.8mm/1 1/4"; (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, down pull; 31.8mm/1 1/4" (R) Shimano Deore	(F) Shimano STX-RC top swing, down pull; 31.8mm/ (R) Shimano Deore XT	(F) Shimano STX, top swing, top pull, plate style; (R) Shimano Deore LX SGS	(F) Shimano Nexave top swing, top pull; plate style; (R) Shimano Nexave Rapid Rise		(F) Shimano XTR top swing, down pull; 34.9mm/1 3/8" (R) Shimano XTR Rapid Rise SGS	(F) Shimano Deore XT, top swing, down pull; 34.9mm/1 3/8" (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, down pull; 34.9mm/1 3/8"; (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, top pull; 34.9mm/1 3/8"; (F) Grip Shift ESP 9.0	(F) Shimano STX-RC top swing, down pull; 34.9mm/1 3/8"; (R) Shimano XTR SGS	(F) Shimano STX top swing, down pull; 34.9mm/1 3/8" (R) Shimano Deore XT	(F) Shim top swi 34.9mm (R) Shim LX SGS
TERS:	Shimano XTR RapidFire RR	Shimano Deore XT RapidFire SL	Shimano Deore XT RapidFire SL	Shimano STX RC RapidFire+	Shimano STX RC RapidFire+	Grip Shift SRT-6.0	Shimano Nexave RR OGD		Shimano XTR RapidFire RR	Shimano Deore XT RapidFire SL	Shimano Deore XT RapidFire SL	Grip Shift ESP-900	Shimano STX-RC RapidFire+	Shimano STX-RC RapidFire+	Grip Shi
TOM: CKET:	Shimano XTR, 73 x 116, splined axle	Shimano BB-UN72, 73 x 113	Shimano BB-UN72, 73 x 113	Shimano BB-UN52; 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-LP27E, 73 x 113	Shimano BB-LP27E, 73 x 113		Shimano XTR, 73 x 116, splined axle	Shimano BB-UN72, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano 73 x 113
AIN:	Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length		Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs P 104 leng
ALS:	Time ATAC Carbon clipless, 9/16" axle	Time ATAC Carbon clipless, 9/16" axle	Time ATAC Carbon clipless, 9/16" axle	ICON clipless, 9/16" axle	ICON clipless, 9/16" axle	Resin/alloy with clips and straps, 9/16" axle	Resin/alloy with clips and straps, 9/16" axle		Time ATAC Carbon clipless, 9/16" axle	Time ATAC Carbon clipless, 9/16" axle	Time ATAC clipless, 9/16" axle	Time ATAC clipless, 9/16" axle	ICON clipless, 9/16" axle	ICON clipless, 9/16" axle	Resin/al and stra
SET:	Cane Creek Crono Metro; HyperGlide compact cassette, 8 spd; (F) 24° (R) 28°	Shimano Deore XT; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Shimano Deore XT; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	(F) System 1, susp. axle; (R) Shimano STX-RC HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°		Cane Creek Crono Metro; HyperGlide compact cassette, 8 spd; (F) 24° (R) 28°	Cane Creek Crono Metro; HyperGlide compact cassette, 8 spd; (F) 24° (R) 28°	Shimano Deore LX; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Cane Creek Crono Metro; Shimano LX HyperGlide compact cassette, 8 spd; (F) 24° (R) 32°	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	Shimano STX-RC; HyperGlide compact cassette, 8 spd; (F) 32° (R) 32°	(F) Syste axle; 32 Shimano HyperGl cassette
ETTE:	Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano HG90-I, 11-30, 8 spd	Shimano HG80-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-34, 8 spd		Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano HG70-I, 11-30, 8 spd	Shimano HG70-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano 11-30, 7
KES:	(F) 252mm, 24° radial (R) Drive: 233mm, 28° 2x; Non-drive: 249mm, 28° radial	(F) DT 14/15g; 254mm, 32° radial (R) DT 14g; 32° 3x; Drive: 264mm; Non-drive: 265mm	(F) DT 14/15g; 254mm, 32° radial (R) DT 14g; 32° 3x; Drive: 264mm; Non-drive: 265mm	DT 14g; (F) 254mm 32° radial (R) 264/265mm, 32° 3x	DT 14g stainless (F) 254mm, 32° radial (R) 264/ 265mm, 32° 3x	DT 14g (F) 253mm, 32° radial; (R) 264/ 265mm, 32° 3x	DT 14g; 32° 3x		(F) 252mm, 24° radial; (R) 28°; Drive: 233mm, 2x; Non-drive: 249mm, radial	(F) 252mm, 24° radial; (R) 28°; Drive: 233mm, 2x; Non-drive: 249mm, radial	(F) DT 14/15g; 254mm, 32° radial (R) DT 14g; 264/ 265mm, 32° 3x	(F) 252mm, 24° radial (R) DT 14g; 264/ 265mm, 32° 3x	(F) DT 14g; 254mm, 32° radial (R) 14g; 264/ 265mm, 32° 3x	DT 14g (F) 253mm 32° radial; (R) 264/ 265mm, 32° 3x	DT 14g; (F) 266m (R) 264/
AS:	Cane Creek Swami, 546 ERD (F) 24° (R) 28°	Bontrager Mustang ASYM; 541 ERD; 32°	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Maverick, 542 ERD; 32° (R) Bontrager Maverick ASYM, 541 ERD; 32°	(F) Bontrager Maverick, 542 ERD; 32°; (R) Bontrager Maverick ASYM, 542 ERD; 32°		Cane Creek Swami 546 ERD; (F) 24° (R) 28°	Cane Creek Swami, 546 ERD; (F) 24° (R) 28°	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Cane Creek Swami, 546 ERD; 24° (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Mustang, 542 ERD; 32°; (R) Bontrager Mustang ASYM, 541 ERD; 32°	(F) Bontrager Maverick, 542 ERD; 32°; (R) Bontrager Maverick ASYM, 542 ERD; 32°	Bontrag (F) 542 E (R) 541
ES:	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrager Jones, (F) 49/53 (R) 46/50	Panaracer Hi-Road, 25 x 1.5		Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrag (F) 49/5
ES:	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve	Presta valve		Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta v
ESET:	Shimano XTR V-brake	(F) Hayes hydraulic disc; (R) Shimano XT V-brake	Shimano XT V-brake	Avid single digit 20 direct pull	Avid single digit 10 direct pull	Dia-Compe 737 direct pull	Shimano Nexave V-brake with power modulator		Shimano XTR V-brake	Shimano Deore XT V-brake	Avid single digit 20 direct pull	Avid single digit 20, direct pull	Shimano M600 V-brake	Avid single digit 10 direct pull	Dia-Com direct p
EBARS:	ICON Carbon; 5° bend; 25.4mm clamp diameter	ICON Diesel, 25.4mm clamp diameter, 620mm wide	ICON 2014 Aluminum, 7° bend; 25.4mm clamp diameter	Bontrager Comp, 5° bend; 25.4mm clamp diameter	ICON 6061 Aluminum, 7° bend; 25.4mm clamp diameter	System 1 ATB, alloy; 25.4mm clamp diameter	System 1, 10° bend alloy; 30.0mm rise; 25.4mm clamp diam.		ICON Carbon, 5° bend; 25.4mm clamp diameter	ICON 2014 Aluminum, 7° bend; 25.4mm clamp diameter	Bontrager Comp, 5° bend; 25.4mm clamp diameter	Bontrager Comp, 5° bend; 25.4mm clamp diameter	ICON 6061 Aluminum, 7° bend; 25.4mm clamp diameter	System 1 ATB, alloy; 25.4mm clamp diameter	System alloy; 25 clamp di
EM:	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Melt forged alloy direct connect; 41.0mm steerer clamp diameter	Klein MC3	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 41.0mm steerer clamp height	Melt for direct co 41.0mm clamp h
POST:	Thomson +12° 1 piece machined; 31.6mm diameter	Thomson +12° 1 piece machined; 31.6mm diameter	Thomson +12° 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Thudbuster suspension; 31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	SP-312 micro-a 31.6mm
DLE:	Selle Italia Flite, Titanium perforated leather	WTB SSTX CroMoly rails, leather cover	WTB SSTX CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager Race FS+10, CroMoly rails	Bontrager FS+10 Comp	Selle Bassano Vision		Selle Italia Flite, Titanium perforated leather	WTB SSTX, CroMoly rails, leather cover	WTB SSTX, CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Comp	Bontrag Comp
IPS:	1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD, shock pump	1 water bottle mount, CCD	1 water bottle mount, CCD	1 water bottle mount	1 water bottle mount	1 water bottle mount CCD, shock pump	3 water bottle mounts, CCD	3 water bottle mounts, CCD	3 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water bottle mounts, CCD	2 water mounts