



1999 KLEIN BICYCLES

ADROIT SERIES






The 1999 Adroit® is designed to be the ultimate cross-country racing bike. When comparing similar equipment (frame / fork / stem / headset), it's one of the lightest fuselages on the planet. Even so, it offers incredible frame stiffness for point-and-shoot steering control. The prime directive of this cross-country killer is to reduce weight and maximize performance. To this end, we pair our custom-made Precision Gradient Tubeset with our patented Mission Control® / AirHeadset™ system.

The Adroit comes sta
frameset innovations tl
from Gary, including
cable-routing, the worl
and an eye-popping
model even comes
painted Manitou® SX

The 1999 Adroit seri
ride it to believe it.

ADROIT PRO™

SIZES	XS, SM, MD, LG, XL
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Rolf® Propel
FT SUSPENSION	Custom painted Manitou® SX Carbon 70mm travel, Mission Control 3 & lockout lever
DRIVETRAIN	XTR
PEDALS	Time Atac Carbon clipless
FRAME WEIGHT	2.9 pounds, 1.315kg
OPTIONS	Adroit Pro Fuselage™ (frame, fork, stem, AirHeadset)




KLEIN
Attitude Pro
MANITOU



Mission Control Road Stem

MISSION CONTROL



Mission Control ATB Stem



ADROIT RACE™

SIZES	XS, SM, MD, LG, XL
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Bontrager® Race Lite
FT SUSPENSION	Manitou SX-R 70mm travel, Mission Control 3 & lockout lever
DRIVETRAIN	XT / XTR
PEDALS	Time Atac clipless
FRAME WEIGHT	2.9 pounds, 1.315kg

The nexus of control on a road or mountain bike is the headset. Since the first-generation Mission Control system, Klein has continually revolutionized headset design, maximizing responsiveness while saving weight. The new MC3® system features a superlight stem, custom-made by ICON®. This is paired with our patented AirHeadset, now in its third revolutionary incarnation. Using a sealed bearing system pressed directly into the headtube, we've created a headset 50 percent lighter and seven times

more di
assembly

Those, l
the ride
shoot" s
system l
cockpit

With all
better th


KLEIN
BONTRAGER

ATTITUDE SERIES






3.1 pounds. Most companies can't even get there. That's the frame weight of the new Klein Attitude™, a pro-level ride without the pro-level sticker shock.

Have you ever ridden a handmade pro-level bike? Here's your chance. We start with the same Precision Gradient Tubeset that we use in the Adroit Pro, our hardtail flagship. We route the cables externally instead of internally, and use a standard inch-and-one-eighth headtube. By doing it this way, we save some time and pay a very small weight penalty. How small? Less than 60 grams.

ATTITUDE RACE™

SIZES	XS, SM, MD, LG, XL
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Bontrager Race
FT SUSPENSION	Manitou SX 70mm travel, TPC, Alloy steerer & lockout lever
DRIVETRAIN	LX / XTR
PEDALS	Bontrager RE-1 clipless
FRAME WEIGHT	3.1 pounds, 1.406kg
OPTIONS	Attitude Race Frame (Blue to Blue linear fade)




KLEIN
KLEIN
MANITOU





"Racing improves the breed." We don't know who said it, but we couldn't agree more. Our company was founded on the basic premise of gaining competitive advantage through superior engineering. Racers wanted to go faster, and they looked to Gary Klein to help them achieve the performance results they sought. Racing is a part of our heritage, it's who we are.

Rishi Grewal has ridden for Klein for 4 years now and is, in part, responsible for where we are today. It's not often that you find an athlete with a big block V-8 for a motor, much less one who's articulate enough to seriously contribute to new product development. In his 4th year of racing for Team Klein, he's been the most consistently successful NORBA rider, dominating the National Championship Series with a 2nd place finish in 1996 and a 3rd in 1997. "The tubing is supreme. It offers a really light, efficient bike that climbs well, yet descends well too. It has incredible compliance compared to other aluminum frames. It's a plush ride," says Grewal.

Rishi capped his 1998 season with a stunning victory in the solo class of the 24 Hours of Moab, much to the chagrin of endurance legend, John Stamstead, who went on to place a distant second. We, as a company, are fortunate to have him in our family. A true professional, his legend grows with each passing year.

ATB RA



1998 also found Tean
gram in the country, i
World Cup event like
and trials events. Rep
Team Devo captured
ucts find themselves t
the team for remindi

1999 marks another s
of Team Cadillac Cat
them continued succ

ATTITUDE COMP™

SIZES	XS, SM, MD, LG, XL
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Bontrager Comp
FT SUSPENSION	Manitou SX-E 70mm travel, TPC Sport damping
DRIVETRAIN	LX / XT
PEDALS	Bontrager RE-1 clipless
FRAME WEIGHT	3.1 pounds, 1.406kg


Attitude Comp
KLEIN

MANTRA SERIES





The terrain around Chehalis is most often slick, rutted, and rooty. need, the Mantra® was created. Riding in the capital forest is lik lunar-landing vehicle (minus the big helmet and funny suit). Stum technical sections became playgrounds instead of battlegrounds thing is, it carved through singletrack like a surgical tool.


Quick. Precise. Agile. These aren't words typically used to descrit pension bike. That makes sense; there's only one Mantra. We quickly the Mantra had the climbing tenacity of a sherpa and the singletr of an Adroit. When we started hearing those descriptions from oth knew we were on to something huge.

For 1999, the Mantra gets a radical makeover, including a new ca for those of you concerned about weight (ahem). A new size-spe angle allows us to remove almost a half pound from the rear sect also allows us to produce an extra-large size for the first time eve weight comes out through the use of our new barrel-shaped head

The Mantra series provides the rider with better control through ir dling. This is largely thanks to frame rigidity, but can also be increased traction since the tires follow the ground so well. And of ing the responsiveness of the Adroit doesn't hurt.

MANTRA PRO™

SIZES	SM, MD, LG, XL
FRAME	Hexcel® Honeycomb Carbon main, Klein Full 6061 T6 Gradient Aluminum rear
WHEEL SYSTEM	Bontrager Race Lite
FT SUSPENSION	Custom painted Manitou SX-Ti 80mm travel, Mission Control 3, lockout lever
RR SUSPENSION	Fox® Air Vanilla-RC Air/Oil Cartridge, lockout lever
DRIVETRAIN	XTR
PEDALS	Time Atac Carbon clipless
OPTIONS	Mantra Pro Fuselage™ (frame, fork, stem, AirHeadset)





KLEIN
MANITOU


CARBON

Throughout our company's history, we've always taken the high road when selecting materials to build our frames. This mindset has served us well, and it has helped us produce some memorable frames along the way. To our way of thinking, there just are no shortcuts, especially where material selection is concerned. We've been making carbon road forks and handlebars for many years, so we knew we needed something special to make us seriously consider this project.

For this reason, we did our homework before selecting Honeycomb Carbon as the material to build our new Carbon Mantra. The carbon's unique honeycomb construction is ideal in the long flat torque tube application of the Mantra. A layer of hollow honeycombed material is sandwiched between two thin layers of carbon, producing an extremely stiff, yet lightweight tube. Compared to bicycles that are made with conventional carbon laminates, Honeycomb gives Klein a lighter structure that is also 20% stiffer and stronger!


Maintaining the quality standards that have defined our company for 25 years has once again served us well. We're extremely proud to introduce the 1999 Mantra Race and Mantra Pro.







MANTRA RACE

SIZES	SM, MD, LG, XL
FRAME	Hexcel Honeycomb Carbon main, Klein Full 6061 T6 Gradient Aluminum rear
WHEEL SYSTEM	Bontrager Race
FT SUSPENSION	Manitou SX 80mm travel, TPC, Mission Control 3, lockout lever
RR SUSPENSION	Fox Air Vanilla-R Air/Oil Cartridge, damping adjuster
DRIVETRAIN	XT / XTR
PEDALS	Time Atac clipless





KLEIN
THOMSON
BONTRAGER
MANITOU





WELDING

A chain is only as strong as its weakest link. Everyone's familiar with that adage, and it is particularly apt where bicycles are concerned. That's why we're very particular about how we weld and who we let handle the torch. Every weld must receive welding taskmaster Karl Goodrich's approval before it leaves the weld area.



Karl Goodrich, Klein We


What's different about a Klein u with our welds is that we go e a finish welding process called for cosmetic purposes - it fla smooth surface. The importan smooth surface by welding it weld to get a smooth finish.

What's wrong with that? It weak in there with a grinder and tak just put on to build up the je from the physical strength of t to be bombing down a mour on a bike that's been ground.

Why don't other bike companies twice as long. You have to do you get your penetration. That weld. Then you have to go ov The other reason people prob a great deal of skill.


MANTRA COMP™


SIZES	SM, MD, LG, XL
FRAME	Klein 6061 T6 Aluminum Power Tubing main, Klein Full 6061 T6 Gradient Aluminum rear
WHEEL SYSTEM	Bontrager Race
FT SUSPENSION	Manitou SX 80mm travel, TPC, Alloy steerer, lockout lever
RR SUSPENSION	Fox Air Vanilla-R Air/Oil Cartridge, damping adjuster
DRIVETRAIN	LX / XTR
PEDALS	Bontrager RE-1 clipless
OPTIONS	Mantra Comp Frame (includes rear shock)




KLEIN

ALIGNMENT





There's a conspiracy afoot. Whether you realize it or not, you're the victim. You're being robbed of energy, efficiency and control. We're talking about frame alignment. We can guarantee that you won't find this subject in most manufacturer's catalogs. In fact, if most consumers understood the importance of proper alignment, we would be one of the few bicycle makers still in business.

An Alignment Primer:

Efficiency. Energy loss due to improper alignment is staggering when computed over the course of just one ride. It's the equivalent of being lapped in a criterium. It's been our experience that lapped riders get pulled. This is the amount of energy that an improperly aligned frame throws away. So, why not align the frame properly and use that saved energy for the bell lap or finish line sprint?

A properly aligned fi
tage. You hold the lin
you. With a well-ali
converted to straight
being misdirected sli
tube to bottom brack
frame is aligned to w
an inch. That's half the
A thin sheet of paper.

Precision alignment t
companies don't both


Precision alignment n
a standard feature on


MANTRA®

SIZES	SM, MD, LG, XL
FRAME	Klein 6061 T6 Aluminum Power Tubing main, Klein Full 6061 T6 Gradient Aluminum rear
WHEEL SYSTEM	Bontrager Comp
FT SUSPENSION	Manitou SX-E 80mm travel, TPC Sport damping, Alloy steerer
RR SUSPENSION	Fox Air Vanilla-RC Air/Oil Cartridge
DRIVETRAIN	LX / XT
PEDALS	Bontrager RE-1 clipless


KLEIN

ROAD SERIES





It's a common scenario. It might be a weekend at home or a sales meeting in some convention town. You get a wild urge to do something different, something crazy. You rent a high-performance sportscar for the afternoon.


It's red. Bright red. It's got more rubber on pavement than the Boston Marathon.

You spend the day strapped to this rocket-fuel burning, road-eating menace like some cartoon coyote. You alternately hang on for sweet life and shriek piercing whoops of unadulterated joy as you pull multiple g's through turns and punch the accelerator. Your concepts of speed, handling and performance are forever altered. The paint on your car will never seem quite so bright.

Introducing the 1999 Klein Quantum® line. Your road bike will never be quite the same.


QUANTUM PRO™

SIZES	51, 53, 55, 57, 59, 61, 63cm
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Rolf® Vector Pro
FORK	Klein Aeros Carbon, Mission Control 3
DRIVETRAIN	Dura-Ace
PEDALS	1999 Dura-Ace clipless
FRAME WEIGHT	2.7 pounds, 1.225kg
OPTIONS	Quantum Pro Fuselage™ (frame, fork, stem, AirHeadset)




THOMSON
KLEIN
Quantum Pro
Rolf Vector Pro

ROAD RACING





If you're wondering where you've seen our road bikes before, it could have been in any number of places. It might have been at the Tour de France. Or, it might have been at the Olympic Games. More than likely, you've seen us crossing the finish line in first place or you've seen our riders atop the podium. We've already explained how we do things, maybe we should talk about the "why."

If you have been reading VeloNews (or any other publication that covers competitive cycling) lately, you've undoubtedly noticed lots riders from the Ralph's / Klein Women's professional road racing team grabbing headlines at the nation's largest and most prestigious cycling events. This group has been gobbling up victory after victory over the last four years, all astride factory stock Klein Quantum Pro road bikes. Some of the more impressive awards that this group has gathered recently include: 1st place at the 1996 Olympic Trials, the 1996 National Criterium Championship, Best North American Women's Team at the 1996 VeloNews Awards, Best Overall Team and Best Overall Individual in the 1996 Fresca Cup, the 1997 USPRO Championship, the 1997 Tour of the America's Overall Championship and the 1997 National Time Trial Championship, to mention a few.

Riders on the Klein team spend more time than even Gary in the saddle, logging some 20+ hours per week and hammering out their interval, climbing and speed workouts. This is a demanding routine for a rider and requires a bike that is up to the task, one that's both fast and comfortable. The Quantum Pro has more than proven itself to the riders on the team.

QUANTUM RACE™

SIZES	51, 53, 55, 57, 59, 61, 63cm
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Rolf® Vector Comp
FORK	ICON® Air Rail carbon
DRIVETRAIN	Ultegra 9-speed
PEDALS	ICON De la Sole clipless
FRAME WEIGHT	2.7 pounds, 1.225kg
OPTIONS	Quantum Race T (triple version) Quantum Race Frameset




so
help


Quantum Race
KLEIN
KLEIN
Rolf VECTOR Comp

THE PERFECT BALANCE



Wheels are secondary only to the frame in determining a bicycle's ride quality. Legendary wheelbuilder, Rolf, is as passionate about his wheels as we are about our frames. This level of excellence is on par with how we approach things here in Chehalis. Rolf has a very "Klein-like" understanding of the technological advantages that can be achieved through superior engineering. This very emphasis makes Rolf wheel systems our choice for all of our road bikes and our top-of-the-line hardtail.



The perfect wheel.
critical design feat
Strength. Serviceab
another, and the ba
mance - with a per

Emphasize light w
factor. Focus on du
wheel. Push aerody
weight and servicea

Rolf® understands t
revolutionalry new
that delivers light
aerodynamics to sli
handle conditions
serviceability to kee
parts.

It's a balance you w

QUANTUM®

SIZES	51, 53, 55, 57, 59, 61, 63cm
FRAME	Klein Full 6061 T6 Gradient Aluminum
WHEEL SYSTEM	Rolf® Vector
FORK	ICON Air Rail carbon
DRIVETRAIN	Shimano® 105 9-speed
PEDALS	ICON De la Sole clipless
FRAME WEIGHT	2.7 pounds, 1.225kg
OPTIONS	Quantum T (triple version)


KLEIN

FRAME GEOMETRIES

	Size	Typical Rider Height (in./cm)	Seat Tube Center to Top (in./cm)	Top Tube Standover (in./cm)	Bottom Bracket (in./cm)	Effective Top Tube Length (in./cm)	Chainstay Length (in./cm)	Wheelbase (in./cm)	Fork Rake (in.cm)	Fork Travel (mm)	Seat Tube Angle	Head Tube Angle	Trail (in./cm)
Mantra	S	5'2"-5'4" / 157-163	N/A	28.59/72.63	12.20/30.99	22.65/57.30	16.40/41.66	41.05/104.27	1.50/3.81	80.00	64.60°	71.20°	2.88/7.31
Mantra Comp	M	5'4"-5'9" / 163-175	N/A	29.04/73.77	12.40/31.50	23.39/59.40	16.40/41.66	41.79/106.15	1.50/3.81	80.00	65.10°	71.70°	2.80/7.12
	L	5'9"-6'1" / 175-185	N/A	30.63/77.80	12.55/31.88	24.02/61.00	16.40/41.66	42.37/107.63	1.50/3.81	80.00	65.10°	71.60°	2.73/6.94
	XL	6'1"-6'6" / 185-198	N/A	30.63/77.80	12.70/32.26	24.65/62.60	16.40/41.66	43.09/109.46	1.50/3.81	80.00	66.40°	71.80°	2.73/6.94
Mantra Race	M	5'4"-5'9" / 163-175	N/A	29.04/73.77	12.40/31.50	23.39/59.40	16.40/41.66	41.79/106.15	1.50/3.81	80.00	66.10°	71.70°	2.80/7.12
Mantra Pro	L	5'9"-6'1" / 175-185	N/A	30.63/77.80	12.55/31.88	24.02/61.00	16.40/41.66	42.37/107.63	1.50/3.81	80.00	65.10°	71.80°	2.73/6.94
	XL	6'1"-6'6" / 185-198	N/A	31.15/79.11	12.70/32.26	24.65/62.60	16.40/41.66	43.09/109.46	1.50/3.81	80.00	66.40°	71.80°	2.73/6.94
Attitude*	XS	5'0"-5'4" / 152-162	14.00/35.6	26.33/66.87	11.34/28.80	21.65/55.00	16.40/41.66	40.69/103.35	1.50/3.81	70.00	73.20°	70.70°	3.00/7.63
Attitude Comp	S	5'4"-5'6" / 162-168	15.75/40.0	27.68/70.30	11.50/29.21	22.56/57.30	16.40/41.66	41.27/104.82	1.50/3.81	70.00	73.20°	71.20°	2.88/7.31
Attitude Race	M	5'7"-5'9" / 170-175	17.50/44.5	28.93/73.49	11.70/29.72	23.39/59.40	16.40/41.66	41.78/106.12	1.50/3.81	70.00	73.20°	71.70°	2.76/7.00
Adroit Race	L	5'9"-6'1" / 175-185	19.25/48.9	30.39/77.19	11.80/29.96	24.02/61.00	16.40/41.66	42.07/106.86	1.50/3.81	70.00	73.20°	71.80°	2.73/6.94
Adroit Pro	XL	6'1"-6'6" / 185-198	21.00/53.3	32.07/81.45	11.92/30.27	24.65/62.60	16.40/41.66	42.48/107.89	1.50/3.81	70.00	73.20°	71.80°	2.73/6.94
Quantum	51cm	5'2"-5'4" / 157-163	21.22/53.9	29.80/75.69	10.50/26.67	21.06/53.49	16.30/41.40	38.10/96.77	1.85/4.7	N/A	74.00°	73.50°	N/A
Quantum Race	53cm	5'4"-5'9" / 163-175	22.01/55.9	30.60/77.72	10.60/26.92	21.54/54.71	16.30/41.40	38.60/98.04	1.85/4.7	N/A	74.00°	73.50°	N/A
	55cm	5'9"-5'11" / 175-180	22.48/57.1	31.50/80.01	10.70/27.18	22.01/55.90	16.30/41.40	39.10/99.31	1.69/4.3	N/A	74.00°	73.50°	N/A
	57cm	5'11"-6'1" / 180-185	23.50/59.7	32.40/82.30	10.80/27.43	22.48/57.10	16.30/41.40	39.40/100.08	1.69/4.3	N/A	74.00°	74.00°	N/A
	59cm	6'1"-6'3" / 185-191	24.25/61.6	33.20/84.33	10.90/27.69	22.95/58.29	16.30/41.40	40.00/101.62	1.69/4.3	N/A	74.00°	74.00°	N/A
	61cm	6'3"-6'5" / 191-196	25.00/63.5	34.10/86.61	11.00/27.94	23.43/59.51	16.30/41.40	40.40/102.62	1.69/4.3	N/A	74.00°	74.00°	N/A
	63cm	6'5"-6'6" / 196-198	25.51/64.8	34.80/88.39	11.00/27.94	23.90/60.71	16.30/41.40	40.90/103.89	1.69/4.3	N/A	74.00°	74.00°	N/A
Quantum Pro	51cm	5'2"-5'4" / 157-163	21.22/53.9	29.80/75.69	10.50/26.67	21.06/53.49	16.30/41.40	38.37/97.46	1.50/3.81	N/A	74.00°	73.50°	N/A
	53cm	5'4"-5'9" / 163-175	22.01/55.9	30.60/77.72	10.60/26.92	21.54/54.71	16.30/41.40	38.87/98.73	1.50/3.81	N/A	74.00°	73.50°	N/A
	55cm	5'9"-5'11" / 175-180	22.48/57.1	31.50/80.01	10.70/27.18	22.01/55.90	16.30/41.40	39.37/100.00	1.50/3.81	N/A	74.00°	73.50°	N/A
	57cm	5'11"-6'1" / 180-185	23.50/59.7	32.40/82.30	10.80/27.43	22.48/57.10	16.30/41.40	39.67/100.76	1.50/3.81	N/A	74.00°	74.00°	N/A
	59cm	6'1"-6'3" / 185-191	24.25/61.6	33.20/84.33	10.90/27.69	22.95/58.29	16.30/41.40	40.27/102.28	1.50/3.81	N/A	74.00°	74.00°	N/A
	61cm	6'3"-6'5" / 191-196	25.00/63.5	34.10/86.61	11.00/27.94	23.43/59.51	16.30/41.40	40.67/103.30	1.50/3.81	N/A	74.00°	74.00°	N/A
	63cm	6'5"-6'6" / 196-198	25.51/64.8	34.80/88.39	11.00/27.94	23.90/60.71	16.30/41.40	41.17/104.57	1.50/3.81	N/A	74.00°	74.00°	N/A

* The Attitude is only available as an international model.

SPECIFICATIONS

	Sizes	Frame	Stays	Fork/Suspension	Headset	Rear Shock	Crankset	Ft/Rr Derailleur
Mantra	S, M, L, XL	Klein 6061 T6 Aluminum Power tubing	Klein Gradient Aluminum URT	Manitou SX-E 80mm w/TPC sport damping & alloy steerer	Dia-Compe ST5 Aheadset, sealed, Black	Fox AirVanilla Float	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore LX (R) Shimano Deore XT SGS 9spd
Mantra Comp	S, M, L, XL	Klein 6061 T6 Aluminum Power tubing	Klein Gradient Aluminum URT	Manitou SX 80mm w/TPC, alloy steerer & lockout lever	Dia-Compe SA5 alloy Aheadset, sealed, Black	Fox AirVanilla Float-R w/damping adjust	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore LX (R) Shimano XTR SGS 9spd
Mantra Race	S, M, L, XL	New Klein Carbon Boom with AirHeadtube	Klein Gradient Aluminum URT	Manitou SX 80mm w/TPC & lockout lever	Klein Precision MC3 AirHeadset	Fox AirVanilla Float-R w/damping adjust	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore XT (R) Shimano XTR SGS 9spd
Mantra Pro	S, M, L, XL	New Klein Carbon Boom with AirHeadtube	Klein Gradient Aluminum URT	Manitou SX-Ti 80mm w/lockout lever	Klein Precision MC3 AirHeadset	Fox AirVanilla Float-RC w/lockout lever	Shimano XTR 46at/34at/24at	(F) Shimano XTR (R) Shimano XTR SGS 9spd
Attitude*	XS, S, M, L, XL	Klein Full Gradient Aluminum	Klein Gradient Aluminum	Rock Shox Jett XC 65mm travel with HydraCoil system	Dia-Compe SF-1 Aheadset, sealed, Black	N/A	Shimano STX-RC 42at/32at/22at	(F) Shimano Alivio (R) Shimano Deore LX SGS
Attitude Comp	XS, S, M, L, XL	Klein Full Gradient Aluminum	Klein Gradient Aluminum	Manitou SX-E 70mm w/TPC sport damping	Dia-Compe ST5 Aheadset, sealed, Black	N/A	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore XT (R) Shimano Deore XT SGS 9spd
Attitude Race	XS, S, M, L, XL	Klein Full Gradient Aluminum	Klein Gradient Aluminum	Manitou SX 70mm w/TPC, alloy steerer & lockout lever	Dia-Compe SA5 alloy Aheadset, sealed, Black	N/A	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore LX (R) Shimano XTR SGS 9spd
Adroit Race	XS, S, M, L, XL	Klein Full Gradient Aluminum with AirHeadtube	Klein Gradient Aluminum	Manitou SX-R 70mm w/lockout lever	Klein Precision MC3 AirHeadset	N/A	Shimano Deore LX 44at/32at/22at	(F) Shimano Deore XT (R) Shimano XTR SGS 9spd
Adroit Pro	XS, S, M, L, XL	Klein Full Gradient Aluminum with AirHeadtube	Klein Gradient Aluminum	Manitou SX Carbon 70mm w/lockout lever	Klein Precision MC3 AirHeadset	N/A	Shimano XTR 46at/34at/24at	(F) Shimano XTR (R) Shimano XTR SGS 9spd
Quantum	51, 53, 55, 57, 59, 61, 63cm	Klein Full Gradient Aluminum	Klein Gradient Aluminum	ICON Air Rail Carbon	Tange Seiki DX alloy sealed	N/A	Shimano 105 53/39t	(F) Shimano 105 (R) Shimano 105
Quantum Triple	51, 53, 55, 57, 59, 61, 63cm	Klein Full Gradient Aluminum	Klein Gradient Aluminum	ICON Air Rail Carbon	Tange Seiki DX alloy sealed	N/A	Shimano 105 53/42/30t	(F) Shimano 105GS (R) Shimano 105GS
Quantum Race	51, 53, 55, 57, 59, 61, 63cm	Klein Full Gradient Aluminum	Klein Gradient Aluminum	ICON Air Rail Carbon	Cane Creek C2 alloy Aheadset	N/A	Shimano Ultegra 53/39t	(F) Shimano Ultegra (R) Shimano Ultegra
Quantum Race Triple	51, 53, 55, 57, 59, 61, 63cm	Klein Full Gradient Aluminum	Klein Gradient Aluminum	ICON Air Rail Carbon	Cane Creek C2 alloy Aheadset	N/A	Shimano Ultegra 52/42/30t	(F) Shimano Ultegra GS (R) Shimano Ultegra GS
Quantum Pro	51, 53, 55, 57, 59, 61, 63cm	Klein Full Gradient Aluminum with AirHeadset	Klein Gradient Aluminum	Klein Aeros Carbon w/MC3	Klein Precision MC3 AirHeadset	N/A	Shimano Dura-Ace 53/39t	(F) Shimano Dura-Ace (R) Shimano Dura-Ace

Shifters	Bottom Bracket	Chain	Pedals	Wheel System	Hubset	Cassette	Spokes	Rims	Tires	Brakes	Brake Levers	Handlebars	Stem	Seatpost	Saddle	Grips/Tape
Shimano LX 9spd Rapidfire	Shimano BB-UN52	Shimano CN-HG72 9spd	Bontrager RE-1 clipless		(F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h	Shimano HG70-I 11-32, 9spd	DT 15g Black stainless	Bontrager Corvair (F) 28h Black (R) ASYM 32h Black	Bontrager Jones (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube	Avid SD 10 Direct Pull	Avid SD 1.0L Single Digit	Bontrager Crow Bar 630mm/40mm rise	Bontrager Race AHS forged alloy	SP-312 alloy Micro adjust, 31.6mm	SDG Comp Ventura w/Cro-Mo rails	Bontrager Race dual density
Shimano LX 9spd Rapidfire	Shimano BB-UN52	Shimano CN-HG72 9spd	Bontrager RE-1 clipless	Bontrager Race		Shimano HG70-I 11-32, 9spd			Bontrager Revolt ST (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube	Avid SD 10 Direct Pull	Avid SD 1.0 Single Digit	Bontrager Crow Bar Race Modified alloy 630mm/40mm rise	Bontrager Race AHS forged alloy	Thomson 31.6x370mm, Black	SDG Comp BelAir Black/Red w/Cro-Mo rails	Bontrager Race dual density
Shimano Deore XT STI 9spd Rapidfire	Shimano BB-UN72	Shimano CN-HG72 9spd	Time Atac clipless	Bontrager Race		Shimano HG90-I 11-34, 9spd			Bontrager Revolt ST (F) 49/53 127tpi folding (R) 46/50 127tpi folding	Shimano XT V-Brake	Shimano XT STI combination brake/shift	Bontrager Comp 2 2014 alloy 580mm	Klein Forged MC3 Mission Control	Thomson 31.6x370mm, Black	SDG Comp BelAir Leather, Black/Red w/Cro-Mo rails	Bontrager Race dual density
Shimano XTR 9spd Std	Shimano XTR	Shimano Dura-Ace	Time Atac Carbon clipless	Bontrager Race Lite		Shimano XTR 12-34, 9spd			Bontrager Super-X 49/48 127tpi folding	Shimano XTR V-Brakes	Shimano XTR STI combination brake/shift	Bontrager Race Lite 580mm	Klein Forged MC3 Mission Control	Thomson 31.6x370mm, Black	SDG Comp Ventura w/Kevlar & Ti rails	Bontrager Race dual density
Shimano MC38 8spd Rapidfire	Shimano BB-LP27	KMC IG 31	ATB alloy, alloy cage with clips & straps		(F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h	Shimano HG50-I 11-30, 8spd	DT 15g Black stainless	Bontrager Corvair (F) 28h Black (R) ASYM 32h Black	Bontrager Jones (F) 49/53 (R) 46/50	Lee Chi TX 22 Direct Pull	Lee Chi LV 77	Bontrager alloy 580mm	Bontrager Comp AHS forged alloy	SP-312 alloy Micro adjust, 31.6mm	Bontrager FS+10 w/steel rails	Bontrager Race dual density
Shimano LX 9spd Rapidfire	Shimano BB-UN52	Shimano CN-HG72 9spd	Bontrager RE-1 clipless		(F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h	Shimano HG70-I 11-32, 9spd	DT 15g Black stainless	Bontrager Corvair (F) 28h Black (R) ASYM 32h Black	Bontrager Jones (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube	Avid SD 10 Direct Pull	Avid SD 1.0L Single Digit	Bontrager Crow Bar Race Modified alloy 630mm/40mm rise	Bontrager Race AHS forged alloy	SP-312 alloy Micro adjust, 31.6mm	SDG Comp Ventura w/Cro-Mo rails	Bontrager Race dual density
Shimano LX 9spd Rapidfire	Shimano BB-UN52	Shimano CN-HG72 9spd	Bontrager RE-1 clipless	Bontrager Race		Shimano HG70-I 11-32, 9spd			Bontrager Revolt ST (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube	Avid SD 10 Direct Pull	Avid SD 1.9 Single Digit	Bontrager Race alloy 580mm	Bontrager Race AHS forged alloy	Bontrager Comp 31.6mm, Black	SDG Comp BelAir Black/Red w/Cro-Mo rails	Bontrager Race dual density
Shimano Deore XT STI 9spd Rapidfire	Shimano BB-UN72	Shimano CN-HG72 9spd	Time Atac clipless	Bontrager Race Lite		Shimano HG90-I 11-34, 9spd			Bontrager Super-X 49/48 127tpi folding w/SL tube	Shimano XT V-Brake	Shimano XT STI combination brake/shift	Bontrager Race Lite 580mm	Klein Forged MC3 Mission Control	Bontrager Race Lite	SDG Comp BelAir Black/Grey w/Cro-Mo rails	Bontrager Race dual density
Shimano XTR 9spd Std	Shimano XTR	Shimano Dura-Ace 9spd	Time Atac Carbon clipless	Rolf Propel XC		Shimano XTR 12-34, 9spd			Bontrager Super-X 49/48 127tpi folding	Shimano XTR V-Brakes	Shimano XTR STI combination brake/shift	Bontrager Race Lite 580mm	Klein Forged MC3 Mission Control	Thomson 31.6x370mm, Black	SDG Comp BelAir Black/Red w/Ti rails	Bontrager Race dual density
Shimano 105 9spd, Flight Deck compatible	Shimano BB-UN5500, splined	Shimano HG72, 9spd	ICON De la Sole Road clipless	Rolf Vector		Shimano HG70-I 12-25t, 9spd			Continental SS Ultra 700x25c	Shimano 105 dual pivot	Shimano 105 combination brake/shift	ICON Swoop Ergo 6061 alloy road	ICON Bordeaux front load	ICON 2014 alloy 31.6mm	Sella Italia Sphere w/Cro-Mo rails	ICON Cork Tape
Shimano 105 9spd, Flight Deck compatible	Shimano BB-UN5500, splined	Shimano HG72, 9spd	ICON De la Sole Road clipless	Rolf Vector		Shimano HG70-I 12-25t, 9spd			Continental SS Ultra 700x25c	Shimano 105 dual pivot	Shimano 105 combination brake/shift	ICON Swoop Ergo 6061 alloy road	ICON Bordeaux front load	ICON 2014 alloy 31.6mm	Sella Italia Sphere w/Cro-Mo rails	ICON Cork Tape
Shimano Ultegra 9spd, Flight Deck compatible	Shimano BB-UN6500, splined	Shimano Ultegra 9spd	ICON De la Sole Road clipless	Rolf Vector Comp		Shimano.HG90 12-25t, 9spd			Continental Gran Prix 3000 700x25c folding	Shimano Ultegra dual pivot	Shimano Ultegra combination brake/shift	ICON Stash Ergo 2014 alloy road	ICON Havana AHS front load	ICON 2014 alloy 31.6mm	Giro Fizik Pave w/Cro-Mo rails	ICON Cork Tape
Shimano Ultegra 9spd, Flight Deck compatible	Shimano BB-UN6500, splined	Shimano Ultegra 9spd	ICON De la Sole Road clipless	Rolf Vector Comp		Shimano HG90 12-25t, 9spd			Continental Gran Prix 3000 700x25c folding	Shimano Ultegra dual pivot	Shimano Ultegra combination brake/shift	ICON Stash Ergo 2014 alloy road	ICON Havana AHS front load	ICON 2014 alloy 31.6mm	Giro Fizik Pave w/Cro-Mo rails	ICON Cork Tape
Shimano Dura-Ace 9spd	Shimano Full Cartridge, splined	Shimano Dura-Ace 9spd	1999 Shimano Dura-Ace SPD-R clipless	Rolf Vector Pro		Shimano Dura-Ace 12-23t, 9spd			Continental Gran Prix 3000 700x25c folding	Shimano Dura-Ace dual pivot	Shimano Dura-Ace combination brake/shift	ICON Stash Ergo 2014 alloy road	ICON / Klein MC3 Mission Control front load	Thomson 31.6x250mm, Black	Giro Fizik Pave w/Ti rails	ICON Cork Tape