KLEIN





Handcrafted Science™ 2002



uild your own custom Q-Pro Carbon: The Klein Custom Program now makes even easier to get the bike you want in one of our famous multi-dimensional ıint finishes. The Q-Pro Carbon Custom Bike is the first complete bike offered rough our Custom Program. Working with your Klein Dealer, you can build ur own Q-Pro Carbon from state-of-the-art components specially selected for ıtimum performance with Klein road bike geometry. Then, select your paint lor from the 25 exotic finishes in our 2002 color palette.

complete bicycle will be available through the Custom Program beginning 10/1/01.





Finish Choose any color from our 2002 color palette

Components Group Choose a group and specify double or triple if available:
Dura Ace, Double and Triple
Ultegra, Double and Triple
Record, Double
Centaur, Double

Wheels Three wheel sets are available:
Bontrager Race Lite
Bontrager Race X-Lite
Bontrager Race X-Lite Carbon

Ergonomics Choose one option from each category:

Saddles:	Stems:	Handlebars:	Seatposts:	Bar Tape:
Bontrager	Bontrager	Bontrager	Bontrager	Bontrager
Selle San Marco	TTT	TTT	Thomson	Cinelli Cork
			Campagnolo	

Q-Pro™ Carbon Complete bicycle available through the Custom Program beginning 10/1/01.

Engineered For	Professional road racing
Frame	Gradient ZR 9000 alloy, carbon seat stays
Color	Silver Cloud
Wheel System	Bontrager Race-X Lite 20/24
Fork	Aeros High Modulus Carbon
Components	Shimano Dura Ace STI
Contact Points	Bontrager Race Lite stem and handlebar, Selle San Marco Era saddle



Road Bikes

Klein Quantum series road bikes epitomize lightness, speed and finesse. Fast on climbs, nimble in a pack and solid on rapid descents, these road machines have been painstakingly engineered for long-haul performance and comfort. For 2002, Quantum series Command Geometry has been refined with a more relaxed seat tube angle to improve rider positioning over the bottom bracket. The clean looks created by Klein's full internal cable routing and linear style paint schemes make Quantum series road bikes an enduring classic.

Quantum and Quantum Race frames feature Klein's highly formed Gradient aluminum tubing, designed to minimize weight while offering great lateral stiffness and a remarkably smooth, compliant and fast ride. For 2002, the top-of-the-line Q-Pro Carbon has a completely new design that is the culmination of Gary Klein's materials technology expertise. The use of carbon contributes a more supple ride (in the herringbone-patterned, carbon fiber seat stay assembly) and eliminates weight (weight is reduced by 7.5 grams in the Aeros™ II Fork alone). Klein's new ZR 9000 alloy further lightens up the frame. Fully equipped with the Dura Ace component group, the Q-Pro Carbon weighs all of 16.5 pounds, just over the UCI-mandated minimum of 14.9 pounds. And for the first time, all three Quantum models include a standardized 1 1/8" head tube, allowing for more universal stem compatibility.




Engineered For Road racing, triathlons
Frame Full Gradient aluminum alloy
Color Aegean Blue
Wheel System Bontrager Race Lite 20/24
Fork AirRail epoxy bonded carbon
Components Shimano Ultegra
Contact Points 3TTT The stem and handlebar, Selle San Marco Era saddle

Quantum TT™



Engineered For Club riding, sport touring
Frame Full Gradient aluminum alloy
Color Plum Crazy
Wheel System Bontrager Select 20/24
Fork AirRail epoxy bonded carbon
Components Shimano 105
Contact Points Bontrager Select stem and handlebar, Selle San Marco New Millennium saddle



Engineered For Professional road racing
Frame Gradient ZR 9000 alloy, carbon seat stays
Color Silver Cloud
Fork Aeros High Modulus Carbon

The Q-Pro Carbon Frameset and full bike are available through the Klein Custom Program.

Quantum Race™ Frameset



Engineered For Road racing, triathlons
Frame Full Gradient aluminum alloy
Color Aegean Blue
Fork AirRail epoxy bonded carbon

The Quantum Race Frameset is available through the Klein Custom Program.

Adept Pro™

Engineered For	Extreme off road, high speed riding
Frame	Gradient ZR 9000 alloy, epoxy bonded swingarm, carbon seat and chainstays
Color	Silver Cloud
Wheel System	Bontrager Race Lite 24/28
Fork	Fox F80 RLC
Components	Shimano XTR
Contact Points	Bontrager Race Lite stem and handlebar, Bontrager Race Lite saddle



Dual Suspension Bikes

The Klein Adept series dual suspension bikes are designed for performance-oriented riders, from competitive-level pros to extreme adventurers. The Adepts offer the quick sprinting and precise steering of a hardtail mountain bike with the added benefits of full suspension: improved traction, smoother ride, better climbing and increased speed. The unique Gradient bulged head tube adds more stiffness to front steering, giving you greater control for more efficient performance on and off the trail. A special K-link suspension pivot system provides 2.75 inches of travel and improves energy transfer to the rear wheel, for better handling through rough terrain. With tremendous shock-absorbing capacity, the Adepts are ideal for serious mountain ascents and descents or urban exploring.

Like all Klein bikes, Adepts were engineered to be the lightest dual suspension bikes. In 2002, Klein's new ZR 9000 alloy, coupled with top-of-the-line component groupings, makes the Adept the lightest full-suspension bike on the market. In addition, the Adept Pro now includes a carbon fiber swingarm for even lighter weight and exceptional strength. Universal disc brake compatibility further increases the Adepts' versatility.

Adept Pro™



ngineered For Technical off road riding
rame Gradient ZR 9000 alloy, epoxy bonded aluminum alloy swingarm
olor Caribbean Reef
/heel System Bontrager Race 24/28
Fork Manitou Black Elite 80/100
Components Shimano Deore LX/XT
Contact Points Bontrager Select handlebar, Bontrager FS2000 saddle

Adept Comp™



Engineered For Off road recreational riding
Frame Gradient ZR 9000 alloy, epoxy bonded aluminum alloy swingarm
Color Approaching Storm Grey
Wheel System Bontrager Select 24/28
Fork Manitou Black Comp 80/100
Components Shimano Deore LX/XT
Contact Points Bontrager Select handlebar, Bontrager Sport saddle



ıgineered For Extremely technical off road riding
ame Gradient ZR 9000 alloy, epoxy bonded aluminum alloy swingarm
ılor Caribbean Reef
heel System Bontrager Race Disc
Fork Manitou Black Elite 80/100
Components Shimano Deore LX/XT
Contact Points Bontrager Select handlebar, Bontrager FS2000 saddle

Adept Pro™ Frame



Engineered For Extreme off road, high speed riding
Frame Gradient ZR 9000 alloy, epoxy bonded swingarm, carbon seat and chainstays
Color Silver Cloud
Fork Fox F80 RLC

The Adept Pro Frame is available through the Klein Custom Program.

Attitude Race™

Engineered For	Cross-country and singletrack racing
Frame	Gradient ZR 9000 alloy
Color	Ocean Floor
Wheel System	Bontrager Race Modified 24/28
Fork	Rock Shox Duke Race
Components	Shimano Deore XT/XTR
Contact Points	Bontrager Race atb handlebar, Bontrager FS2000 saddle



Hardtail Mountain Bikes

Hardtail mountain bikes are generally lighter than dual suspension bikes but still absorb trail vibration for a comfortable ride. Klein Attitude series bikes began a tradition of lightweight, race-caliber hardtails more than ten years ago, and still deliver quick, predictable descents, efficient climbs, and nimble handling in tight sections. For 2002, the Attitude series has been completely made over with upgraded frame tubing and universal disc brake compatibility. Klein's ZR 9000 alloy shaves weight and adds strength. Internal cable routing keeps shifting ...h and protects cables from the elements, while increasing fatigue life. ...external brake cable routing facilitates setup using disc or rim brakes.

The new Attitude Comp Disc model includes hydraulic disc brake technology, ideal for muddy, wet or slippery conditions. Throughout the line, components have been selected for the ultimate in handling, lightness and speed.



ngineered For	Cross-country singletrack riding
rame	Gradient ZR 9000 alloy
olor	Plum Crazy
/heel System	Bontrager Race 24/28
Fork	Rock Shox Duke XC
Components	Shimano Deore LX/XT
Contact Points	Shimano Race atb handlebar, Bontrager FS2000 saddle

Attitude™



Engineered For	Adventure and recreational riding
Frame	Gradient ZR 9000 alloy
Color	Caribbean Reef
Wheel System	Bontrager Superstock 24/28
Fork	Rock Shox Duke C
Components	Shimano XT/Deore
Contact Points	Bontrager Select handlebar, Bontrager FS2000 saddle



ngineered For	Cross-country singletrack riding
ame	Gradient ZR 9000 alloy
olor	Plum Crazy
heel System	Bontrager Race Disc
Fork	Rock Shox Duke XC
Components	Shimano Deore LX/XT
Contact Points	Bontrager Race atb handlebar, Bontrager FS2000 saddle


Attitude Race™ Frame



Engineered For	Cross-country singletrack racing
Frame	Gradient ZR 9000 alloy
Color	Ocean Floor


The Attitude Race Frame is available through the Klein Custom Program.

	Size	Typical Rider Height	Seat Tube Center to Top (in/cm)	Top Tube Standover (in/cm)	Bottom Bracket (in/cm)	Effective Top Tube Length (in/cm)	Chainstay Length (in/cm)	Wheelbase (in/cm)	Fork Rake* (in/cm)	Fork Travel (mm)	Seat Tube Angle	Head Tube Angle	Trail (in/cm)
			A	B	C	D	E	F			G	H	I
arbon	49cm	5'3" - 5'6"	17.5/44.4	27.2/69.1	10.2/26.0	20.6/52.4	16.3/41.4	38.0/96.4	1.4/3.5	N/A	74.0°	72.5°	2.5/6.3
uantum Race	52cm	5'5" - 5'8"	19.7/50.0	28.8/73.2	10.4/26.3	21.5/54.7	16.3/41.4	38.7/98.2	1.4/3.5	N/A	73.5°	72.7°	2.4/6.2
Quantum	54cm	5'8" - 5'11"	22.3/56.7	30.9/78.4	10.4/26.5	22.1/56.0	16.3/41.4	39.2/99.6	1.4/3.5	N/A	73.5°	72.8°	2.4/6.1
	56cm	5'10" - 6'1"	23.1/58.7	31.7/80.5	10.5/26.7	22.5/57.2	16.3/41.4	39.1/99.3	1.6/4.1	N/A	73.5°	73.9°	2.4/6.1
	58cm	6'0" - 6'3"	23.9/60.8	32.5/82.7	10.6/26.9	23.1/58.7	16.3/41.4	39.6/100.6	1.6/4.1	N/A	73.3°	73.9	2.4/6.1
	61cm	6'3" - 6'6"	25.1/63.8	33.8/85.8	10.7/27.2	23.9/60.6	16.3/41.4	40.4/102.5	1.6/4.1	N/A	73.3°	74.0°	2.4/6.0
Adept Pro	S	5'4" - 5'7"	15.8/40.0	27.4/69.6	12.0/30.4	22.6/57.5	16.3/41.5	41.2/104.7	1.5/3.8	80.0/100.0	73.5°	70.8°	3.0/7.6
Adept Race	M	5'8" - 5'11"	17.5/44.5	27.9/70.8	12.0/30.4	23.4/59.6	16.3/41.5	41.8/106.3	1.5/3.8	80.0/100.0	73.5°	71.3°	2.9/7.3
Adept Comp	L	5'9" - 6'2"	19.3/49.0	28.5/72.5	12.0/30.4	24.1/61.2	16.3/41.5	42.5/107.9	1.5/3.8	80.0/100.0	73.5°	71.4°	2.8/7.2
	XL	6'1" - 6'6"	21.1/53.5	29.4/74.6	12.0/30.4	24.7/62.8	16.3/41.5	43.1/109.6	1.5/3.8	80.0/100.0	73.5°	71.4°	2.8/7.2
Attitude Race	XS	5'2" - 5'5"	14.0/35.6	26.5/67.3	11.4/29.0	21.7/55.1	16.4/41.7	40.0/101.7	1.5/3.8	80.0	72.8°	70.2°	3.1/7.9
ttitude Comp	S	5'4" - 5'7"	15.8/40.0	27.8/70.7	11.6/29.5	22.6/57.4	16.4/41.7	40.8/103.7	1.5/3.8	80.0	72.8°	70.8°	3.0/7.6
Attitude	M	5'8" - 5'11"	17.5/44.5	29.1/73.9	11.8/30.0	23.4/59.5	16.4/41.7	41.6/105.5	1.5/3.8	80.0	72.8°	71.3°	2.9/7.3
	L	5'9" - 6'2"	19.3/48.9	30.5/77.5	11.9/30.3	24.1/61.1	16.4/41.7	42.2/107.2	1.5/3.8	80.0	72.8°	71.4°	2.8/7.2
	XL	6'1" - 6'6"	21.0/53.3	32.2/81.8	12.0/30.5	24.7/62.7	16.4/41.7	42.9/109.0	1.5/3.8	80.0	72.8°	71.4°	2.8/7.2




ic wings correspond to chart dimensions

Adept Series



Line drawings correspond to chart dimensions

Attitude Series



Line drawings correspond to chart dimensions

ll fork rake measurements for the Quantum series refer to the Q-Pro Carbon.

Direct Fit (mm)/Direct Fit Angle (J and K)

	(49)	XS(52)	S(54)	M(56)	L(58)	XL(61)
-Pro Carbon	775/48.8°	797/48.4°	835/48.4°	854/48.7°	882/49.0°	909/49.5°
uantum Race	775/48.8°	797/48.4°	835/48.4°	854/48.7°	882/49.0°	909/49.5°
Quantum	775/48.8°	797/48.4°	835/48.4°	854/48.7°	882/49.0°	909/49.5°
Adept Pro	N/A	N/A	807/52.1°	846/51.3°	868/51.5°	915/52.4°
Adept Race	N/A	N/A	807/52.1°	846/51.3°	868/51.5°	915/52.4°
Adept Comp	N/A	N/A	807/52.1°	846/51.3°	868/51.5°	915/52.4°
ttitude Race	N/A	N/A	817/53.1°	842/51.2°	862/51.3°	907/52.0°
ttitude Comp	N/A	777/54.5°	817/53.1°	842/51.2°	862/51.3°	907/52.0°
Attitude	N/A	777/55.3°	817/54.0°	842/52.3°	862/52.4°	907/53.1°

Direct Fit (J) The distance from the center of the bottom bracket spindle to the rider's hand position.

Direct Fit Angle (K) The angle created by the "Direct Fit" line and the horizontal line of the ground.

Visit your Klein dealer for more information about Klein's Direct Fit or visit our web site at www.kleinbikes.com.

Specifications

	Q-Pro Carbon	Quantum Race	Quantum Race Triple	Quantum	Quantum Triple	Quantum TT	Adept Pro
Sizes	49, 52, 54, 56, 58, 61cm	49, 52, 54, 56, 58, 61cm	49, 52, 54, 56, 58, 61cm	49, 52, 54, 56, 58, 61cm	49, 52, 54, 56, 58, 61cm	49, 52, 56, 61cm	S, M, L, XL
Colors	Silver Cloud	Aegean Blue	Aegean Blue	Plum Crazy	Plum Crazy	Plum Crazy	Silver Cloud
Frame	Klein Gradient ZR 9000 Alloy, Carbon seat stays	Klein Full Gradient Aluminum Alloy	Klein Full Gradient Aluminum Alloy	Klein Full Gradient Aluminum Alloy	Klein Full Gradient Aluminum Alloy	Klein Full Gradient Aluminum Alloy	Klein Gradient ZR Alloy, epoxy bonded, Carbon seat and chainstays
Fork/Suspension	Klein Aeros High Modulus Carbon 1 1/8"	AirRail epoxy bonded Carbon fiber	AirRail epoxy bonded Carbon fiber	AirRail epoxy bonded Carbon fiber	AirRail epoxy bonded Carbon fiber	AirRail epoxy bonded Carbon fiber	Fox F80 RLC 80mm, fully adjustable with lock-out
Headset	Klein MC4 AirHeadset, Cane Creek integrated	Cane Creek C-1 Aheadset	Cane Creek C-1 Aheadset	Cane Creek C-1 Aheadset	Cane Creek C-1 Aheadset	Cane Creek C-1 Aheadset	Cane Creek S-6 Aheadset
Rear Shock	N/A	N/A	N/A	N/A	N/A	N/A	Fox Float RC
Crankset	Shimano Dura Ace 53/39	Shimano Ultegra 53/39	Shimano Ultegra 52/42/30	Shimano 105, 53/39	Shimano 105, 52/42/30	Shimano 105, 52/42/30	Shimano XTR 46/34/24
Ft/Rr Derailleur	Shimano Dura Ace	Shimano Ultegra	(F) Shimano Ultegra T (R) Shimano Ultegra GS	Shimano 105	(F) Shimano 105 T (R) Shimano 105 GS	(F) Shimano 105 T (R) Shimano 105 GS	(F) Shimano XTR (R) Shimano XTR SGS
Shifters	Shimano Dura Ace STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105 STI	Shimano 105 STI	Shimano SL-440 for flat handlebar	Shimano XTR
Bottom Bracket	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105	Shimano 105	Shimano XTR
Chain	Shimano Dura Ace	Shimano HG-92	Shimano HG-92	Shimano HG-72	Shimano HG-72	Shimano HG-72	Shimano Dura Ace
Pedals	N/A	N/A	N/A	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Time ATAC Carbon 2002
Wheel System	(F) Bontrager Race-X Lite, 20 hole, alloy rim (R) Bontrager Race-X Lite, 24 hole, OSB alloy rim	(F) Bontrager Race Lite 20 hole, alloy rim (R) Bontrager Race Lite 24 hole, OSB alloy rim	(F) Bontrager Race Lite 20 hole, alloy rim (R) Bontrager Race Lite 24 hole, OSB alloy rim	(F) Bontrager Select, 20 hole, alloy rim (R) Bontrager Select, 24 hole, OSB alloy rim	(F) Bontrager Select, 20 hole, alloy rim (R) Bontrager Select, 24 hole, OSB alloy rim	(F) Bontrager Select, 20 hole, alloy rim (R) Bontrager Select, 24 hole, OSB alloy rim	(F) Bontrager Race Lite, 24 hole, ceramic tubeless rim (R) Bontrager Race Lite, 28 hole, ceramic OSB tubeless rim
Cassette	Shimano Dura Ace 12-23, 9-speed	Shimano Ultegra 12-25, 9-speed	Shimano Ultegra 12-25, 9-speed	Shimano HG-70 12-25, 9-speed	Shimano HG-70 12-25, 9-speed	Shimano HG-70 12-25, 9-speed	Shimano XTR 12-34, 9-speed
Tire	Bontrager Race Lite, 700x23c, foldable	Bontrager Race Lite, 700x23c, foldable	Bontrager Race Lite, 700x23c, foldable	Bontrager Race Limited, 700x23c, foldable	Bontrager Race Limited, 700x23c, foldable	Bontrager Race Limited, 700x23c, foldable	Bontrager Super-X 49/48, foldable
Brakes	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105	Shimano 105	Avid SD Ti linear with ceramic pad
Brake Levers	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105	Shimano BL-440 for flat handlebar	Shimano XTR
Handlebar	Bontrager Race Lite	3TTT The	3TTT The	3TTT The	3TTT The	Bontrager Select	Bontrager Race Lite 600mm 7 degree
Stem	Bontrager Race Lite Road oversize	3TTT The	3TTT The	3TTT The	3TTT The	Bontrager Select	Bontrager Race Lite
Seatpost	Thomson Elite	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Comp	Bontrager Race Lite
Saddle	Selle San Marco Era, Titanium/leather	Selle San Marco Era, CrMo/leather	Selle San Marco Era, CrMo/leather	Selle San Marco New Millennium, CrMo/leather	Selle San Marco New Millennium, CrMo/leather	Bontrager FS2000, CrMo/leather	Bontrager Race Lite, CrMo/leather
Grips/Tape	Bontrager padded tape	Bontrager padded tape	Bontrager padded tape	Bontrager padded tape	Bontrager padded tape	Bontrager Ergo	Bontrager Ergo
Weight	16.4lbs/7.5kg	18.0lbs/8.2kg	18.2lbs/8.3kg	19.8lbs/9.0kg	20.0lbs/9.1kg	20.0lbs/9.1kg	25.1lbs/11.4kg

Specifications are subject to change without notice

Adept Race	Adept Race Disc	Adept Comp	Attitude Race	Attitude Comp	Attitude Comp Disc	Attitude
S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	S, M, L, XL
Caribbean Reef	Caribbean Reef	Approaching Storm Grey	Ocean Floor	Plum Crazy	Plum Crazy	Caribbean Reef
[illegible]adient ZR 9000 Alloy, epoxy bonded Aluminum Alloy	Klein Gradient ZR 9000 Alloy, epoxy bonded Aluminum Alloy	Klein Gradient ZR 9000 Alloy, epoxy bonded Aluminum Alloy	Klein Gradient ZR 9000 Alloy, epoxy bonded Aluminum Alloy	Klein Gradient ZR 9000 Alloy	Klein Gradient ZR 9000 Alloy	Klein Gradient ZR 9000 Alloy
Manitou Black Elite 80/100mm	Manitou Black Elite 80/100mm	Manitou Black Comp, 80/100mm	Rock Shox Duke Race 80mm	Rock Shox Duke XC 80mm	Rock Shox Duke XC 80mm	Rock Shox Duke C 80mm
Aheadset SAS Alloy	Aheadset SAS Alloy	Aheadset STR Black	Aheadset SAS Alloy	Aheadset STR Black	Aheadset STR Black	Aheadset STR Black
Fox Float R	Fox Float R	Cane Creek AD-5	N/A	N/A	N/A	N/A
Shimano Deore LX 44/32/22	Shimano Deore LX 44/32/22	Bontrager Comp 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore LX 44/32/22	Bontrager Comp 44/32/22
(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore XT (R) Shimano XTR SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore (R) Shimano XT SGS
Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore
Shimano BB-ES50	Shimano BB-ES50	Shimano BB-UN52	Shimano BB-ES50	Shimano BB-ES50	Shimano BB-ES50	Shimano BB-UN52
Shimano HG-72	Shimano HG-72	Shimano HG-53	Shimano HG-72	Shimano HG-72	Shimano HG-72	Shimano HG-53
Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Time ATAC 2002	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless
(F) Bontrager Race, 24 hole, alloy tubeless rim (R) Bontrager Race, 28 hole, alloy tubeless rim	(F) Bontrager Race Disc, alloy rim (R) Bontrager Race Disc, OSB alloy rim	(F) Bontrager Select, 24 hole, alloy rim (R) Bontrager Select, 28 hole, OSB alloy rim	(F) Bontrager Race Modified, 24 hole, tubeless rim (R) Bontrager Race Modified, 28 hole, OSB tubeless rim	(F) Bontrager Race, 24 hole, alloy tubeless rim (R) Bontrager Race, 28 hole, alloy tubeless rim	(F) Bontrager Race Disc, alloy rim (R) Bontrager Race Disc, OSB alloy rim	(F) Bontrager Superstock 24 hole, alloy rim (R) Bontrager Superstock 28 hole, OSB alloy rim
SRAM 7.0 11-32, 9-speed	SRAM 7.0 11-32, 9-speed	SRAM 7.0 11-32, 9-speed	Shimano CS HG72 11-34, 9-speed	SRAM 7.0 11-32, 9-speed	SRAM 7.0 11-32, 9-speed	SRAM 7.0 11-32, 9-speed
Bontrager Super-X 49/48, foldable	Bontrager Super-X 49/48, foldable	Bontrager Jones AC 26x2.1	Bontrager Super-X 49/48, foldable	Bontrager Super-X 49/48, foldable	Bontrager Super-X 49/48, foldable	Bontrager Jones AC 26x2.1
A[illegible] direct pull	Hayes HFX Mag Hydraulic Disc	Shimano 420, V type	Avid SD5 direct pull	Avid SD3 direct pull	Hayes HFX Comp Hydraulic Disc	Shimano 420, V type
Shimano Deore LX	Hayes HFX Mag Hydraulic	Shimano Deore with Avid SD10	Shimano Deore XT	Shimano Deore LX	Hayes HFX Comp Alloy	Avid SD10
Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Race atb 600mm 7degree	Bontrager Race atb 600mm 7 degree	Bontrager Race atb 600mm 7 degree	Bontrager Select
Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Race	Bontrager Comp	Bontrager Comp	Bontrager Sport
Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Sport
Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo/leather	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager FS2000
Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo
27.5lbs/12.5kg	28.3lbs/12.9kg	28.5lbs/13.0kg	25.0lbs/11.3kg	25.3lbs/11.5kg	26.1lbs/11.9kg	26.3lbs/12.0kg