
KLEIN





attitude® xx

FOX FRL 100mm fork

ZR9000 GRADIENT ALLOY FRAME
CANE CREEK S-6 AHEADSET
SHIMANO XT/XTR STI GROUP
BONTRAGER RACE LITE TUBELESS DISC WHEELSET.

attitude® xv

hayes HFX-9 brakes

ZR9000 GRADIENT ALLOY FRAME

FOX VRL FORK 100

SHIMANO LX/XT DRIVETRAIN

BONTRAGER RACE TUBELESS DISC WHEELSET.



attitude®v

rockshox RECON fork

229000 GRADIENT ALLOY FRAME

SHIMANO DEORE/XT DRIVETRAIN

HAYES HFX-9 HYDRAULIC DISC BRAKES

BONTRAGER SELECT DISC WHEELSET.







S.P.A.™

The innovative S.P.A. (suspension performance advantage) system brings to the road efficient, lightweight rear-wheel suspension technology. The crucial component, positioned at the top of the seat stay wishbone, is a proprietary Elastocel bumper from BASF available in several densities to match rider weight and riding style. The S.P.A. system offers a comfortable high-performance ride that keeps the rubber on the road for improved acceleration and control.

La Rêve "spiana" la strada cosicché tu possa correre all'infinito nel massimo confort.Le caratteristiche dell'innovativa sospensione S.P.A. (Suspension Performance Advantage) unisce alte prestazioni e confort di un leggerissimo sistema di sospensione posteriore. La sospensione S.P.A. pemette di avere una migliore aderenza della ruota posteriore, per migliorare accelerazione e controllo. Tutto questo con la tradizionale leggerezza di una Klein. Il componente più importante,

rêve™ x

shimano ULTEGRA ten speed

S. P. A. TECHNOLOGY
BONTRAGER RACE X LITE PLUS CARBON FORK
CARBON WISHBONE SEATSTAY
BONTRAGER RACE LITE WHEELSET.



posizionato in cima ai foderi posteriori verticali, è un esclusivo elastomero prodotto in Elastocell dalla BASF, disponibile in diverse densità per adattarsi al peso ed allo stile di guida di ogni atleta. Godiri la tua corsa come non mai.

彫刻のように研ぎ澄まされた繊細なデザイン。Q-Proはクラインが培ったテクノロジーの結晶といえる。フレームは、類を見ないクライン独自のZR9000アルミニウムで成形され、高剛性のカーボンファイバー製シートステイを装備する。この組み合わせにより、路面の振動を吸収して長距離走行の疲れを軽減しつつ、敏速なパワーレスポンスをもつフレームとなる。必要とされる剛性を備えつつ、驚異的に軽く速い、しかも速いフレームが誕生することになった。

rêve™ v

shimano 105 ten speed

S. P. A. TECHNOLOGY
BONTRAGER RACE X LITE PLUS CARBON FORK
CARBON WISHBONE SEATSTAYS
BONTRAGER RACE WHEELSET.



LIGHTNING FAST

Lightning fast and razor sharp, the Q-Pro is a technological work of art. The frame is sculpted of the industry's finest aluminum and married to the high modulus carbon fiber seat stay assembly. The combination is an incredibly light frame that has all of the stiffness needed to transmit energy from your body to the road, and yet the bike is designed to absorb road vibration, reducing fatigue on long rides.

Leggera, veloce e precisa come un rasoio. la Q-Pro è una vera opera d'arte tecnologica. Il telaio è scolpito nella miglior lega di alluminio ed abbinato ad un carro posteriore in carbonio ad alto modulo. Il risultato è un telaio incredibilmente leggero, che possiede tutta la rigidità necessaria per trasmettere l'energia dal tuo corpo alla strada, mentre assorbe le vibrazioni e riduce la fatica nei lunghi percorsi.

q-pro™ XX

bontrager RACE X LITE carbon crank

ULTRA-TUNED CARBON WISHBONE SEATSTAYS

AEROS CARBON FORK

SHIMANO DURA-ACE 10 SPEED GROUPO

BONTRAGER RACE X LITE WHEELSET.



彫刻のように研ぎ澄まされた繊細なデザイン。Q-Proはクラインが培ったテクノロジーの結晶といえる。フレームは、類を見ないクライン独自のZR9000アルミニウムで成形され、高剛性のカーボンファイバー製シートステイを装備する。この組み合わせにより、路面の振動を吸収して長距離走行の疲れを軽減しつつ、敏速なパワーレスポンスをもつフレームとなる。必要とされる剛性を備えつつ、驚異的に軽く速い、しかも速いフレームが誕生することになった。

q-pro™ xv

shimano ULTEGRA 10 speed

AEROS CARBON FORK

ULTRA-TUNED CARBON WISHBONE SEATSTAYS

SHIMANO ULTEGRA 10 SPEED GROUPO

BONTRAGER RACE LITE WHEELSET




everything you ever wanted
to know about Klein.

	KLEIN ATTITUDE XX	KLEIN ATTITUDE XV	KLEIN ATTITUDE V	KLEIN RÊVE X	KLEIN RÊVE V	KLEIN Q-PRO XX	KLEIN Q-PRO XV
Colors	Sizzlin' Red Linear	Arctic White Linear	Metallic Orange & Black Linear (Japan only)	Cotton Candy Blue Linear	Black Sudbury	Arctic White Linear	Vulcan Ember
Sizes	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	49, 52, 55, 58, 61 (cm)	49, 52, 55, 58, 61 (cm)	49, 52, 54, 56, 58, 61 (cm)	49, 52, 54, 56, 58, 61 (cm)
Frame	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays
Fork	Fox FRL 100mm	Fox FRL 100mm	Rock Shox Recon w/ poplock 100mm	Bontrager Race X Lite Plus with BzzzKill	Bontrager Race X Lite Plus with BzzzKill	Klein Aeros Carbon	Klein Aeros Carbon
Headset	Cane Creek S-6 Aheadset	VP A76C Aheadset	VP A76C Aheadset	Cane Creek S3 Aheadset	Cane Creek S3 Aheadset	Klein AirHeadset	Klein AirHeadset
Rear Shock	N/A	N/A	N/A	s.p.a. soft-tail suspension w/ BASF elastocell spring	s.p.a. soft-tail suspension w/ BASF elastocell spring	N/A	N/A
Bottom Bracket	Shimano XT integrated	Shimano LX integrated	Bontrager GXP	Shimano Ultegra	Shimano 105	Bontrager GXP	Shimano Ultegra
Crankset	Shimano XT 44/32/22 w/ integral BB	Shimano LX 44/32/22 w/ integral BB	Bontrager Race 22/32/44 GXP	Shimano Ultegra 52/39/30	Shimano 105 50/39/30	Bontrager Race X Lite carbon 39/53	Shimano Ultegra 53/39
Pedals	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Front Derailleur	Shimano XT	Shimano LX	Shimano Deore	Shimano Ultegra GS	Shimano 105 GS	Shimano Dura-Ace	Shimano Ultegra
Rear Derailleur	Shimano XTR	Shimano XT	Shimano XT	Shimano Ultegra GS	Shimano 105 GS	Shimano Dura-Ace	Shimano Ultegra
Shifters	Shimano XT STI	Shimano LX	Shimano Deore	Shimano Ultegra 10 Speed	Shimano 105 10 Speed	Shimano Dura-Ace 10 Speed	Shimano Ultegra 10 Speed
Cassette	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	Shimano Ultegra 12-25, 10 speed	Shimano 105 12-25, 10 speed	Shimano Dura-Ace 12-25, 10 speed	Shimano Ultegra 12-25, 10 speed
Chain	Shimano HG-93	Shimano HG-73	Shimano HG-53	Shimano Ultegra	Shimano 105	Shimano Dura-Ace	Shimano Ultegra
Wheelset	Bontrager Race Lite Disc, tubeless compatible	Bontrager Race Disc, tubeless compatible	Bontrager Select Disc	Bontrager Race Lite	Bontrager Race	Bontrager Race X Lite	Bontrager Race Lite
Tires	Bontrager Jones ACX 26x2.2 tubeless ready	Bontrager Jones ACX 26x2.2 tubeless ready	Bontrager ACX folding 26x2.2	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23
Brakes	Shimano XT Hydraulic Disc	Hayes HFX-9 Hydraulic Disc	Hayes HFX-9 Hydraulic Disc	Shimano Ultegra, long reach	Shimano 105, long reach	Shimano Dura-Ace	Shimano Ultegra
Brake Levers	Shimano XT STI	Hayes HFX-9 Carbon Lever	Hayes HFX-9	Shimano Ultegra STI	Shimano 105 STI	Shimano Dura-Ace STI	Shimano Ultegra STI
Handlebar	Bontrager Race X Lite, carbon	Bontrager Race Lite	Bontrager Select	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race X Lite	Bontrager Race Lite
Stem	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Select	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race XXX Lite, carbon	Bontrager Race Lite
Seatpost	Bontrager Race X Lite, ACC Carbon	Bontrager Race Lite	Bontrager Select	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon
Saddle	Bontrager Race X Lite, Ti	Bontrager Race X Lite, Ti	Bontrager Race Luxe	Bontrager Race Lite Luxe, Ti	Bontrager Race Lite Luxe, Ti	Bontrager Race X Lite, Ti	Bontrager Race X Lite, Ti
Grips/Tape	Klein Instinct	Klein Instinct	Klein Instinct	Bontrager Gel	Bontrager Gel	Bontrager Gel	Bontrager Gel

KLEIN


	Size	Typical rider height	Seat tube center to top (in/cm)	Effective seattube (in/cm)	Standover (in/cm)	Bottom bracket (in/cm)	Effective top tube length (in/cm)	Chainstay length (in/cm)	Wheelbase (in/cm)	Fork rake (in/cm)	Fork travel (mm)	Seat tube angle	Head tube angle	Trail (in/cm)
			A	B	C	D	E	F	G			H	I	J
Attitude	XS	5'2" - 5'5"	14.0/35.5	21.9/55.6	26.3/66.9	11.4/29.0	21.7/55.1	16.4/41.6	40.0/101.7	1.5/3.8	80.0	72.8°	70.2°	3.0/7.6
	SM	5'4" - 5'7"	15.7/40.0	22.4/56.8	28.0/71.0	11.6/29.5	22.6/57.4	16.4/41.6	40.8/103.7	1.5/3.8	80.0	72.8°	70.8°	2.9/7.3
	MD	5'8" - 5'11"	17.5/44.4	22.2/56.4	29.2/74.1	11.8/30.0	23.4/59.5	16.4/41.6	41.5/105.5	1.5/3.8	80.0	72.8°	71.3°	2.8/7.0
	LG	5'9" - 6'2"	19.2/48.8	22.9/58.2	30.6/77.6	11.9/30.2	24.1/61.1	16.4/41.6	42.2/107.2	1.5/3.8	80.0	72.8°	71.4°	2.7/6.9
	XL	6'1" - 6'6"	22.0/53.3	24.4/61.9	32.2/81.9	12.0/30.5	24.7/62.7	16.4/41.6	42.9/109.0	1.5/3.8	80.0	72.8°	71.4°	3.9/9.9
Rêve	49cm	5'2" - 5'5"	20.4/51.8	19.3/49.0	28.6/72.7	10.5/26.7	20.9/53.0	16.7/42.4	39.3/99.7	1.9/4.8	N/A	74.3°	71.5°	2.3/5.8
	52cm	5'4" - 5'7"	20.7/52.6	20.5/52.0	29.4/74.7	10.6/26.8	21.1/53.5	16.7/42.4	39.3/99.9	1.9/4.8	N/A	74.0°	71.8°	2.2/5.6
	55cm	5'8" - 5'11"	20.9/53.0	21.7/55.0	30.1/76.3	10.6/26.9	21.9/55.5	16.7/42.4	39.5/100.3	1.9/4.8	N/A	73.5°	73.0°	2.0/5.0
	58cm	5'9" - 6'2"	21.4/54.4	22.8/58.0	30.8/78.3	10.6/26.9	22.6/57.5	16.7/42.4	40.1/101.8	1.9/4.8	N/A	73.5°	73.5°	1.9/4.7
	61cm	6'1" - 6'6"	22.1/56.1	24.0/61.0	31.5/80.1	10.7/27.1	23.4/59.5	16.7/42.4	40.4/102.7	1.9/4.8	N/A	72.5°	73.5°	1.9/4.7
Q-Pro	49cm	5'3" - 5'6"	19.5/49.5	20.4/51.9	28.6/72.6	10.2/26.0	20.7/52.6	16.3/41.4	38.1/96.7	1.6/4.1	N/A	74.0°	72.5°	2.5/6.3
	52cm	5'5" - 5'8"	19.7/50.0	21.2/53.8	28.7/72.9	10.4/26.3	21.5/54.7	16.3/41.4	38.7/98.2	1.6/4.1	N/A	73.5°	72.7°	2.4/6.2
	54cm	5'8" - 5'11"	22.4/56.9	21.9/55.7	30.7/78.1	10.4/26.5	22.0/56.0	16.3/41.4	39.2/99.6	1.6/4.1	N/A	73.5°	72.8°	2.4/6.1
	56cm	5'10" - 6'1"	22.9/58.1	22.7/57.7	31.7/80.5	10.5/26.7	22.5/57.2	16.3/41.4	39.1/99.2	1.4/3.5	N/A	73.5°	73.9°	2.4/6.0
	58cm	6'0" - 6'3"	24.0/61.0	23.5/59.8	32.4/82.4	10.6/26.9	23.1/58.7	16.3/41.4	39.6/100.5	1.4/3.5	N/A	73.3°	73.9°	2.4/6.0
	61cm	6'3" - 6'6"	24.9/63.2	24.7/62.8	33.7/85.5	10.7/27.2	23.9/60.6	16.3/41.4	40.4/102.5	1.4/3.5	N/A	73.3°	74.0°	2.4/6.0

Attitude




Line drawings correspond to chart dimensions

Rêve



Line drawings correspond to chart dimensions

Q-Pro



Line drawings correspond to chart dimensions

DIRECT FIT

Standing over a top tube isn't a very scientific approach to fitting a person to a bike, so Klein invented a different fit system that many in the industry have embraced over time. Our Direct Fit philosophy analyzes how a body interacts with a bicycle to optimize comfort and fit, and we continue to pursue this as a universal measuring approach.

Direct Fit measures the distance between one's hands on the handlebars to the center of the bottom bracket. This measurement should be recorded. It will never change no matter what bike you are on nor what position you are in throughout the pedal stroke. This distance remains a constant, on or off the saddle.

The included angle created by the Direct Fit line and the horizontal line of the ground helps determine the one's desired posture for the intended use of the bike. If the angle is acute, the one's back is flatter in an aggressive road racing posture. As the angle opens, the rider's posture becomes less aggressive and more relaxed.

Proper fit is essential to performance and endurance, a local dealer should help with Direct Fit when purchasing a Klein bicycle.

DIRECT FIT (MM)/DIRECT FIT ANGLE (K AND L)

Attitude	**XS**	**SM**	**MD**	**LG**	**XL**	
	768/54.4°	795/52.5°	820/50.6°	839/50.8°	884/51.6°	
Q-Pro	**49**	**52**	**55**	**58**	**61**	
	803/50.5°	816/51.5°	862/51.6°	900/51.8°	921/52.8°	
Q-Pro	**49**	**52**	**54**	**56**	**58**	**61**
	769/49.8°	779/48.4°	815/48.2°	842/48.3°	871/48.6°	889/49.2°

Direct Fit (K)
The distance from the center of the bottom bracket spindle to the rider's hand position.

Direct Fit Angle (L)
The angle created by the "Direct Fit" line and the horizontal line of the ground.

Visit your Klein dealer for more information about Klein's Direct Fit or visit:
www.kleinbikes.com.

