Assembly Details

Seatposts

With Lemond OCLV bikes, DO NOT grease the seatpost. A fiberglass sleeve bonded into the 'seat tube' prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

Lemond road bikes are designed to accept 27.2 mm seat posts with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV bikes).

Chainkeepers and Chainstay guards

Lemond OCLV frames must always be fitted with a chainkeeper and chainstay guard to protect against damage in case of chainsuck or overshifting past the inner chainring.

Special Parts	TCG Part #
Chainkeeper	T83663
Chainstay guard	T950130
Extra length brake nuts	T950112
Front derailleur braze-on plate (Maillot Jaune, Chambery)	T83201
OCLV bottom bracket cable guide	T942820
Road SP18 bottom bracket cable guide	T963350

Removing Headset Cups

When removing an headset in a Lemond OCLV frame, make sure the headset removal tool is engaging the headset cup. Lemond OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

Lemond OCLV Road Frame Hardware

On OCLV frames, the large diameter tubes add stiffness and strength. However, this increased size can require unconventional fastening of parts. That's why we use a braze-on style front derailleur, and extra long brake attachment nuts.

The longer nuts are required for the rear brake on all Lemond OCLV frames. It is also required on our new Air Rail fork, found on the Maillot Jaune, Chambery, and Zurich.

O.L.D. vs Rear Triangle Spacing

O.L.D. (Over Locknut Dimension) is a measurement of the hub width on the outside of the axle locknuts. When we list OLD, we're referring to the rear hub. In addition, we have listed the frame dimensions rather than the hub.

MAILLOT JAUNE

Our Price: $

Main tubes		OCLV carbon	
Stays		OCLV carbon	
Fork		OCLV, Air Rail	
Headset	*T972711*	Campagnolo Record	22.2/30.2/26.4, 36.5 mm stack
Handlebars		Cinelli Top Ergo	26.4mm clamp diameter
Stem		Cinelli Grammo Ti	22.2 mm insertion
Grips	*T962177*	Cinelli white cork tape	
Shifters	*T972701/2*	Campagnolo Record ErgoPower	
Front derailleur	*T972700*	Campagnolo Record	Down pull, Braze-on style
Rear derailleur	*T972699*	Campagnolo Record	
Brakes	*T972107/8*	Campagnolo Record	
Brake levers		combination shift/brake	
Crankset		Campagnolo Record 53/39	135 mm bolt hole circle
Bottom bracket	*T962511*	T-Gear CroMoly, cartridge	68 x 106
Pedals	*60212*	Shimano Dura-Ace SPD clipless, 9/16" axle	
Cassette	*T973669*	Campagnolo Record ExaDrive	12-23, 9spd
Chain	*T973668*	Campagnolo 9spd	106L length
Front wheel	*T972725*		
Front hub		Campagnolo Vento	
Front tire		Continental GrandPrix, foldable, 700 x 23c	
Rear wheel			
Rear hub		Campagnolo Vento	Campagnolo Exa-Drive cassette, 9spd, 130 mm O.L.D.
Rear tire		Continental Grand Prix, foldable, 700 x 23c	
Tubes		Presta superlight	
Rims		Campagnolo Vento	
Spokes			16 spokes/ front/ rear(D/ND)
Saddle	*T970204*	LeMond Selle San Marco Strada, Ti rails, perforated leather cover	
Seatpost		Campagnolo Record	27.2 mm diameter
Seat binder	*T973708*	Alloy w/integral bolt	35.1 clamp diameter
Additionals		2 water bottle mounts	
Colors		Yellow to Purple fade• Red on Blue decals	

Frame sizes	47	49	51	53	55	57	59
Handlebar width	380	400	420	420	440	440	440
		T970316	*T970317*	*T970317*	*T970318*	*T970318*	*T970318*
Stem length	90	90	100	110	120	120	120
	T970446	*T970446*	*T970447*	*T970448*	*T970449*	*T970449*	*T970449*
Crank length	170	170	172.5	172.5	172.5	175	175
	T972703	*T972703*	*T972704*	*T972704*	*T972704*	*T972705*	*T972705*
Seatpost length	250	250	250	250	250	250	250
	T972712	*T972712*	*T972712*	*T972712*	*T972712*	*T972712*	*T972712*
Steerer, mm	131	131	139	155	174	193	211
Head angle	72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle	75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover	749	759	773	793	811	830	848
Seat tube	500	520	540	560	580	600	620
Head tube	96	96	104	121	140	159	177
Eff top tube	518	528	545	560	570	580	590
Reach	608	618	645	670	690	700	710
Chainstays	408	408	410	410	412	412	412
BB height	266	266	266	268	268	268	268
Offset	45	45	45	45	45	45	45
Trail	60	57	54	53	53	52	52
Wheelbase	979	982	987	986	994	1001	1006
IN Standover	29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube	3.8	3.8	4.1	4.8	5.5	6.3	7.0
Eff top tube	20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach	23.9	24.3	25.4	26.4	27.2	27.6	28.0
Chainstays	16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height	10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Trail	2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase	38.5	38.7	38.9	38.8	39.1	39.4	39.6

	39	**53**
12	86	117
13	79	108
14	74	100
15	69	93
16	64	88
17	61	82
19	54	74
21	49	67
23	45	61

Our Price: $

Main tubes		OCLV carbon						
Stays		OCLV carbon						
Fork		OCLV, Air Rail						
Headset	*61631*	Shimano Ultegra cartridge	22.2/30.2/26.4, 37.6 mm stack					
Handlebars		Cinelli Giro d'Italia (38, 40), Campione d'Italia (42, 44), 26.4mm clamp dia						
Stem		Cinelli XE	22.2 mm insertion					
Grips	*T962177*	Cinelli white cork tape						
Shifters	*6195112*	Shimano Ultegra STI Dual Control						
Front derailleur	*61474*	Shimano Ultegra	Down pull, Braze-on style					
Rear derailleur	*61513*	Shimano Ultegra						
Brakes	*61115*	Shimano Ultegra Dual Pivot						
Brake levers		combination shift/brake						
Crankset		Shimano Ultegra 53/39	130 mm bolt hole circle					
Bottom bracket	*61034*	Shimano BB-UN72	68 x 115					
Pedals	*60213*	Shimano Ultegra SPD clipless, 9/16" axle						
Cassette	*61212*	Shimano HG90 12-23	8spd					
Chain	*61247*	Shimano HG90	106L length					
Front wheel								
Front hub	*61769*	Shimano Ultegra						
Front tire		Continental GrandPrix, foldable, 700 x 23c						
Rear wheel								
Rear hub	*61771*	Shimano Ultegra	HyperGlide cassette, 8spd, 130 mm O.L.D.					
Rear tire		Continental Grand Prix, foldable, 700 x 23c						
Tubes		Presta superlight						
Rims	*T962153*	Mavic Reflex	Velox, 16mm rim strip					
Spokes		DT 15/16G butted stainless, alloy nipples, 32 spokes/296 front/293/295 rear(D/ND)/3x						
Saddle	*T970204*	LeMond Selle San Marco Strada, Ti rails, perforated leather cover						
Seatpost		PM-501 alloy micro-adjust	27.2 mm diameter					
Seat binder	*F973708*	Alloy w/integral bolt	35.1 clamp diameter					
Additionals		2 water bottle mounts						
Colors		White• Yellow on Black decals						
Frame sizes		47	49	51	53	55	57	59
Handlebar width		380	400	420	420	420	440	440
		T970225	*T970226*	*T970227*	*T970227*	*T970227*	*T970228*	*T970228*
Stem length		80	90	100	110	120	120	120
		T970440	*T970441*	*T970442*	*T970443*	*T970444*	*T970444*	*T970444*
Crank length		170	170	172.5	172.5	172.5	175	175
		61350	*61350*	*61352*	*61352*	*61352*	*61354*	*61354*
Seatpost length		250	250	250	250	250	250	250
		57800	*57800*	*57800*	*57800*	*57800*	*57800*	*57800*
Steerer, mm		139	139	147	168	182	201	220
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover		749	759	773	793	811	830	848
Seat tube		500	520	540	560	580	600	620
Head tube		96	96	104	121	140	159	177
Eff top tube		518	528	545	560	570	580	590
Reach		598	618	645	670	690	700	710
Chainstays		408	408	410	410	412	412	412
BB height		266	266	266	268	268	268	268
Offset		45	45	45	45	45	45	45
Trail		60	57	54	53	53	52	52
Wheelbase		979	982	987	986	994	1001	1006
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.8	3.8	4.1	4.8	5.5	6.3	7.0
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach		23.5	24.3	25.4	26.4	27.2	27.6	28.0
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset		1.8	1.8	1.8	1.8	1.8	1.8	1.8
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6

	39	53
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

ZURICH

Our Price: $

Main tubes		Reynolds 853 double butted							
Stays		True Temper Cro-Moly							
Fork		OCLV, Air Rail							
Headset	*T942142*	Tange Seiki alloy precision	22.2/30.2/26.4, 25.4 mm stack						
Handlebars		Cinelli Giro d'Italia (38-40), Campione d'Italia (42-46), 26.4mm clamp dia							
Stem		Cinelli XE	22.2 mm insertion						
Grips	*T962177*	Cinelli white cork tape							
Shifters	*6195112*	Shimano Ultegra STI Dual Control							
Front derailleur	*61474*	Shimano Ultegra	Down pull, 31.8 mm/ 1 1/4"						
Rear derailleur	*61513*	Shimano Ultegra							
Brakes	*61115*	Shimano Ultegra Dual Pivot							
Brake levers		combination shift/brake							
Crankset		Shimano Ultegra 53/39	130 mm bolt hole circle						
Bottom bracket	*61034*	Shimano BB-UN72	68 x 115						
Pedals		Shimano Ultegra SPD clipless, 9/16" axle							
Cassette	*61207*	Shimano HG70 12-23	8spd						
Chain	*61246*	Shimano HG70	108L length						
Front wheel	*973480*								
Front hub	*61769*	Shimano Ultegra							
Front tire		Continental GrandPrix, foldable, 700 x 23c							
Rear wheel	*973479*								
Rear hub	*61771*	Shimano Ultegra	HyperGlide cassette, 8spd, 130 mm O.L.D.						
Rear tire		Continental Grand Prix, foldable, 700 x 23c							
Tubes		Presta superlight							
Rims	*T962152*	Mavic Open 20	Velox, 16mm rim strip						
Spokes		DT 15G	32 spokes/295 front/292/294 rear(D/ND)/3x						
Saddle	*T970207*	LeMond Selle San Marco Strada, CrMo rails, leather cover							
Seatpost		PM-501 alloy micro-adjust	27.2 mm diameter						
Seat binder	*F961814*	Alloy w/integral bolt	31.8 clamp diameter						
Additionals		2 water bottle mounts							
Colors		Silver/ Inkwell Blue fade• Yellow on Black decals							
Frame sizes		47	49	51	53	55	57	59	61
Handlebar width		380	400	420	420	440	440	440	460
		T970225	*T970226*	*T970227*	*T970227*	*T970228*	*T970228*	*T970228*	*T970159*
Stem length		80	90	100	110	120	120	120	130
		T970440	*T970441*	*T970442*	*T970443*	*T970444*	*T970444*	*T970444*	*T970445*
Crank length		170	170	172.5	172.5	172.5	175	175	175
		61350	*61350*	*61352*	*61352*	*61352*	*61354*	*61354*	*61354*
Seatpost length		250	250	250	250	250	250	250	250
		57800	*57800*	*57800*	*57800*	*57800*	*57800*	*57800*	*57800*
Steerer, mm		126	126	141	156	174	191	216	236
Head angle		72.0	72.5	72.5	73.0	73.5	73.5	74.0	74.0
Seat angle		74.5	74.0	73.8	73.8	73.0	72.5	72.5	72.0
MM Standover		743	753	768	786	805	822	845	863
Seat tube									
Head tube		85	85	100	115	132	150	175	195
Eff top tube		510	520	532	545	565	575	590	605
Reach		590	610	632	655	685	695	710	735
Chainstays		412	412	415	415	415	415	418	418
BB height		266	266	266	266	266	266	268	268
Offset		45	45	45	45	45	45	45	45
Trail		60	57	57	54	55	55	52	52
Wheelbase		965	967	980	984	995	1000	1007	1021
IN Standover		29.3	29.6	30.2	30.9	31.7	32.4	33.3	34.0
Seat tube									
Head tube		3.3	3.3	3.9	4.5	5.2	5.9	6.9	7.7
Eff top tube		20.1	20.5	20.9	21.5	22.2	22.6	23.2	23.8
Reach		23.2	24.0	24.9	25.8	27.0	27.4	28.0	28.9
Chainstays		16.2	16.2	16.3	16.3	16.3	16.3	16.5	16.5
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.6	10.6
Offset		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Trail		2.4	2.2	2.2	2.1	2.2	2.2	2.0	2.0
Wheelbase		38.0	38.1	38.6	38.7	39.2	39.4	39.6	40.2

	39	**53**
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

Our Price: $

BUENOS AIRES

Main tubes		True Temper double butted Cro-Moly							
Stays		True Temper Cro-Moly							
Fork		Cro-Moly							
Headset	*61630*	Tange Seiki Passage DX	22.2/30.2/26.4, 35.3 mm stack						
Handlebars		Cinelli Giro d'Italia (38-40), Campione d'Italia (42-46), 26.4mm clamp dia							
Stem		Cinelli XE	22.2 mm insertion						
Grips	*T972631*	Neoprene tape							
Shifters	*61946/7*	Shimano 105SC STI Dual Control							
Front derailleur	*61469*	Shimano 105SC	Down pull, 31.8 mm/ 1 1/4"						
Rear derailleur	*61511*	Shimano 105SC							
Brakes	*61114*	Shimano 105SC Dual Pivot							
Brake levers		combination shift/brake							
Crankset		Shimano 105SC 53/39	130 mm bolt hole circle						
Bottom bracket	*61031*	Shimano BB-UN52	68 x 107						
Pedals	*60213*	Shimano Ultegra SPD clipless, 9/16" axle							
Cassette	*61207*	Shimano HG70 12-23	8spd						
Chain	*61245*	Shimano HG50							
Front wheel	*973482*								
Front hub	*61761*	Shimano 105SC							
Front tire		Continental GrandPrix, foldable, 700 x 23c							
Rear wheel	*973481*								
Rear hub	*61763*	Shimano 105SC	HyperGlide cassette, 8spd, 130 mm O.L.D.						
Rear tire		Continental Grand Prix, foldable, 700 x 23c							
Tubes		Presta superlight							
Rims	*T962152*	Mavic Open 20	Velox, 16mm rim strip						
Spokes		DT 15G 32 spokes/295 front/292/294 rear(D/ND)/3x							
Saddle	*T970207*	LeMond Selle San Marco Strada, CrMo rails, leather cover							
Seatpost		PM-501 alloy micro-adjust	27.2 mm diameter						
Seat binder	*F961814*	Alloy w/integral bolt	31.8 clamp diameter						
Additionals		2 water bottle mounts							
Colors		Race Red• Black on Yellow decals							
Frame sizes		47	49	51	53	55	57	59	61
Handlebar width		380	400	400	420	420	440	440	440
		T970225	*T970226*	*T970226*	*T970227*	*T970227*	*T970228*	*T970228*	*T970228*
Stem length		80	90	100	110	120	120	120	130
		T970440		*T970442*	*T970443*	*T970444*	*T970444*	*T970444*	*T970445*
Crank length		170	170	172.5	172.5	172.5	175	175	175
		61342	*61342*	*61343*	*61343*	*61343*	*61344*	*61344*	*61344*
Seatpost length		250	250	250	250	250	250	250	250
		57800	*57800*	*57800*	*57800*	*57800*	*57800*	*57800*	*57800*
Steerer, mm		124	124	139	154	172	189	214	234
Head angle		72.0	72.5	72.5	73.0	73.5	73.5	74.0	74.0
Seat angle		74.5	74.0	73.8	73.8	73.0	72.5	72.5	72.0
MM Standover		743	753	768	786	805	822	845	863
Seat tube									
Head tube		85	85	100	115	132	150	175	195
Eff top tube		510	520	532	545	565	575	590	605
Reach		590	610	632	655	685	695	710	735
Chainstays		412	412	415	415	415	415	418	418
BB height		266	266	266	266	266	266	268	268
Offset		47	47	47	47	43	43	43	43
Trail		60	57	57	54	55	55	52	52
Wheelbase		965	967	980	984	995	1000	1007	1021
IN Standover		29.3	29.6	30.2	30.9	31.7	32.4	33.3	34.0
Seat tube									
Head tube		3.3	3.3	3.9	4.5	5.2	5.9	6.9	7.7
Eff top tube		20.1	20.5	20.9	21.5	22.2	22.6	23.2	23.8
Reach		23.2	24.0	24.9	25.8	27.0	27.4	28.0	28.9
Chainstays		16.2	16.2	16.3	16.3	16.3	16.3	16.5	16.5
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.6	10.6
Offset		1.9	1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.2	2.1	2.2	2.2	2.0	2.0
Wheelbase		38.0	38.1	38.6	38.7	39.2	39.4	39.6	40.2

	39	**53**
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

ALPE d'HUEZ

Our Price: $

Main tubes		True Temper double butted Cro-Moly							
Stays		True Temper Cro-Moly							
Fork		Cro-Moly							
Headset	*55487*	Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack						
Handlebars		System 2 road, alloy	26.0mm clamp diameter						
Stem		System 2 road, heat treated Cro-Moly, 22.2 mm insertion							
Grips	*T972633*	Neoprene tape							
Shifters	*T962162/3*	Campagnolo Mirage ErgoPower							
Front derailleur	*T962169*	Campagnolo Veloce	Down pull, 31.8 mm/ 1 1/4"						
Rear derailleur	*T962168*	Campagnolo Mirage							
Brakes	*T962165/6*	Campagnolo Mirage							
Brake levers		combination shift/brake							
Crankset		Campagnolo Mirage 53/39	135 mm bolt hole circle						
Bottom bracket	*962173*	Campagnolo Mirage cartridge, 68 x 111							
Pedals	*60213*	Shimano SPD M535 clipless	9/16" axle						
Cassette	*T962161*	Campagnolo Veloce ExaDrive	12-23, 8spd						
Chain	*T962167*	Sachs ED-50	108L length						
Front wheel	*973484*								
Front hub	*T962157*	Campagnolo Mirage							
Front tire		Continental Super Sport Ultra, 700 x 23c							
Rear wheel	*973483*								
Rear hub	*T962159*	Campagnolo Mirage	Campagnolo Exa-Drive cassette, 8spd, 130 mm O.L.D.						
Rear tire		Continental Super Sport Ultra, 700 x 23c							
Tubes		Presta superlight							
Rims	*T962151*	Mavic CXP-10	Velox, 16mm rim strip						
Spokes		DT 15G	32 spokes/294 front/292/294 rear(D/ND)/3x						
Saddle	*T962154*	SSM Tecno Dynamic							
Seatpost		PM-312 alloy micro-adjust	27.2 mm diameter						
Seat binder	*F961814*	Alloy w/integral bolt	31.8 clamp diameter						
Additionals		2 water bottle mounts							
Colors		Cannibal Orange• Black on White decals							
Frame sizes		47	49	51	53	55	57	59	61
Handlebar width		380	400	400	420	420	440	440	440
		57170	*57171*	*57171*	*57172*	*57172*	*57173*	*57173*	*57173*
Stem length		80	90	100	110	120	120	120	130
		57064	*57065*	*57066*	*57067*	*57069*	*57069*	*57069*	*57069*
Crank length		170	170	172.5	172.5	175	175	175	175
		T962170	*T962170*	*T962171*	*T962171*	*T962172*	*T962172*	*T962172*	*T962172*
Seatpost length		250	250	250	250	250	250	250	250
		57120	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*
Steerer, mm		120	120	135	150	167	185	210	230
Head angle		72.0	72.5	72.5	73.0	73.5	73.5	74.0	74.0
Seat angle		74.5	74.0	73.8	73.8	73.0	72.5	72.5	72.0
MM Standover		743	753	768	786	805	822	845	863
Seat tube									
Head tube		85	85	100	115	132	150	175	195
Eff top tube		510	520	532	545	565	575	590	605
Reach		590	610	632	655	685	695	710	735
Chainstays		412	412	415	415	415	415	418	418
BB height		266	266	266	266	266	266	268	268
Offset		47	47	47	47	43	43	43	43
Trail		60	57	57	54	55	55	52	52
Wheelbase		965	967	980	984	995	1000	1007	1021
IN Standover		29.3	29.6	30.2	30.9	31.7	32.4	33.3	34.0
Seat tube									
Head tube		3.3	3.3	3.9	4.5	5.2	5.9	6.9	7.7
Eff top tube		20.1	20.5	20.9	21.5	22.2	22.6	23.2	23.8
Reach		23.2	24.0	24.9	25.8	27.0	27.4	28.0	28.9
Chainstays		16.2	16.2	16.3	16.3	16.3	16.3	16.5	16.5
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.6	10.6
Offset		1.9	1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.2	2.1	2.2	2.2	2.0	2.0
Wheelbase		38.0	38.1	38.6	38.7	39.2	39.4	39.6	40.2

	39	**53**
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

Our Price: $ _____ TOURMALET

Main tubes		True Temper double butted Cro-Moly						
Stays		True Temper Cro-Moly						
Fork		Cro-Moly						
Headset	*55487*	Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack					
Handlebars		System 1 road, alloy	26.0mm clamp diameter					
Stem		System 1 90° road, Cro-Moly	22.2 mm insertion					
Grips	*T972633*	Neoprene tape, white/grey						
Shifters	*61940/1*	Shimano RSX STI Dual Control						
Front derailleur	*61464*	Shimano RSX STI	Down pull, 31.8 mm/ 1 1/4"					
Rear derailleur	*61508*	Shimano RSX GS						
Brakes	*61112*	Shimano RSX Dual Pivot						
Brake levers		combination shift/brake						
Crankset		Shimano RSX 46/36/26	74/110 mm bolt hole circle					
Bottom bracket	*T961922*	Shimano BB-LP26	68 x 118					
Pedals	*60216*	Shimano SPD M535 clipless	9/16" axle					
Cassette	*61172*	Shimano HG50 11-24	7spd					
Chain	*61245*	Shimano HG50	104L length					
Front wheel	*973486*							
Front hub	*61745*	Shimano RSX						
Front tire		Continental Super Sport Ultra, 700 x 23c						
Rear wheel	*973485*							
Rear hub	*61747*	Shimano RSX	HyperGlide Compact cassette, 7spd, 130 mm O.L.D.					
Rear tire		Continental Super Sport Ultra, 700 x 23c						
Tubes		Presta superlight						
Rims	*T962151*	Mavic CXP-10	Velox, 16mm rim strip					
Spokes		DT 15G	32 spokes/295 front/292/294 rear(D/ND)/3x					
Saddle	*T962154*	SSM Tecno Dynamic						
Seatpost		PM-312 alloy micro-adjust	27.2 mm diameter					
Seat binder	*F961814*	Alloy w/integral bolt	31.8 clamp diameter					
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Sapphire• White decals						

	26	**36**	**46**
11	63	87	111
12	57	79	101
14	49	68	87
16	43	60	76
18	38	53	68
21	33	45	58
24	29	40	51

Frame sizes	47	49	51	53	55	57	59	61
Handlebar width	380	400	400	420	420	420	440	440
	57170	*57171*	*57171*	*57172*	*57172*	*57172*	*57173*	*57173*
Stem length	65	80	80	100	100	120	120	120
	T971085	*T971086*	*T971086*	*T971087*	*T971087*	*T971088*	*T971088*	*T971088*
Crank length	170	170	170	170	175	175	175	175
	61334	*61334*	*61334*	*61334*	*61335*	*61335*	*61335*	*61335*
Seatpost length	250	250	250	250	250	250	250	250
	57120	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*
Steerer, mm	120	120	135	150	167	185	210	230
Head angle	72.0	72.5	72.5	73.0	73.5	73.5	74.0	74.0
Seat angle	74.5	74.0	73.8	73.8	73.0	72.5	72.5	72.0
Standover	743	753	768	786	805	822	845	863
MM Seat tube								
Head tube	85	85	100	115	132	150	175	195
Eff top tube	510	520	532	545	565	575	590	605
Reach	572	596	608	641	661	690	705	720
Chainstays	412	412	415	415	415	415	418	418
BB height	266	266	266	266	266	266	268	268
Offset	47	47	47	47	43	43	43	43
Trail	60	57	57	54	55	55	52	52
Wheelbase	965	967	980	984	995	1000	1007	1021
Standover	29.3	29.6	30.2	30.9	31.7	32.4	33.3	34.0
IN Seat tube								
Head tube	3.3	3.3	3.9	4.5	5.2	5.9	6.9	7.7
Eff top tube	20.1	20.5	20.9	21.5	22.2	22.6	23.2	23.8
Reach	22.5	23.5	23.9	25.2	26.0	27.2	27.8	28.4
Chainstays	16.2	16.2	16.3	16.3	16.3	16.3	16.5	16.5
BB height	10.5	10.5	10.5	10.5	10.5	10.5	10.6	10.6
Offset	1.9	1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail	2.4	2.2	2.2	2.1	2.2	2.2	2.0	2.0
Wheelbase	38.0	38.1	38.6	38.7	39.2	39.4	39.6	40.2

RENO

Our Price: $

Main tubes		True Temper double butted Cro-Moly							
Stays		True Temper Cro-Moly							
Fork		Cro-Moly							
Headset	*55487*	Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack						
Handlebars		System 1 road, alloy	26.0mm clamp diameter						
Stem		System 2 road, heat treated Cro-Moly, 22.2 mm insertion							
Grips	*T972632*	Neoprene tape							
Shifters	*61940/1*	Shimano RSX STI Dual Control							
Front derailleur	*61466*	Shimano RX100	Down pull, 31.8 mm/ 1 1/4"						
Rear derailleur	*61507*	Shimano RSX SS							
Brakes	*61112*	Shimano RSX Dual Pivot							
Brake levers		combination shift/brake							
Crankset		Sugino AC130 53/39	130 mm bolt hole circle						
Bottom bracket	*T961922*	Shimano BB-LP26	68 x 118						
Pedals	*57184*	System 1 Road w/clips and straps, 9/16" axle							
Cassette	*61172*	Shimano HG50 11-24	7spd						
Chain	*61245*	Shimano HG50							
Front wheel	*973486*								
Front hub	*61745*	Shimano RSX							
Front tire		Continental Sport	700 x 23c						
Rear wheel	*973485*								
Rear hub	*61747*	Shimano RSX	HyperGlide Compact cassette, 7spd, 130 mm O.L.D.						
Rear tire		Continental Sport	700 x 23c						
Tubes		Presta superlight							
Rims	*T962151*	Mavic CXP-10	Velox, 16mm rim strip						
Spokes		DT 15G	32 spokes/295 front/292/294 rear(D/ND)/3x						
Saddle	*T962154*	SSM Tecno Dynamic							
Seatpost		PM-312 alloy micro-adjust	27.2 mm diameter						
Seat binder	*F961814*	Alloy w/integral bolt	31.8 clamp diameter						
Additionals		Rack mounts, 2 water bottle mounts							
Colors		Violet• Yellow decals							
Frame sizes		47	49	51	53	55	57	59	61
Handlebar width		380	400	400	420	420	440	440	440
		57170	*57171*	*57171*	*57172*	*57172*	*57173*	*57173*	*57173*
Stem length		80	90	100	110	120	120	120	130
		57064	*57065*	*57066*	*57067*	*57068*	*57068*	*57068*	*57069*
Crank length		170	170	170	170	175	175	175	175
		T972645	*T972645*	*T972645*	*T972645*	*T972646*	*T972646*	*T972646*	*T972646*
Seatpost length		250	250	250	250	250	250	250	250
		57120	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*	*57120*
Steerer, mm		120	120	135	150	167	185	210	230
Head angle		72.0	72.5	72.5	73.0	73.5	73.5	74.0	74.0
Seat angle		74.5	74.0	73.8	73.8	73.0	72.5	72.5	72.0
MM Standover		743	753	768	786	805	822	845	863
Seat tube									
Head tube		85	85	100	115	132	150	175	195
Eff top tube		510	520	532	545	565	575	590	605
Reach		590	610	632	655	685	695	710	735
Chainstays		412	412	415	415	415	415	418	418
BB height		266	266	266	266	266	266	268	268
Offset		47	47	47	47	43	43	43	43
Trail		60	57	57	54	55	55	52	52
Wheelbase		965	967	980	984	995	1000	1007	1021
IN Standover		29.3	29.6	30.2	30.9	31.7	32.4	33.3	34.0
Seat tube									
Head tube		3.3	3.3	3.9	4.5	5.2	5.9	6.9	7.7
Eff top tube		20.1	20.5	20.9	21.5	22.2	22.6	23.2	23.8
Reach		23.2	24.0	24.9	25.8	27.0	27.4	28.0	28.9
Chainstays		16.2	16.2	16.3	16.3	16.3	16.3	16.5	16.5
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.6	10.6
Offset		1.9	1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.2	2.1	2.2	2.2	2.0	2.0
Wheelbase		38.0	38.1	38.6	38.7	39.2	39.4	39.6	40.2

	39	53
11	94	127
12	86	117
14	74	100
16	64	88
18	57	78
21	49	67
24	43	58

Our Price: $ _____

Main tubes Stays Fork Rear shock Headset Handlebars Stem Bar ends Grips Shifters Front derailleur Rear derailleur Brakes Brake levers Crankset Bottom bracket Pedals Cassette Chain Front wheel Front hub Front tire Rear wheel Rear hub Rear tire Tubes Rims Spokes Saddle Seatpost Seat binder Additionals Colors Frame sizes Handlebar width Stem length Crank length Seatpost length Steerer, mm Head angle Seat angle			
MM Standover Seat tube Head tube Eff top tube Reach Chainstays BB height Offset Trail Wheelbase			
IN Standover Seat tube Head tube Eff top tube Reach Chainstays BB height Offset Trail Wheelbase			

Our Price: $ _____

Main tubes			
Stays			
Fork			
Rear shock			
Headset			
Handlebars			
Stem			
Bar ends			
Grips			
Shifters			
Front derailleur			
Rear derailleur			
Brakes			
Brake levers			
Crankset			
Bottom bracket			
Pedals			
Cassette			
Chain			
Front wheel			
Front hub			
Front tire			
Rear wheel			
Rear hub			
Rear tire			
Tubes			
Rims			
Spokes			
Saddle			
Seatpost			
Seat binder			
Additionals			
Colors			
Frame sizes			
Handlebar width			
Stem length			
Crank length			
Seatpost length			
Steerer, mm			
Head angle			
Seat angle			
MM Standover			
Seat tube			
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover			
Seat tube			
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

WARRANTY

Gary Fisher Bicycle Company Limited Warranty

The Gary Fisher Bicycle Company warrants each new Fisher bicycle frame and rigid fork against defects in workmanship and materials for the lifetime of the original owner, except full suspension bikes which are warranted for the first five years of ownership by original owner. Gary Fisher Bicycle Company likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable.

Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Gary Fisher Bicycle Company before a warranty claim may be processed.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, or installation of parts or accessories not originally intended or compatible with the bicycle as sold.

The warranty does not apply to damage or failure due to accident, misuse, abuse, or neglect. Modification of the frame or components shall void this warranty.

Gary Fisher Bicycle Company shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. Labor charges for parts changeovers are not covered by the warranty.

This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not effect the statutory rights of the consumer.

LeMond Bicycles Limited Warranty

LeMond Bicycles warrants each new LeMond bicycle frame and fork against defects in workmanship and materials for the first five years of ownership by original owner. LeMond Bicycles likewise warrants all original parts for a period of one year from the date of purchase. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable.

Claims under this warranty must be made through an authorized LeMond dealer. Proof of purchase is required. A warranty registration card must be completed and received by LeMond Bicycles before a warranty claim may be processed.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, or installation of parts or accessories not originally intended or compatible with the bicycle as sold.

The warranty does not apply to damage or failure due to accident, misuse, abuse, or neglect. Modification of the frame or components shall void this warranty.

LeMond Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. Labor charges for parts changeovers are not covered by the warranty.

This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not effect the statutory rights of the consumer.

What to do with a Defective Frame or Fork

When a consumer comes to you with a frame or fork that is covered by the warranty, please do the following:

1. Evaluate the item. Fisher approves over 90% of all the items that are returned for warranty. Don't be afraid to make a warranty call if it is an obvious warranty claim. We trust you and want you to give your customers the best service possible.

2. Call your Inside Sales Rep. They will issue a UPS Call Tag, or a Returned Goods Authorization (RGA) number for the frameset. Fisher will repair or replace the item and return it to you. Warranty items cannot be accepted without either a Call Tag or an RGA. This will ensure that the item is properly handled and processed quickly.

3. Completely remove ALL parts from the frame or fork before packaging. We make every effort to return a warranty claim as fast as possible. Since tracking parts from a frameset would slow this process considerably, we rely on you to remove and save all parts.

UPS Call Tags and Returned Goods Authorization (RGA) numbers

There are two ways to return a frameset to Fisher. UPS Call Tags usually take 5-10 working days to appear at your door. With a Call Tag, there is no shipping charge to you.


To substantially decrease the time for a Call Tag, you can ship the frame or fork to us via normal UPS ground service and we will credit you for the shipping expense. To have a Call Tag or RGA issued, call your Inside Rep with the following information:

1. Serial Number
2. Size
3. Model name
4. Color
5. Nature of the problem

How to Receive Credit for Defective Parts

Defective parts should be tagged with a Fisher Warranty Claim Tag (see below). Each item on the tag must be completed. Write clearly.

This tag will ensure that you receive proper credit . All parts should be kept in a "Fisher Only" or "LeMond Only" box for the Road Rep. They will pick up the defective parts and write a credit while in your store. They will also leave a copy of the paperwork so your bookkeeper will be able to reference the credit memo to the RGA.



1. Complete Model Number or Name of bicycle
2. Serial number; found on bottom bracket, or right rear dropout
3. What is wrong with the part. Please be specific.
4. Name of your store
5. Your store's Dealer Number
6. Date