

TREK®
USA
1991
Mountain Bikes
Road Bikes
Matrix® Rims & Tires
Clothing and Accessories
New Balance® Shoes
Trek Helmets

8900 Composite



Function Specific™ Design

The Trek® 8900 mountain bike is designed for the serious competitor who's aggressive riding necessitates only the best in equipment. ■ The 8900 is built with domestically produced tubing constructed to meet our unique design specifications. It features squeeze cast aluminum lugs, forged dropouts, Answer aluminum stem, Matrix® composite handlebars and a SunTour XC Pro GT length Accushift drive train. The 8900 also features the innovative Rock Shox suspension fork which allows for faster descents with greater control. ■ The end result is an ultra-strong bike that can take the pressures of competitive riding. Minimal weight makes for quick, smooth acceleration up the hills. Finally, the composite frame's superior shock absorption allows you to ride aggressively with minimal fatigue.

SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
Double Butted Graphite Epoxy/Dia Compe Rock Shox Suspension System
HUBS
Bullseye Precision, 32 hole
RIMS
Matrix Titan II ATB, hard anodized
TIRES
Matrix Z-Axis Comp, Kevlar folding 26 x 2.0"
DRIVE TRAIN
SunTour XC Pro GT Accushift
BRAKESET
Grafton Speed Control Cantilevers with Aztec Pads and XC Pro levers
FREEWHEEL
SunTour Winner Pro 12-28, Accushift Plus, 7-speed
Shown in Composite main tubes and Bright Yellow with Black Splash with Purple on Yellow and White.

8700 Composite



Function Specific™ Design

New to our Mountain Composite line, the 8700 is manufactured using domestic composite tubes. Designed for the competitive rider, the 8700 can withstand the demands of racing and is light enough to win. ■ It features the SunTour XC Pro GT drive train and a rugged Matrix® wheel system that is at home on even the roughest terrain. ■ The 8700 will provide you with the strength for all out riding, the minimal weight for quick acceleration, and the shock absorption to make it enjoyable.



SIZES
15, 16.5, 18, 20 and 22"

FRAME/FORK
Double Butted Graphite Epoxy
Tange Super Big Fork

HUBS
Bullseye Precision, 32 hole

RIMS
Matrix Titan II ATB, hard anodized

TIRES
Matrix Z-Axis Comp,
Kevlar folding, 26 x 2.0"

DRIVE TRAIN
SunTour XC Pro GT Accushift

BRAKESET
Dia Compe 986 Cantilevers with
Advantage SS-5 Comp levers

FREEWHEEL
SunTour Winner Pro 12-28,
Accushift Plus, 7-speed

Shown in Composite main tubes and Conch with Conch on White and Bright Blue.

Mountain Aluminum

Mountain competition bicycles that combine maximum strength with minimum weight for peak performance.


Our leadership in mountain bike design is exemplified by our bonded aluminum mountain bikes. ■ We use premium aluminum alloys like Easton 7000-E9 and Alcoa 6061-T6 to guarantee superior strength and minimal weight. These double butted aluminum tubes are then bonded to Trek's exclusive squeeze cast aluminum lugs to assure precise alignment of the frame and increased rigidity for better performance. ■ This year our mountain bikes sport significantly larger headsets which are designed to be stronger, distribute stress better, and create a stronger overall frame. We've also increased the blade size of our forks to provide a tighter more responsive ride. These changes provide a noticeable improvement in both handling and performance. ■ All our aluminum mountain bicycles now feature exclusive Triple-Tech™ top tube cable routing which reduces the possibility of dirt clogging the gear and brake cables and simplifies maintenance. ■ Finally, our frame geometry, with 71° head and 73° seat tube angle, produces an aggressive combination of frame strength, hill attacking power, and reassuring control on the descents. ■ Off-road terrain can be very tough. These bicycles are designed to be tougher.

Function Specific™ Design

Frame Geometry

Model	Frame Size	A	B	C	D	E	F	G	H	Trail
8500	15	70.5°	73.0°	14.4	20.7	16.9	11.4	1.8	40.6	2.7
8000	16.5	70.5°	73.0°	15.9	21.7	16.9	11.5	1.8	41.4	2.7
7000	18	71.0°	73.0°	17.4	22.3	16.9	11.6	1.8	41.5	2.6
6000	20	71.0°	73.0°	19.4	22.6	16.9	11.6	1.8	41.6	2.6
	22	71.0°	73.0°	21.4	23.0	16.9	11.7	1.8	42.1	2.6

All dimensions are in inches, unless otherwise stated.



8500 Aluminum Mountain Competition



Function Specific™ Design

The 8500 is the pinnacle of aluminum mountain bikes. An aerospace bonding process and double butted Easton 7000-E9 tubing result in a strong and light frame. Shimano Deore XT components, the Tange Super Big Fork, and the Matrix® Z-Axis™ tire system provide smooth and dependable operation even under the toughest of conditions. ■ The 8500 delivers the peak performance needed in competitive situations to charge the turns, pound the bumps, and pull away from the pack.

SIZES
15, 16.5, 18, 20 and 22"

FRAME/FORK
Easton 7000-E9 Double Butted Aluminum Alloy/Tange Super Big Fork

HUBS
Shimano Deore XT, 32 hole w/QR

RIMS
Matrix Single Track Comp 26 x 1.25"

TIRES
Matrix Z-Axis, 26 x 2.0"


DRIVE TRAIN
Shimano Deore XT MO-92 Rapid Fire

BRAKESET
Shimano Deore XT Cantilevers with Super SLR and 2-finger ATB levers

FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette

Shown in Black with Double Splash with Red on White and Purple.

8000 Aluminum Mountain Competition



Function Specific™ Design

The 8000 is a competitive bicycle that features Easton 7000-E9 tubing, the Tange Super Big Fork, Shimano Deore DX components, and the Matrix® Z-Axis™ tire system. This combination creates a strong, light bicycle that responds to the demands placed upon it. ■ The 8000 is strong enough to handle the extreme abuse that is common in competitive cycling. And it is light enough to put you in the lead and keep you there.



SIZES	15, 16.5, 18, 20 and 22"
FRAME/FORK	Easton 7000-E9 Double Butted Aluminum Alloy/Tange Super Big Fork
HUBS	Shimano Deore DX, 32 hole w/QR
RIMS	Matrix Single Track Comp 26 x 1.25"
TIRES	Matrix Z-Axis 26 x 2.0"
DRIVE TRAIN	Shimano Deore DX MO-92 Rapid Fire
BRAKESET	Shimano Deore XT Cantilevers with Super SLR and 2-finger ATB levers
FREEWHEEL	Shimano Hyperglide 13-30, 7-speed cassette

Shown in White and Black Splash with Blue on Silver and Black.

7000 Aluminum Mountain Competition



Function Specific™ Design

The 7000 features double butted Easton 6061-E9 aluminum and the Tange Big Fork which are complemented with the Shimano Deore LX drive train, upgraded Deore DX brakeset, and Matrix® Single Track™ Comp rims. ■ This combination is put together with serious off-road riding in mind. The 7000 is designed to deliver the rugged performance and great value that is the mark of an exceptional mountain bike.






SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
Easton 6061-E9 Double Butted Aluminum Alloy/Tange Big Fork
HUBS
Shimano Deore LX, 32 hole w/QR
RIMS
Matrix Single Track Comp 26 x 1.25"
TIRES
Matrix Cliffhanger, 26 x 2.0"
DRIVE TRAIN
Shimano Deore LX Rapid Fire
BRAKESET
Shimano Deore DX L.P. Cantilever with 2-finger levers
FREEWHEEL
Shimano Hyperglide 13-30, 7-speed cassette
Shown in Black and Green Splash with Green and Silver on White. Also available in Sapphire with Yellow on White and Silver.

6000 Aluminum Mountain Competition



Function Specific™ Design

The 6000 is the latest entry in our aluminum line and is perfect for the rider looking for real value in a performance cycle. The 6000 is made of Alcoa 6061-T6 aluminum alloy and features the Trek® Cruise Control™ fork for smoother handling. The SunTour XC-LTD group drives the Matrix® Single Track™ wheel system. ■ The 6000 offers the kind of cycling experience you would expect from a Trek aluminum mountain bike. The light weight and strength make it a top performer. The price and quality make it a top value.



SIZES	15, 16.5, 18, 20 and 22"
FRAME/FORK	Trek/Alcoa 6061 T6 Aluminum Alloy/ Trek "Cruise Control"
HUBS	Sansin 32 hole w/QR
RIMS	Matrix Single Track Comp
TIRES	Matrix Cliffhanger 26 x 2.0"
DRIVE TRAIN	SunTour XC-LTD w/X-press
BRAKESET	SunTour XC-LTD Cantilevers with XC-LTD ATB levers
FREEWHEEL	SunTour Accushift 13-30, SunTour Accushift Plus, 7-speed

Shown in Yellow and Black Splash with Black on White and Blue. Also available in Red with Black on White and Silver.

Single Track™

High performance bicycles for the serious off-road enthusiast.


Trek's Single Track series remains a front runner in mountain bike performance. ■ To stay in the lead, our Single Track bicycles now feature our new Optimal Dimension tube design. ■ Our research has proven that as we increase the diameter of a tube, while decreasing the wall thickness, we create a stronger, stiffer tube that weighs less. This is the principle behind our new O.D. technology. ■ With this design, our Single Track bicycles provide maximum strength and rigidity at a minimum weight. This gives the frame the toughness that is needed when pounding over rough terrain and the rigidity necessary for efficient transference of energy from your legs to the trail. ■ Geometry also plays an important role in the overall performance of the Single Track. The assertive geometry of the Single Track, with a 71° head and 73° seat tube angle, creates a rigid, highly responsive frame which allows you to aggressively attack the turns, hills and descents. ■ All our Single Track bicycles now feature exclusive Triple-Tech™ top tube cable routing which reduces the possibility of dirt clogging the gear and brake cables and simplifies maintenance.

Function Specific™ Design

Frame Geometry

Model	Frame Size	A	B	C	D	E	F	G	H	Trail
990	15	70.5°	74.0°	13.8	20.3	16.9	11.4	1.8	40.5	2.7
970	16.5	70.5°	73.5°	13.4	21.3	16.9	11.5	1.8	41.2	2.7
950	18	71.0°	73.0°	16.9	22.2	16.9	11.6	1.8	41.8	2.6
930	20	71.0°	73.0°	18.9	22.6	16.9	11.6	1.8	41.8	2.6
	22	71.0°	72.5°	20.9	23.0	16.9	11.7	1.8	41.9	2.6
850*	14.5	69.5°	73.0°	13.8	20.9	17.2	11.3	1.8	41.9	3.0
830	16.5	69.5°	72.5°	15.9	21.7	16.9	11.5	1.8	41.5	3.0
	18	70.0°	72.0°	17.4	22.3	16.9	11.6	1.8	41.6	2.8
	20	70.0°	72.0°	19.4	22.6	16.9	11.6	1.8	41.6	2.8
	22	70.5°	72.0°	21.4	23.0	16.9	11.6	1.8	41.9	2.7
	24*	70.5°	72.0°	22.4	23.6	16.9	11.6	1.8	42.5	2.7
820*	14.5	69.5°	73.0°	13.8	20.9	17.2	11.3	2.0	42.0	2.8
800	16.5	69.5°	72.5°	15.9	21.7	17.2	11.3	2.0	42.0	2.8
	18	70.0°	72.0°	17.4	22.3	17.2	11.6	2.0	42.0	2.6
	20	70.0°	72.0°	19.4	22.6	17.2	11.6	2.0	42.0	2.6
	22	70.5°	72.0°	21.4	23.0	17.2	11.6	2.0	42.4	2.5
	24*	70.5°	72.0°	22.4	23.6	17.2	11.6	2.0	43.0	2.5
820L 800L	17	69.5°	72.5°	18.0	21.5	17.2	11.5	2.0	42.0	2.8
820 800	15.5 x 24W	69.0°	70.0°	14.0	19.3	16.6	11.3	2.0	38.8	2.4

*850 and 820 are not available in 24" frame size.
820 and 800 models are available in 15.5 x 24" wheels.
All dimensions are in inches, unless otherwise stated.




990 Single Track™ Competition Cro-moly



Function Specific™ Design

The 990 is a competition bicycle for the off-road enthusiast that demands the most from a bike. Featuring a True Temper heat-treated Single Track O.D. Cro-moly frame with the Tange Super Big Fork, the construction and assertive geometry of this frame creates the responsiveness, rigidity and strength that is necessary for aggressive off-road riding. The Shimano Deore XT drive train and Matrix® Single Track Comp rims provide stable performance in an often challenging terrain.



SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
True Temper AT OD heat-treated ATB Cro-moly/Tange Super Big Fork
HUBS
Shimano Deore XT, 32 hole w/OR
RIMS
Matrix Single Track Comp
TIRES
Matrix Z-Axis, Ft. & R system
DRIVE TRAIN
Shimano Deore XT SIS
BRAKESET
Shimano Deore XT L.P. Cantilevers with 2-finger ATB levers
FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette
Shown in Black and Conch with Black on White and Silver.

970 Single Track™ Competition Cro-moly



Function Specific™ Design

The 970 is a competition quality cycle that features a rugged Single Track O.D. Cro-moly construction and performance oriented geometry. It has the strength needed for aggressive riding while maintaining the minimal weight needed for quick acceleration and speed. This top quality frame is equipped with the Shimano Deore DX group, the upgraded Tange Big Fork, and the Matrix® Single Track Comp wheel system. This combination operates smoothly under even the roughest of conditions. The 970 is a bicycle that digs in and puts the miles behind it fast.

SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
True Temper AT OD ATB Double Butted Cro-moly/Tange Big Fork
HUBS
Shimano Deore DX, 32 hole w/QR
RIMS
Matrix Single Track Comp
TIRES
Matrix Cliffhanger, 26 x 2.0"
DRIVE TRAIN
Shimano Deore DX Rapid Fire
BRAKESET
Shimano Deore XT L.P. Cantilevers with Super SLR and 2-finger ATB levers
FREEWHEEL
Shimano Hyperglide 13-30, 7-speed cassette
Shown in Black and White Splash with White on Silver and Pink.

950 Single Track™ Performance Cro-moly



Function Specific™ Design

The 950 is a bicycle designed for aggressive trail riding. The tough Single Track O.D. Cro-moly frame is complemented



with Trek's exclusive Cruise Control™ fork, Matrix® Single Track Comp wheel system, and Shimano Deore LX components. This combination has the strength to charge the trails and also offers considerable comfort so the frame absorbs the pounding and not your body. The 950 will consistantly provide you with the performance that makes it such a good off-road value.

SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
True Temper OD Double ButtedCro-moly/ Cro-moly Cruise Control unicrown
HUBS
Shimano Deore LX, 32 hole w/QR
RIMS
Matrix Single Track Comp, hard anodized
TIRES
Matrix Cliffhanger, 26 x 2.0"
DRIVE TRAIN
Shimano Deore LX Rapid Fire
BRAKE SET
Shimano Deore DX, Cantilevers with SLR ATB levers
FREEWHEEL
Shimano Hyperglide 13-30, 7-speed cassette
Shown in Purple with White on Conch and Silver. Also available in White and Black Splash with Red on Purple and Silver.

930 Single Track™ Performance Cro-moly



Function Specific™ Design

The 930 Single Track is designed for the off-road enthusiast who demands value in an off-road performance bike. ■ Featuring a quality lugged Single Track O.D. Cro-moly construction, the 930 provides the strength and comfort needed for off-road riding. It features the SunTour X-1 group and Matrix® Single Track Comp wheel system for smooth and dependable riding. ■ The 930 is a rugged bicycle that is an optimum combination of both performance and value.





SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
TrueTemper OD Double Butted Cro-moly/ Cro-moly Cruise Control unicrown
HUBS
Sansin 32 hole w/QR
RIMS
Matrix Single Track Comp, 32H 26 x 1.25," hard anodized
TIRES
Matrix Cliffhanger, 26 x 2.0"
DRIVE TRAIN
SunTour X-1 X-press
BRAKESET
Dia Compe X-1 Cantilevers with DC short stop BRS levers
FREEWHEEL
SunTour Accushift Plus 13-30, 7-speed

Shown in Black with Yellow on White and Silver. Also available in White with Purple on Silver and Green.

850 Antelope Performance Cro-moly



Function Specific™ Design

The Antelope series is designed with demanding all-purpose use in mind. They have the characteristic strength of mountain bikes to handle rough terrain and potholed roads. They also have the lessened rolling resistance of road cycles which makes for quicker acceleration, easier hill climbing and smoother coasting. ■ The 850 is a great combination of off-road performance and value. This double butted Cro-moly frame is equipped with SunTour XCE components for smooth and dependable performance. It is a tough bicycle that will feel at home on both rolling trails or the roughest of terrain.

SIZES
14.5, 16.5, 18, 20 and 22"
FRAME/FORK
Tange ATB Double Butted Cro-moly/ Cruise Control unicrown
HUBS
SunTour 32H w/OR Ft. & R
RIMS
Matrix Single Track, 26 x 1.5", hard anodized
TIRES
Matrix Cliffhanger 26 x 2.0"
DRIVE TRAIN
SunTour XCE X-press
BRAKESET
Dia Compe XCE Cantilevers with DC BRS ATB levers
FREEWHEEL
SunTour Accushift Plus 13-30, 7-speed
Shown in Red and Black Splash with Black on White and Silver.


830 Antelope Mountain Sport Cro-moly



Function Specific™ Design

The 830 is for the aggressive trail rider looking for a bicycle that adds to the off-road experience. The Shimano Exage 300 LX components and 21-speed Hyperglide means smooth, reliable shifting and efficient energy transfer when you need it most. The geometry of this frame features short chainstays for quick, responsive handling that gives this bicycle the trail performance characteristics you will grow to love.





SIZES
14.5, 16.5, 18, 20, 22 and 24"
FRAME/FORK
Trek Double Butted ATB Cro-moly/ Cruise Control unicrown
HUBS
Shimano 36 hole w/QR Ft. & R
RIMS
Araya VP-20, 26 x 1.5" alloy
TIRES
Matrix CDX, 26 x 1.95," skinwall knobby
DRIVE TRAIN
Shimano Exage 300 LX Rapid Fire
BRAKESET
Shimano Exage 300 LX Cantilevers with SLR ATB levers
FREEWHEEL
Shimano Hyperglide 13-30, 7-speed cassette
Shown in Yellow and Black Splash with Black on Silver and Blue. Also available in Intense Blue with White on Rose and Yellow.

820 Antelope Trail Performance Cro-moly



Function Specific™ Design

This is truly an all-terrain bicycle. Specifically designed for the rider who needs a bicycle that can stand up to the demands of trail riding, the 820 is also at home on the city streets. The Cro-moly frame and fork provide the strength and durability needed when on the dirt. The Araya VP-20 rims and Matrix® CDX tires provide quick acceleration and smooth rolling on the pavement. Shimano 200GS components insure smooth performance wherever you are. It all adds up to a bicycle that really delivers.




SIZES
14.5, 16.5, 18, 20 and 22" mens and 17" ladies, 15 x 24" wheel
FRAME/FORK
Trek ATB Cro-moly/Cro-moly ATB unicrown
HUBS
Shimano, 36 hole w/QR Ft. & R
RIMS
Araya VP-20, alloy
TIRES
Matrix CDX, 26 x 1.95," skinwall knobby
DRIVE TRAIN
Shimano 200GS Rapid Fire
BRAKESET
Shimano 200GS SLR Cantilevers with ATB levers
FREEWHEEL
Shimano Hyperglide 12 28, 7-speed cassette
Shown in White and Black Splash with Blue on Silver and Black. Also available in Black with White on Yellow and Silver.

800 Antelope Sport Trail Cro-moly



Function Specific™ Design

The 800 is ideal for both town and trail riding. This value priced bicycle, with its Cro-moly frame and easy rolling wheel system, is ideal for riding around town and then taking a few off-road shortcuts home. The special geometry and higher rise of the handlebars create a more upright riding position which offers many people a more comfortable ride. The 800 is perfect for those looking for an affordable bicycle that offers stable and reliable performance. It is offered in a wide range of sizes from 15" to 24" including a women's 17" and a 24" wheel model. This means that everybody can get in on the fun.






SIZES
14.5, 16.5, 18, 20, 22 and 24" mens and 17" ladies, 15.5 x 24" wheel
FRAME/FORK
ATB Cro-moly/Hi-Tensile ATB unicrown
HUBS
Shimano, 36 hole w/QR Ft.
RIMS
Araya MP-22, alloy
TIRES
Matrix CDX, 26 x 1.5", skinwall knobby
DRIVE TRAIN
Shimano M100 Rapid Fire
BRAKESET
Shimano M100 Cantilevers with SLR ATB levers
FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette
Shown in Black with Green on Blue and White. Also available in Red with White on Silver and Black.

7900 Multi-Track™

SIZES
15, 16.5, 18, 20 and 22"
FRAME/FORK
Easton 6061-E9 Double Butted Aluminum Alloy/Cro-moly Multi-Track
HUBS
Shimano Deore DX, 32 hole w/QR
RIMS
Matrix Titan Tour, hard anodized
TIRES
Matrix Multi-Track, 700 x 40C
DRIVE TRAIN
Shimano Deore DX Rapid Fire
BRAKESET
Shimano Deore DX L.P. Cantilevers with 2-finger ATB levers
FREEWHEEL
Shimano 12-28T, 7-speed Hyperglide
Shown in Red with White on Silver and Black.

The 7900 is the newest member of the Multi-Track line and it's aluminum design reveals that it is built for speed. It's innovative features and geometry allow that speed to be used on both the road and the trail. The Easton 6061-E9 construction and Shimano Deore DX group provide quick and reliable performance with a minimum of effort. The upright riding position and Matrix® Multi-Track tires further add to the comfort and enjoyability of this bicycle.



750 Multi-Track™



Function Specific™ Design

The 750 is a sport bicycle designed for comfort and fun. This double butted Cro-moly frame is driven by newly upgraded SunTour XCE components. The 750 rides smoothly with Matrix® Multi-Track tires which are mounted on durable Matrix® Titan Tour hard anodized rims. Finally, the upright riding position delivers maximum comfort without sacrificing rider efficiency. ■ This bicycle will provide you with easy rolling and long-lasting performance whether your daily ride takes you along roads, trails, or a little of both.



SIZES
17, 19, 21 and 23"
FRAME/FORK
True Temper Double Butted AT Cromoly/ Cro-moly Multi-Track unicrown
HUBS
Sansin 32 hole w/QR
RIMS
Matrix Titan Tour, hard anodized
TIRES
Matrix Multi-Track, 700 x 35C
DRIVE TRAIN
SunTour XCE w/X-press
BRAKESET
Dia Compe XCE Cantilevers with DC BRS ATB levers
FREEWHEEL
SunTour Accushift Plus 13-30T
Shown in Black with White on Yellow and Silver.

720 Multi-Track™



Function Specific™ Design


Comfort was the main concern when designing the 720. Its geometry and handlebars create a riding position that allows the cyclist to sit upright for increased comfort and reduced fatigue. The SunTour XCT components mean effortless shifting which is important for an enjoyable ride. The Matrix® Multi-Track tires are smooth rollers that make hill climbing much easier and also lessen the effort needed to maintain speed on the flats. ■ When you are pedaling around town it's good to know that you can depend on your bicycle for a fun, worry free ride.



SIZES	15, 17, 19, 21 and 23" mens and 17" ladies
FRAME/FORK	ATB Cro-moly/Cro-moly Multi-Track unicrown
HUBS	J.Y. alloy sealed, 36 hole w/QR
RIMS	Araya PX-45
TIRES	Matrix Multi-Track, 700 x 35
DRIVE TRAIN	SunTour XCT w/X-press
BRAKESET	Dia Compe XCT Cantilevers with DC BRS ATB levers
FREEWHEEL	SunTour Accushift Plus 13-30T

Shown in Black with Conch on White and Blue. Also available in Purple with White on Silver and Conch.

700 Multi-Track™




Function Specific™ Design

The 700 Multi-Track is the bicycle for pleasurable riding and top value. Driven by the Shimano 200GS Rapid Fire, this bicycle operates smoothly and consistantly so all you need to think about is the enjoyment of the ride. The upright riding position of the 700 is very comfortable while the frame configuration is highly stable for easy control. The low rolling resistance of this bicycle means less effort is needed to build and maintain speed. ■ The 700 is the ideal bicycle for those in search of smooth performance, maximum comfort, and excellent value.



SIZES	15, 17, 19, 21 and 23" mens and 17" ladies
FRAME/FORK	Trek ATB Cro-moly/ Trek Hi-Tensile Multi-Track
HUBS	Shimano, 36 hole w/QR Ft. & R.
RIMS	Araya PX-45, alloy
TIRES	Matrix Multi-Track, 700 x 35C
DRIVE TRAIN	Shimano 200GS Rapid Fire
BRAKESET	Shimano 200GS Cantilevers with SLR ATB levers
FREEWHEEL	Shimano Hyperglide 12-28, 7-speed
	Shown in White with Blue on Silver and Green. Also available in Sapphire Blue with Yellow on White and Silver.

2500 Composite



For the greatest competitive edge look to the 2500. A full seven tube composite design makes the 2500 both extremely strong and incredibly light. With Shimano's Dura Ace 8-speed SIS with Hyperglide and a minimal weight, this bicycle is an excellent sprinter and hill climber. Superior rigidity means a highly efficient transfer of energy for maximum power. Finally, the shock absorption of our composite design increases comfort and reduces rider fatigue on long rides. The 2500 is a cycle that has all the characteristics of a consistant race winner.

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
Double Butted Graphite Epoxy/Bonded Aluminum
HUBS
Shimano Dura Ace, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-6K, 700 x 25C
DRIVE TRAIN
Shimano Dura Ace SIS
BRAKESET
Shimano Dura Ace Aero SLR
FREEWHEEL
Shimano Hyperglide 12-21, 8-speed cassette
Shown in Composite and Polished Aluminum with Purple on White and Bright Green.

2300 Composite Competition



This road racer balances carbon fiber main tubes with aluminum alloy stays and fork to provide a strong, efficient, yet comfortable ride. This ultra-light frame is equipped with Shimano's Ultegra SIS with Hyperglide to provide smooth performance under even the most extreme pedaling loads. ■ This combination results in a high performance cycle that has the quickness, responsiveness, and comfort which makes it great for road racing and triathalons.

Function Specific™ Design

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
True Temper Graphite Epoxy/Bonded Aluminum
HUBS
Shimano Ultegra, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-4, 700 x 25C
DRIVE TRAIN
Shimano Ultegra SIS
BRAKESET
Shimano Ultegra Super SLR
FREEWHEEL
Shimano Hyperglide 13-21, 7-speed cassette
Shown in Composite main tubes and Bright Green and Bright Yellow with Bright Green on Silver and Yellow.



2100 Composite Competition

The 2100 is the latest addition to our composite line. It proves that high performance can be affordable. The 2100 features a 3 tube graphite epoxy construction which is coupled with heat-treated aluminum alloy stays and fork. ■ Driven by the Shimano 105 SC group, the 2100 is a very light cycle designed to leave the competition behind, while the rigidity makes for efficient pedaling to keep them behind. Perhaps most importantly, the incredible strength of the 2100 provides the long-lasting performance that makes it such a great value.

Function Specific™ Design


SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
True Temper Graphite Epoxy/Bonded Aluminum
HUBS
Shimano 105, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-3, 700 x 25C
DRIVE TRAIN
Shimano 105 SC SIS
BRAKESET
Shimano 105 SC Aero with SLR levers
FREEWHEEL
Shimano Hyperglide 13-23, 7-speed cassette
Shown in Composite main tubes and Purple with White on Silver and Purple.



1400 Aluminum

This top performer features a double butted, bonded aluminum frame which is both light and strong. The frame is complemented with Shimano 105 SC SIS componentry and a Matrix® wheel system. This combination offers quick acceleration, durability, and efficient power transfer for peak cycling performance

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
Easton 6061-E9 Double Butted Aluminum Alloy/Bonded Aluminum
HUBS
Shimano 105, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-3, 700 x 25C
DRIVE TRAIN
Shimano 105 SC SIS
BRAKESET
Shimano 105 SC Aero with SLR levers
FREEWHEEL
Shimano Hyperglide 13-23, 7-speed cassette
Shown in Champagne with Purple on Silver and Green.



1420 Aluminum Performance



The 1420 is a unique bicycle that can only be classified as a performance touring cycle. It's double butted, bonded aluminum frame is designed to be both strong enough for touring loads and also light enough to cover a lot of road quickly. It is equipped with the Shimano Deore DX SIS drive train with a triple crank supplying the gear range needed when loaded down on tough hills. ■ The strength, minimal weight, and rigidity of the 1420 makes it a great choice for both performance and tour cycling.

Function Specific™ Design

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
Easton 6061-E9 Double Butted Aluminum Alloy/Bonded Aluminum
HUBS
Shimano 105, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-3K, 700 x 25C, Kevlar Belted
DRIVE TRAIN
Shimano Deore DX SIS
BRAKESET
Shimano 105 SC Aero Super SLR
FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette
Shown in Glacial with Red on White and Navy.



1200 Aluminum Performance

The 1200 is Trek's most popular aluminum road bicycle. It features a double butted, bonded aluminum construction which results in a strong, stiff, but very light frame. It is equipped with a Shimano RX-100 SIS drive train and Matrix® ISO-C II rims. This is a bicycle that delivers the acceleration, speed, and durability needed for riding at your best.

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm
FRAME/FORK
Easton 6061-E9 Double Butted Aluminum Alloy/Cro-moly, aero sloping crown
HUBS
Shimano RX-100, 32 hole w/QR
RIMS
Matrix ISO-C II, hard anodized
TIRES
Matrix CD-3, 700 x 25C
DRIVE TRAIN
Shimano RX-100 SIS
BRAKESET
Shimano RX-100 aero with SLR levers
FREEWHEEL
Shimano Hyperglide 13-23, 7-speed cassette
Shown in Yellow and Black Splash with Black on Silver and Blue

Function Specific™ Design



1100 Aluminum Performance



This cycle is designed for fast paced performance and touring. The internally lugged and bonded aluminum frame is carefully engineered for maximum strength and minimal weight. And the 1100 is driven by SunTour Edge components and a triple crank for a smooth, wide range of performance. ■ This is a bicycle of minimal weight for quick performance, but it also boasts the strength and rigidity needed for hard, fast cycling.

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm

FRAME/FORK
Trek/Alcoa 6061 T6 Aluminum Alloy/ Aero Cro-moly

HUBS
Sansin 32 hole w/QR

RIMS
Matrix Titan II, hard anodized

TIRES
Matrix CD-2, 700 x 25C, High pressure skinwall

DRIVE TRAIN
SunTour Edge GX Accushift

BRAKESET
Dia Compe Edge with aero levers

FREEWHEEL
SunTour Accushift Plus 13-28, 7-speed

Shown in Sapphire with White on Silver and Red.

Function Specific™ Design



1000 Aluminum Performance

The 1000 offers aluminum performance at a value price. The frame consists of double butted aluminum tubes which are bonded to our exclusive investment cast lugs. This construction results in a light, strong, and precisely aligned frame. Combined with the SunTour Edge SS Accushift drive train and a Matrix® wheel system you have a cycle that promises smooth performance. ■ The 1000 is a bicycle that offers a quick, comfortable ride at a comfortable price.

Function Specific™ Design

SIZES
47, 50, 52, 54, 56, 58, 60 and 62 cm

FRAME/FORK
Trek/Alcoa 6061 T6 Aluminum Alloy/ Aero Cro-moly

HUBS
Sansin 32 hole w/QR

RIMS
Matrix Titan II, hard anodized

TIRES
Matrix CD-2, 700 x 25C, High pressure skinwall

DRIVE TRAIN
SunTour Edge SS Accushift

BRAKESET
Dia Compe Edge with aero levers

FREEWHEEL
SunTour Accushift Plus 13-28, 7-speed

Shown in Black with Conch on White and Blue.



520 Cro-moly Touring

Trek's Road Cro-moly bicycles are carefully crafted bicycles that go a long way in performance. Their brazed Cro-moly construction results in a strong, rigid, precisely aligned frame that offers long-lasting quality, fun and value. ■ The 520 is designed with long distance touring in mind. The special geometry of the frame creates directional stability while loaded and offers ample clearance for panniers and fenders. The Shimano Deore DX components and the triple crank assure smooth operations under the stress encountered when touring. ■ The 520 Cro-moly is a quality cycle that will provide you with long-term cycling performance and enjoyment.

Function Specific™ Design

SIZES
17, 19, 21 and 23"

FRAME/FORK
True Temper AT Double Butted Cro-moly/Cro-moly w/unicrown

HUBS
Shimano Deore DX, 36 hole w/QR

RIMS
Matrix Titan Tour, 700C, hard anodized

TIRES
Matrix Tour 700 x 30C, Kevlar belted skinwall

DRIVE TRAIN
Shimano Deore DX SIS


BRAKESET
Shimano Deore L.P. DX SLR Cantilevers

FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette

Shown in Purple with White on Conch and Silver.



400 Cro-moly Sport



The 400 is designed for the cyclist looking for a sport and all around fitness bicycle. The geometry of this cycle provides a quick and exhilerating ride. The brazed construction and SunTour Blaze SS Accushift drive train provide the durability and consistant performance that make the 400 a great ride.

SIZES
18, 19, 21, 22.5, 24 and 25.5"

FRAME/FORK
True Temper RC Double Butted Cro-moly/Cro-moly

HUBS
Sansin 32 hole w/QR

RIMS
Matrix Titan II, 700C, hard anodized

TIRES
Matrix CD-2, 700 x 28C, High pressure skinwall


DRIVE TRAIN
SunTour Blaze SS Accushift

BRAKESET
Dia Compe Blaze with aero levers

FREEWHEEL
SunTour Accushift Plus 13-28, 7-speed

Shown in White with Red on Silver and Purple.

Function Specific™ Design



MODEL	SIZES	MAIN TUBES	SEAT LUG	STAYS	FORK	HEADSET	CRANKSET	FRONT/REAR DERAILLEUR	SHIFT LEVERS	BRAKESET	FREEWHEEL/ CHAIN	HUBSET	SPOKES	RIMS	TIRES	PEDALS	HANDLE-BARS	STEM	SEAT POST	SADDLE	SPECIAL ADD-ONS
MOUNTAIN BIKES																					
8900	15, 16.5, 18, 20 and 22"	Trek ATB double butted graphite-epoxy composite OD headlug	Trek aluminum alloy	Trek/Easton tapered T6 aluminum	Dia Compe Rock Shox suspension system	Tioga OS-3 Avenger black CP sealed	Sugino XP Forged 46/36/24 round powerrings	(f) SunTour XC Pro Top-pull (r) SunTour XC Pro GT for Accushift Plus	SunTour XC Pro Multi-Mount Thumb-shifters	Grafton speed control cantilevers w/ Aztec pads & XC Pro levers	(fw) SunTour Winner Pro, 12-28, 7-speed Accushift Plus (c) SunTour Accushift Plus	Bullseye precision sealed QR 32 hole	15G stainless steel	Matrix Titan II ATB, hard anodized	Matrix Z-Axis Comp Kevlar folding 26 x 2.0"	SunTour XC Pro grease guard competition alloy w/clips	Matrix/ Easton aluminum alloy Hyper-Lite black	Answer A-TAC TIG welded alloy OS	USA light alloy, Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop, chain hanger and ONZA bold bar ends
8700	15, 16.5, 18, 20 and 22"	Trek ATB double butted graphite-epoxy composite OD headlug	Trek aluminum alloy	Trek/Easton tapered T6 aluminum	Tange Super "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-3 Avenger black CP sealed	Sugino XP Forged 46/36/24 round powerrings	(f) SunTour XC Pro Top-pull (r) SunTour XC Pro GT for Accushift Plus	SunTour XC Pro Multi-Mount Thumb-shifters	Dia Compe 986 cantilevers black w/ advantage SS-5 comp levers	(fw) SunTour Winner Pro, 12-28, 7-speed Accushift Plus (c) SunTour Accushift Plus	Bullseye precision sealed QR 32 hole	15G stainless steel	Matrix Titan II ATB, hard anodized	Matrix Z-Axis Comp Kevlar folding 26 x 2.0"	SR MTP-129 "Low Fat" Pro sealed w/clips	Matrix/ Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix/ PM43 Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
8500	15, 16.5, 18, 20 and 22"	Trek/Easton 7000 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Tange Super "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-3 Avenger black CP sealed	Shimano Deore XT w/black alloy 46/36/24 round Superglide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore XT 7-speed indexing	Shimano Deore XT MO-92 Rapid Fire 7-speed SIS indexing	Shimano Deore XT Super SLR L.P. cantilevers w/2-finger	(fw) Shimano Hyperglide12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore XT 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Tire System 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/ Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix/ PM43 Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
8000	15, 16.5, 18, 20 and 22"	Trek/Easton 7000 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Tange Super "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-3 Avenger black CP sealed	Shimano Deore DX w/black alloy 46/36/24 round Superglide chainrings	(f) Shimano Deore DX Top-pull (r) Shimano Deore DX 7-speed indexing	Shimano Deore XT MO-92 Rapid Fire 7-speed SIS indexing	Shimano Deore XT Super SLR L.P. cantilevers w/2-finger	(fw) Shimano Hyperglide 13-30, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Tire System 26 x 2.0"	SR "Low Fat" comp all alloy black w/clips	SR "Power Bulge" alloy black	Matrix OS welded aluminum black	Matrix/ PM43 Hard Black 300mm	Vetta Racing Gel w/shock absorption	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
7000	15, 16.5, 18, 20 and 22"	Trek/Easton 6061 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Tange "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-2 Avenger black CP sealed	Shimano Deore LX w/alloy 46/36/24 round Superglide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore DX Rapid Fire 7-speed SIS indexing	Shimano Deore DX L.P. cantilevers w/2-finger levers	(fw) Shimano Hyperglide 13-30, 7-speed (c) Shimano Hyperglide	Shimano Deore LX 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Cliffhanger 26 x 2.0"	SR "Low Fat" sport black w/clips	True Temper competition Cro-moly bright green	Matrix OS TIG welded Cro-moly black	Matrix/ PM43 Hard Black 300mm	Vetta ATB Lycra Gel w/shock absorption	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
6000	15, 16.5, 18, 20 and 22"	Trek/Alcoa 6061 T6 aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Trek "Cruise Control" butted Cro-moly TIG welded unicrown	Tioga OS-2 Avenger black CP sealed	SunTour XC-LTD 46/36/24 NING round powerings	(f) SunTour XC-LTD Top-pull (r) SunTour XC-LTD Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	SunTour XC-LTD cantilevers w/XC-LTD ATB levers	(fw) SunTour Accushift 13-30, 7-speed (c) SunTour Accushift Plus	Sansin sealed QR 32 hole	14G stainless steel	Matrix Single Track comp	Matrix Cliffhanger 26 x 2.0"	SR "Low Fat" sport black w/clips	True Temper competition Cro-moly black	Matrix OS TIG welded Cro-moly black	Micro-adjust alloy, 300mm	Matrix Lycra "Ener-Gel"	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
990	15, 16.5, 18, 20 and 22"	True Temper OD heat-treated ATB Cro-moly Full OD	Trek investment cast ATB OS II	True Temper OS tapered Cro-moly	Tange Super "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-3 Avenger black CP sealed	Shimano Deore XT w/black alloy 46/36/24 round Superglide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore XT 7-speed	Shimano Deore XT Thumb-shifters 7- speed SIS	Shimano Deore XT L.P. cantilevers w/2-finger ATB levers	(fw) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore XT 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Tire System 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/ Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix/ PM43 Hard Black OS 300mm	Sella Italia Turbo	Triple-Tech top tube cable stops, dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger
970	15, 16.5, 18, 20 and 22"	True Temper OD ATB double butted Cro-moly Full OD	Trek investment cast ATB OS II	True Temper OS tapered Cro-moly	Tange "Big Fork" Cro-moly w/ cast tips & TIG welded unicrown	Tioga OS-3 Avenger black CP sealed	Shimano Deore DX w/black alloy 46/36/24 round Hyperglide chainrings	(f) Shimano Deore DX Top-pull (r) Shimano Deore DX 7-speed	Shimano Deore MO-92 Rapid Fire 7-speed SIS indexing	Shimano Deore XT L.P. canti-levers w/Super SLR 2-finger ATB levers	(fw) Shimano Hyperglide 13-30, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Cliffhanger 26 x 2.0"	SR "Low Fat" comp all alloy black w/clips	SR "Power Bulge" alloy black	Tioga T-bone Cro-moly OS	Matrix/ PM43 Hard Black OS 300mm	Vetta mens Lycra Gel w/shock absorption	Triple-Tech top tube cable stops, dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger.
950	15, 16.5, 18, 20 and 22"	True Temper OD double butted Cro-moly OD Top & Head Tubes	Trek investment cast ATB OS I	True Temper tapered Cro-moly	Trek "Cruise Control" butted Cro-moly TIG welded unicrown	Tioga OS-2 Avenger black CP sealed	Shimano Deore LX w/alloy 46/36/24 round Hyperglide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore LX Rapid Fire 7-speed SIS indexing	Shimano Deore DX cantilevers w/SLR ATB levers	(fw) Shimano Hyperglide 13-30, 7-speed (c) Shimano Hyperglide	Shimano Deore LX 32 hole w/QR	14G stainless steel	Matrix Single Track comp	Matrix Cliffhanger 26 x 2.0"	SR "Low Fat" sport black w/clips	True Temper competition Cro-moly black	Matrix OS" TIG welded Cro-moly black	Micro-adjust alloy, 300mm	Vetta ATB Lycra Gel w/shock absorption	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger
930	15, 16.5, 18, 20 and 22"	True Temper OD double butted Cro-moly OD Top & Head Tubes	Trek investment cast ATB OS I	True Temper tapered Cro-moly	Trek "Cruise Control" butted Cro-moly TIG welded unicrown	Tioga OS-2 Avenger black CP sealed	SR X-1 black w/ round 48/38/28 black AJS chainrings	(f) SunTour XC-LTD GX Top-pull (r) SunTour X-1 black 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Compe X-1 cantilevers w/DC short stop BRS levers	(fw) SunTour 13-30 Accushift Plus, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	14G stainless steel	Matrix Single Track comp 26 x 1.25"	Matrix Cliffhanger 26 x 2.0"	SR "Low Fat" sport black w/clips	True Temper competition Cro-moly black	SR Tube OS alloy/ Cro-moly black	Micro-adjust alloy, 300mm	Matrix Lycra "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger
850	14.5, 16.5, 18, 20 and 22"	Tange ATB double butted Cro-moly OD Top & Head Tubes	Trek TIG welded and outer butted	Trek ATB tapered Cro-moly 18mm Dia.	Trek "Cruise Control" Cro-moly TIG welded unicrown	Tioga OS-2 Avenger black sealed	SR XCE w/round 48/38/28 black AJS chainrings	(f) SunTour XCE GX (r) SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Compe XCE cantilevers w/DC BRS ATB levers	(fw) SunTour 13-30 Accushift Plus, 7-speed (c) SunTour Accushift Plus	SunTour sealed 32 hole w/QR Ft. & R.	14G UCP	Matrix Single Track 26x15" hard anodized	Matrix Cliffhanger 26 x 2.0"	Victor VP-933S w/clips	H.L. competition black flat 560mm	Matrix OS TIG welded Cro-moly black	Micro-adjust alloy, 300mm	Matrix Lycra "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger
830	14.5, 16.5, 18, 20, 22 and 24"	Tange ATB double butted Cro-moly OD Top & Head Tubes	Trek TIG welded and outer butted	Trek ATB special tapered 18mm Dia.	Trek "Cruise Control" Cro-moly TIG welded	Tioga OS-2 Avenger black sealed	Shimano Exage 300 LX 48/38/28 Bio-Pace Superglide chainrings	(f) Shimano Exage 300 LX (r) Shimano Exage 300 LX 7-speed indexing	Shimano Exage 300 LX Rapid Fire 7-speed SIS indexing	Shimano Exage 300 LX cantilevers w/ SLR ATB levers	(fw) Shimano Hyperglide 13-30, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/QR Ft. & R.	14G UCP	Araya VP-20 25 x 1.5" alloy	Matrix CDX, 26 x 1.95" skinwall knobby	HTI nylon ATB	H.L. competition black flat 560mm	Matrix OS TIG welded Cro-moly black	Micro-adjust alloy, 300mm	Matrix Lycra "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger
820	14.5, 16.5, 18, 20 and 22," 17" ladies, 15.5 x 24" wheel	Trek ATB Cro-moly	Trek TIG welded and outer butted	Trek special tapered 18mm Dia.	Cro-moly ATB unicrown	Trek micro-adjust black	Shimano 200GS 48/38/28 Bio-Pace Superglide chainrings	(f) Shimano 200GS (r) Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS indexing	Shimano 200GS cantilevers w/ SLR ATB levers	(fw) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/QR Ft. & R.	14G UCP	Araya VP-20 alloy	Matrix CDX 26 x 1.95" skinwall knobby	HTI nylon ATB	Steel, black flat 600mm	TIG welded black w/ high rise	Steel pin, 300mm, black	Matrix Lycra "Ener-Gel"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, rear rack mounts, chain stay cable stop and chain hanger
800	14.5, 16.5, 18, 20, 22 and 24," 17" ladies, 15.5" x 24" wheel	Trek ATB Cro-moly	Trek TIG welded and outer butted	Trek special tapered ATB 18mm Dia.	Hi-tensile ATB unicrown	Trek micro-adjust black	Shimano M-100 48/38/28 Bio-Pace Superglide chainrings	(f) Shimano M-100 (r) Shimano M-100 7-speed indexing	Shimano M-100 Rapid Fire 7-speed SIS Indexing	Shimano M-100 cantilevers w/ SLR ATB levers	(fw) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/QR Ft. & R.	14G UCP	Araya MP-22 alloy	Matrix CDX 26 x 1.5" skinwall knobby	HTI nylon ATB	Steel, black low rise 600mm	TIG welded steel w/rise black	Steel pin, 300mm, black	Matrix "Air Flex"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, rear rack mounts, chain stay cable stop and chain hanger
MULTI-TRACK																					
7900	15, 16.5, 18, 20, and 22"	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Trek Cro-moly Multi-Track unicrown	Tioga OS-2 Avenger black CP sealed	Shimano Deore DX w/alloy 48/38/28 round Superglide chainrings	(f) Shimano Deore DX Top-pull (r) Shimano Deore DX 7-speed indexing	Shimano Deore DX Rapid Fire 7-speed SIS indexing	Shimano Deore DX L.P. cantilevers w/2-finger ATB levers	(fw) Shimano Hyperglide 12-28T, 7-speed (c) Shimano Hyperglide	Shimano Deore DX sealed 32 hole w/QR	15G stainless steel	Matrix Titan Tour, hard anodized	Matrix Multi-Track 700 x 40C	SR "Low Fat" comp all alloy black w/clips	SR "Power Bulge" alloy black	SR Tube OS alloy/ Cro-moly black	Matrix/ PM43, hard black, 300mm	Vetta mens Lycra Gel w/shock absorption	Triple-Tech, dual bottle mounts, cantilever cable stop, front and rear rack mounts and chain hanger
750	17, 19, 21 and 23"	True Temper double butted AT Cro-moly	Trek investment cast	True Temper tapered Cro-moly	Trek Cro-moly Multi-Track unicrown	Tange sealed black	SR XCE w/round 48/38/28 AJS chainrings	(f) SunTour XCE GX (r) SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Compe XCE cantilevers w/DC BRS ATB levers	(fw) SunTour 13-30T, Accushift Plus, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan Tour, hard anodized	Matrix Multi-Track 700 x 35C	SR "Low Fat" sport black w/clips	True Temper Cro-moly 520mm	SR Tube alloy/ Cro-moly black	Alloy micro-adjust 300mm	Vetta mens Lycra Gel w/shock absorption	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chainstay cable stop and chain hanger
720	15, 17, 19, 21 and 23," 17" ladies	Trek ATB Cro-moly	Trek TIG welded and outer butted	Trek special tapered ATB 18mm Dia.	Trek Cro-moly Multi-Track unicrown	Trek micro-adjust black	SR XCM w/round 48/38/28 AJS chainrings	(f) SunTour XCT (r) SunTour XCT 7-speed Accushift Plus indexing	SunTour X-press 7-speed Accushift Plus indexing	Dia Compe XCT cantilevers w/DC BRS ATB levers	(fw) SunTour 13-30T, Accushift Plus, 7-speed (c) SunTour Accushift Plus	J.Y. alloy sealed 36 hole w/QR Ft. & R.	14G UCP	Araya PX-45, alloy	Matrix Multi-Track 700 x 35C	HTI nylon ATB w/clips	Steel, black low rise 600mm	Delta alloy w/rise black	Steel pin, 300mm, black,	Matrix Lycra "Ener-Gel"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chainstay cable stop and chain hanger
700	15, 17, 19, 21 and 23," 17" ladies	Trek ATB Cro-moly	Trek TIG welded and outer butted	Trek special tapered ATB 18mm Dia.	Trek Hi-tensile Multi-Track	Trek micro-adjust black	Shimano 200GS 48/38/28 Bio-Pace Superglide chainrings	(f) Shimano 200GS (r) Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS Indexing	Shimano 200GS cantilevers w/SLR ATB levers	(fw) Shimano Hyperglide 12-28T, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/QR Ft. & R.	14G UCP	Araya PX-45, alloy	Matrix Multi-Track 700 x 35C	HTI nylon ATB	Steel, black low rise 600mm	TIG welded steel w/rise black	Steel pin, 300mm, black	Matrix "Air-Flex"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chainstay cable stop and chain hanger

Kevlar is a registered trademark of E.I. DuPont DeNemous, Inc.

MODEL	SIZES	MAIN TUBES	SEAT LUG	STAYS	FORK	HEADSET	CRANKSET	FRONT/REAR DERAILLEUR	SHIFT LEVERS	BRAKESET	FREEWHEEL/ CHAIN	HUBSET	SPOKES	RIMS	TIRES	PEDALS	HANDLE-BARS	STEM	SEAT POST	SADDLE	SPECIAL ADD-ONS
ROAD BIKES																					
2500	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek graphite-epoxy double butted composite	Trek bonded polished aluminum alloy	Trek tapered graphite-epoxy composite	Trek bright polished bonded aluminum w/ stainless tips	Shimano Dura Ace sealed	Shimano Dura Ace 59/39 round Superglide w/ sealed BB	(f) Shimano Dura Ace Braze-on type (r) Shimano Dura Ace 8-speed indexing	Shimano Dura Ace SIS	Shimano Dura Ace SLR w/aero levers	(fw) Shimano Hyperglide 12-21, 8-speed (c) Shimano Dura Ace	Shimano Dura Ace sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-6K, Kevlar 700 x 20C	Shimano 7401 clipless	SR FX Modolo Bend aluminum alloy	Dura Ace Aero cold forged alloy	USA light alloy 250mm	Sella Italia Turbo	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
2300	47, 50, 52, 54, 56, 58, 60 and 62 cm	True Temper graphite-epoxy double butted composite	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Shimano Ultegra sealed	Shimano Ultegra 53/39 round Superglide w/ sealed BB	(f) Shimano Ultegra (r) Shimano Ultegra 7-speed indexing	Shimano Ultegra 7-speed SIS indexing	Shimano Ultegra Super SLR w/aero levers	(fw) Shimano Hyperglide 13-21, 7-speed (c) Shimano Hyperglide	Shimano Ultegra sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-4, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Matrix/ PM43 Hard Black 250mm	Vetta Racing Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
2100	47, 50, 52, 54, 56, 58, 60 and 62 cm	True Temper graphite-epoxy double butted composite	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano 105 SC, 53/42 round Superglide aluminum chainrings	(f) Shimano 105 SC (r) Shimano 105 SC 7-speed indexing	Shimano 105 SC 7-speed SIS indexing	Shimano 105 SC Super SLR w/aero levers	(fw) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Matrix/ PM43 Hard Black 250mm	Vetta Racing Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1420	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano Deore DX 50/44/28 round aluminum chainrings	(f) Shimano Deore Half-Step (r) Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing	Shimano 105 SC Super SLR w/aero levers	(fw) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3K, Kevlar belted 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	SR X-stem 90 degree forged alloy, black	Matrix/ PM43 Hard Black 250mm	Vetta mens Lycra Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1400	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano 105 SC, 53/42 round Superglide aluminum chainrings	(f) Shimano 105 SC (r) Shimano 105 SC 7-speed indexing	Shimano 105 SC 7-speed SIS indexing	Shimano 105 SC Super SLR w/aero levers	(fw) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Matrix/ PM43 Hard Black 250mm	Vetta Racing Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1200	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/ internal plug aero sloping crown	Tange sealed satin silver	Shimano RX-100 53/42 round Superglide aluminum chainrings	(f) Shimano RX-100 (r) Shimano RX-100 7-speed indexing	Shimano RX-100 7-speed SIS indexing	Shimano RX-100 Super SLR w/aero levers	(fw) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano RX-100 sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	Shimano RX-100 aero w/clips	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Alloy micro-adjust 250mm	Vetta Racing Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1100	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/TIG welded aero unicrown	Tange sealed satin silver	SR Edge 52/42/32 round AJS chainrings	(f) SunTour Edge GX (r) SunTour Edge GX 7-speed Accushift Plus indexing	SunTour Edge 7-speed Accushift Plus indexing	Dia Compe Edge w/DC BRS aero levers	(fw) SunTour Accushift Plus 13-28, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, hard anodized	Matrix CD-2, 700 x 25C	HTI alloy quill w/clips	SR Modolo bend aluminum alloy	SR X-stem 90 degree forged alloy, black	Alloy micro-adjust 250mm	Vetta mens Lycra Gel w/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1000	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/TIG welded aero unicrown	Tange sealed satin silver	SR Edge 52/42 round AJS chainrings	(f) SunTour Edge SS (r) SunTour Edge SS 7-speed Accushift Plus indexing	SunTour Edge 7-speed Accushift Plus indexing	Dia Compe Edge w/DC Edge BRS aero levers	(fw) SunTour Accushift Plus 13-28, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, hard anodized	Matrix CD-2, 700 x 25C	HTI alloy quill w/clips	SR Modolo bend aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Matrix Lycra "Ener-Gel"	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
520	17, 19, 21 and 23"	True Temper TX double butted Cro-moly	Trek investment cast	True Temper tapered Cro-moly	Cro-moly w/ unicrown and cantilever brake bosses	Tange sealed black	Shimano Deore DX 50/44/28 round aluminum chainrings	(f) Shimano Deore DX Half-Step (r) Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing bar ends	Shimano Deore DX L.P. cantilevers, w/SLR aero levers	(fw) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 36 hole w/QR	15G stainless steel	Matrix Titan Tour, hard anodized	Matrix Tour, 700 x 30C Kevlar belted	Victor 933S black w/clips	SR X-Bar w/ Modolo bend	SR X-stem 90 degree forged alloy, black	PM43 Hard Black micro-adjust 300mm	Vetta mens Lycra Gel w/shock absorption	Top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger, brake bosses and front and rear rack mounts
400	18, 19, 21, 22.5, 24 and 25.5"	True Temper RC double butted Cro-moly	Trek investment cast	True Temper tapered Cro-moly	Cro-moly w/ sloping crown	Tange sealed satin silver	SR Blaze round 52/42 AJS chainrings	(f) SunTour Blaze SS (r) SunTour Blaze SS 7-speed Accushift Plus indexing	SunTour Blaze 7-speed Accushift Plus indexing	Dia Compe Blaze standard reach w/DC BRS aero levers	(fw) SunTour 13-28 Accushift Plus 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, hard anodized	Matrix CD-2, 700 x 28C	HTI alloy quill w/clips	H.L. aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Matrix "Air-Flex"	Top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and rear rack mounts

