

TREK 1994



ENGINEERING PASSION



Trek-sponsored pro racer Travis Brown has what it takes: a winning attitude and a 9900. Our congrats to Travis for a NORBA top ten finish in '93.

Winning

Commitment. Focus. Discipline. Perseverance.

Physical or technological superiority alone never guarantee victory. Look in a winner's eyes and you'll see the fire that burns in his belly. Passion, courage, tenacity...those are the qualities that distinguish Trek's off road pro team. And those are the attributes that define Trek as a company.




For us, the race is never finished. Somewhere over that next ridge, there's a new idea, a better way. Long after we've bested the competition, the challenge is to raise our sights and set new goals. Because ultimately, winning isn't about looking over your shoulder. Winning is about looking ahead.

9800 Ultra Performance Race


So light, it turned our competitors Ice Green with envy! All OCLV carbon frame and Trek System 3 ultralight rigid Cro-Moly fork. Shimano Deore XT to the max. Weight saving everything including Trek's System 4 handlebar and System 3 direct connect stem. So fast, this bike will shave seconds off your personal best every trip to the finish line.

Sizes: 16.5, 18, 19.5, 21". **Frame/Fork:** Trek design OCLV carbon lugs, main tubes & tapered stays; Trek System 3 ultralight Cro-Moly fork. **Drivetrain:** Shimano Deore LX-C, HyperDrive & HyperGlide w/Deore XT rear derailleur & GripShift SRT-500i shifters. **Hubset:** Shimano new Deore XT Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** IRC Piranha Pro-K, 26x2.0, folding. **Brakeset:** Shimano Deore LX M-System. **Color:** Ice Green w/White decals. **Weight:** 21.86lbs/9.916kg, weighed w/o bar ends.

Ask about special pricing on a suspension fork upgrade.



is an attitude.





Off Road
Ultra
Performance

The proof of performance.

Trek pro racers Travis Brown and Don Myrah rode strong all year long to place in NORBA's Top Ten elite for 1993.

Last year, we could only tell you our proprietary OCLV carbon technology was a breakthrough. This year's breakaway finishes prove it! The results are in and the word is out. Racers worldwide want these bikes.

Trek's proprietary Optimum Compaction/Low Void (OCLV) process produces the same laminate grade quality carbon used in jet fighters. The same durability in terms of fatigue, damage and abrasion resistance. This isn't an evolutionary step up our competitors will take in a year or so. It's a revolution; a totally new carbon fiber frame manufacturing process.

OCLV technology allows us to concentrate carbon fiber where needed to optimize stiffness and strength without weight penalty. The result is a stiffer bottom bracket and more torsionally rigid top and seat tubes. At 2.84lbs, with paint, these are the lightest, stiffest, winningest frames on the off road circuit.

We're not telling you this to blow our own horn. We're telling you because you have an opportunity to own an OCLV carbon bike. That is if you're serious enough and fast enough to get to a Trek dealer before his limited allotment blows right out the door. Seeing is believing. And you'll be seeing Trek OCLV carbon first at the finish line for years to come.

9900 Ultra Performance Race Suspension

Trek pro racers Don Myrah, Travis Brown and Paul Thomasberg ride this bike. Not to look cool or impress their friends. Because their livelihoods depend on winning. Consistently. Internationally. If you're serious enough to demand that kind of performance, you're smart enough to know what the pros know. Better to be racing on a 9900 than racing against it.

Sizes: 16.5, 18, 19.5, 21". **Frame/Fork:** Trek design OCLV carbon lugs, main tubes & tapered stays; Trek Mogul Black Diamond dual adjust air/oil suspension fork. **Drivetrain:** Shimano new Deore XT-C, HyperDrive & HyperGlide w/GripShift SRT-500i shifters. **Hubset:** Shimano Deore XT Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** IRC Piranha Pro-K, 26x2.0, folding. **Brakeset:** Shimano Deore XT M-System. **Color:** Ice Violet w/White decals. **Weight:** 23.24lbs/10.541kg, weighed w/o bar ends.

Also available as frameset.




9200 Dual Suspension Performance Race

Our new air/oil damped Suspension Track System (STS) features a new OCLV carbon swingarm ratio delivering superior compression/rebound damping with lower spring force. With less pressure required to bring your rear wheel under control, system weight is reduced and responsiveness enhanced. If you want aluminum *and* the newest rear suspension technology, jump on this one!

Sizes: 16.5, 18, 20, 22". **Frame/Fork:** Easton 7129 E9 ProGram butted aluminum alloy, Trek aluminum alloy lugs, Trek OCLV carbon one-piece STS swingarm, Risse Racing Technology air/oil adjustable rear monoshock; Trek Mogul air/oil suspension fork. **Drivetrain:** Shimano Deore LX-C, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear & Deore XT rear derailleur. **Hubset:** Shimano Deore LX Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** IRC Piranha Pro-K, 26x2.0, folding. **Brakeset:** Shimano Deore LX M-System & Paul's CrossTop. **Color:** Black Chrome w/Purple decals. **Weight:** 27.59lbs/12.515kg, weighed w/o bar ends.







8700 ABT Carbon Competition

Racing input drove this new design. "Make the ride a little stiffer," they told us; "...the feel a little livelier." Done! Thanks to Trek-spec'd multi-layer carbon tubes; and entirely re-engineered lighter weight, thin-wall, investment cast, aluminum lugs. Whatever stands between you and the finish line, you can get there from here...in record time!

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek butted carbon, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek System 2 butted Cro-Moly fork. **Drivetrain:** Shimano Deore LX-C, HyperDrive & HyperGlide w/GripShift SRT-500i shifters & Deore XT rear derailleur. **Hubset:** Shimano Deore LX Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** IRC Piranha Pro-K, 26x2.0, folding. **Brakeset:** Shimano Deore LX M-System. **Color:** Ice Violet and natural tubes w/Violet decals. **Weight:** 23.65lbs/10.727kg, weighed w/o bar ends.

Ask about special pricing on a suspension fork upgrade.







8000 ABT Aluminum Competition

The quintessential mountain racer, this bike's on America's "Most Wanted" list. Today's mounted police are riding these frames for the same reason you should. This bike's light, stiff, fast, durable and a proven winner in the take-no-prisoners racing world. Comes armed with everything needed for quick off road getaways including Shimano's Deore LX package and RapidFire+ shifting.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Easton 7129 E9 ProGram butted aluminum alloy, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek System 2 butted Cro-Moly fork. **Drivetrain:** Shimano Deore LX-C, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear & Deore XT rear derailleur. **Hubset:** Shimano new Deore LX Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** Trek Big Kahuna, 26x2.1. **Brakeset:** Shimano Deore LX M-System. **Color:** Ice Indigo w/Gold decals. **Weight:** 24.50lbs/11.113kg.

7000 ABT Aluminum Performance

The only thing that carries any weight on this bike is the Trek name. The frame and stays are Easton 7129 E9 tapered aluminum. Crankset, derailleurs and hubset are STX, Shimano's lighter, sleeker new gruppo for '94. Plus there's a full complement of our own slimming System components. In short, we took it off everywhere possible, for a ride you'll really get off on!

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Easton 7129 E9 ProGram butted aluminum alloy, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek System 2 butted Cro-Moly fork. **Drivetrain:** Shimano STX Special Edition, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear. **Hubset:** Shimano STX Special Edition Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** Trek Big Kahuna, 26x2.1. **Brakeset:** Shimano STX Special Edition M-System. **Color:** Ice Green w/Purple decals. **Weight:** 25.26lbs/11.458kg.



970 SingleTrack Competition

From brakes to bar ends, here's gritty, gutsy performance. Shimano Deore XT componentry delivers race-proven precision. Multi-condition brakes securely grip our all-new Big Kahuna tires. Hot Trek System 2 bar ends complete a one-of-a-kind SingleTrack package.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek System 2 butted Cro-Moly fork. **Drivetrain:** Shimano Deore LX-C crankset, HyperDrive & HyperGlide w/Deore XT-C rear derailleur & 8 speed RapidFire+ dual SIS levers w/OptiGear. **Hubset:** Shimano Deore XT Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** Trek Big Kahuna, 26x2.1, folding. **Brakeset:** Shimano Deore LX M-System. **Color:** Black Chrome w/Purple decals. **Weight:** 25.06lbs/11.367kg, weighed w/o bar ends.



950 SingleTrack Performance

Dirt is a four letter word. Vile, ugly, nasty stuff. And this bike was made to wallow in it! Over hardpack, under limbs, through sand, swamp and gravel. And Suspension Ready Geometry means you can crank it to a still higher level of performance with a front shock whenever you're ready.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek System 2 butted Cro-Moly fork. **Drivetrain:** Shimano Deore LX-C, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear & Deore XT-C rear derailleur. **Hubset:** Shimano Deore LX Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** Trek Big Kahuna, 26x2.1. **Brakeset:** Shimano Deore LX M-System. **Color:** Ice Blue w/Silver decals. **Weight:** 26.08lbs/11.830kg.



Off Road
SingleTrack
Steel



930 SingleTrack Performance

This bike is a steal in more ways than one. Custom drawn Trek True Temper Cro-Moly OX oversize frame cuts weight, boosts strength, absorbs vibrations. You also get new Shimano STX propulsion and multi-condition braking equal to the rigors of rough terrain.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek System 1 butted Cro-Moly fork. **Drivetrain:** Shimano STX, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear. **Hubset:** Shimano STX Parallax. **Rims:** Matrix SingleTrack Comp, 32 hole. **Tires:** Trek Control Track, 26x2.1. **Brakeset:** Shimano STX M-System. **Color:** Ice Violet to Ice Green fade w/White decals; Black w/Blue decals. **Weight:** 27.72lbs/12.574kg.






920 SingleTrack Performance

Confidence. GripShift inspires it. You're in total control because your hands never change position on the bars. A flick of the wrist propels you through 21 gears. And with our new SingleTrack frame, the 920 doesn't know its limitations, and it intends to test yours.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek System 1 butted Cro-Moly fork. **Drivetrain:** Shimano Alivio crankset, HyperDrive & HyperGlide w/STX derailleurs & GripShift SRT-300i shifters. **Hubset:** Shimano STX Parallax. **Rims:** Matrix SingleTrack Comp, 32 hole. **Tires:** Trek Control Track, 26x2.1. **Brakeset:** Shimano Alivio M-System. **Color:** Ice Violet w/Gold decals; Black Forest Green w/Gold decals. **Weight:** 27.72lbs/12.574kg.





Our engineers are control freaks.

Harry Spehar, component specifier, on today's fork technology:

I: Harry, why is suspension suddenly all the rage?

HS: Because riders have discovered they go faster with it than without it. Better vision. Quicker reaction. Far less fatigue. Direct seat of the pants benefits every time out. That's why bikes with suspension forks make sense for off road riders at any level.

I: Okay, but what if the technical stuff makes no sense at all?

H.S. Just remember that unless the frame is right, a fork won't help you. Trek engineers designed these bikes for suspension from day one. The geometries are right. The materials are right. The weight is right. Because they did their job so well, my job is easy. Match fork performance level to frame performance level. Believe me, we've got the technical stuff hammered. The only research required on your part is a test ride or two because Trek offers so many great suspension models.



930SHX

SingleTrack Performance Suspension

Light weight is the big shock here. Trek-designed thin-wall, custom butted True Temper Cro-Moly tubing shaves it off the frame and the all new Rock Shox Quadra 10 trims it up front. The componentry's low-fat, too: Shimano STX with HyperGlide, Trek System 2 direct connect stem, System 1 bar ends and Trek Control Track tires. You can fork over more money, but spec for spec, nobody gives you more than Trek.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Rock Shox Quadra 10 elastomer suspension fork. **Drivetrain:** Shimano STX, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear. **Hubset:** Shimano STX Parallax. **Rims:** Matrix SingleTrack Comp, 32 hole. **Tires:** Trek Control Track, 26x2.1. **Brakeset:** Shimano STX M-System. **Color:** Ice Red w/Silver decals. **Weight:** 28.38lbs/12.873kg, weighed w/o bar ends.



Rock Shox Quadra 10 elastomer suspension fork. Race proven. Racer approved.



7000SHX


ABT Aluminum Performance Suspension

It takes a real superstar to break into our '94 line-up. And this is the rookie of the year. Here's the suspended aluminum ride you didn't think possible. Built with Easton's lightweight, ProGram oversize (OS) tubing and new thin-wall lugs, it's got speed, lightning fast reflexes and plenty of muscle to handle the hard stuff. One ride will tell you, it's a whole new ball game.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Easton 7129 E9 ProGram butted aluminum alloy, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek Mogul air/oil suspension fork. **Drivetrain:** Shimano STX Special Edition, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear. **Hubset:** Shimano STX Special Edition Parallax. **Rims:** Matrix SingleTrack Pro, 32 hole. **Tires:** Trek Big Kahuna, 26x2.1. **Brakeset:** Shimano STX Special Edition M-System. **Color:** Black Chrome w/Violet decals. **Weight:** 26.50lbs/12.020kg, weighed w/o bar ends.



Off Road Performance Suspension



850SHX Mountain Track Performance Suspension

Strong, stiff and invincible, the 850 is the performance leader of our Mountain Track line. From the wheels up, we built this bike for suspension. Trek-spec'd oversize (OS) Cro-Moly, oversize headset, Shimano Alivio RapidFire+ shifting, Trek Cliffhanger/Cliffclimber tire system and alloy bar ends make our 850SHX a towering value!

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek oversize Cro-Moly main tubes, TIG welded w/Trek Cro-Moly stays; SR DuoTrack elastomer suspension fork. **Drivetrain:** Shimano Alivio, HyperDrive & HyperGlide w/RapidFire+ dual SIS levers w/OptiGear & Shimano STX rear derailleur. **Hubset:** Shimano Alivio Parallax. **Rims:** Araya alloy, 36 hole. **Tires:** Trek Cliffhanger/Cliffclimber system, 26x2.0. **Brakeset:** Shimano Alivio M-System. **Color:** Charcoal w/Gold decals.



830SHX Mountain Track Suspension

We call it "trickle down" engineering. Uphill technology. Downhill pricing. It's why even this entry-level suspension bike comes with a TIG welded Cro-Moly frame, SR DuoTrack 7001 shock and elevated componentry worthy of the way it's built. Pass up this blockbuster value and you most definitely have rocks in your head.

Sizes: 14.5, 16.5, 18, 19.5, 21". **Frame/Fork:** Trek Cro-Moly main tubes, TIG welded w/Cro-Moly stays; SR DuoTrack 7001 suspension fork. **Drivetrain:** Shimano Alivio, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Alloy quick release. **Rims:** Weinmann alloy, 36 hole. **Tires:** Trek Connection, 26x1.95. **Brakeset:** Cold forged alloy w/Shimano Altus levers. **Color:** Forest Green w/White decals.


Trek Mountain Track. Even price is no obstacle.



If the only mountain you'll see this weekend is in your laundry basket, get a bike, get a life! Now. Because you're looking at the mountain bikes that will get your life back on track.

We call them "Mountain Tracks." What's in a name? The same meticulous attention to detail that distinguishes a Trek from all the rest. The same design-from-the-ground-up engineering philosophy. The same sophisticated performance componentry. The same function-specific tire systems. The same rigorous testing.

So don't let the price tag fool you. These are real, bona fide mountain bikes. And they've got the papers to prove it: our exclusive lifetime warranty, your assurance of authentic Trek quality. You're going to love mountain biking! It's a whole lot more fun than ironing!





850 Mountain Track Performance

It's tops in our Mountain Track line and should be at the top of your list. With 21 speeds, Shimano's Alivio shifters w/OptiGear, STX rear derailleur and our function-specific Cliffhanger/Cliffclimber tires, this bike is cool, cocky and comes with a bad attitude as standard equipment.

Sizes: 14.5, 16.5, 18, 19.5, 21, 22.5". **Frame/Fork:** Trek oversize Cro-Moly main tubes, TIG welded w/Trek Cro-Moly stays; Cro-Moly fork. **Drivetrain:** Shimano Alivio, HyperDrive & HyperGlide w/OptiGear and Shimano STX rear derailleur. **Hubset:** Shimano Alivio. **Rims:** Araya alloy, 36 hole. **Tires:** Trek Cliffhanger/Cliffclimber system, 26x2.0. **Brakeset:** Shimano Alivio M-System. **Color:** Floating Violet to Black fade w/White decals; Steel Blue w/Black decals.





830 Mountain Track Performance Trail

This bike deserves serious consideration because, dollar for dollar, it has no serious competition. Can they match our price and give you a high-strength, full Cro-Moly frame, Shimano's Alivio gruppo with GripShift shifting and the full 21 speeds of a serious off road bike? Now you know why Trek encourages comparison shopping. Because you'll quickly discover there's no comparison!

Sizes: 14.5, 16.5, 18, 19.5, 21, 22.5, 24"; Women's 17, 20". **Frame/Fork:** Trek Cro-Moly main tubes, TIG welded w/Cro-Moly stays; Cro-Moly fork. **Drivetrain:** Shimano Alivio, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Alloy quick release. **Rims:** Weinmann alloy, 36 hole. **Tires:** Trek Connection, 26x1.95. **Brakeset:** Cold forged alloy w/Shimano Altus levers. **Color:** Blue to Black fade w/Silver decals; Pearl Red w/White decals.





820 Mountain Track Sport Trail

You're a recreational rider, not a racer. Does that mean you settle for some wimpy, department store bike? Not on your life! Our 820's got a Shimano HyperGlide drivetrain and Advanced Light Action rear shifting for smooth, precise gear changes under heavy loads. Downshifts fast without letting up. Rock on! Now you can hit the trail confident you'll never trail behind.

Sizes: 14.5, 16.5, 18, 19.5, 21, 22.5, 24"; 14" w/24" wheels; Women's 17, 20". **Frame/Fork:** Trek Cro-Moly main tubes w/outer butted seat tube, TIG welded w/tensile steel stays; Cro-Moly fork. **Drivetrain:** Shimano Altus C50, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Alloy quick release. **Rims:** Weinmann alloy, 36 hole. **Tires:** Trek Connection, 26x1.95. **Brakeset:** Cold forged alloy w/Shimano TY21 levers. **Color:** Light Green to Dark Green fade w/White decals; Blue w/Silver decals; Champagne w/Black decals.







Off Road Mountain Track

Mountain KDZ Sport Trail

Not just kid stuff. These bikes are kid tough! Engineered with the same technological sophistication as our grownup mountain models. That means real off road geometries, Trek spec'd Cro-Moly tubes, Shimano HyperGlide shifting, micro-adjust seatpost, and full-width mountain tires. Please teach your kids to play safe. Point out that pro mountain bike racers always wear their helmets!

Sizes: 12" w/20" wheel; 14" w/24" wheel. **Frame/Fork:** Trek Cro-Moly main tubes, TIG welded w/tensile steel stays; tensile steel fork (20"); Cro-Moly fork (24"). **Drivetrain:** Shimano MJ, HyperGlide w/OptiGear. **Hubset:** Alloy. **Rims:** Araya alloy, 36 hole. **Tires:** Maxxis, 20x1.95 (20"); Trek Connection, 24x1.95 (24"). **Brakeset:** Cold forged alloy w/Shimano MJ levers. **Colors:** As indicated at right.



Boy's 20" in Reflex Blue; Girl's 20" in Pink





Girl's 24" in Teal; Boy's 24" in Black






800 Mountain Track Sport


Whatever your age or experience level, off road is not off limits. Proven Shimano components put 18 speeds at your fingertips and all-purpose Trek Connection tires put the world at your feet. Believe it! Our lowest price Mountain Track model comes with a lifetime warranty. So even though you're just starting out, there's no telling where you'll end up.

Sizes: 14.5, 16.5, 18, 19.5, 21, 22.5"; 14" w/24" wheel; Women's 17, 20". **Frame/Fork:** Tensile steel w/Cro-Moly seat tube, TIG welded w/tensile steel stays; tensile steel fork. **Drivetrain:** Shimano Tourney TY30, HyperGlide w/thumbshifters & OptiGear. **Hubset:** Low flange w/quick release front. **Rims:** Weinmann alloy, 36 hole. **Tires:** Trek Connection, 26x1.95. **Brakeset:** Cold forged alloy w/Shimano TY21 levers. **Color:** Black w/White decals; Pearl Red w/Silver decals.





MultiTrack: A bike for all reasons.



Good design starts with good listening. And Trek dealers are very good listeners.

We heard you loud and clear. You want a bike better suited to today's more health-conscious, environmentally-conscious lifestyle. You want a comfortable ride, stable handling, light weight, and the durability to tackle any incline steeper and rockier than a driveway. In other words, you want an all-terrain, all-purpose, two-wheel drive recreation, transportation, sport and utility vehicle.

Over sixteen years of road and off road engineering experience went into our MultiTracks.

Like Goldilocks, your search for the "just right" bike is about to pay off. Trek MultiTracks are genetically engineered crossbreeds offering the quick, responsive handling of a road bike, plus the more comfortable upright ride and superior shock cushioning of a mountain bike. That adds up to all-terrain versatility that's all Trek in terms of reliability, durability and performance.



Over sixteen years of road and off road engineering went into our MultiTracks. Stands to reason they'll give you the best of everything in more ways than one!




7900

MultiTrack ABT Carbon Ultra Performance

Can't decide among all Trek's great carbon road and off road models? Don't! The 7900 can rock and roll with the best of 'em, even on the most brutal terrain. And it's a lean, mean, street machine in the bargain. That's because this hybrid comes with high-performance everything including our own weight shaving bar/stem and rim/tire combos.

Sizes: 16.5, 18, 20, 22". **Frame/Fork:** Trek design carbon main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Tange OS hybrid Cro-Moly fork w/front rack mounts. **Drivetrain:** Shimano 700CX, HyperDrive & HyperGlide w/RapidFire+ levers. **Hubset:** Shimano 700CX. **Rims:** Matrix Journey, 32 hole. **Tires:** Trek Crew Cut, 700x40c. **Brakeset:** Shimano 700CX M-System. **Color:** Ice Violet w/Violet decals. **Weight:** 24.30lbs/11.022kg.



7600 MultiTrack ABT Aluminum Performance

Made with strong, lightweight, epoxy bonded Easton 7129 E9 ProGram aluminum alloy tubes and our lugs to soak up impacts. Very important if the thought of punishing terrain appeals to you more than a punishing ride. This bike is as fast, stiff, quick and aggressive as they come. And it will take you absolutely anywhere you want to go.

Sizes: 16.5, 18, 20, 22". **Frame/Fork:** Easton 7129 E9 ProGram butted aluminum alloy, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Tange OS hybrid Cro-Moly fork w/front rack mounts. **Drivetrain:** Shimano 400CX, HyperDrive & HyperGlide w/GripShift SRT-500i shifters. **Hubset:** Shimano 400CX. **Rims:** Matrix Titan Tour, 32 hole. **Tires:** Trek Invert 2, 700x38c. **Brakeset:** Shimano 400CX M-System w/Dia-Compe Power Control-5 levers. **Color:** Ice Red w/Titanium decals. **Weight:** 24.30lbs/11.022kg.



MultiTrack Performance



Tange OS hybrid Cro-Moly fork with low rider rack mounts is designed for the long haul.

How to be a gear head in one easy lesson.

Wide gear range is the key to MultiTrack versatility. Multiplying the number of rear cogs by the number of front chainrings leads to the exciting discovery that our 7900, 7600 and 750 models give you 21 gears/speeds to play with. Lower gears for power when climbing; middle gears on straightaways; higher gears on descents. As your chain moves from outside to inside ring, gear ratios decrease; that's where the "high/low" terminology comes from. In low gear, you lose speed because the energy that was moving you forward now goes into fighting gravity as you pound uphill.

The reason a ten-speed bike is better than a three-speed bike is the smoothness of shifting. Having more speeds simply means you're changing gears in small steps rather than in big jumps, a jolt you can actually feel while pedaling.

While "all those gears" may seem intimidating, they make our MultiTracks a true performance hybrid, equally at home on or off road. To master this higher level of shifting sophistication, head to the wide open spaces. Experiment. Move up and down the chainring. The idea is to let the bike do more of the work so your legs don't have to. You get a better workout and better performance when you pedal continuously at a comfortable cadence rather than alternately pedaling hard and coasting. Having more gears allows you to do this. With practice, you'll learn to maximize pedaling efficiency by shifting instinctively on shifting terrain.




Shimano STX drivetrain with GripShift SRT-300i shifters provide precise hands-on control.



750 MultiTrack Cro-Moly Performance

You say you like the upright ride, stability and control of a hybrid, but you want a little more sizzle? Well, now you're cooking because this bike ratchets up performance dramatically. You get a slimmer, trimmer custom-butted True Temper frame, Shimano's new STX drivetrain and a great set of wheels. If moving fast is important, the 750 is a logical move!

Sizes: 15, 17, 19, 21, 23"; Women's 17, 20". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek hybrid Cro-Moly fork w/front rack mounts. **Drivetrain:** Shimano STX, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Shimano STX Parallax. **Rims:** Matrix Titan Tour, 32 hole. **Tires:** Trek Invert 2, 700x38c. **Brakeset:** Shimano STX M-System w/Dia-Compe Power Control-3 levers. **Color:** Ice Violet to Ice Indigo fade w/White decals.



Transportation 101.

Civics Lesson: Americans spend a billion hours a year stuck in traffic and wasting gas. Cost $10-30 billion.



Geometry Lesson: Trek MultiTracks are designed for an upright ride with only a slight curve to the back and bend to the arms. This position maximizes comfort and vision for riding in traffic.

Geography Lesson: Some land is flat. Some is hilly. These bikes are designed to give you the best of both worlds.

Phy Ed Lesson: A 30 minute ride to work is the equivalent of a vigorous swim or power walk. It exercises a wide range of muscle groups, making it a cross-training must in any well-rounded conditioning program.

Economics Lesson: Resource allocation. Trek MultiTracks make it possible for you to own a really great bike without spending the rent money. Although we firmly believe riding is every bit as essential as food and shelter, these models are such incredible values, you don't have to choose.

GripShift SRT-300i shifters provide perfect "hands-on" gear changes that are fast and precise.



730 MultiTrack Cro-Moly Sport

If you hate sitting on the bench or jogging in place, the 730 is as performance oriented as you are. This bike plays hard, and with 21 speeds, can also provide an all-terrain workout to meet your cross-training needs. The perfect choice for long rides with friends, it will never back down from a little friendly competition.

Sizes: 15, 17, 19, 21, 23"; Women's 17, 20". **Frame/Fork:** Full Trek Cro-Moly; Cro-Moly fork. **Drivetrain:** Shimano Alivio, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Alloy quick release. **Rims:** Araya alloy, 36 hole. **Tires:** Trek MultiTrack, 700x35c. **Brakeset:** Cold forged alloy w/Shimano Altus levers. **Color:** Forest Green w/Gold decals.





720 MultiTrack Cro-Moly Sport

Okay, so you haven't ridden a bike in awhile. Where there's a will, there's a MultiTrack. Perfect for short jaunts to the library, bank, grocery store. And tranquil excursions on bike paths and nature trails. Your 720 can be a fun bike, a fitness bike, a commuter bike or whatever you make it. What we've made it is light, easy to handle, durable and very comfortable.

Sizes: 15, 17, 19, 21, 23"; Women's 17, 20". **Frame/Fork:** Trek Cro-Moly main tubes w/high tensile steel stays; high tensile steel fork. **Drivetrain:** Shimano CT50, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Alloy quick release. **Rims:** Araya alloy, 36 hole. **Tires:** Trek MultiTrack, 700x35c. **Brakeset:** Cold forged alloy w/Shimano Tourney levers. **Color:** Purple to Green fade w/White decals; Black w/Titanium decals.





MultiTrack Sport & MetroTrack



700 MultiTrack Cro-Moly

Remember the fun and freedom of your first bike? Our 700 produces very similar emotions in the young at heart. It won't fence you in because it's equally at home on road or trail. It's rugged, but far lighter than the bike you remember. And it's got 18 speeds, which is way cooler than an old baseball card in your spokes.

Sizes: 15, 17, 19, 21, 23"; Women's 17, 20". **Frame/Fork:** High tensile steel w/Cro-Moly seat tube; high tensile steel fork. **Drivetrain:** Shimano Tourney, HyperDrive & HyperGlide w/thumbshifters & OptiGear. **Hubset:** Low flange w/quick release front. **Rims:** Araya alloy, 36 hole. **Tires:** Trek MultiTrack, 700x35c. **Brakeset:** Cold forged alloy w/Shimano Tourney levers. **Color:** Blue Grey to Black fade w/Blue Grey decals; Champagne w/Purple decals.




750M MetroTrack Cro-Moly Commuter

Paint the town green! More bike commuters, fewer polluters...it's that simple. Comes factory-equipped with fenders, rack, bell and generator lights for city errands. Comes engineered with heavy-duty Cro-Moly tubes and fork, Trek System 2 handlebar and Shimano STX componentry for off road adventure. Riding this world class hybrid really can make the world a better place.

Sizes: 15, 17, 19, 21, 23"; Women's 17", 20". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly main tubes & stays; Trek hybrid Cro-Moly fork w/front rack mounts. **Drivetrain:** Shimano STX, HyperDrive & HyperGlide w/GripShift SRT-300i shifters. **Hubset:** Shimano STX Parallax. **Rims:** Matrix Titan Tour, 32 hole. **Tires:** Trek MultiTrack, 700x35c w/reflective sidewalls. **Brakeset:** Shimano STX M-System w/Dia-Compe Power Control-3 levers. **Color:** Black w/White decals.

to the highest power.



5500 OCLV Ultra Performance Race

Every time "Triathlete of the Year" Mike Pigg reaches back for something extra, this bike delivers it. Whether it's the light and stiff OCLV carbon frame or the Campy Chorus componentry, this competition race bike pushes the technology envelope to the same degree you and Mike Pigg push yourselves. No compromise. No way!

Sizes: 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Trek design OCLV carbon lugs, main tubes & tapered stays; Trek epoxy bonded OCLV carbon fork. **Drivetrain:** Campagnolo Chorus w/Ergopower 8spd levers. **Hubset:** Campagnolo Chorus. **Rims:** Matrix Sonic, 32 hole. **Tires:** Trek Iso Tech 6, 700x25c, folding. **Brakeset:** Campagnolo Chorus dual pivot. **Color:** Ice Copper to Ice Red fade w/White decals. **Weight:** 19.80lbs/8.981kg.

Also available as frameset.



Road OCLV Carbon Ultra Performance

Campy Chorus gruppo and Look's new Free ARC pedals are the perfect balance of form and function.



Shimano Ultegra STI dual control shift/ brake levers deliver instant shifts with race proven, on-the-bar control.





5200 OCLV Ultra Performance Race

It started at the finish line. A commitment to bring you all of racing's winningest ideas on one killer bike. The world's lightest, strongest production frame. High-tech components. The fastest tires and rims. It's an eye-tearing, lung-searing, pin-your-ears-back ride.

Sizes: 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Trek design OCLV carbon lugs, main tubes & tapered stays; Trek epoxy bonded OCLV carbon fork. **Drivetrain:** Shimano Ultegra w/STI levers. **Hubset:** Shimano Ultegra. **Rims:** Matrix Sonic, 32 hole. **Tires:** Trek Iso Tech 5, 700x25c, folding. **Brakeset:** Shimano Ultegra Super SLR. **Color:** Ice Green w/White decals. **Weight:** 19.90lbs/9.026kg.

at the finish line.






2200 ABT Carbon Competition

You're always out front. On the subject of what's hot and what's cool, everybody turns to you. This is your bike. The leader the others will follow. Imagine the liveliness of a Trek carbon frame tweaked even smoother and sweeter with Campy's Veloce gruppo. That's the 2200...a one-of-a-kind racer that travels in very fast company.

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Trek road carbon main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek epoxy bonded aluminum alloy fork. **Drivetrain:** Campagnolo Veloce w/Ergopower levers. **Hubset:** Campagnolo Veloce. **Rims:** Matrix Sonic, 32 hole. **Tires:** Trek Iso Tech 5, 700x25c, folding. **Brakeset:** Campagnolo Veloce. **Color:** Ice Indigo & natural tubes w/Indigo decals. **Weight:** 21.20lbs/9.616kg.



2300 ABT Carbon Competition Race

Wannabees need not apply. This is the Advanced class, open to triathletes and world class racers only. You gotta earn this ride. When you've got a number scrawled on your thigh, 2300 is the number you want on your bike. Stacked up against our carbon technology and Shimano Ultegra componentry, even an Ironman doesn't look so tough.

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Trek road carbon main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek epoxy bonded aluminum alloy fork. **Drivetrain:** Shimano Ultegra w/STI levers. **Hubset:** Shimano Ultegra. **Rims:** Matrix Sonic, 32 hole. **Tires:** Trek Iso Tech 5, 700x25c, folding. **Brakeset:** Shimano Ultegra Super SLR. **Color:** Black Chrome & natural tubes w/Silver decals. **Weight:** 21.04lbs/9.544kg.

Also available as frameset.



Shimano Ultegra STI dual control shift/ brake levers have redefined on-the-bar control and precision shifting.



Tour de force!

Traveler's check

Trek Radar and Sensor cycling computers provide a digital travel log to help you plan and pace your ride. Want to know your current, average or maximum speed? Trip distance and total distance? Or just how long you've been in the saddle? Press a button and get the answer! It's fun, a great training tool, and makes the miles fly by.



Shimano RX100 triple crank and SPD pedals provide the perfect balance of performance and function.



Pack your bags and get away from it all. For an hour, a day, a weekend or a week. Each of these models is a great vacation package. The accommodations are comfortable. The views are breathtaking. Best of all, you control the sightseeing itinerary.

Trek's 1400 and 1200 are classic road racers designed for speed, so when they take you to the four corners of the world expect the geography to be a little blurry. Trek's 2120 and 1220 touring cycles are destined to be classics, too. A triple crank with 21 speed/gear options lets you answer the call of the open road with comfort and confidence, short distance or long. On any of these great bikes, adventure awaits you at every turn. Suddenly, home is just a place to pick up your mail.

On any of these great bikes, adventure awaits you at every turn.



2120 ABT Carbon Performance Touring

If you think performance touring is a contradiction in terms, think again. This bike can circumnavigate the globe as easily and comfortably as others circumnavigate the block. That's because our lightweight bonded carbon frame is far and away the best ride going. You asked. We answered. This is your dream come true.

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Trek road carbon main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek epoxy bonded aluminum alloy fork. **Drivetrain:** Shimano RX100T crankset, Shimano Deore LX derailleurs w/SIS bar end shifters. **Hubset:** Shimano 105SC. **Rims:** Matrix Titan Tech, 32 hole. **Tires:** Trek Iso Tech 3K, 700x25c, Kevlar belted. **Brakeset:** Shimano 105SC Super SLR. **Color:** Ice Violet & natural tubes w/Violet decals. **Weight:** 22.18lbs/10.061kg.



1400 ABT Aluminum Performance

Racers aren't born, they're made. And this bike makes you competitive from day one. The frame is superlight, Easton ProGram aluminum alloy. The fork is just-as-light epoxy bonded tapered aluminum alloy. The drivetrain is all Shimano with RX100 STI dual control levers for hands-on-the-bars, high-speed control. The rest is up to you.

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Easton ProGram tapered aluminum alloy main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek epoxy bonded aluminum alloy fork. **Drivetrain:** Shimano RX100 w/STI levers. **Hubset:** Shimano RX100. **Rims:** Matrix Sonic, 32 hole. **Tires:** Trek Iso Tech 3, 700x25c. **Brakeset:** Shimano RX100 Super SLR. **Color:** Ice Blue w/Gold decals. **Weight:** 22.40lbs/10.160kg.

Also available as frameset.





1220 ABT Aluminum Performance Touring

So many highways, so little time. Easton ProGram tapered aluminum alloy provides a light, stiff, responsive ride, and the smooth power shifting of Shimano's RX100T triple crank is the next best thing to a steady tailwind. Throw some clothes in a pack, a dart at the map, and hit the road. Here's your ticket out!

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Easton ProGram tapered aluminum alloy main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek Cro-Moly aero unicrown fork. **Drivetrain:** Shimano RX100T w/SIS levers. **Hubset:** Shimano HyperGlide. **Rims:** Matrix Titan Tech, 32 hole. **Tires:** Trek Iso Tech 3, 700x25c. **Brakeset:** Shimano Exage 300EX SLR w/quick release. **Color:** Ice Indigo to Ice Violet fade w/Gold decals. **Weight:** 22.68lbs/10.287kg.



1200 ABT Aluminum Performance

A best seller since its first edition. More proof we wrote the book on road race technology. Whatever your skill level now, this machine will make you better. It's blacktop smooth and sports car fast on Trek Matrix Titan Tech rims and Iso Tech 3 tires. A Classic. A Legend. Don't be surprised if a little of that fame rubs off on you!

Sizes: 47, 50, 52, 54, 56, 58, 60, 62cm. **Frame/Fork:** Easton ProGram tapered aluminum alloy main tubes, Trek aluminum alloy lugs, Easton tapered aluminum alloy stays; Trek Cro-Moly aero unicrown fork. **Drivetrain:** Shimano RX100 w/SIS levers. **Hubset:** Shimano HyperGlide. **Rims:** Matrix Titan Tech, 32 hole. **Tires:** Trek Iso Tech 3, 700x25c. **Brakeset:** Shimano Exage 300EX SLR w/quick release. **Color:** Ice Green w/White decals. **Weight:** 22.50lbs/10.206kg.

At any time of year, recreational riding provides a much needed break from your breakneck schedule. It's the perfect attitude adjuster, battery recharger and stress reducer because this workout comes with scenery you won't find in any gym.

Prefer a more strenuous exercise regimen? These bikes can get as serious as you do! That's because they share a common heritage of superior engineering, materials and componentry with all Trek models.

Leave the rat race behind.

Examples: The 520 incorporates our latest innovations in oversize (OS), thin-wall, TIG welded Cro-Moly for lightweight durability. Also, our 370 boasts many specifications typically reserved for performance road racers.

Trek tandems are the work of a team of specialists focusing their individual talents on this one model line. The result has been a wave of design innovations, including more laterally and torsionally rigid frames, a beefy, tandem-specific fork to better accommodate increased weight loads, and ergonomically-correct, rider-friendly captain and stoker cockpits that dramatically improve power generation, control and comfort.

The time to get started in tandem, touring, or road riding is now. What a great way to leave the rat race behind, break out of the maze, and blaze some exciting new trails to a healthier, happier lifestyle!



520 Cro-Moly Touring

Just adding extra bosses to a road frame doesn't cut it. The 520 has lower gearing for sustained pedaling efficiency, a longer wheel base for stability, and relaxed head angle for comfort. You got it! Made from light, rugged, oversize (OS) TIG welded Cro-Moly like our SingleTrack frame. Like the person who buys it, the adventurous 520 is ready for anything.

Sizes: 17, 19, 21, 23, 25". **Frame/Fork:** Trek True Temper custom butted & TIG welded Cro-Moly; Trek hybrid Cro-Moly fork w/low-rider mounts. **Drivetrain:** Shimano Deore LX w/SIS bar end shifters. **Hubset:** Shimano Deore LX. **Rims:** Matrix Titan Tour, 36 hole. **Tires:** Trek Iso Tech 3K, 700x28c, Kevlar belted. **Brakeset:** Shimano Deore LX M-System cantilever w/aero levers. **Color:** Black Forest Green w/Gold decals.



370 Cro-Moly Sport

You want a road bike. You want Trek quality. Problem is you've got more good sense than money. Well, here's big fun on your terms, financial and otherwise: double butted Cro-Moly frame, a full Shimano drivetrain with 14-speed HyperGlide shifting and performance tires. If you pass out in the showroom, it will be from excitement; not sticker shock, guaranteed!

Sizes: 19, 21, 23, 25". **Frame/Fork:** Trek double butted Cro-Moly main tubes w/high tensile steel stays; Cro-Moly fork. **Drivetrain:** Shimano 300EX crankset, HyperGlide w/400EX rear derailleur & levers. **Hubset:** Alloy quick release. **Rims:** Araya alloy, 36 hole. **Tires:** Trek Iso Tech 2, 700x25c. **Brakeset:** Shimano Exage SLR. **Color:** Pearl Red w/White decals.





T200 Fast Track Performance Road

Okay, so performance tandem riding hasn't received the recognition it deserves. But it obviously had our steel engineers' undivided attention. The result is a 42lb ready-to-race package that sprints, climbs and corners like a single seater. Very rigid frame. Very responsive ride. In short, a highly specialized bike designed for a unique breed of riders.

Sizes: 50/46, 54/50, 57/47, 58/53, 62/56cm. **Frame/Fork:** Trek True Temper custom butted tandem Cro-Moly main tubes, plasma welded lugless construction, True Temper tapered tandem Cro-Moly stays; Tange butted Special Taper gauge tandem Cro-Moly fork. **Drivetrain:** Shimano Deore XT crankset w/XTR derailleurs & 8spd bar end shifters. **Hubset:** Hugi tandem cassette w/drum brake threading. **Rims:** Matrix Journey, 36 hole front, 40 hole rear. **Tires:** Trek Iso Tech 3K, 700x28c, Kevlar belted. **Brakeset:** Shimano XTR M-System. **Color:** Lunar w/White decals. **Additional features:** 6 water bottle mounts, rear drum brake mounts, Shimano XT SPD clipless pedals. **Weight:** 41.80lbs/18.960kg.




Fully adjustable System 3 stoker stem is TIG welded alloy, for superior strength and stiffness. (No flex here.)



T100 Double Track Performance Hybrid

Quality time isn't something you find, it's something you make. Our versatile T100 helps you get it together, on road or off, for a challenging workout or a leisurely ride. With your spouse, neighbors, friends, family. You pick the place. You set the pace. So see your Trek dealer now and let the good times roll!

Sizes: 50/46, 54/50, 57/47, 58/53, 62/56cm. **Frame/Fork:** Trek True Temper custom butted tandem Cro-Moly main tubes, plasma welded lugless construction, True Temper tapered tandem Cro-Moly stays; Tange butted Special Taper gauge tandem Cro-Moly fork. **Drivetrain:** Shimano Deore DX w/RapidFire+ levers. **Hubset:** Shimano Deore XT. **Rims:** Matrix Titan Tour, 36 hole front, 40 hole rear. **Tires:** Trek Invert, 700x35c. **Brakeset:** Shimano Deore DX cantilever M-System. **Color:** Black Forest Green w/White decals. **Additional features:** 6 water bottle mounts, rear drum brake mounts. **Weight:** 42.10lbs/19.096kg.



T50 Double Track Performance Hybrid

Surprised? You will be if you still associate tandem frames with those massive wrought iron sculptures seen in old photos. Not to worry. Tandeming has lots of folks doing double takes. Especially when they see this lightweight, ergonomically comfortable hybrid. It's our way of saying "welcome" to a fun and fast growing sport.

Sizes: 50/46, 54/50, 57/47, 58/53, 62/56cm. **Frame/Fork:** Trek True Temper custom butted tandem Cro-Moly main tubes, plasma welded lugless construction, True Temper tapered tandem Cro-Moly stays; Tange butted Special Taper gauge tandem Cro-Moly fork. **Drivetrain:** SR crankset, Shimano Deore DX derailleurs w/top mount thumbshifters. **Hubset:** Sansin tandem cassette with drum brake threading. **Rims:** Matrix Titan Tour, 36 hole front, 40 hole rear. **Tires:** Trek Invert 2, 700x38c. **Brakeset:** Shimano Altus A10 cantilever M-System. **Color:** Blue Wing Teal w/White decals. **Additional features:** 6 water bottle mounts, rear drum brake mounts. **Weight:** 42.10lbs/19.096kg.

Trek specs: the right stuff.

In the introduction to this catalog, we promised you a custom, hand-built bike delivering a level of performance our competitors can't begin to touch for the price.

This grid, a spec matrix, proves we're as good as our word. It represents the combined input of 20 engineers, a dozen product managers and gearheads who speak componentry fluently. They comparison shop, comparison ride and comparison test every component manufacturer's best and brightest ideas every year. Including every headset, crank, derailleur, shifter, chain and hubset listed here. All hand-picked by one team, for one specific model and one very good reason: to make your '94 Trek one incomparable value!




If you're technically minded, here's everything you need to know to make side-by-side comparisons of every bike in our line. Or someone else's line. Go ahead. See for yourself why Trek owners always sit a little taller in the saddle than anyone else.

If you're not technically minded, skip this stuff and see your Trek dealer for a translation and a test ride. He or she can suggest the models, sizes, componentry and accessories that fit your needs exactly. And bike building just doesn't get any more custom than that!

		Suspension Track Bikes		Off Road Bikes						
		9500	9200	9900	9800	8700	8000	7000SHX	7000	970
Frameset	Sizes	16.5, 18, 19.5, 21"	16.5, 18, 20, 22"	16.5, 18, 19.5, 21"	16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"
	Colors	Ice Green/ Ice Blue fade	Black Chrome	Ice Violet	Ice Green	Ice Violet w/natural carbon main tubes	Ice Indigo	Black Chrome	Ice Green	Black Chrome
	Main tubes	Trek design OCLV carbon	Easton 7129 E9 ProGram taper wall aluminum	Trek design OCLV carbon	Trek design OCLV carbon	Trek butted carbon	Easton 7129 E9 ProGram taper wall aluminum	Easton 7129 E9 ProGram taper wall aluminum	Easton 7129 E9 ProGram taper wall aluminum	Trek True Temper custom butted Cro-Moly (OS)
	Stays	Trek design OCLV carbon one-piece STS swingarm	Trek design OCLV carbon one-piece STS swingarm	Trek design OCLV carbon	Trek design OCLV carbon	Easton tapered aluminum alloy	Easton tapered aluminum alloy	Easton tapered aluminum alloy	Easton tapered aluminum alloy	Tapered Cro-Moly
	Fork	Trek Mogul Extreme air/oil suspension	Trek Mogul air/oil suspension	Trek Mogul Black Diamond air/oil suspension	Trek System 3 ultralight	Trek System 2 butted Cro-Moly	Trek System 2 butted Cro-Moly	Trek Mogul air/oil suspension	Trek System 2 butted Cro-Moly	Trek System 2 butted Cro-Moly
	Headset	Tioga Alchemy OS-NSS-DL2	Tioga Alchemy OS-NSS-AL2	Tioga Alchemy OS-NSS-DL2	Tioga Alchemy OS-NSS-DL2	Tioga Alchemy OS-NSS-AL2	Tange Seiki ST2	Tange Seiki ST2	Tange Seiki AP2, sealed	Tioga Alchemy OS-NSS-AL2
Drivetrain	Crankset	Shimano Deore XT-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore XT-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano Deore LX-C 42/32/22	Shimano STX Special Edition 42/34/24	Shimano STX Special Edition 42/34/24	Shimano Deore LX-C 42/32/22
	Front derailleur	Shimano Deore XT-C	Shimano Deore LX-C	Shimano Deore XT-C	Shimano Deore LX-C	Shimano Deore LX-C	Shimano Deore LX-C	Shimano STX Special Edition	Shimano STX Special Edition	Shimano Deore LX-C
	Rear derailleur	Shimano Deore XT-C	Shimano Deore XT-C	Shimano Deore XT-C	Shimano Deore XT-C	Shimano Deore XT-C	Shimano Deore XT-C	Shimano STX Special Edition	Shimano STX Special Edition	Shimano Deore XT-C
	Shift levers	Shimano Deore XT RapidFire+ w/OptiGear	Shimano Deore LX RapidFire+ w/OptiGear	GripShift SRT-500i w/sealed mechanism	GripShift SRT-500i w/sealed mechanism	GripShift SRT-500i w/sealed mechanism	Shimano Deore LX RapidFire+ w/OptiGear	Shimano STX Special Edition RapidFire+ w/OptiGear	Shimano STX Special Edition RapidFire+ w/OptiGear	Shimano Deore XT RapidFire+ w/OptiGear
	Freewheel	Shimano Deore XT-C 11-28, 8spd	Shimano HG70 11-28, 7spd	Shimano Deore XT-C 11-28, 8spd	Shimano Deore XT-C 11-28, 8spd	Shimano HG70 11-28, 7spd	Shimano HG70 11-28, 7spd	Shimano HG60-CH 11-28, 7spd	Shimano HG60-CH 11-28, 7spd	Shimano Deore XT-C 11-28, 8spd
	Chain	Shimano HG90	Shimano HG70	Shimano HG90	Shimano HG70	Shimano HG70	Shimano HG70	Shimano HG50	Shimano HG50	Shimano HG70
Wheels	Hubset	Shimano Deore XT Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore XT Parallax w/suspension front hub	Shimano Deore XT Parallax w/suspension front hub	Shimano Deore LX Parallax w/suspension front hub	Shimano Deore LX Parallax	Shimano STX Special Edition Parallax w/suspension front hub	Shimano STX Special Edition Parallax	Shimano Deore XT Parallax
	Spokes	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless
	Rims	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Pro, 32 hole
	Tires	IRC PiranhaPro-K system, 26 x 2.0, low density rubber, Kevlar bead	IRC PiranhaPro-K system, 26 x 2.0, low density rubber, Kevlar bead	IRC PiranhaPro-K system, 26 x 2.0, low density rubber, Kevlar bead	IRC PiranhaPro-K system, 26 x 2.0, low density rubber, Kevlar bead	IRC PiranhaPro-K system, 26 x 2.0, low density rubber, Kevlar bead	Trek Big Kahuna system, 26 x 2.1	Trek Big Kahuna system, 26 x 2.1	Trek Big Kahuna system, 26 x 2.1	Trek Big Kahuna system, 26 x 2.1, Kevlar bead
Other components	Brakeset	Shimano Deore XT M-System front; IRD Widget rear	Shimano Deore LX M-System front; Paul's CrossTop rear	Shimano Deore XT M-System	Shimano Deore LX M-System	Shimano Deore LX M-System	Shimano Deore LX M-System	Shimano STX Special Edition M-System	Shimano STX Special Edition M-System	Shimano Deore LX M-System
	Pedals	Shimano Deore XT SPD-M737 clipless	Trek System 3 w/clips and straps	Shimano Deore XT SPD-M737 clipless	Trek System 3 w/clips and straps	Trek System 3 w/clips and straps	Trek System 2 w/clips and straps	Trek System 1 w/clips and straps	Trek System 1 w/clips and straps	Trek System 2 w/clips and straps
	Handlebars	Trek System 4 ATB, 7000 butted alloy, 150g	Trek System 4 ATB, 7000 butted alloy, 150g	Trek System 4 ATB, 7000 butted alloy, 150g	Trek System 4 ATB, 7000 butted alloy, 150g	Trek System 4 ATB, 7000 butted alloy, 150g	Trek System 3 ATB, butted alloy, 170g	Trek System 3 ATB, butted alloy, 170g	Trek System 3 ATB, butted alloy, 170g	Trek System 3 ATB, butted, 170g
	Stem	Trek System 4 ATB forged alloy direct connect	Trek System 3 ATB forged alloy direct connect	Trek System 4 ATB forged alloy direct connect	Trek System 3 ATB forged alloy direct connect	Trek System 2 ATB Cro-Moly direct connect	Trek System 2 ATB Cro-Moly direct connect	Trek System 2 ATB Cro-Moly direct connect	Trek System 2 ATB	Trek System 2 ATB Cro-Moly direct connect
	Seatpost	Trek System 3 ATB, micro-adjust	Trek System 3 ATB, micro-adjust	Trek System 3 ATB, micro-adjust	Trek System 3 ATB, micro-adjust	Trek System 2 w/accessory mount	Trek System 2 w/accessory mount	Trek System 1 w/accessory mount	Trek System 1 w/accessory mount	Trek System 2 w/accessory mount
	Saddle	Trek System 4 hollow Vanadium rails, leather, racing	Trek System 3 hollow Manganese rails, leather, wide racing	Trek System 4 hollow Vanadium rails, leather, racing	Trek System 3 hollow Manganese rails, leather, wide racing	Trek System 3 hollow Manganese rails, leather, wide racing	Trek System 2 synthetic leather, wide racing	Trek System 2 synthetic leather, wide racing	Trek System 2 synthetic leather, wide racing	Trek System 3 hollow Manganese rails, leather, wide racing
	Additional components & special add-ons	Risse Racing Technology air/oil rear shock, Risse shock pump, Trek System 3 bar ends, Gore Ride-On cable system, 2 water bottle mounts	Risse Racing Technology air/oil rear shock, Risse shock pump, Trek System 2 bar ends, 2 water bottle mounts	Trek System 3 bar ends, 2 water bottle mounts, Gore Ride-On cable system	Trek System 3 bar ends, 2 water bottle mounts	Trek System 2 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Trek System 2 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Trek System 2 bar ends, rack mounts, 2 water bottle mounts

Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.

Frame Geometries: Off Road Suspension Bikes



Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
9500	16.5	70.5°	73.0°	58.1/22.9	42.4/16.7	29.8/11.7	3.7/1.5	103.9/40.9	7.9/3.1	72.3/28.5
	18.0	71.0°	73.0°	59.1/23.3	42.4/16.7	29.8/11.7	3.7/1.5	104.1/41.0	7.6/3.0	74.1/29.2
	19.5	71.0°	73.0°	59.4/23.4	42.4/16.7	29.8/11.7	3.7/1.5	104.4/41.1	7.6/3.0	76.4/30.1
	21.0	71.0°	73.0°	59.9/23.6	42.4/16.7	29.8/11.7	3.7/1.5	105.7/42.6	7.6/3.0	78.9/31.5
9200	16.5	70.5°	73.0°	56.4/22.2	42.4/16.7	30.5/12.0	3.7/1.5	103.9/40.9	7.9/3.1	74.9/29.5
	18.0	71.0°	73.0°	57.2/22.5	42.4/16.7	30.5/12.0	3.7/1.5	104.1/41.0	7.6/3.0	77.2/30.4
	20.0	71.0°	73.0°	57.2/22.5	42.4/16.7	30.5/12.0	3.7/1.5	104.4/41.1	7.6/3.0	80.0/31.5
	22.0	71.0°	73.0°	58.4/23.0	42.4/16.7	30.5/12.0	3.7/1.5	105.7/42.6	7.6/3.0	84.3/33.2


All dimensions are in centimeters/inches unless otherwise stated.



Component Specifications

950	930SHX	930	920	850SHX	850	830SHX	830	820	800	Mt. HOZ 24	Mt. HOZ 20		
14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21, 22.5"	14.5, 16.5, 18, 19.5, 21"	14.5, 16.5, 18, 19.5, 21, 22.5", 17W, 20W	14.5, 16.5, 18, 19.5, 21, 22.5", 24", 14" w/24" wheel, 17W, 20W	14.5, 16.5, 18, 19.5, 21, 22.5", 14" w/24" wheel, 17W, 20W	14" w/24" wheel	12" w/20" wheel	**Sizes**	Frameset
Ice Blue	Ice Red	Ice Violet/ Ice Green fade; Black	Ice Violet; Black Forest Green	Charcoal	Floating Violet/ Black fade; Steel Blue	Forest Green	Blue/Black fade; Pearl Red	Light Green/ Dark Green fade; Champagne; Blue	Black; Pearl Red	Boy's: Black; Girl's: Teal	Boy's: Reflex Blue; Girl's: Pink	**Colors**	
Trek True Temper custom butted Cro-Moly (OS)	Trek True Temper custom butted Cro-Moly (OS)	Trek True Temper custom butted Cro-Moly (OS)	Trek True Temper custom butted Cro-Moly (OS)	Trek Cro-Moly (OS)	Trek Cro-Moly (OS)	Trek Cro-Moly	Trek Cro-Moly	Trek Cro-Moly w/outer butted seat tube	Tensile steel w/Cro-Moly seat tube	Trek Cro-Moly	Trek Cro-Moly	**Main tubes**	
Tapered Cro-Moly	Tapered Cro-Moly	Tapered Cro-Moly	Tapered Cro-Moly	Trek Cro-Moly	Trek Cro-Moly	Cro-Moly	Cro-Moly	High tensile steel	High tensile steel	High tensile steel	High tensile steel	**Stays**	
Trek System 2 butted Cro-Moly	Rock Shox Quadra 10 elastomer suspension	Trek System 1 butted Cro-Moly	Trek System 1 butted Cro-Moly	SR DuoTrack elastomer suspension	Cro-Moly	SR DuoTrack 7001 suspension	Cro-Moly	Cro-Moly	High tensile steel	Cro-Moly	High tensile steel	**Fork**	
Tange Seiki AP2, sealed	Tange Seiki ST2	Tange Seiki AP2, sealed	Tange Seiki AP2, sealed	T.H. OV-850P oversize	T.H. OV-850P oversize	HP-01H w/locking top nut	HP-01H w/locking top nut	HP-01H w/locking top nut	HP-01H w/locking top nut	HP-01H w/locking top nut	HP-01H w/locking top nut	**Headset**	
Shimano Deore LX-C 42/32/22	Shimano STX 42/34/24	Shimano STX 42/34/24	Shimano Alivio 42/34/24	Shimano Alivio 42/34/24	Shimano Alivio 42/34/24	Shimano Alivio 42/34/24	Shimano Alivio 42/34/24	Shimano Altus C50 48/38/28	Shimano Tourney TY30 48/38/28	Shimano MJ 42/34/24 (160mm)	Shimano MJ 38/28 (150mm)	**Crankset**	Drivetrain
Shimano Deore LX-C	Shimano STX	Shimano STX	Shimano STX	Shimano Alivio top pull	Shimano Alivio top pull	Shimano Alivio MC10	Shimano Alivio MC10	Shimano Altus C50	Shimano Tourney TY30	Shimano MJ	Shimano MJ	**Front derailleur**	
Shimano Deore XT-C	Shimano STX GS	Shimano STX GS	Shimano STX GS	Shimano STX	Shimano STX	Shimano Alivio MC10	Shimano Alivio MC10	Shimano Alivio MC10	Shimano Tourney 30 GS	Shimano MJ10 GS	Shimano MJ10 SS	**Rear derailleur**	
Shimano Deore LX RapidFire+ w/OptiGear	Shimano STX RapidFire+ w/OptiGear	Shimano STX RapidFire+ w/OptiGear	GripShift SRT-300i	Shimano Alivio RapidFire+ w/OptiGear	Shimano Alivio RapidFire+ w/OptiGear	GripShift SRT-300i	GripShift SRT-300i	GripShift SRT-300i	Shimano Tourney TY30 thumbshifters w/OptiGear	Shimano MJ w/OptiGear	Shimano MJ w/OptiGear	**Shift levers**	
Shimano HG70 11-28, 7spd	Shimano HG60 11-28, 7spd	Shimano HG60 11-28, 7spd	Shimano HG50 11-28, 7spd	Shimano HG50 11-28, 7spd	Shimano HG50 11-28, 7spd	Shimano HG20 11-28, 7spd	Shimano HG20 11-28, 7spd	Shimano compatible 13-28, 7 spd	Shimano HG60 14-28, 6spd	Shimano HG50 12-24, 6spd	Shimano HG50 12-24, 6spd	**Freewheel**	
Shimano HG70	Shimano HG50	Shimano HG50	KMC HP-70	KMC HP-70	KMC HP-70	UG-50	UG-50	UG-50	UG-50	UG-50	UG-50	**Chain**	
Shimano Deore LX Parallax	Shimano STX Parallax	Shimano STX Parallax	Shimano STX Parallax	Shimano Alivio Parallax	Shimano Alivio Parallax	Alloy quick release	Alloy quick release	Alloy quick release	Low flange quick release front; nutted axle rear	JY-823 alloy front; Shimano MJ rear; nutted axle front & rear	JY-823 alloy front; Shimano MJ rear; nutted axle front & rear	**Hubset**	Wheels
Sapim 14/15G butted stainless	Trek 14G stainless	Trek 14G stainless	Trek 14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G UCP	14G UCP	14G UCP	14G UCP	**Spokes**	
Matrix SingleTrack Pro, 32 hole	Matrix SingleTrack Comp, 32 hole	Matrix SingleTrack Comp, 32 hole	Matrix SingleTrack Comp, 32 hole	Araya GP-710 alloy, 36 hole	Araya GP-710 alloy, 36 hole	Weinmann 4019 alloy, 36 hole	Weinmann 4019 alloy, 36 hole	Weinmann 4019 alloy, 36 hole	Weinmann 4019 alloy, 36 hole	Araya MP-22 alloy, 36 hole	Araya MP-22 alloy, 36 hole	**Rims**	
Trek Big Kahuna system, 26 x 2.1	Trek Control Track system, 26 x 2.1	Trek Control Track system, 26 x 2.1	Trek Control Track system, 26 x 2.1	Trek Cliffhanger/ Cliffclimber system, 26 x 2.0	Trek Cliffhanger/ Cliffclimber system, 26 x 2.0	Trek Connection, 26 x 1.95	Trek Connection, 26 x 1.95	Trek Connection, 26 x 1.95	Trek Connection, 26 x 1.95	Trek Connection, 24 x 1.95	Maxxis, 20 x 1.95	**Tires**	
Shimano Deore LX M-System	Shimano STX M-System	Shimano STX M-System	Shimano Alivio M-System, Dia-Compe Power Control-3 levers	Shimano Alivio M-System	Shimano Alivio M-System	Cold forged alloy BR724A, Shimano Altus C50 levers	Cold forged alloy BR724A, Shimano Altus C50 levers	Cold forged alloy BR724A, Shimano TY21 levers	Cold forged alloy BR724A, Shimano TY21 levers	Cold forged alloy BR726C, Shimano MJ levers	Cold forged alloy BR726C, Shimano MJ levers	**Brakeset**	
Trek System 1 w/clips and straps	Trek System 1 w/clips and straps	Trek System 1 w/clips and straps	Victor VP-893 w/clips and straps	Victor VP-893 w/clips and straps	Victor VP-893 w/clips and straps	Victor VP-893PP w/clips and straps	Victor VP-893PP w/clips and straps	Victor VP-893PP w/clips and straps	Victor VP-893N w/clips and straps	Victor VP-893PP w/clips and straps	Victor VP-893PP w/clips and straps	**Pedals**	
Trek System 2 ATB, 230g	Trek System 2 ATB, 230g	Trek System 2 ATB, 230g	Trek System 2 ATB, 230g	Steel, 6° bend	Steel, 6° bend	Steel, 5° bend; Women's: 55mm rise	Steel, 5° bend; Women's: 55mm rise	Steel, 5° bend; Women's: 55mm rise	Steel, 5° bend; Women's: 55mm rise	HL steel, 6° bend	Steel, 6° bend	**Handlebars**	
Trek System 2 ATB Lite, Cro-Moly	Trek System 2 ATB Cro-Moly direct connect	Trek System 1 ATB Cro-Moly	Trek System 1 ATB Cro-Moly	Steel ATB	Steel ATB	Steel ATB	Steel ATB	Steel ATB	Steel ATB	Steel ATB	Steel ATB	**Stem**	
Trek System 1 w/accessory mount	Trek System 1 w/accessory mount	Trek System 1 w/accessory mount	Trek System 1 w/accessory mount	Micro-adjust alloy	Micro-adjust alloy	Micro-adjust alloy	Micro-adjust alloy	Micro-adjust alloy	Steel, black	Micro-adjust alloy	Micro-adjust alloy	**Seatpost**	
Trek System 2 Gel Lite	Trek System 2 Gel Lite	Trek System 2 Gel Lite	Trek System 2 Gel Lite	Trek System 1 Gel	Trek System 1 Gel	Trek System 1 Gel	Trek System 1 Gel	Trek Hi-density foam w/Emerald cover	Trek Hi-density foam w/Emerald cover	Trek Hi-density foam w/Emerald cover	Trek Hi-density foam w/Emerald cover	**Saddle**	
Rack mounts, 2 water bottle mounts	Trek System 1 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	1 water bottle mount	1 water bottle mount	**Additional components & special add-ons**	Other components

Frame Geometries: Off Road Bikes




Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
9900	16.5	70.5°	73.0°	58.1/22.9	42.4/16.7	29.8/11.7	3.7/1.4	105.1/41.4	7.9/3.1	72.3/28.5
9800	18.0	71.0°	73.0°	59.1/23.3	42.4/16.7	29.8/11.7	3.7/1.4	106.0/41.7	7.6/3.0	74.1/29.2
	19.5	71.0°	73.0°	59.4/23.4	42.4/16.7	29.8/11.7	3.7/1.4	106.3/41.9	7.6/3.0	76.4/30.1
	21.0	71.0°	73.0°	59.9/23.6	42.4/16.7	29.8/11.7	3.7/1.4	107.0/42.1	7.6/3.0	79.9/31.5
8700	14.5	70.5°	73.5°	53.8/21.2	42.4/16.7	29.5/11.6	3.7/1.4	101.8/40.1	7.9/3.1	71.9/28.3
8000	16.5	70.5°	73.0°	58.2/22.9	42.4/16.7	29.5/11.6	3.7/1.4	105.4/41.5	7.9/3.1	74.4/29.3
7000SHX	18.0	71.0°	73.0°	59.2/23.3	42.4/16.7	29.5/11.6	3.7/1.4	105.9/41.7	7.6/3.0	76.2/30.0
7000	19.5	71.0°	73.0°	59.4/23.4	42.4/16.7	29.5/11.6	3.7/1.4	106.4/41.9	7.6/3.0	78.5/30.9
	21.0	71.0°	73.0°	59.9/23.6	42.4/16.7	29.5/11.6	3.7/1.4	106.9/42.1	7.6/3.0	82.0/32.3
970	14.5	70.5°	73.5°	55.0/21.7	43.0/16.9	29.3/11.5	3.8/1.5	102.2/40.2	7.8/3.1	70.3/27.7
950	16.5	70.5°	73.5°	56.0/22.0	43.0/16.9	29.5/11.6	3.8/1.5	104.3/41.1	7.8/3.1	72.8/28.7
930SHX	18.0	71.0°	73.0°	58.0/22.8	43.0/16.9	29.8/11.7	3.8/1.5	105.5/41.5	7.5/2.9	74.9/29.5
930	19.5	71.0°	73.0°	59.0/23.2	43.0/16.9	29.8/11.7	3.8/1.5	106.6/42.0	7.5/2.9	77.4/30.5
920	21.0	71.0°	73.0°	60.0/23.6	43.0/16.9	29.8/11.7	3.8/1.5	107.7/42.4	7.5/2.9	81.1/31.9
Mt. KDZ (boy's)	12x20	70.0°	72.0°	43.5/17.1	39.5/15.6	26.7/10.5	4.5/1.8	89.5/35.2	4.5/1.8	57.9/22.8
	14x24	70.0°	72.0°	52.8/20.8	42.0/16.5	27.5/10.8	4.5/1.8	100.2/39.4	6.1/2.4	65.6/25.8
Mt. KDZ (girl's)	12x20	70.0°	72.0°	43.5/17.1	39.5/15.6	26.7/10.5	4.5/1.8	89.5/35.2	4.5/1.8	54.5/21.5
	14x24	70.0°	72.0°	52.0/20.5	42.0/16.5	27.5/10.8	4.5/1.8	99.4/39.1	6.1/2.4	61.1/24.1

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
650SHX	14.5	70.0°	73.0°	54.0/21.3	43.0/16.9	29.1/11.5	4.3/1.7	102.5/40.4	7.5/2.9	69.4/27.3
650	16.5	70.0°	73.0°	55.5/21.9	43.0/16.9	29.3/11.5	4.3/1.7	104.1/41.0	7.5/2.9	71.9/28.3
830SHX	18.0	70.5°	72.5°	57.0/22.4	43.0/16.9	29.5/11.6	4.3/1.7	104.8/41.3	7.2/2.8	73.8/29.1
830	19.5	70.5°	72.5°	58.0/22.8	43.0/16.9	29.5/11.6	4.3/1.7	105.9/41.7	7.2/2.8	76.7/30.2
	21.0	70.5°	72.5°	59.0/23.2	43.0/16.9	29.5/11.6	4.3/1.7	107.0/42.1	7.2/2.8	80.4/31.7
	22.5	70.5°	72.0°	60.0/23.6	43.0/16.9	29.7/11.7	4.3/1.7	107.8/42.4	7.2/2.8	84.1/33.1
	17W	69.5°	72.5°	53.4/21.0	43.6/17.2	28.4/11.2	4.5/1.8	103.1/40.6	7.7/3.0	N/A
	20W	70.0°	72.0°	54.7/21.5	43.6/17.2	29.6/11.7	4.5/1.8	104.4/41.1	7.3/2.9	N/A
	14x24	70.0°	72.0°	58.8/20.8	42.0/16.5	27.5/10.8	4.5/1.8	100.2/39.4	6.1/2.4	65.6/25.8
820	14.5	70.0°	73.0°	54.0/21.3	43.6/17.2	29.1/11.5	4.3/1.7	103.1/40.6	7.5/3.0	68.6/27.0
800	16.5	70.0°	73.0°	55.0/21.7	43.6/17.2	29.3/11.5	4.3/1.7	104.2/41.0	7.5/3.0	71.1/28.0
	18.0	70.5°	72.5°	56.0/22.0	43.6/17.2	29.5/11.6	4.3/1.7	104.4/41.1	7.2/2.8	73.1/28.8
	19.5	70.5°	72.5°	57.0/22.4	43.6/17.2	29.5/11.6	4.3/1.7	105.5/41.5	7.2/2.8	75.9/29.8
	21.0	70.5°	72.5°	58.0/22.8	43.6/17.2	29.5/11.6	4.3/1.7	106.6/42.0	7.2/2.8	79.4/31.3
	22.5	70.5°	72.0°	59.0/23.2	43.6/17.2	29.7/11.7	4.3/1.7	107.3/42.2	7.2/2.8	83.2/32.8
	24.0	70.5°	72.0°	60.0/23.6	43.6/17.2	29.7/11.7	4.3/1.7	108.4/42.7	7.2/2.8	86.8/34.2
	17W	69.5°	72.5°	53.4/21.0	43.6/17.2	28.4/11.2	4.5/1.8	103.1/40.6	7.7/3.0	N/A
	20W	70.0°	72.0°	54.7/21.5	43.6/17.2	29.6/11.7	4.5/1.8	104.4/41.1	7.3/2.9	N/A
	14x24	70.0°	72.0°	58.8/20.8	42.0/16.5	27.5/10.8	4.5/1.8	100.2/39.4	6.1/2.4	65.6/25.8

		MultiTrack Bikes							Road Bikes				
		7900	7600	750	730	720	700	750M	5500	5200	2300	2200	2120
Frameset	Sizes	16.5, 18, 20, 22"	16.5, 18, 20, 22"	15, 17, 19, 21, 23", 17W, 20W	15, 17, 19, 21, 23", 17W, 20W	15, 17, 19, 21, 23", 17W, 20W	15, 17, 19, 21, 23", 17W, 20W	15, 17, 19, 21, 23", 17W, 20W	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm
	Colors	Ice Violet w/natural carbon main tubes	Ice Red	Ice Violet/ Ice Indigo fade	Forest Green	Purple/Green fade, Black	Blue Grey/ Black fade; Champagne	Black	Ice Copper/Ice Red fade	Ice Green	Black Chrome w/natural carbon main tubes	Ice Indigo w/natural carbon main tubes	Ice Violet w/natural carbon main tubes
	Main tubes	Trek design carbon	Easton 7129 E9 ProGram aluminum alloy	Trek True Temper custom butted Cro-Moly (OS)	Trek Cro-Moly	Trek Cro-Moly	High tensile steel w/Cro-Moly seat tube	Trek True Temper Custom butted Cro-Moly	Trek design OCLV carbon	Trek design OCLV carbon	Trek design carbon	Trek design carbon	Trek design carbon
	Stays	Easton tapered aluminum alloy	Easton tapered aluminum alloy	Tapered Cro-Moly	Cro-Moly	High tensile steel	High tensile steel	Tapered Cro-Moly	Trek design OCLV carbon	Trek design OCLV carbon	Easton tapered aluminum alloy	Easton tapered aluminum alloy	Easton tapered aluminum alloy
	Fork	Tange OS hybrid Cro-Moly w/front rack mounts	Tange OS hybrid Cro-Moly w/front rack mounts	Trek hybrid Cro-Moly w/front rack mounts	Cro-Moly	High tensile steel	High tensile steel	Trek hybrid Cro-Moly w/front rack mounts	Trek epoxy bonded OCLV carbon	Trek epoxy bonded OCLV carbon	Trek epoxy bonded tapered aluminumalloy	Trek epoxy bonded tapered aluminum alloy	Trek epoxy bonded tapered aluminum alloy
	Headset	Tange Seiki AP2, sealed	Tange Seiki AP2, sealed	Tange Seiki SE2, sealed	HP-01H	HP-01H	HP-01H	Tange Seiki SE2, sealed	Dia-Compe Kontak Precision AheadSet	Tange Seiki Levin VR254 alloy, sealed	Tange Seiki Levin VR254 alloy, sealed	Tange Seiki Levin CDS, sealed	Tange Seiki Levin CDS, sealed
Drivetrain	Crankset	Shimano 700CX 42/32/20	Shimano 400CX 42/32/20	Shimano STX 42/34/24	Shimano Alivio 42/34/24	Shimano CT50 48/38/28	Shimano Tourney 48/38/28	Shimano STX 42/34/24	Campagnolo Chorus 53/39	Shimano Ultegra 53/39	Shimano Ultegra 53/39	Campagnolo Veloce 53/39	Shimano RX100T 52/42/30
	Front derailleur	Shimano 700CX	Shimano 400CX	Shimano STX	Shimano Altus CT10-C	Shimano CT50 GS	Shimano Altus CT10-C	Shimano STX	Campagnolo Chorus	Shimano Ultegra	Shimano Ultegra	Campagnolo Veloce	Shimano Deore LX
	Rear derailleur	Shimano 700CX	Shimano 400CX	Shimano STX GS	Shimano Alivio GS	Shimano Alivio GS	Shimano Tourney TY30 GS	Shimano STX GS	Campagnolo Chorus	Shimano Ultegra	Shimano Ultegra	Campagnolo Veloce	Shimano Deore LX SGS
	Shift levers	Shimano 700CX RapidFire+	GripShift SRT-500i w/sealed mechanism	GripShift SRT-300i	GripShift SRT-300i	GripShift SRT-300i	Shimano Tourney TY31-L thumbshifters w/OptiGear	GripShift SRT-300i	Campagnolo Chorus Ergopower	Shimano Ultegra STI	Shimano Ultegra STI	Campagnolo Veloce Ergopower	Shimano SL-BS50, bar end controls
	Freewheel	Shimano HG50 11-19, 7spd	Shimano HG50 11-19, 7spd	Shimano HG50-C 11-28, 7spd	Shimano HG20 11-28, 7spd	Shimano compatible 13-28, 7spd	Shimano HG20 14-28, 6spd	Shimano HG50-C 11-28, 7spd	Campagnolo Chorus 12-23, 8spd	Shimano HG90 12-23, 8spd	Shimano HG90 12-23, 8spd	Campagnolo Veloce 12-23, 8spd	Shimano HG70 12-28, 7spd
	Chain	Shimano HG50	Shimano HG50	Shimano HG50	UG50	UG50	UG50	Shimano HG50	Sedis Sifent	Shimano HG90	Shimano HG90	Sedis Sifent	Shimano HG70
Wheels	Hubset	Shimano 700CX	Shimano 400CX	Shimano STX Parallax	Alloy quick release	Alloy quick release	Low flange quick release front; nutted axle rear	Shimano STX Parallax	Campagnolo Chorus, freehub rear	Shimano Ultegra	Shimano Ultegra	Campagnolo Veloce, freehub rear	Shimano105SC
	Spokes	Sapim 14/15G butted stainless	Trek 14G stainless	Trek 14G stainless	14G stainless	14G UCP	14G UCP	Trek 14G stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Sapim 14/15G butted stainless	Trek 14G stainless
	Rims	Matrix Journey 32 hole	Matrix Titan Tour 32 hole	Matrix Titan Tour 32 hole	Araya PX-45 alloy, 36 hole	Araya PX-45 alloy, 36 hole	Araya PX-35 alloy, 36 hole	Matrix Titan Tour 32 hole	Matrix Sonic 32 hole, hard anodized	Matrix Sonic 32 hole, hard anodized	Matrix Sonic 32 hole, hard anodized	Matrix Sonic 32 hole, hard anodized	Matrix Titan Tech 32 hole, hard anodized
	Tires	Trek Crew Cut, 700 x 40c	Trek Invert 2, 700 x 38c	Trek Invert 2, 700 x 38c	Trek MultiTrack, 700 x 35c	Trek MultiTrack, 700 x 35c	Trek MultiTrack, 700 x 35c	Trek MultiTrack, 700 x 35c w/reflective sidewall	Trek Iso Tech 6, 700 x 25c, Kevlar bead	Trek Iso Tech 5, 700 x 25c, Kevlar bead	Trek Iso Tech 5, 700 x 25c, Kevlar bead	Trek Iso Tech 5, 700 x 25c, Kevlar bead	Trek Iso Tech 3K, 700 x 25c, Kevlar belted
Other components	Brakeset	Shimano 700CX M-System	Shimano 400CX M-System, Dia-Compe Power Control-5 levers	Shimano STX M-System, Dia-Compe Power Control-3 levers	Cold forged alloy 724A, Shimano Altus C50 levers	Cold forged alloy 724A, Shimano Tourney levers	Cold forged alloy 724A, Shimano Tourney levers	Shimano STX M-System, Dia-Compe Power Control-3 levers	Campagnolo Chorus dual pivot	Shimano Ultegra Super SLR	Shimano Ultegra Super SLR	Campagnolo Veloce	Shimano 105SC Super SLR
	Pedals	Trek System 2 ATB w/clips and straps	Trek System 2 ATB w/clips and straps	Trek System 1 w/clips and straps	Wellgo LU-923	Wellgo LU-923	Wellgo LU-923	Trek System 1 ATB w/clips and straps	Look Free ARC PP-266	Look ARC PP-266 aero	Look ARC PP-266 aero	Look ARC PP-165	Shimano SPD A525 clipless
	Handlebars	Trek System 3 ATB alloy, 170g	Trek System 3 ATB alloy, 170g	Trek System 2 ATB alloy, 230g	Steel 2" rise	Steel 2" rise	Steel 2" rise	Trek System 2 ATB, 230g	Trek System 3 road alloy	Trek System 2 road alloy	Trek System 2 road alloy	Trek System 2 road alloy	Trek System 1 road alloy
	Stem	Trek System 2 ATB Cro-Moly	Trek System 2 ATB Cro-Moly	Trek System 1 hybrid Cro-Moly	Steel ATB	Steel ATB	Steel ATB	Trek System 1 hybrid Cro-Moly	Trek System 4 road alloy direct connect, 5° rise	Trek System 2 road Cro-Moly	Trek System 2 road Cro-Moly	Trek System 2 road Cro-Moly	Trek System 1 90° road Cro-Moly
	Seatpost	Trek System 2 w/accessory mount	Trek System 2 w/accessory mount	Trek System 1 w/accessory mount	Micro-adjust alloy	Micro-adjust alloy	Steel, black	Trek System 1 w/accessory mount	Trek System 3 road w/accessory mount	Trek System 3 road w/accessory mount	Trek System 3 road w/accessory mount	Trek System 3 road w/accessory mount	Trek System 2 w/accessory mount
	Saddle	Trek System 2 synthetic leather, wide racing	Trek System 2 Gel Lite	Trek System 2 Gel Lite	Trek System 1 Gel w/Emerald cover	Trek Hi-Density foam w/Emerald cover	Trek Hi-Density foam w/Emerald cover	Trek System 2 Gel Lite	Trek System 4 hollow Vanadium rails, leather, racing	Trek System 3 hollow Manganese rails, leather, racing	Trek System 3 hollow Manganese rails, leather, racing	Trek System 3 hollow Manganese rails, leather, racing	Trek System 2, synthetic leather, wide racing
	Additional components & special add-ons	Trek System 2 bar ends, rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Rack mounts, 2 water bottle mounts	Fenders, rack, bell, chainguard, generator light set w/remote, 2 water bottle mounts	Gore Ride-On cable system, 2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts

Frame Geometries: MultiTrack & Road Bikes



Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
7900	16.5	70.5°	73.0°	56.4/22.2	43.0/16.9	30.8/12.1	4.0/1.6	104.3/41.1	7.6/3.0	74.3/29.2
7600	18.0	71.0°	73.0°	57.4/22.6	43.0/16.9	31.1/12.2	4.0/1.6	105.6/41.6	7.3/2.9	76.4/30.1
	20.0	71.0°	73.0°	57.4/22.6	43.0/16.9	31.1/12.2	4.0/1.6	105.7/41.6	7.3/2.9	79.4/31.3
	22.0	71.0°	73.0°	58.5/23.0	43.0/16.9	31.3/12.3	4.0/1.6	106.0/41.7	7.3/2.9	83.6/32.9
750	15.0	70.0°	74.0°	54.5/21.5	43.0/16.9	27.1/10.7	4.0/1.6	102.7/40.4	8.3/3.3	70.2/27.6
750M	17.0	70.5°	74.0°	55.0/21.7	43.0/16.9	27.1/10.7	4.0/1.6	102.8/40.5	8.0/3.1	72.7/28.6
	19.0	70.5°	73.0°	55.0/22.0	43.0/16.9	27.1/10.7	4.0/1.6	102.9/40.5	8.0/3.1	75.0/29.5
	21.0	71.5°	73.0°	57.0/22.4	43.0/16.9	27.1/10.7	4.0/1.6	103.0/40.6	7.4/2.9	78.1/30.7
	23.0	71.5°	73.0°	58.0/22.8	43.0/16.9	27.1/10.7	4.0/1.6	104.1/41.0	7.4/2.9	82.6/32.5
	17W	70.5°	74.0°	54.7/21.5	43.0/16.9	27.1/10.7	4.0/1.6	102.8/40.5	8.0/3.1	N/A
	20W	70.5°	73.0°	55.6/21.9	43.0/16.9	27.1/10.7	4.0/1.6	102.9/40.5	8.0/3.1	N/A

All dimensions are in centimeters/inches unless otherwise stated.

Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
730	15.0	70.0°	73.0°	53.0/20.9	45.0/17.7	29.6/11.7	4.0/1.6	105.3/41.5	8.3/3.3	71.9/28.3
720	17.0	70.5°	73.0°	54.0/21.3	43.6/17.2	29.6/11.7	4.0/1.6	103.9/40.9	8.0/3.1	74.6/29.4
700	19.0	71.5°	73.0°	55.5/21.9	43.6/17.2	29.6/11.7	4.0/1.6	103.8/40.9	7.4/2.9	77.7/30.6
	21.0	71.5°	73.0°	56.5/22.2	43.6/17.2	29.6/11.7	4.0/1.6	104.0/40.9	7.4/2.9	81.1/31.9
	23.0	71.5°	73.0°	57.5/22.6	43.6/17.2	29.6/11.7	4.0/1.6	105.1/41.4	7.4/2.9	85.6/33.7
	17W	70.5°	73.0°	53.3/21.0	43.6/17.2	28.6/11.3	4.0/1.6	103.6/40.8	8.0/3.2	N/A
	20W	71.5°	73.0°	53.6/21.1	43.6/17.2	29.6/11.7	4.0/1.6	104.1/41.0	7.4/2.9	N/A
520	17.0	71.0°	74.0°	54.0/21.3	45.0/17.7	29.3/11.5	5.2/2.0	104.4/41.1	6.3/2.5	72.1/28.4
	19.0	71.0°	74.0°	55.5/21.9	45.0/17.7	29.3/11.5	5.2/2.0	104.6/41.2	6.3/2.5	74.1/29.2
	21.0	71.0°	73.5°	56.5/22.2	45.0/17.7	29.3/11.5	5.2/2.0	105.4/41.5	6.3/2.5	76.8/30.2
	23.0	72.0°	73.0°	57.5/22.6	45.0/17.7	29.3/11.5	5.2/2.0	105.6/41.6	5.7/2.2	80.6/31.7
	25.0	72.5°	72.0°	59.0/23.2	45.0/17.7	29.3/11.5	5.2/2.0	106.2/41.8	5.4/2.1	85.2/33.5
370	19.0	72.0°	73.5°	55.5/21.9	43.0/16.9	27.0/10.6	4.5/1.8	100.9/39.7	6.3/2.5	76.3/30.0
	21.0	72.0°	73.5°	56.5/22.2	43.0/16.9	27.0/10.6	4.5/1.8	101.3/39.9	6.3/2.5	80.5/31.7
	23.0	73.0°	73.5°	57.5/22.6	43.0/16.9	27.0/10.6	4.5/1.8	102.5/40.4	5.7/2.2	85.3/33.6
	25.0	73.0°	73.5°	57.5/22.6	43.0/16.9	27.0/10.6	4.5/1.8	104.6/41.2	5.7/2.2	85.3/33.6

1400	1220	1200	520	370	Tandems T200	T100	T50	
47, 50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	17, 19, 21, 23, 25"	19, 21, 23, 25"	50/46, 54/50, 57/47, 58/53, 62/56cm	50/46, 54/50, 57/47, 58/53, 62/56cm	50/46, 54/50, 57/47, 58/53, 62/56cm	**Sizes**
Ice Blue	Ice Indigo/ Ice Violet fade	Ice Green	Black Forest Green	Pearl Red	Lunar	Black Forest Green	Blue Wing Teal	**Colors**
Easton ProGram tapered aluminum alloy	Easton ProGram tapered aluminum alloy	Easton ProGram tapered aluminum alloy	Trek True Temper custom butted Cro-Moly (OS)	Trek double butted Cro-Moly	Trek True Temper custom butted tandem Cro-Moly	Trek True Temper custom butted tandem Cro-Moly	Trek True Temper custom butted tandem Cro-Moly	**Main tubes**
Easton tapered aluminum alloy	Easton tapered aluminum alloy	Easton tapered aluminum alloy	True Temper Cro-Moly	High tensile steel	True Temper tapered tandem Cro-Moly	True Temper tapered tandem Cro-Moly	True Temper tapered tandem Cro-Moly	**Stays**
Trek epoxy bonded tapered aluminum alloy	Trek Cro-Moly aero unicrown	Trek Cro-Moly aero unicrown	Trek hybrid Cro-Moly w/low-rider mounts	Cro-Moly	Tange butted Special Taper gauge tandem Cro-Moly	Tange butted Special Taper gauge tandem Cro-Moly	Tange butted Special Taper gauge tandem Cro-Moly	**Fork**
Tange Seiki SE2, sealed	Tange Seiki SE2, sealed	Tange Seiki SE2, sealed	Tange Seiki Levin CDS, sealed	YST HP-01H	Shimano Deore XT 1¼" oversize	Tange Seiki OV 1¼" oversize	Tange Seiki OV 1¼" oversize	**Headset**
Shimano RX100 SG 53/39	Shimano RX100T 52/42/30	Shimano RX100 53/42	Shimano Deore LX 46/36/26	Shimano 300EX 52/40	Shimano Deore XT 54/44/32	Shimano Deore DX 48/38/28	SR Tandem forged alloy 48/38/28	**Crankset**
Shimano RX100 STI	Shimano RX100T	Shimano RX100	Shimano Deore LX	Shimano 300EX	Shimano Deore XTR	Shimano Deore DX	Shimano Deore DX	**Front derailleur**
Shimano RX100	Shimano RX100 GS	Shimano RX100	Shimano Deore LX SGS	Shimano 400EX	Shimano Deore XTR SGS	Shimano Deore DX	Shimano Deore DX	**Rear derailleur**
Shimano RX100 STI	Shimano RX100T	Shimano RX100	Shimano SL-BS50, bar end controls	Shimano 400EX	Shimano 8spd BS84 SIS, bar end controls	Shimano Deore DX RapidFire+	Shimano Deore DX top mount	**Shift levers**
Shimano HG70 13-26, 6spd	Shimano HG50 12-28, 7spd	Shimano HG50 13-26, 7spd	Shimano HG70-C 11-28, 7spd	Shimano HG60 12-28, 7spd	Shimano XTR 12-28, 8spd	Shimano HG70 12-28, 7spd	Shimano compatible 12-30, 7spd	**Freewheel**
Shimano HG50	Shimano HG50	Shimano HG50	Shimano HC70	HP70	Shimano HG90	Shimano HG90	Shimano HG90	**Chain**
Shimano RX100	Shimano RM50 front; Shimano HG50 rear	Shimano RM50 front; Shimano HG50 rear	Shimano Deore LX	Alloy quick release front, Shimano HG50 cassette rear	Hugi tandem 36H front, 40H/140 cassette rear	Shimano Deore XT 36H front; 40H/140 cassette rear	Sansin tandem 36H front; 40H/140 cassette rear	**Hubset**
Sapim14/15G butted stainless	Trek 14G stainless	Trek 14G stainless	Trek 14G stainless	14G UCP	Trek 13/14G butted stainless	Trek 13/14G butted stainless	Trek 13/14G butted stainless	**Spokes**
Matrix Sonic 32 hole, hard anodized	Matrix Titan Tech 32 hole, hard anodized	Matrix Titan Tech 32 hole, hard anodized	Matrix Titan Tour 36 hole, hard anodized	Araya SP-30 36 hole, alloy	Matrix Journey 36/40 hole, hard anodized	Matrix Titan Tour 36/40 hole, hard anodized	Matrix Titan Tour 36/40 hole, hard anodized	**Rims**
Trek Iso Tech 3, 700 x 25c	Trek Iso Tech 3, 700 x 25c	Trek Iso Tech 3, 700 x 25c	Trek Iso Tech 3K, 700 x 28c, Kevlar belted	Trek Iso Tech 2, 700 x 25c	Trek Iso Tech 3K, 700 x 28c, Kevlar belted	Trek Invert, 700 x 35c	Trek Invert 2, 700 x 38c	**Tires**
Shimano RX100 Super SLR	Shimano Exage 300EX SLR w/quick release	Shimano Exage 300EX SLR w/quick release	Shimano Deore LX M-System, Shimano aero levers	Shimano Exage A250 SLR	Shimano XTR M-System, Dia-Compe aero levers	Shimano Deore DX M-System	Shimano Altus A10 M-System	**Brakeset**
Look ARC PP-166, clipless	Trek System 1 road w/clips and straps	Trek System 1 road w/clips and straps	Trek System 2 road w/clips and straps	Victor VP-389 w/clips and straps	Shimano Deore XT SPD M737 clipless	Trek System 2 ATB w/clips and straps	Trek System 1 ATB w/clips and straps	**Pedals**
Trek System 1 road alloy	Trek System 1 road alloy	Trek System 1 road alloy	Trek System 1 road alloy	HL DR-8B	Modolo Anatomic 209AE	Trek System 2 ATB	Trek System 1 ATB	**Handlebars**
Trek System 1 road Cro-Moly	Trek System 1 90° road Cro-Moly	Trek System 1 road Cro-Moly	Trek System 1 90° road Cro-Moly	Steel, TIG HS-RI56-2	Trek System 3 tandem Cro-Moly front and alloy adjustable rear	Trek System 1 tandem Cro-Moly front and rear	Trek System 1 tandem Cro-Moly front and rear	**Stem**
Trek System 2 w/accessory mount	Trek System 1 w/accessory mount	Trek System 1 w/accessory mount	Trek System 2 w/accessory mount	Micro-adjust alloy	Trek System 2 ATB OS	Trek System 2 ATB OS	Trek System 2 ATB OS	**Seatpost**
Trek System 2 synthetic leather, racing	Trek System 2 Gel Lite	Trek System 2 synthetic leather, racing	Trek System 2 Gel Lite	Trek Gel racing w/Emerald cover	Trek System 3 hollow Cro-Moly rails, synthetic leather, racing	Trek System 2 Gel Lite	Trek System 2 Gel Lite	**Saddle**
2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	Rack mounts, 3 water bottle mounts	2 water bottle mounts	6 water bottle mounts, front and rear rack mounts, pump peg, drum brake cable routing	6 water bottle mounts, front and rear rack mounts, pump peg, drum brake cable routing	6 water bottle mounts, front and rear rack mounts, pump peg, drum brake cable routing	**Additional components & special add-ons**

Frameset | Drivetrain | Wheels | Other components

Geek Speak: glossary of component terms

Trek System 1,2,3,4 – Full line, Trek-designed components, performance matched to our '94 line and available through authorized Trek dealers to upgrade all bike models. See page 13 for complete details.

Ergopower – Campagnolo's triple and double crank compatible brake and shift system allowing movement across many cogs with a single actuation.

GripShift – An innovative shifting system. Part of the handlebar grip rotates back and forth, clicking into each gear.

HyperDrive – Shimano's proprietary front chainring design promoting error-free shifting across all rings.

HyperGlide – Shimano's computer-designed cassette sprocket achieves smoother, faster downshifts under heavy loads without releasing pedal pressure.

M-System – Shimano's multi-condition brake system with specialized shoes, levers and cables designed for enhanced stopping power in rain, mud and snow.

OptiGear – Shimano's handlebar mounted "gear at a glance" indicator.

OS (oversize) – Trek-spec'd, large diameter, thin-wall tubing achieves desired strength with significant weight reduction.

Parallax – Shimano's oversize hub system designed to minimize wheel flex; especially beneficial on suspension-equipped bikes.

RapidFire+ – Shimano's under handlebar, two-finger shift system allows rider to maintain grip and control during extreme maneuvers.

SIS/Dual SIS – Shimano Integrated Shifting. Shift mechanism indents control cable advance for quick, precise gear changes without over-shifting.

SLR/Super SLR – Shimano Linear Response. Friction-reducing levers, cables and calipers delivering responsive, rider-modulated braking power.


SPD – Shimano Pedaling Dynamics. Clipless pedal system designed to lock in proper foot position and angle for maximum power transfer.



Component Specifications

Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
5500	50	72.0°	75.0°	53.1/20.9	40.8/16.1	26.6/10.5	4.7/1.9	97.9/38.5	6.0/2.4	74.9/29.5
5200	52	72.5°	75.0°	52.8/20.8	40.8/16.1	26.6/10.5	4.7/1.9	98.2/38.7	5.7/2.2	75.9/29.9
	54	73.0°	74.0°	54.5/21.5	41.0/16.1	26.6/10.5	4.7/1.9	98.7/38.9	5.4/2.1	77.3/30.4
	56	73.75°	73.5°	56.0/22.0	41.0/16.1	26.8/10.6	4.3/1.7	98.6/38.8	5.3/2.1	79.3/31.2
	58	73.75°	73.0°	57.0/22.4	41.2/16.2	26.8/10.6	4.3/1.7	99.4/39.1	5.3/2.1	81.1/31.9
	60	74.0°	73.0°	58.0/22.8	41.2/16.2	26.8/10.6	4.3/1.7	100.1/39.4	5.2/2.0	83.0/32.7
	62	74.0°	72.5°	59.0/23.2	41.2/16.2	26.8/10.6	4.3/1.7	100.6/39.6	5.2/2.0	84.8/33.4
2300	47	72.5°	73.5°	51.8/20.4	41.5/16.3	26.7/10.5	4.7/1.9	96.3/37.9	5.6/2.2	72.4/28.5
2200	50	73.0°	73.5°	53.0/20.9	41.5/16.3	26.7/10.5	4.7/1.9	97.2/38.3	5.4/2.1	75.3/29.6
2120	52	73.0°	73.5°	53.0/20.9	41.5/16.3	26.7/10.5	4.7/1.9	97.2/38.3	5.4/2.1	77.1/30.4
1400	54	73.5°	73.5°	55.0/21.7	41.5/16.3	26.7/10.5	4.3/1.7	98.4/38.7	5.5/2.2	79.2/31.2
1220	56	73.5°	73.5°	55.0/21.7	41.5/16.3	26.7/10.5	4.3/1.7	98.4/38.7	5.5/2.2	81.1/31.9
1200	58	73.5°	73.5°	57.0/22.4	41.5/16.3	26.7/10.5	4.3/1.7	100.4/39.5	5.5/2.2	82.9/32.6
	60	73.5°	73.5°	57.0/22.4	41.5/16.3	26.7/10.5	4.3/1.7	100.4/39.5	5.5/2.2	84.8/33.4
	62	74.0°	73.5°	58.5/23.0	41.5/16.3	26.7/10.5	4.3/1.7	101.4/39.9	5.2/2.0	85.8/33.8

Frame Geometries: Tandems



Model	Frame Size	A	B	C	D	E	F	G	Trail	Standover
T200	1: 50	72.0°	73.0°	54.0/21.3	43.0/16.9	27.2/10.7	6.0/2.4	170.7/67.2	4.7/1.9	76.3/30.0
T100	2: 46		73.0°	66.0/26.0		27.2/10.7				70.0/27.6
T50	1: 54	72.0°	73.0°	54.5/21.5	43.0/16.9	27.2/10.7	6.0/2.4	172.7/68.0	4.7/1.9	78.5/30.9
	2: 50		73.0°	69.0/27.2		27.2/10.7				75.5/29.7
	1: 57	73.0°	73.0°	55.7/21.9	43.0/16.9	27.2/10.7	5.5/2.2	171.2/67.4	4.6/1.8	80.9/31.8
	2: 47		73.0°	65.9/25.9		27.2/10.7				74.0/29.1
	1: 58	73.0°	73.0°	56.5/22.2	43.0/16.9	27.2/10.7	5.5/2.2	175.8/69.2	4.6/1.8	82.4/32.4
	2: 53		73.0°	71.0/28.0		28.0/11.0				79.2/31.2
	1: 62	73.0°	73.0°	58.5/23.0	43.0/16.9	27.2/10.7	5.5/2.2	180.2/70.9	4.6/1.8	86.6/34.1
	2: 56		73.0°	73.0/28.7		28.0/11.0				82.6/32.5