

1997
Retail
Technical
Manual
TREK

1997 Table of Contents

Y bikes
General Info 2
Specs 3-8

OCLV and Aluminum Mountain
General Info 10
OCLV Specs 11-12
Aluminum Specs 13-20

Steel Mountain
General Info 22
Specs 23-32

Hybrids
General Info 34
Specs 38-42

Road and Tandem
General Info 43-44
Road Specs 45-56
Tandem Specs 57-58

Cruisers, Kids, and BMX
General Info 60
Cruiser Specs 61-62
Kids Specs 63-69
BMX Specs 70-80

A Note About the Specs...

At the time of printing, these specs were as accurate as possible. But like it says in the catalog:

"Trek bicycles are equipped with components from sources worldwide. Specifications are subject to change without notice".

So if we changed a bike's headset for some reason, the steerer length listed may be incorrect. The information in these pages is not intended to replace good mechanical skills and practices, just to help good mechanics do their job.

A Note About the Format...

Prior to each section of bicycles, we've listed some of the important things to remember in assembly and maintenance of these bikes. We've also tried to list some of the small parts not listed in the bicycle specifications pages.

Along with these specs and the bicycle pages, we've listed many Trek part numbers. These refer to an equivalent replacement part which may or may not be identical to original spec. If you want to make sure you're getting identical parts either refer to your TCG catalog or ask your Trek Inside Rep.

Any part number listed here with a slash '/' means that we're really showing you two part numbers. If 2 digits follow the slash, change the last 2 digits of the part number for the second part. For example, a pair of XTR shift/brake levers is listed as 61927/8, referring to both the left and right levers, having part numbers 61927 and 61928. If you only need one of these, identify the correct side before ordering. Part numbers with a dash '-' refer to a range of parts.

Items which do not have a part number listed were not carried by TCG at the time of printing. However, parts may be added to TCG stock at a later date. Always check with Customer Service regarding the status on parts you need.

Y Bike Info

Assembly Details

Inflate Air Shocks

To provide the best service to you, we design all our bike boxes (except tandems) to be shippable via UPS. Large size Y bikes will not fit into a UPS sized box without deflating the rear shock. Before assembly, inflate rear shocks to an air pressure appropriate for the intended user.

Seatposts

Aluminum Y bikes require greasing of the seatposts. However, with OCLV Y bikes, like their Mountain and Road counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the 'seat tube' prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

Y bikes are designed to accept 27.2 mm seat posts with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

A minimum length of seatpost must be inserted in the frame. The seatpost may be raised to this point without damaging the frame. For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

Shock mounting bolts	LokTite 242	160-190 lb•in	18.1-21.5 NM
Pivot bolt (fixed side)	LokTite 290	95-115 lb•in	10.7-13.0 NM
Pivot bolt (removable side)	LokTite 242	95-115 lb•in	10.7-13.0 NM
Stratos adjusting cable clamp		6 lb•in	1 NM
Damping adjuster cable stop screw	LokTite 242	6 lb•in	1 NM
Derailleur hanger screws	LokTite 242	20-30 lb•in	2.3-3.4 NM

Special Parts

		TCG Part #
Pivot axle assembly	Pivot axle, 2 bolts, 2 washers	64304
Pivot bearing set	Main cylinder bearing, 2 swingarm tophats	64305
Shock mount bolt set	Front bolt, rear bolt, 2 nuts, 2 washers, 2 star washers	64303
Rear shock mount cable guide		T950135
Remote damping adjuster, Suntour XC		T972926
Damping adjuster cable stop		T960187
Damping adj. stop screw		T960173
Seatpost bottle mount	2 clamps, 2 clamp bolts, 2 cage attachment screws	T950283
Shock pump		T950272
Derailleur hanger kit	Derailleur hanger, 2 screws	T960156

Top Swing Front Derailleurs

When Shimano instituted the Top Swing front derailleur with its lowered band clamp, we had to redesign our Y bike rear triangle to accommodate it. Due to space constraints, the redesigned rear triangle will not work with older, high band clamp front derailleurs.

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

Bottom Bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV bikes).

Replacing Pivot Bearings

Pivot bearings are held in place by the pivot assembly, but also with LokTite 290. To remove the bearings, after removing the axle drive them out with an appropriate punch (the right sized socket works great). Clean and prep the surfaces of the frame and new bearings with LokTite primer, being careful not to expose the bearing material or painted surfaces to the primer. LokTite Primer will damage the paint or remove lubrication in the bearing. Apply the LokTite, wipe off any excess after installing the bearings, and assemble the pivot. Allow to cure for 24 hours before riding.

Our Price: $ _____ Y50

	Part No.			
Main tubes		Trek design OCLV carbon		
Stays		6061 T6 aluminum, TIG welded unified rear triangle		
Fork		Manitou FS Ti	76mm travel	
Rear shock		Stratos Strata Pro, 6.75" eye to eye, 1.75" travel, 5/8"F & 7/8"R ends		
Headset		Cane Creek Aheadset	25.4/34.0/30.0, 27.8 mm stack	
Handlebars		Ibis Titanium	25.4mm clamp diameter	
Stem		Ibis Titanium direct connect	40.5 mm steerer clamp height	
Bar ends	*960267*	System OCLV		
Grips	*62207*	Trek logo		
Shifters	*61927/8*	Shimano XTR RapidFire SL		
Front derailleur	*61461*	Shimano XTR Top Swing	Top pull, 34.9mm/13⁄8"	
Rear derailleur	*61506*	Shimano XTR		
Brakes	*61104/5*	Shimano XTR V brakes		
Brake levers			(Combination shift/brake)	
Crankset		Shimano XTR 46/34/24	Splined/112/68 mm bolt hole circle	
Bottom bracket	*61049*	Shimano XTR	73 x 116	
Pedals	*60215*	Shimano SPD M747 clipless	9/16" axle	
Cassette	*61224*	Shimano XTR 12-32	8spd	
Chain	*61254*	Shimano IG90	106L length	
Front wheel				
Front hub		Shimano XTR		
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9		
Rear wheel				
Rear hub	*58866*	Shimano XTR	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0		
Tubes	*39416*	Ultra light Presta valve		
Rims	*951948*	Matrix Swami	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x		
Saddle	*T960357*	Bontrager, Ti rails, leather cover		
Seatpost		Bontrager Race Lite	27.2 mm diameter	
Seat binder	*T973565*	System OCLV w/integral bolt, 35.5 (painted) clamp diameter		
Additionals		2 water bottle mounts, remote damping adjuster, shock pump		
Colors		Light Blue/ Cream/ Red/ Red fork • Red decal		

Frame sizes		S	M	L
Handlebar width		565	565	565
	Part No. ▶			
Stem length		105	120	135
	Part No. ▶			
Crank length		170	175	180
	Part No. ▶	*61313*	*61315*	*61317*
Seatpost length		300	350	350
	Part No. ▶	*57809*	*57810*	*57810*
Steerer, mm		190	203	240
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		662	707	738
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		26.1	27.8	29.1
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

	24	34	46
12	52	74	101
14	45	64	86
16	39	56	75
18	35	50	67
21	30	42	57
24	26	37	50
28	22	32	43
32	20	28	38

24.2 lb.
10.99 kg.

Our Price: $ _____

	Part No.	S	M	L
Main tubes		Trek design OCLV carbon		
Stays		6061 T6 aluminum, TIG welded unified rear triangle		
Fork		Rock Shox Judy SL	80mm travel	
Rear shock		Stratos Strata Pro, 6.75" eye to eye, 1.75" travel, 5/8"F & 7/8"R ends		
Headset		Tange Seiki DL-2 Aheadset	25.4/34.0/30.0, 25.8 mm stack	
Handlebars		Bontrager Race Lite	25.4mm clamp diameter	
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height		
Bar ends	960267	System OCLV		
Grips	62207	Trek logo		
Shifters	61924/5	Shimano Deore XT RapidFire SL		
Front derailleur	61447	Shimano Deore XT Top Swing, Top pull, 34.9 mm/ 1 3/8"		
Rear derailleur	61503	Shimano Deore XT SGS		
Brakes	61102/3	Shimano Deore XT V-brakes		
Brake levers		(Combination shift/brake)		
Crankset		Shimano Deore XT 4 arm 42/32/22, Splined/104/64 mm bolt hole circle		
Bottom bracket	61038	Shimano BB-UN72	73 x 113	
Pedals	60215	Shimano SPD M747 clipless	9/16" axle	
Cassette	61222	Shimano XT 11-30	8 spd	
Chain	61254	Shimano IG90	106L length	
Front wheel	973505			
Front hub	973548	System 3, suspension axle		
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9		
Rear wheel	973504			
Rear hub	61748	Shimano Deore XT	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0		
Tubes	39416	Ultra light Presta valve		
Rims	961542	Matrix Swami, Ti anodized	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x		
Saddle	58211	SSM Techno Dynamic, Trek logo, leather cover		
Seatpost		Bontrager Race Lite	27.2 mm diameter	
Seat binder	T961839	System OCLV w/integral bolt, 35.1 (nude) clamp diameter		
Additionals		2 water bottle mounts, remote damping adjuster, shock pump		
Colors		Nude/ Polished swingarm/ Yellow fork• Yellow decal		
Frame sizes		S	M	L
Handlebar width		560	560	560
	Part No.→	57748	57748	57748
Stem length		105	120	135
	Part No.→	57711	57712	57713
Crank length		170	175	175
	Part No.→	61299	61301	61301
Seatpost length		300	350	350
	Part No.→	57809	57810	57810
Steerer, mm		193	206	242
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		660	705	736
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		26.0	27.8	29.0
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

24.5 lb.
11.12 kg.

	Part No.	S	M	L
Main tubes		Trek design OCLV carbon		
Stays		6061 T6 aluminum, TIG welded unified rear triangle		
Fork		Rock Shox Judy XC	80mm travel	
Rear shock		Fox Alps 5 air/oil, 6.75" eye to eye, 1.6" travel, 5/8"F & 7/8"R ends		
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack	
Handlebars		Bontrager Race	25.4mm clamp diameter	
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height		
Bar ends	57780	Bontrager Race		
Grips		GripShift ESP 900		
Shifters	63019/21	GripShift ESP 900		
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/13⁄8"		
Rear derailleur	63002	GripShift ESP 9.0		
Brakes	61100/1	Shimano M600 V-brakes		
Brake levers	61097	Shimano M600 V-brake		
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle		
Bottom bracket	61023	Shimano BB-UN51	73 x 113	
Pedals	60216	Shimano SPD M535 clipless	9/16" axle	
Cassette	61205	Shimano HG70 11-30	8spd	
Chain	61253	Shimano IG70	106L length	
Front wheel	973505			
Front hub	973548	System 3, suspension axle		
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1		
Rear wheel	973504			
Rear hub	61748	Shimano Deore XT	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1		
Tubes	39416	Ultra light Presta valve		
Rims	961542	Matrix Swami, Ti anodized	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x		
Saddle	T962155	SSM Techno Dynamic, CroMoly rails, leather cover		
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter		
Seat binder	T973565	System OCLV w/integral bolt 35.5 (painted) clamp diameter		
Additionals		2 water bottle mounts, shock pump		
Colors		Gloss Cream/Polished swingarm/ Cream fork• Black decal		
Frame sizes		S	M	L
Handlebar width		560	560	560
	Part No.→	57736	57736	57736
Stem length		105	120	135
	Part No.→	57711	57712	57713
Crank length		170	175	175
	Part No.→	61289	61290	61290
Seatpost length		300	350	350
	Part No.→		57121	57121
Steerer, mm		193	206	242
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		660	705	736
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		26.0	27.8	29.0
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

25.4 lb.
11.53 kg.

Y11

Our Price: $ _____

	Part No.			
Main tubes		Trek design OCLV carbon		
Stays		6061 T6 aluminum, TIG welded unified rear triangle		
Fork		Rock Shox Indy SL	75mm travel	
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8"F & 7/8"R ends		
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack	
Handlebars		Bontrager Race	25.4mm clamp diameter	
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height		
Bar ends	57780	Bontrager Race		
Grips	62207	Trek logo		
Shifters	61888/9	Shimano Deore LX RapidFire SL		
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/13⅜"		
Rear derailleur	61501	Shimano Deore LX SGS		
Brakes	61100/1	Shimano M600 V-brakes		
Brake levers	61097	Shimano M600 V-brake		
Crankset		Shimano STX-RC 42/32/22	58/94 mm bolt hole circle	
Bottom bracket	61023	Shimano BB-UN51	73 x 113	
Pedals	60216	Shimano SPD M535 clipless	9/16" axle	
Cassette	61205	Shimano HG70 11-30	8spd	
Chain	61253	Shimano IG70	106L length	
Front wheel	973510			
Front hub	961822	System 2, suspension axle		
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1		
Rear wheel	973506			
Rear hub	61703	Shimano Deore LX	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1		
Tubes	39416	Ultra light Presta valve		
Rims	951948	Matrix Swami	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless	32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58207	Bontrager Plus 10, CroMoly rails		
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter		
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter		
Additionals		2 water bottle mounts		
Colors		Dry Inkwell/Brushed aluminum swingarm/Yellow fork• Silver decal		

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

26.5 lb.
12.03 kg.

		S	M	L
Frame sizes				
Handlebar width		560	560	560
	Part No.	57736	57736	57736
Stem length		90	120	135
	Part No.	57710	57712	57713
Crank length		170	175	175
	Part No.	61282	61283	61283
Seatpost length		300	350	350
	Part No.		57106	57106
Steerer, mm		188	201	237
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		647	705	736
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		25.5	27.8	29.0
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

Y5

Our Price: $ _____

	Part No.			
Main tubes		6061 T6 Trek design aluminum		
Stays		6061 T6 aluminum, TIG welded unified rear triangle		
Fork		Manitou Pro, alloy steerer	65mm travel	
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8 & 7/8" ends		
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack	
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter		
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height		
Bar ends	57780	Bontrager Race		
Grips		Trek logo		
Shifters	61885/6	Shimano STX-RC RapidFire SL		
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/13⅜"		
Rear derailleur	61501	Shimano Deore LX SGS		
Brakes	61100/1	Shimano M600 V-brakes		
Brake levers	61097	Shimano M600 V-brake		
Crankset		Shimano STX-RC 42/32/22	58/94 mm bolt hole circle	
Bottom bracket	61023	Shimano BB-UN51	73 x 113	
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle		
Cassette	61205	Shimano HG60 11-30	8spd	
Chain	61253	Shimano IG70	106L length	
Front wheel	973510			
Front hub	961822	System 2, suspension axle		
Front tire	58611	Tioga Psycho K, Kevlar bead	26 x 1.95	
Rear wheel	973508			
Rear hub	61685	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Tioga TT, Kevlar bead	26 x 1.95	
Tubes	39416	Presta valve		
Rims	951948	Matrix Swami	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58207	Bontrager Plus 10, CroMoly rails		
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter		
Seat binder	T961838	System Aluminum w/integral bolt, 35.5 clamp diameter		
Additionals		2 water bottle mounts		
Colors		Polished Aluminum/Black swingarm/ Black fork• Yellow decal		

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

28.0 lb.
12.71 kg.

		S	M	L
Frame sizes				
Handlebar width		560	560	560
	Part No.	57141	57141	57141
Stem length		90	120	135
	Part No.	57710	57712	57713
Crank length		170	175	175
	Part No.	61282	61283	61283
Seatpost length		300	350	350
	Part No.		57106	57106
Steerer, mm		188	188	205
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		647	705	736
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		25.5	27.8	29.0
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

Y3

Our Price: $

	Part No.			
Main tubes		6061 T6 Trek design aluminum		
Stays		True Temper taper gauge CroMoly unified rear triangle		
Fork		Rock Shox Indy C	63mm travel	
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8 & 7/8" ends		
Headset	*63339*	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack	
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter		
Stem		System 2 ATB, forged alloy direct connect, 41.0mm steerer clamp height		
Bar ends	*54238*	System 1		
Grips	*56033*	GripShift logo		
Shifters	*63036/8*	GripShift SRT 400		
Front derailleur	*61396*	Shimano Alivio Top Swing	Top pull, 34.9mm/13⁄8"	
Rear derailleur	*61497*	Shimano Alivio		
Brakes	*61100/1*	Shimano M600 V-brakes		
Brake levers	*62725*	Tektro 376A V-brake		
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle	
Bottom bracket	*61006*	Shimano BB-LP26	73 x 113	
Pedals	*57182*	System 1 Alloy cage w/clips and straps		9/16" axle
Cassette	*61228*	Shimano IG50 11-30	7spd	
Chain	*61251*	IG31	106L length	
Front wheel	*973520*			
Front hub	*960101*	System 1, suspension axle		
Front tire	*58611*	Tioga Psycho K, Kevlar bead	26 x 1.95	
Rear wheel	*973519*			
Rear hub	*61660*	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.	
Rear tire		Tioga TT, Kevlar bead	26 x 1.95	
Tubes	*39416*	Presta valve		
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	*64436*	Trek Dual density		
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter		
Seat binder	*T961838*	System Aluminum w/integral bolt, 35.5 clamp diameter		
Additionals		2 water bottle mounts		
Colors		Gloss Ice Red/ Cream swingarm/Cream fork• Cream decal		

	24	34	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

29.0 lb.
13.17 kg.

		S	M	L
Frame sizes				
Handlebar width		560	560	560
	Part No.	*57141*	*57141*	*57141*
Stem length		90	105	120
	Part No.	*62117*	*62118*	*62119*
Crank length		170	175	175
	Part No.	-	-	-
Seatpost length		300	350	350
	Part No.	-	*57106*	*57106*
Steerer, mm		182	182	199
Head angle		71.0	71.0	71.0
Seat angle		73.0	73.0	73.0
MM Standover		711	737	762
Seat tube		445	495	545
Head tube		110	123	159
Eff top tube		566	597	615
Reach		648	689	720
Chainstays		430	430	430
BB height		315	315	315
Offset		38	38	38
Trail		75	75	75
Wheelbase		1046	1072	1095
IN Standover		28.0	29.0	30.0
Seat tube		17.5	19.5	21.5
Head tube		4.3	4.8	6.3
Eff top tube		22.3	23.5	24.2
Reach		25.5	27.1	28.3
Chainstays		16.9	16.9	16.9
BB height		12.4	12.4	12.4
Offset		1.5	1.5	1.5
Trail		3.0	3.0	3.0
Wheelbase		41.2	42.2	43.1

OCLV and Aluminum Mountain Info

Assembly Details

Seatposts

With aluminum mountain bikes lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

With OCLV Mountain, like their Y and Road counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the seat tube prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

OCLV and Aluminum Mountain bikes are designed to accept 27.2 mm seat posts with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

OCLV front derailleur bracket mounting screw	20-25 lb•in	(2.3-2.8 NM)
ACSD mounting bolts	30-40 lb•in	(35-45 NM)

Special Parts

	TCG Part #
Chainstay guard (Aluminum mountain bikes)	T83663
ACSD plate	
ACSD mounting bolts	

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV Mountain bikes)

Chainstay guard

Aluminum Mountain frames must always be fitted with a chainstay guard to protect against damage in case of chain-suck or overshifting past the inner chainring.

Our Price: $ _____

9800SHX

	Part No.					
Main tubes		Trek design OCLV carbon				
Stays		Trek design OCLV carbon				
Fork		Rock Shox Judy XC	63mm travel			
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack			
Handlebars		Bontrager Race	25.4mm clamp diameter			
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height				
Bar ends	57780	Bontrager Race				
Grips		GripShift ESP 900				
Shifters	63019/21	GripShift ESP 900				
Front derailleur	61432	Shimano Deore LX Top Swing, Top pull, E-type, bracket				
Rear derailleur	63002	GripShift ESP 9.0				
Brakes	61102/3	Shimano Deore XT V brakes				
Brake levers	61097	Shimano M600 V-brake				
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle				
Bottom bracket	61014	Shimano BB-UN52E	73 x 113			
Pedals	60216	Shimano SPD M535 clipless	9/16" axle			
Cassette	61205	Shimano HG70 11-30	8spd			
Chain	61253	Shimano IG70	106L length			
Front wheel	962950					
Front hub	973548	System 3, suspension axle				
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9				
Rear wheel	962945					
Rear hub	61748	Shimano Deore XT	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0				
Tubes	39416	Ultra light Presta valve				
Rims	951948	Matrix Swami, Ti anodized	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x				
Saddle	58211	SSM Techno Dynamic, Trek logo, leather cover				
Seatpost		Bontrager Comp	27.2 mm diameter			
Seat binder	T973565	System OCLV w/integral bolt, 35.1 (nude) clamp diameter				
Additionals		2 water bottle mounts				
Colors		Gloss Nude/ Cream fork • Slate Blue and Red decal				

		22	**32**	**42**		
	11	52	76	100		
	13	44	65	85		
	15	38	56	73		
	17	34	49	65		
	20	29	42	55		
	23	25	36	48		
	26	22	32	42		
	30	19	28	37		

22.5 lb.
10.22 kg.

Frame sizes		15	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
	Part No.	57736	57736	57736	57736	57736
Stem length		90	105	120	120	135
	Part No.	57710	57711	57712	57712	57713
Crank length		170	175	175	175	175
	Part No.	61289	61290	61290	61290	61290
Seatpost length		300	350	350	350	350
	Part No.	57801	57802	57802	57802	57802
Steerer, mm		193	193	193	206	242
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0	73.0
MM Standover		725	745	762	785	820
Seat tube		381	419	457	495	533
Head tube		110	110	110	124	159
Eff top tube		554	565	592	594	600
Reach		635	659	700	702	721
Chainstays		424	424	424	424	424
BB height		298	298	297	297	297
Offset		38	38	38	38	38
Trail		79	79	77	77	77
Wheelbase		1030	1041	1060	1065	1070
IN Standover		28.5	29.3	30.0	30.9	32.3
Seat tube		15.0	16.5	18.0	19.5	21.0
Head tube		4.3	4.3	4.3	4.9	6.3
Eff top tube		21.8	22.2	23.3	23.4	23.6
Reach		25.0	25.9	27.6	27.6	28.4
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.6	41.0	41.7	41.9	42.1

9700SHX

Our Price: $ _____

	Part No.					
Main tubes		Trek design OCLV carbon				
Stays		Trek design OCLV carbon				
Fork		Rock Shox Indy SL	63mm travel			
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack			
Handlebars		System 2 ATB, butted aluminum, 170g, 25.4mm clamp diameter				
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height				
Bar ends	57780	Bontrager Race				
Grips	62207	Trek logo				
Shifters	61888/9	Shimano Deore LX RapidFire SL				
Front derailleur	61432	Shimano Deore LX Top Swing, Top pull, E-type, bracket				
Rear derailleur	61501	Shimano Deore LX SGS				
Brakes	61100/1	Shimano M600 V-brakes				
Brake levers	61097	Shimano M600 V-brake				
Crankset		Shimano STX-RC 42/32/22	58/94 mm bolt hole circle			
Bottom bracket	61014	Shimano BB-UN52E	73 x 113			
Pedals	60216	Shimano SPD M535 clipless	9/16" axle			
Cassette	61205	Shimano HG60 11-30	8spd			
Chain	61252	Shimano IG51	106L length			
Front wheel						
Front hub	961822	System 2, suspension axle				
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1				
Rear wheel						
Rear hub	61685	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1				
Tubes	39416	Ultra light Presta valve				
Rims	951948	Matrix Swami	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x				
Saddle	58207	Bontrager Plus 10, CroMoly rails				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter				
Additionals		2 water bottle mounts				
Colors		Gloss Inkwell/ Yellow fork • Red and Yellow decal				

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

23.5 lb.
10.67 kg.

		15	16.5	18	19.5	21
Frame sizes						
Handlebar width		560	560	560	560	560
	Part No.	57149	57149	57149	57149	57149
Stem length		90	105	120	120	135
	Part No.	57710	57711	57712	57712	57713
Crank length		170	175	175	175	175
	Part No.	61282	61283	61283	61283	61283
Seatpost length		300	350	350	350	350
	Part No.	-	57106	57106	57106	57106
Steerer, mm		188	188	188	201	237
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0	73.0
MM Standover		725	745	762	785	820
Seat tube		381	419	457	495	533
Head tube		110	110	110	124	159
Eff top tube		554	565	592	594	600
Reach		635	659	700	702	721
Chainstays		424	424	424	424	424
BB height		298	298	297	297	297
Offset		38	38	38	38	38
Trail		79	79	77	77	77
Wheelbase		1030	1041	1060	1065	1070
IN Standover		28.5	29.3	30.0	30.9	32.3
Seat tube		15.0	16.5	18.0	19.5	21.0
Head tube		4.3	4.3	4.3	4.9	6.3
Eff top tube		21.8	22.2	23.3	23.4	23.6
Reach		25.0	25.9	27.6	27.6	28.4
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.6	41.0	41.7	41.9	42.1

8500SHX

Our Price: $ _____

	Part No.					
Main tubes		Easton EA70 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Manitou SX	70mm travel			
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack			
Handlebars		Bontrager Race	25.4mm clamp diameter			
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height				
Bar ends	57786	Bontrager Race Lite 109, magnesium				
Grips	62207	Trek logo				
Shifters	61924/5	Shimano Deore XT RapidFire SL				
Front derailleur	61447	Shimano Deore XT Top Swing, Top pull, 34.9 mm/ 1 3/8"				
Rear derailleur	61503	Shimano Deore XT SGS				
Brakes	61102/3	Shimano Deore XT V-brakes				
Brake levers			(Combination shift/brake)			
Crankset		Shimano Deore XT 4 arm 42/32/22, Splined/104/64 mm bolt hole circle				
Bottom bracket	61038	Shimano BB-UN72	73 x 113			
Pedals	60216	Shimano SPD M535 clipless	9/16" axle			
Cassette	61222	Shimano XT 11-30	8 spd			
Chain	61254	Shimano IG90	106L length			
Front wheel	962950					
Front hub	973548	System 3, suspension axle				
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9				
Rear wheel	962945					
Rear hub	58873	Shimano Deore XT	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0				
Tubes	39416	Ultra light Presta valve				
Rims	951948	Matrix Swami	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x				
Saddle	58211	SSM Techno Dynamic, Trek logo, leather cover				
Seatpost		Bontrager Comp	27.2 mm diameter			
Seat binder	T960659	System Aluminum w/integral bolt, 33.0 clamp diameter				
Additionals		2 water bottle mounts				
Colors		Gloss White/ White fork • Blueblack decal				

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

23.5 lb.
10.67 kg

		14.5	16.5	18	19.5	21
Frame sizes						
Handlebar width		560	560	560	560	560
	Part No.	57736	57736	57736	57736	57736
Stem length		90	105	120	120	135
	Part No.	57710	57711	57712	57712	57713
Crank length		170	175	175	175	180
	Part No.	61299	61301	61301	61301	61303
Seatpost length		300	350	350	350	350
	Part No.	57801	57802	57802	57802	57802
Steerer, mm		187	187	187	207	241
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
Seat tube		368	419	457	495	533
Head tube		105	105	105	124	159
Eff top tube		538	571	592	594	600
Reach		619	665	700	702	721
Chainstays		424	424	424	424	424
BB height		297	298	297	297	297
Offset		37	37	37	37	37
Trail		79	79	76	76	76
Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
Seat tube		14.5	16.5	18.0	19.5	21.0
Head tube		4.1	4.1	4.1	4.9	6.3
Eff top tube		21.2	22.5	23.3	23.4	23.6
Reach		24.4	26.2	27.6	27.6	28.4
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.1	40.9	41.7	41.9	42.1

8000SHX

Our Price: $ _____

	Part No.				
Main tubes		Easton EA60 ProGram tapered aluminum			
Stays		Easton tapered aluminum			
Fork		Rock Shox Indy SL	63mm travel		
Headset	*63340*	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack		
Handlebars		System 2 ATB, butted aluminum, 170g, 25.4mm clamp diameter			
Stem		System 2 ATB, forged alloy direct connect, 41.0mm steerer clamp height			
Bar ends	*54238*	System 1			
Grips		GripShift logo			
Shifters	*63029/31*	GripShift SRT-800 X-Ray			
Front derailleur	*61417*	Shimano STX-RC Top Swing	Top pull, 34.9 mm/ 1 3/8"		
Rear derailleur	*61503*	Shimano Deore XT SGS			
Brakes	*61100/1*	Shimano M600 V-brakes			
Brake levers	*61097*	Shimano M600 V-brake			
Crankset		Shimano STX-RC 42/32/22	58/94 mm bolt hole circle		
Bottom bracket	*61023*	Shimano BB-UN51	73 x 113		
Pedals	*n/a*	Wellgo WPD-800 clipless	9/16" axle		
Cassette	*61205*	Shimano HG60 11-30	8spd		
Chain	*61253*	Shimano IG70	106L length		
Front wheel	*973510*				
Front hub	*961823*	System 2, suspension axle			
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1			
Rear wheel	*973506*				
Rear hub	*61703*	Shimano Deore LX	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.		
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1			
Tubes	*39416*	Ultra light Presta valve			
Rims	*951948*	Matrix Swami	546 E.R.D., Velox 19mm rim strip		
Spokes		DT 14/15G butted stainless	32 spokes/268 front/266/267 rear(D/ND)/3x		
Saddle	*58201*	Bontrager Plus 10 Racing			
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seat binder	*T960659*	System Aluminum w/integral bolt, 33.0 clamp diameter			
Additionals		Rack mounts, 2 water bottle mounts			
Colors		Dry brushed aluminum/ Yellow fork• Yellow decal			

		22	32	42
11		52	76	100
13		44	65	85
15		38	56	73
17		34	49	65
20		29	42	55
23		25	36	48
26		22	32	42
30		19	28	37

24.1 lb.
10.94 kg

		14.5	16.5	18	19.5	21
Frame sizes						
Handlebar width		560	560	560	560	560
	Part No. →	*57149*	*57149*	*57149*	*57149*	*57149*
Stem length		90	105	120	135	150
	Part No. →	*57082*	*57083*	*57084*	*57085*	*57086*
Crank length		170	175	175	175	175
	Part No. →	*61282*	*61283*	*61283*	*61283*	*61283*
Seatpost length		300	350	350	350	350
	Part No. →	-	*57106*	*57106*	*57106*	*57106*
Steerer, mm		183	183	183	202	237
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
Seat tube		368	419	457	495	533
Head tube		105	105	105	124	159
Eff top tube		538	571	592	594	600
Reach		620	667	697	712	731
Chainstays		424	424	424	424	424
BB height		297	298	297	297	297
Offset		37	37	37	37	37
Trail		79	79	76	76	76
Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
Seat tube		14.5	16.5	18.0	19.5	21.0
Head tube		4.1	4.1	4.1	4.9	6.3
Eff top tube		21.2	22.5	23.3	23.4	23.6
Reach		24.4	26.2	27.4	28.0	28.8
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.1	40.9	41.7	41.9	42.1

7000SHX

Our Price: $ _____

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Rock Shox Indy C	63mm travel			
Headset	*63339*	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height				
Bar ends	*54238*	System 1				
Grips	*62207*	Trek logo				
Shifters	*61885/6*	Shimano STX-RC RapidFire SL				
Front derailleur	*61409*	Shimano STX Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	*61500*	Shimano STX-RC SGS				
Brakes	*61100/1*	Shimano M600 V-brakes				
Brake levers	*61097*	Shimano M600 V-brake				
Crankset		Shimano STX 42/32/22	58/94 mm bolt hole circle			
Bottom bracket	*61006*	Shimano BB-LP26	73 x 113			
Pedals	*57182*	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	*61205*	Shimano HG60 11-30	8spd			
Chain	*61251*	IG31	106L length			
Front wheel	*973014*					
Front hub	*960101*	System 1, suspension axle				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel	*973017*					
Rear hub	*61685*	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39416*	Presta valve				
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	*58207*	SSM Techno Dynamic				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	*T960659*	System Aluminum w/integral bolt, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Ice Inkwell/ Cream fork• Cream decal				

		22	32	42
11		52	76	100
13		44	65	85
15		38	56	73
17		34	49	65
20		29	42	55
23		25	36	48
26		22	32	42
30		19	28	37

26.5 lb.
12.03 kg.

		14.5	16.5	18	19.5	21
Frame sizes						
Handlebar width		560	560	560	560	560
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length		90	105	120	135	135
	Part No. →	*62117*	*62118*	*62119*	*62120*	*62120*
Crank length		170	175	175	175	175
	Part No. →	*61280*	*61281*	*61281*	*61281*	*61281*
Seatpost length		300	300	350	350	350
	Part No. →	-	-	*57106*	*57106*	*57106*
Steerer, mm		183	183	183	202	237
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
Seat tube		368	419	457	495	533
Head tube		105	105	105	124	159
Eff top tube		538	571	592	594	600
Reach		616	662	691	706	712
Chainstays		424	424	424	424	424
BB height		297	298	297	297	297
Offset		37	37	37	37	37
Trail		79	79	76	76	76
Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
Seat tube		14.5	16.5	18.0	19.5	21.0
Head tube		4.1	4.1	4.1	4.9	6.3
Eff top tube		21.2	22.5	23.3	23.4	23.6
Reach		24.3	26.1	27.2	27.8	28.0
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.1	40.9	41.7	41.9	42.1

7000

Our Price: $

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		System 1 CroMoly				
Headset	*63339*	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height				
Bar ends		-				
Grips		Trek logo				
Shifters	*61885/6*	Shimano STX-RC RapidFire SL				
Front derailleur	*61409*	Shimano STX Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	*61500*	Shimano STX-RC SGS				
Brakes	*61100/1*	Shimano M600 V-brakes				
Brake levers	*61097*	Shimano M600 V-brake				
Crankset		Shimano STX 42/32/22	58/94 mm bolt hole circle			
Bottom bracket	*61006*	Shimano BB-LP26	73 x 113			
Pedals	*57182*	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	*61205*	Shimano HG60 11-30	8spd			
Chain	*61251*	IG31	106L length			
Front wheel	*973014*					
Front hub	*950591*	System 1, suspension axle				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel	*973017*					
Rear hub	*61685*	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39416*	Presta valve				
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle		SSM Techno Dynamic				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	*T960659*	System Aluminum w/integral bolt, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Ice Inkwell• Cream decal				

Frame sizes	14.5	16.5	18	19.5	21
Handlebar width	560	560	560	560	560
Part No.	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length	90	105	120	135	135
Part No.	*62117*	*62118*	*62119*	*62120*	*62120*
Crank length	170	175	175	175	175
Part No.	*61280*	*61281*	*61281*	*61281*	*61281*
Seatpost length	300	300	350	350	350
Part No.	-	-	*57106*	*57106*	*57106*
Steerer, mm	183	183	183	202	237
Head angle	70.5	70.5	71.0	71.0	71.0
Seat angle	73.5	73.0	73.0	73.0	73.0
MM Standover	719	744	762	785	820
Seat tube	368	419	457	495	533
Head tube	105	105	105	124	159
Eff top tube	538	571	592	594	600
Reach	616	662	691	706	712
Chainstays	424	424	424	424	424
BB height	297	298	297	297	297
Offset	37	37	37	37	37
Trail	79	79	76	76	76
Wheelbase	1019	1040	1060	1065	1070
IN Standover	28.3	29.3	30.0	30.9	32.3
Seat tube	14.5	16.5	18.0	19.5	21.0
Head tube	4.1	4.1	4.1	4.9	6.3
Eff top tube	21.2	22.5	23.3	23.4	23.6
Reach	24.3	26.1	27.2	27.8	28.0
Chainstays	16.7	16.7	16.7	16.7	16.7
BB height	11.7	11.7	11.7	11.7	11.7
Offset	1.5	1.5	1.5	1.5	1.5
Trail	3.1	3.1	3.0	3.0	3.0
Wheelbase	40.1	40.9	41.7	41.9	42.1

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

25.8 lb.
11.71 kg.

Our Price: $

6500SHX

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Rock Shox Indy C	63mm travel			
Headset	*63339*	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack			
Handlebars		System 1 ATB, alloy, 230g	25.4mm clamp diameter			
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height				
Bar ends	*54238*	System 1				
Grips	*62207*	Trek logo				
Shifters	*61882/3*	Shimano STX-RC RapidFire SL				
Front derailleur	*61396*	Shimano Alivio Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	*61497*	Shimano Alivio				
Brakes	*61087/8*	Shimano Alivio				
Brake levers	*61080*	Shimano Alivio				
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle			
Bottom bracket	*61006*	Shimano BB-LP26	73 x 113			
Pedals	*57182*	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	*61228*	Shimano IG50 11-30	7spd			
Chain	*61251*	IG31	106L length			
Front wheel	*973520*					
Front hub	*T961234*	System 1, suspension axle				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel	*973519*					
Rear hub	*61660*	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39416*	Presta valve				
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	*64436*	Trek Dual density				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	*T961847*	System Aluminum, QR (T960662) w/integral hanger, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Ice Red/ Cream fork• Black decal				

Frame sizes	14.5	16.5	18	19.5	21
Handlebar width	560	560	560	560	560
Part No.	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length	90	105	120	135	135
Part No.	*62117*	*62118*	*62119*	*62120*	*62120*
Crank length	170	175	175	175	175
Part No.	*61278*	*61279*	*61279*	*61279*	*61279*
Seatpost length	300	300	350	350	350
Part No.	-	-	*57106*	*57106*	*57106*
Steerer, mm	182	182	182	201	236
Head angle	70.5	70.5	71.0	71.0	71.0
Seat angle	73.5	73.0	73.0	73.0	73.0
MM Standover	719	744	762	785	820
Seat tube	368	419	457	495	533
Head tube	105	105	105	124	159
Eff top tube	538	571	592	594	600
Reach	616	662	691	706	712
Chainstays	424	424	424	424	424
BB height	297	298	297	297	297
Offset	37	37	37	37	37
Trail	79	79	76	76	76
Wheelbase	1019	1040	1060	1065	1070
IN Standover	28.3	29.3	30.0	30.9	32.3
Seat tube	14.5	16.5	18.0	19.5	21.0
Head tube	4.1	4.1	4.1	4.9	6.3
Eff top tube	21.2	22.5	23.3	23.4	23.6
Reach	24.3	26.1	27.2	27.8	28.0
Chainstays	16.7	16.7	16.7	16.7	16.7
BB height	11.7	11.7	11.7	11.7	11.7
Offset	1.5	1.5	1.5	1.5	1.5
Trail	3.1	3.1	3.0	3.0	3.0
Wheelbase	40.1	40.9	41.7	41.9	42.1

	24	34	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

26.5 lb.
12.03 kg.

6500

Our Price: $ _____

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Trek CroMoly				
Headset		Tange Seiki Passage	25.4/34.0/30.0, 33.4 mm stack			
Handlebars		System 1 ATB, alloy, 230g	25.4mm clamp diameter			
Stem		System 1 ATB, CroMoly	25.4 mm insertion			
Bar ends		-				
Grips	56031	Trek logo				
Shifters	61882/3	Shimano STX-RC RapidFire SL				
Front derailleur	61396	Shimano Alivio Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61497	Shimano Alivio				
Brakes	61087/8	Shimano Alivio				
Brake levers	61080	Shimano Alivio				
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle			
Bottom bracket	61006	Shimano BB-LP26	73 x 113			
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	61228	Shimano IG50 11-30	7spd			
Chain	61251	IG31	106L length			
Front wheel	973520					
Front hub	T961234	System 1, suspension axle				
Front tire	58607	Tioga Psycho KS	26 x 1.95			
Rear wheel	973519					
Rear hub	61660	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	39416	Presta valve				
Rims	970700	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	64436	Trek Dual density				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	T961847	System Aluminum, QR (T960662) w/integral hanger, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Ice Red• Black decal				
Frame sizes		14.5	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
	Part No.	57141	57141	57141	57141	57141
Stem length		90	105	120	135	135
	Part No.	62377	62378	62379	62380	62380
Crank length		170	175	175	175	175
	Part No.	61278	61279	61279	61279	61279
Seatpost length		300	300	350	350	350
	Part No.	-	-	57106	57106	57106
Steerer, mm		143	143	143	163	197
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
MM Seat tube		368	419	457	495	533
MM Head tube		105	105	105	124	159
MM Eff top tube		538	571	592	594	600
MM Reach		616	662	691	706	712
MM Chainstays		424	424	424	424	424
MM BB height		297	298	297	297	297
MM Offset		37	37	37	37	37
MM Trail		79	79	76	76	76
MM Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
IN Seat tube		14.5	16.5	18.0	19.5	21.0
IN Head tube		4.1	4.1	4.1	4.9	6.3
IN Eff top tube		21.2	22.5	23.3	23.4	23.6
IN Reach		24.3	26.1	27.2	27.8	28.0
IN Chainstays		16.7	16.7	16.7	16.7	16.7
IN BB height		11.7	11.7	11.7	11.7	11.7
IN Offset		1.5	1.5	1.5	1.5	1.5
IN Trail		3.1	3.1	3.0	3.0	3.0
IN Wheelbase		40.1	40.9	41.7	41.9	42.1

	24	34	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

26.0 lb.
11.80 kg.

Our Price: $ _____

6000SHX

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Rock Shox Quadra 5	48mm travel			
Headset	63339	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack			
Handlebars		System 1 ATB	25.4mm clamp diameter			
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height				
Bar ends		-				
Grips	56033	GripShift logo				
Shifters	63039/43	GripShift MRX170				
Front derailleur	61396	Shimano Alivio Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61497	Shimano Alivio				
Brakes	61081/2	Shimano Altus CT91				
Brake levers		Dia-Compe SS8				
Crankset		Sugino Impel 250 42/34/24	58/94 mm bolt hole circle			
Bottom bracket	61006	Shimano BB-LP26	73 x 113			
Pedals	57182	Wellgo LU-945	9/16" axle			
Cassette	61173	Shimano HG50 11-28	7spd			
Chain	61245	HG50	106L length			
Front wheel						
Front hub	T961234	Aluminum, sealed				
Front tire	58607	Tioga Psycho KS	26 x 1.95			
Rear wheel						
Rear hub	61651	Shimano Acera-X	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	39416	Presta valve				
Rims	973566	Weinmann 519	545 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	54436	Trek Dual density				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	T961847	System Aluminum, QR w/integral hanger, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Black • Yellow/ Red decal				
Frame sizes		14.5	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
	Part No.	57141	57141	57141	57141	57141
Stem length		90	105	120	135	135
	Part No.	62377	62378	62379	62380	62380
Crank length		170	175	175	175	175
	Part No.	-	-	-	-	-
Seatpost length		300	300	350	350	350
	Part No.	-	-	57106	57106	57106
Steerer, mm		183	183	183	202	237
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
MM Seat tube		368	419	457	495	533
MM Head tube		105	105	105	124	159
MM Eff top tube		538	571	592	594	600
MM Reach		616	662	691	706	712
MM Chainstays		424	424	424	424	424
MM BB height		297	298	297	297	297
MM Offset		37	37	37	37	37
MM Trail		79	79	76	76	76
MM Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
IN Seat tube		14.5	16.5	18.0	19.5	21.0
IN Head tube		4.1	4.1	4.1	4.9	6.3
IN Eff top tube		21.2	22.5	23.3	23.4	23.6
IN Reach		24.3	26.1	27.2	27.8	28.0
IN Chainstays		16.7	16.7	16.7	16.7	16.7
IN BB height		11.7	11.7	11.7	11.7	11.7
IN Offset		1.5	1.5	1.5	1.5	1.5
IN Trail		3.1	3.1	3.0	3.0	3.0
IN Wheelbase		40.1	40.9	41.7	41.9	42.1

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

27.0 lb.
12.26 kg.

6000

Our Price: $ _____

	Part No.					
Main tubes		Easton EA60 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Trek CroMoly				
Headset		Tange Seiki Passage	25.4/34.0/30.0, 33.4 mm stack			
Handlebars		System 1 ATB, alloy, 230g	25.4mm clamp diameter			
Stem		CroMoly ATB	25.4 mm insertion			
Bar ends		-				
Grips	*56033*	GripShift logo				
Shifters	*63039/43*	GripShift MRX170				
Front derailleur	*61396*	Shimano Alivio Top Swing	Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	*61497*	Shimano Alivio				
Brakes	*61081/2*	Shimano Altus CT91				
Brake levers		Dia-Compe SS8				
Crankset		Sugino Impel 250 42/34/24	58/94 mm bolt hole circle			
Bottom bracket	*61006*	Shimano BB-LP26	73 x 113			
Pedals	*57182*	Wellgo LU-945	9/16" axle			
Cassette	*61173*	Shimano HG50 11-28	7spd			
Chain	*61245*	HG50	106L length			
Front wheel						
Front hub	*T961234*	Aluminum, sealed				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel						
Rear hub	*61651*	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39416*	Presta valve				
Rims	*973566*	Weinmann 519	545 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	*64436*	Trek Dual density				
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter				
Seat binder	*T961847*	System Aluminum, QR w/integral hanger, 33.0 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Black • Yellow/ Red decal				
Frame sizes		14.5	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length		90	105	120	135	135
	Part No. →	*62377*	*62378*	*62379*	*62380*	*62380*
Crank length		170	175	175	175	175
	Part No. →	-	-	-	-	-
Seatpost length		300	300	350	350	350
	Part No. →	-	-	*57106*	*57106*	*57106*
Steerer, mm		145	145	145	165	199
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
Seat tube		368	419	457	495	533
Head tube		105	105	105	124	159
Eff top tube		538	571	592	594	600
Reach		616	662	691	706	712
Chainstays		424	424	424	424	424
BB height		297	298	297	297	297
Offset		37	37	37	37	37
Trail		79	79	76	76	76
Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
Seat tube		14.5	16.5	18.0	19.5	21.0
Head tube		4.1	4.1	4.1	4.9	6.3
Eff top tube		21.2	22.5	23.3	23.4	23.6
Reach		24.3	26.1	27.2	27.8	28.0
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.1	40.9	41.7	41.9	42.1

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

26.5 lb.
12.03 kg.

Steel Mountain

Assembly Details

Seatposts

Lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

Steel Mountain bikes are designed to accept 27.2 mm seatposts with a tolerance of 27.10 to 27.20 mm outer diameter (or in the case of 930SHX and lower numbers; 26.6 mm +0/-0.1mm). Measure aftermarket seatposts for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

ACSD mounting bolts	30-40 lb•in	(35-45 NM)

Special Parts

	TCG Part #
ACSD plate	
ACSD mounting bolts	
BAU (Brake Actuator Unit)	T950695
Women's BAU	T940358

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads.

Our Price: $ _____

970SHX

	Part No.						
Main tubes		True Temper triple butted CroMoly					
Stays		True Temper CroMoly					
Fork		Rock Shox Indy SL	63mm travel				
Headset	*63340*	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack				
Handlebars		Bontrager Race	25.4mm clamp diameter				
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height					
Bar ends	*57780*	Bontrager Race					
Grips		Trek logo					
Shifters	*61888/9*	Shimano Deore LX RapidFire SL					
Front derailleur	*61430*	Shimano Deore LX Top Swing, Top pull, 31.8 mm/ 1 1/4"					
Rear derailleur	*61503*	Shimano Deore XT SGS					
Brakes	*61100/1*	Shimano M600 V-brakes					
Brake levers	*61097*	Shimano M600 V-brake					
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle					
Bottom bracket	*61005*	Shimano BB-UN51	73 x 110				
Pedals		System 2 w/clips and straps	9/16" axle				
Cassette	*61205*	Shimano HG70 11-30	8spd				
Chain	*61253*	Shimano IG70	106L length				
Front wheel	*973507*						
Front hub	*T961825*	System 3, suspension axle					
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9					
Rear wheel	*973506*						
Rear hub	*61703*	Shimano Deore LX	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.				
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0					
Tubes	*39416*	Ultra light Presta valve					
Rims	*951948*	Matrix Swami, Ti anodized	546 E.R.D., Velox 19mm rim strip				
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x					
Saddle	*58211*	Bontrager, CroMoly rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	*T950527*	System Steel w/integral bolt	31.8 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Dry Titanium/ Yellow fork • Red decal					

		22	32	42
	11	52	76	100
	13	44	65	85
	15	38	56	73
	17	34	49	65
	20	29	42	55
	23	25	36	48
	26	22	32	42
	30	19	28	37

24.3 lb.
11.03 kg.

Frame sizes		13	16.5	18	19.5	21	22.5
Handlebar width		560	560	560	560	560	560
	Part No. →	*57736*	*57736*	*57736*	*57736*	*57736*	*57736*
Stem length		90	105	120	120	135	135
	Part No. →	*57082*	*57083*	*57084*	*57084*	*57085*	*57085*
Crank length		170	175	175	175	175	175
	Part No. →	*61289*	*61290*	*61290*	*61290*	*61290*	*61290*
Seatpost length		300	350	350	350	350	350
	Part No. →	-	*57121*	*57121*	*57121*	*57121*	*57121*
Steerer, mm		163	163	163	183	223	259
Head angle		70.5	70.5	71.0	71.0	71.0	71.0
Seat angle		74.0	73.5	73.0	73.0	73.0	72.5
MM Standover		682	728	749	774	811	849
Seat tube		330	419	457	495	533	571
Head tube		85	85	85	105	145	185
Eff top tube		537	560	580	590	600	610
Reach		618	654	688	698	721	731
Chainstays		430	430	430	430	430	430
BB height		288	295	298	298	298	298
Offset		38	38	38	38	38	38
Trail		78	78	75	75	75	75
Wheelbase		1022	1043	1055	1066	1077	1084
IN Standover		26.9	28.7	29.5	30.5	31.9	33.4
Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
Head tube		3.3	3.3	3.3	4.1	5.7	7.3
Eff top tube		21.1	22.0	22.8	23.2	23.6	24.0
Reach		24.3	25.7	27.1	27.5	28.4	28.8
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.3	11.6	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0	3.0
Wheelbase		40.2	41.1	41.5	42.0	42.4	42.7

930SHX

Our Price: $ _____

	Part No.					
Main tubes		True Temper double butted CroMoly				
Stays		True Temper CroMoly				
Fork		Rock Shox Indy C	63mm travel			
Headset		Dia-Compe ST-2 Aheadset	25.4/34.0/30.0, 25.5 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height				
Bar ends	*54238*	System 1				
Grips	*56033*	GripShift logo				
Shifters	*6303-/8*	GripShift SRT 400				
Front derailleur	*61407*	Shimano STX Top Swing	Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	*61500*	Shimano STX-RC SGS				
Brakes	*61100/1*	Shimano M600 V-brakes				
Brake levers	*62725*	Tektro 376A V-brake				
Crankset		Shimano STX 42/32/22	58/94 mm bolt hole circle			
Bottom bracket	*61005*	Shimano BB-LP26	73 x 110			
Pedals	*57182*	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	*61205*	Shimano HG60 11-30	8spd			
Chain	*61251*	IG31	106L length			
Front wheel	*973520*					
Front hub	*T960101*	System 1, suspension axle				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel	*973519*					
Rear hub	*61679*	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39416*	Presta valve				
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	*58207*	SSM Techno Dynamic				
Seatpost		System 1, aluminum micro-adjust, 26.6 mm diameter				
Seat binder	*T962846*	Quick release				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Dry Ice Green/ Cream fork• Cream decal				

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

27.0 lb.
12.26 kg

	Part No.	13	16.5	18	19.5	21	22.5
Frame sizes							
Handlebar width		560	560	560	560	560	560
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length		90	105	120	120	135	135
	Part No. →	*62117*	*62118*	*62119*	*62119*	*62120*	*62120*
Crank length		170	175	175	175	175	175
	Part No. →	*61280*	*61281*	*61281*	*61281*	*61281*	*61281*
Seatpost length		300	350	350	350	350	350
	Part No. →	-	*57102*	*57102*	*57102*	*57102*	*57102*
Steerer, mm		163	163	163	183	223	258
Head angle		70.5	70.5	71.0	71.0	71.0	71.0
Seat angle		74.0	73.5	73.0	73.0	73.0	72.5
MM Standover		681	725	745	772	808	846
Seat tube		330	419	457	495	533	571
Head tube		85	85	85	105	145	185
Eff top tube		542	560	580	590	600	610
Reach		620	651	679	689	712	722
Chainstays		430	430	430	430	430	430
BB height		288	295	298	298	298	298
Offset		38	38	38	38	38	38
Trail		75	78	75	75	75	75
Wheelbase		1022	1038	1049	1060	1071	1077
IN Standover		26.8	28.5	29.3	30.4	31.8	33.3
Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
Head tube		3.3	3.3	3.3	4.1	5.7	7.3
Eff top tube		21.3	22.0	22.8	23.2	23.6	24.0
Reach		24.4	25.6	26.8	27.1	28.0	28.4
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.3	11.6	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5	1.5
Trail		3.0	3.1	3.0	3.0	3.0	3.0
Wheelbase		40.2	40.9	41.3	41.7	42.2	42.4

Our Price: $ _____

	Part No.					
Main tubes		True Temper double butted CroMoly				
Stays		True Temper CroMoly				
Fork		System 1 CroMoly				
Headset		VP H913W	25.4/34.0/30.0, 35.0 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		System 1 ATB, CroMoly	25.4 mm insertion			
Bar ends		-				
Grips	*56033*	GripShift logo				
Shifters	*6303-/8*	GripShift SRT 400				
Front derailleur	*61407*	Shimano STX Top Swing	Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	*61500*	Shimano STX-RC SGS				
Brakes	*61100/1*	Shimano M600 V-brakes				
Brake levers	*62725*	Tektro 376A V-brake				
Crankset		Shimano STX 42/32/22	58/94 mm bolt hole circle			
Bottom bracket	*61005*	Shimano BB-LP26	73 x 110			
Pedals	*57182*	System 1 Alloy cage w/clips and straps, 9/16" axle				
Cassette	*61205*	Shimano HG60 11-30	8spd			
Chain	*61251*	IG31	106L length			
Front wheel	*973520*					
Front hub	*T960101*	System 1, suspension axle				
Front tire	*58607*	Tioga Psycho KS	26 x 1.95			
Rear wheel	*973519*					
Rear hub	*61679*	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS	26 x 1.95			
Tubes	*39412*	Presta valve				
Rims	*970700*	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	*58207*	SSM Techno Dynamic				
Seatpost		System 1, aluminum micro-adjust, 26.6 mm diameter				
Seat binder	*T962 846*	Quick release				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Dry Ice Green• Cream decal				

	22	32	42
11	52	76	100
13	44	65	85
15	38	56	73
17	34	49	65
20	29	42	55
23	25	36	48
26	22	32	42
30	19	28	37

26.5 lb.
12.03 kg.

	Part No.	13	16.5	18	19.5	21	22.5
Frame sizes							
Handlebar width		560	560	560	560	560	560
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length		90	105	120	120	135	135
	Part No. →	*62377*	*62378*	*62379*	*62379*	*62380*	*62380*
Crank length		170	175	175	175	175	175
	Part No. →	*61280*	*61281*	*61281*	*61281*	*61281*	*61281*
Seatpost length		300	350	350	350	350	350
	Part No. →	-	*57102*	*57102*	*57102*	*57102*	*57102*
Steerer, mm		121	121	121	141	181	221
Head angle		70.5	70.5	71.0	71.0	71.0	71.0
Seat angle		74.0	73.5	73.0	73.0	73.0	72.5
MM Standover		681	725	745	772	808	846
Seat tube		330	419	457	495	533	571
Head tube		85	85	85	105	145	185
Eff top tube		542	560	580	590	600	610
Reach		620	651	679	689	712	722
Chainstays		430	430	430	430	430	430
BB height		288	295	298	298	298	298
Offset		38	38	38	38	38	38
Trail		75	78	75	75	75	75
Wheelbase		1022	1038	1049	1060	1071	1077
IN Standover		26.8	28.5	29.3	30.4	31.8	33.3
Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
Head tube		3.3	3.3	3.3	4.1	5.7	7.3
Eff top tube		21.3	22.0	22.8	23.2	23.6	24.0
Reach		24.4	25.6	26.8	27.1	28.0	28.4
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.3	11.6	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5	1.5
Trail		3.0	3.1	3.0	3.0	3.0	3.0
Wheelbase		40.2	40.9	41.3	41.7	42.2	42.4

850SHX

Our Price: $ _____

	Part No.					
Main tubes		True Temper double butted CroMoly				
Stays		True Temper CroMoly				
Fork		Rock Shox Quadra 5	48mm travel			
Headset		VP H913W	25.4/34.0/30.0, 35.0 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		CroMoly steel ATB	25.4 mm insertion			
Bar ends		-				
Grips		Trek logo				
Shifters	61882/3	Shimano STX-RC RapidFire SL				
Front derailleur	61394	Shimano Alivio Top Swing	Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	61497	Shimano Alivio				
Brakes	61087/8	Shimano Alivio				
Brake levers	61080	Shimano Alivio				
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-LP26	73 x 110			
Pedals	57181/2	Resin w/clips and straps	9/16" axle			
Cassette	61228	Shimano IG50 11-30	7spd			
Chain	61251	IG31	106L length			
Front wheel	973520					
Front hub	T962843	Aluminum, sealed				
Front tire	52204	Trek Kahuna front	26 x 2.1			
Rear wheel	973519					
Rear hub	61659	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire	52205	Trek Kahuna rear	26 x 2.1			
Tubes	39417	Schraeder valve				
Rims	970424	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		14G stainless	32 spokes/267 front/265/266 rear(D/ND)/3x			
Saddle	64437	Trek Dual density				
Seatpost		Micro-adjust, alloy	26.6 mm diameter			
Seat binder	T962846	Quick release				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Dry Ice Blue/ Black fork• Black decal				

	24	34	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

28.0 lb.
12.71 kg.

Frame sizes		13	16.5	18	19.5	21	22.5
Handlebar width		560	560	560	560	560	560
	Part No. ➤	57141	57141	57141	57141	57141	57141
Stem length		90	105	120	135	135	150
	Part No. ➤	62377	62378	62379	62380	62380	62381
Crank length		170	175	175	175	175	175
	Part No. ➤	61278	61279	61279	61279	61279	61279
Seatpost length		300	350	350	350	350	350
	Part No. ➤	-	57102	57102	57102	57102	57102
Steerer, mm		119	119	119	139	179	219
Head angle		70.0	70.0	70.5	70.5	70.5	70.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0
MM Standover		694	719	738	767	804	841
Seat tube		330	419	457	495	533	571
Head tube		85	85	85	105	145	185
Eff top tube		540	555	570	580	590	600
Reach		618	646	669	691	701	724
Chainstays		430	430	430	430	430	430
BB height		291	293	295	295	295	297
Offset		43	43	43	43	43	43
Trail		75	75	72	72	72	72
Wheelbase		1026	1041	1049	1059	1071	1078
IN Standover		27.3	28.3	29.1	30.2	31.7	33.1
Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
Head tube		3.3	3.3	3.3	4.1	5.7	7.3
Eff top tube		21.3	21.9	22.4	22.8	23.2	23.6
Reach		24.3	25.4	26.3	27.2	27.6	28.5
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.5	11.5	11.6	11.6	11.6	11.7
Offset		1.7	1.7	1.7	1.7	1.7	1.7
Trail		3.0	3.0	2.8	2.8	2.8	2.8
Wheelbase		40.4	41.0	41.3	41.7	42.2	42.4

Our Price: $ _____

850

	Part No.					
Main tubes		True Temper double butted CroMoly				
Stays		True Temper CroMoly				
Fork		Trek CroMoly				
Headset		VP H913W	25.4/34.0/30.0, 35.0 mm stack			
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter				
Stem		CroMoly steel ATB	25.4 mm insertion			
Bar ends		-				
Grips		Trek logo				
Shifters	61882/3	Shimano STX-RC RapidFire SL				
Front derailleur	61394	Shimano Alivio Top Swing	Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	61498	Shimano STX SGS				
Brakes	61087/8	Shimano Alivio				
Brake levers	61080	Shimano Alivio				
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-LP26	73 x 110			
Pedals	57181/2	Resin w/clips and straps	9/16" axle			
Cassette	61228	Shimano IG50 11-30	7spd			
Chain	61251	IG31	106L length			
Front wheel	973520					
Front hub	T962843	Aluminum, sealed				
Front tire	52204	Trek Kahuna front	26 x 2.1			
Rear wheel	973519					
Rear hub	61659	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire	52205	Trek Kahuna rear	26 x 2.1			
Tubes	39417	Schraeder valve				
Rims	970424	Matrix Guru	546 E.R.D., Velox 19mm rim strip			
Spokes		14G stainless	32 spokes/267 front/265/266 rear(D/ND)/3x			
Saddle	64436	Trek Dual density				
Seatpost		Micro-adjust, alloy	26.6 mm diameter			
Seat binder	T962846	Quick release				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Dry Ice Blue• Black decal				

	24	34	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

27.3 lb.
12.39 kg.

Frame sizes		13	16.5	18	19.5	21	22.5
Handlebar width		560	560	560	560	560	560
	Part No. ➤	57141	57141	57141	57141	57141	57141
Stem length		90	105	120	135	135	150
	Part No. ➤	62377	62378	62379	62380	62380	62381
Crank length		170	175	175	175	175	175
	Part No. ➤	61278	61279	61279	61279	61279	61279
Seatpost length		300	350	350	350	350	350
	Part No. ➤	-	57102	57102	57102	57102	57102
Steerer, mm		125	125	125	145	185	225
Head angle		70.0	70.0	70.5	70.5	70.5	70.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0
MM Standover		694	719	738	767	804	841
Seat tube		330	419	457	495	533	571
Head tube		85	85	85	105	145	185
Eff top tube		540	555	570	580	590	600
Reach		618	646	669	691	701	724
Chainstays		430	430	430	430	430	430
BB height		291	293	295	295	295	297
Offset		43	43	43	43	43	43
Trail		75	75	72	72	72	72
Wheelbase		1026	1041	1049	1059	1071	1078
IN Standover		27.3	28.3	29.1	30.2	31.7	33.1
Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
Head tube		3.3	3.3	3.3	4.1	5.7	7.3
Eff top tube		21.3	21.9	22.4	22.8	23.2	23.6
Reach		24.3	25.4	26.3	27.2	27.6	28.5
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.5	11.5	11.6	11.6	11.6	11.7
Offset		1.7	1.7	1.7	1.7	1.7	1.7
Trail		3.0	3.0	2.8	2.8	2.8	2.8
Wheelbase		40.4	41.0	41.3	41.7	42.2	42.4

830SHX

Our Price: $ _____

	Part No.						
Main tubes		True Temper double butted CroMoly					
Stays		True Temper CroMoly					
Fork		RST 161B	51mm travel				
Headset		VP H913W	25.4/34.0/30.0, 35.0 mm stack				
Handlebars		CroMoly	25.4mm clamp diameter				
Stem		CroMoly ATB	25.4 mm insertion				
Bar ends		-					
Grips	56033	GripShift logo					
Shifters	63036/7	GripShift SRT 400					
Front derailleur	61389	Shimano Acera-X	Top pull, (W-down), 28.6 mm/ 1 1/8"				
Rear derailleur	61497	Shimano Alivio					
Brakes	61083/4	Shimano Acera-X					
Brake levers		Dia-Compe SS8					
Crankset		Shimano Acera-X 42/34/24	Riveted rings				
Bottom bracket	61005	Shimano BB-LP26	73 x 110				
Pedals	57181/2	Wellgo LU-945	9/16" axle				
Cassette	61171	Shimano HG30 11-28	7spd				
Chain	61245	HG50	106L length				
Front wheel	64179						
Front hub	T962843	Aluminum, sealed					
Front tire	52204	Trek Kahuna front	26 x 2.1				
Rear wheel	64178						
Rear hub	61651	Shimano Acera-X	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.				
Rear tire	52205	Trek Kahuna rear	26 x 2.1				
Tubes	39417	Schraeder valve					
Rims	960323	Weinmann 519	545 E.R.D., Velox 19mm rim strip				
Spokes		14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x				
Saddle	64436	Trek Dual density					
Seatpost		Micro-adjust, alloy	26.6 mm diameter				
Seat binder	T962846	Quick release					
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Dry Titanium/ Yellow fork• Yellow decal					
Frame sizes		13	16.5	18	19.5	21	22.5
Handlebar width		560	560	560	560	560	560
Stem length	Part No.	57141	57141	57141	57141	57141	57141
		90	105	120	135	135	150
Crank length	Part No.	62377	62378	62379	62380	62380	62381
		170	175	175	175	175	175
Seatpost length	Part No.	61274	61275	61275	61275	61275	61275
		300	300	350	350	350	350
	Part No.	-	-	57102	57102	57102	57102
Steerer, mm		119	119	119	139	179	219
Head angle		70.0	70.0	70.5	70.5	70.5	70.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0
MM Standover		694	719	738	767	804	841
MM Seat tube		330	419	457	495	533	571
MM Head tube		85	85	85	105	145	185
MM Eff top tube		540	555	570	580	590	600
MM Reach		618	646	669	691	701	724
MM Chainstays		430	430	430	430	430	430
MM BB height		291	293	295	295	295	297
MM Offset		43	43	43	43	43	43
MM Trail		75	75	72	72	72	72
MM Wheelbase		1026	1041	1049	1059	1071	1078
IN Standover		27.3	28.3	29.1	30.2	31.7	33.1
IN Seat tube		13.0	16.5	18.0	19.5	21.0	22.5
IN Head tube		3.3	3.3	3.3	4.1	5.7	7.3
IN Eff top tube		21.3	21.9	22.4	22.8	23.2	23.6
IN Reach		24.3	25.4	26.3	27.2	27.6	28.5
IN Chainstays		16.9	16.9	16.9	16.9	16.9	16.9
IN BB height		11.5	11.5	11.6	11.6	11.6	11.7
IN Offset		1.7	1.7	1.7	1.7	1.7	1.7
IN Trail		3.0	3.0	2.8	2.8	2.8	2.8
IN Wheelbase		40.4	41.0	41.3	41.7	42.2	42.4

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

29.5 lb.
13.39 kg.

Our Price: $ _____

830

	Part No.							
Main tubes		True Temper double butted CroMoly						
Stays		True Temper CroMoly						
Fork		Trek CroMoly						
Headset		VP H913W	25.4/34.0/30.0, 35.0 mm stack					
Handlebars		CroMoly	25.4mm clamp diameter					
Stem		CroMoly ATB	25.4 mm insertion					
Bar ends		-						
Grips	56033	GripShift logo						
Shifters	63036/7	GripShift SRT 400						
Front derailleur	61389	Shimano Acera-X	Top pull, (W-down), 28.6 mm/ 1 1/8"					
Rear derailleur	61497	Shimano Alivio						
Brakes	61083/4	Shimano Acera-X						
Brake levers		Dia-Compe SS8						
Crankset		Shimano Acera-X 42/34/24	Riveted rings					
Bottom bracket	61005	Shimano BB-LP26	73 x 110					
Pedals	57181/2	Wellgo LU-945	9/16" axle					
Cassette	61171	Shimano HG30 11-28	7spd					
Chain	61245	HG50	106L length					
Front wheel	64179							
Front hub	T962843	Aluminum, sealed						
Front tire	52204	Trek Kahuna front	26 x 2.1					
Rear wheel	64178							
Rear hub	61651	Shimano Acera-X	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.					
Rear tire	52205	Trek Kahuna rear	26 x 2.1					
Tubes	39417	Schraeder valve						
Rims	960323	Weinmann 519	545 E.R.D., Velox 19mm rim strip					
Spokes		14G stainless	32 spokes/268 front/266/267 rear(D/ND)/3x					
Saddle	64436	Trek Dual density						
Seatpost		Micro-adjust, alloy	26.6 mm diameter					
Seat binder	T962846	Quick release						
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Judy Yellow• Black decal						
		Inkwell• Silver decal						
Frame sizes		13	16.5	18	19.5	21	22.5	17W	20W
Handlebar width		560	560	560	560	560	560	560	560
Stem length	Part No.	57141	57141	57141	57141	57141	57141	57141	57141
		90	105	120	150	150	150	90	105
Crank length	Part No.	62377	62378	62379	62380	62380	62381	62377	62378
		170	175	175	175	175	170	170	175
Seatpost length	Part No.	61274	61275	61275	61275	61275	61274	61274	61275
		300	300	350	350	350	350	300	300
	Part No.	-	-	57102	57102	57102	57102	-	-
Steerer, mm		125	125	125	145	185	225	165	195
Head angle		70.0	70.0	70.5	70.5	70.5	70.5	69.5	70.0
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0	72.5	72.0
MM Standover		694	719	738	767	804	841	643	664
MM Seat tube		330	419	457	495	533	571	432	508
MM Head tube		85	85	85	105	145	185	125	155
MM Eff top tube		540	555	570	580	590	600	539	554
MM Reach		618	646	669	704	714	724	617	645
MM Chainstays		430	430	430	430	430	430	436	436
MM BB height		291	293	295	295	295	297	283	295
MM Offset		43	43	43	43	43	43	43	43
MM Trail		75	75	72	72	72	72	76	73
MM Wheelbase		1026	1041	1049	1059	1071	1078	1031	1043
IN Standover		27.3	28.3	29.1	30.2	31.7	33.1	25.3	26.1
IN Seat tube		13.0	16.5	18.0	19.5	21.0	22.5	17.0	20.0
IN Head tube		3.3	3.3	3.3	4.1	5.7	7.3	4.9	6.1
IN Eff top tube		21.3	21.9	22.4	22.8	23.2	23.6	21.2	21.8
IN Reach		24.3	25.4	26.3	27.7	28.1	28.5	24.3	25.4
IN Chainstays		16.9	16.9	16.9	16.9	16.9	16.9	17.2	17.2
IN BB height		11.5	11.5	11.6	11.6	11.6	11.7	11.1	11.6
IN Offset		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
IN Trail		3.0	3.0	2.8	2.8	2.8	2.8	3.0	2.9
IN Wheelbase		40.4	41.0	41.3	41.7	42.2	42.4	40.6	41.1

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

29.0 lb.
13.17 kg.

	Part No.								
Main tubes		Trek CroMoly							
Stays		High tensile steel							
Fork		Full CroMoly							
Headset		VP H913W	22.2/30.0/27.0 (some 1 1'8"), 35.0 mm stack						
Handlebars		Steel, 5° bend; Women's: 60mm rise, 25.4mm clamp diameter							
Stem		Steel ATB	22.2 mm insertion (some 1 1/8")						
Bar ends		-							
Grips		Kraton							
Shifters	*63039/43*	GripShift MRX170							
Front derailleur	*61477*	Shimano Altus CT92E	Down pull, E-type, bracket						
Rear derailleur	*61497*	Shimano Alivio							
Brakes	*61081/2*	Shimano Altus CT91							
Brake levers	*64363*	Tektro 371A							
Crankset		Shimano Altus CT92 42/34/24, Riveted rings							
Bottom bracket	*61000*	Shimano BB-CT91E	68 x 116						
Pedals	*57182/1*	Wellgo LU-945	9/16" axle						
Cassette	*61171*	Shimano HG30 11-28	7spd						
Chain	*29705*	UG50							
Front wheel	*60936*								
Front hub		Alloy quick release							
Front tire	*56435*	Trek Connection	26 x 1.95						
Rear wheel	*60937*								
Rear hub		Shimano Altus	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.						
Rear tire	*56435*	Trek Connection	26 x 1.95						
Tubes	*39417*	Schraeder valve							
Rims	*58357*	Weinmann 519	545 E.R.D.,						
Spokes		14G stainless	36 spokes/265 front/263/264 rear(D/ND)/3x						
Saddle	*64445*	Trek Hi-density super soft foam *(Ladies 64446)*							
Seatpost		Micro-adjust, alloy	26.6 mm diameter						
Seat binder	*T972666*	Quick release							
Additionals		Rack mounts, 2 water bottle mounts							
Colors		Gloss Red• Black decal							
		Gloss Black• Silver decal							
Frame sizes		13.5	16.5	18	19.5	21	22.5	24	17W	20W
Handlebar width		560	580	580	580	580	580	580	580	610
	Part No. ➡	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*	*55460*	*55460*
Stem length		100	100	100	100	120	120	120	100	100
	Part No. ➡	-	-	-	-	-	-	-	-	-
Crank length		170	170	170	170	170	170	170	170	170
	Part No. ➡	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*
Seatpost length		300	300	300	300	300	300	300	250	300
	Part No. ➡	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*54326*	*57102*
Steerer, mm		124	124	124	144	184	224	264	164	194
Head angle		70.0	70.0	70.5	70.5	70.5	70.5	70.5	69.5	69.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0	72.0	72.5	72.5
MM Standover		687	711	731	758	795	832	869	644	666
Seat tube		342	419	457	495	533	571	610	432	508
Head tube		85	85	85	105	145	185	225	125	155
Eff top tube		540	550	560	570	580	590	600	539	554
Reach		582	592	603	613	632	642	652	580	595
Chainstays		436	436	436	436	436	436	436	436	436
BB height		291	293	295	295	295	297	297	283	295
Offset		43	43	43	43	43	43	43	45	45
Trail		75	75	72	72	72	72	72	77	73
Wheelbase		1031	1042	1044	1045	1066	1073	1084	1031	1043
IN Standover		27.0	28.0	28.8	29.8	31.3	32.8	34.2	25.4	26.2
Seat tube		13.5	16.5	18.0	19.5	21.0	22.5	24.0	17.0	20.0
Head tube		3.3	3.3	3.3	4.1	5.7	7.3	8.9	4.9	6.1
Eff top tube		21.3	21.7	22.0	22.4	22.8	23.2	23.6	21.2	21.8
Reach		22.9	23.3	23.7	24.1	24.9	25.3	25.7	22.9	23.4
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2
BB height		11.5	11.5	11.6	11.6	11.6	11.7	11.7	11.1	11.6
Offset		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.8
Trail		3.0	3.0	2.8	2.8	2.8	2.8	2.8	3.0	2.9
Wheelbase		40.6	41.0	41.1	41.1	42.0	42.2	42.7	40.6	41.1

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

	Part No.								
Main tubes		HiTensile steel w/ outer butted CroMoly seat tube							
Stays		High tensile steel							
Fork		High tensile steel							
Headset	*58960*	VP H67W	22.2/30.0/27.0, 35.0 mm stack						
Handlebars		5° bend, women's 60 mm rise, 25.4mm clamp diameter							
Stem		Steel ATB	22.2 mm insertion						
Bar ends		-							
Grips		Kraton							
Shifters	*61880/1*	Shimano EZ Fire							
Front derailleur	*61477*	Shimano Altus CT92E	Down pull, E-type, bracket						
Rear derailleur	*61494*	Shimano Altus CT92 GS							
Brakes	*61081/2*	Shimano Altus CT91							
Brake levers		-							
Crankset		Shimano Altus CT92 42/34/24, Riveted rings							
Bottom bracket	*61000*	Shimano BB-CT91E	68 x 116						
Pedals	*57180*	Victor VP-893	9/16" axle						
Cassette	*61171*	Shimano HG30 11-28	7spd						
Chain	*29705*	UG50	108L length						
Front wheel	*60936*								
Front hub		Alloy quick release							
Front tire	*56435*	Trek Connection	26 x 1.95						
Rear wheel	*60937*								
Rear hub	*62267*	Quick release cassette	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.						
Rear tire	*56435*	Trek Connection	26 x 1.95						
Tubes	*39417*	Schraeder valve							
Rims	*58357*	Weinmann 519	545 E.R.D.,						
Spokes		14G UCP	36 spokes/265 front/263/264 rear(D/ND)/3x						
Saddle	*56630-1*	Trek Hi-density super soft foam							
Seatpost		Alloy	26.6 mm diameter						
Seat binder		Quick release							
Additionals		Rack mounts, 2 water bottle mounts							
Colors		Gloss Bright Silver• Black decal							
		Dry Dark Blue • White decal							
Frame sizes		13.5	16.5	18	19.5	21	22.5	24	17W	20W
Handlebar width		580	580	580	580	580	580	580	610	610
	Part No. ➡	*57140*	*57140*	*57140*	*57140*	*57140*	*57140*	*57140*	*64870*	*64870*
Stem length		90	90	90	110	110	130	130	90	110
	Part No. ➡	*64867*	*64867*	*64867*	*64868*	*64868*	*64869*	*64869*	*64867*	*64868*
Crank length		170	170	170	170	170	170	170	170	170
	Part No. ➡	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*	*59461-L/R*
Seatpost length		300	300	300	300	300	300	300	250	300
	Part No. ➡	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*54326*	*57102*
Steerer, mm										
Head angle		70.0	70.0	70.5	70.5	70.5	70.5	70.5	69.5	69.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0	72.0	72.5	72.5
MM Standover		687	711	731	758	795	832	869	644	666
Seat tube		342	419	457	495	533	571	610	432	508
Head tube		85	85	85	105	145	185	225	125	155
Eff top tube		540	550	560	570	580	590	600	533	536
Reach		563	573	584	599	609	625	635	556	564
Chainstays		436	436	436	436	436	436	436	436	436
BB height		291	293	295	295	295	297	297	283	295
Offset		43	43	43	43	43	43	43	45	45
Trail		75	75	72	72	72	72	72	77	73
Wheelbase		1031	1042	1044	1045	1066	1073	1084	1031	1043
IN Standover		27.0	28.0	28.8	29.8	31.3	32.8	34.2	25.4	26.2
Seat tube		13.5	16.5	18.0	19.5	21.0	22.5	24.0	17.0	20.0
Head tube		3.3	3.3	3.3	4.1	5.7	7.3	8.9	4.9	6.1
Eff top tube		21.3	21.7	22.0	22.4	22.8	23.2	23.6	21.0	21.1
Reach		22.2	22.6	23.0	23.6	24.0	24.6	25.0	21.9	22.2
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2
BB height		11.5	11.5	11.6	11.6	11.6	11.7	11.7	11.1	11.6
Offset		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.8
Trail		3.0	3.0	2.8	2.8	2.8	2.8	2.8	3.0	2.9
Wheelbase		40.6	41.0	41.1	41.1	42.0	42.2	42.7	40.6	41.1

	24	34	42
11	57	81	100
13	48	69	85
15	42	59	73
18	35	50	61
21	30	42	52
24	26	37	46
28	22	32	39

800 SPORT

Our Price: $ _____

	Part No.								
Main tubes		High tensile steel							
Stays		High tensile steel							
Fork		High tensile steel							
Headset	*58960*	VP H67W	22.2/30.0/27.0, 35.0 mm stack						
Handlebars		5° bend, women's 60 mm rise, 25.4mm clamp diameter							
Stem		Steel ATB	22.2 mm insertion						
Bar ends		-							
Grips	*63060*	Kraton							
Shifters	*63039/42*	GripShift MRX170							
Front derailleur	*61382*	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"						
Rear derailleur	*61494*	Shimano Tourney TY22							
Brakes	*61081/2*	Shimano Altus CT91							
Brake levers	*64363*	Tektro 371AP							
Crankset		SR 48/38/28	Riveted rings						
Bottom bracket	*53309*	VP-B32/3N	68						
Pedals	*57180*	Victor VP-893	9/16" axle						
Cassette	*61231*	HG37 14-28	7spd						
Chain	*29705*	UG50							
Front wheel	*60934*								
Front hub		Quick release							
Front tire	*56435*	Trek Connection	26 x 1.95						
Rear wheel	*60935*								
Rear hub	*62267*	Nutted rear	Threaded, 7 spd, nutted rear, 135 mm O.L.D.						
Rear tire	*56435*	Trek Connection	26 x 1.95						
Tubes	*39417*	Schraeder valve							
Rims	*58357*	Weinmann 519	545 E.R.D.,						
Spokes		14G UCP	36 spokes/265 front/262/263 rear(D/ND)/3x						
Saddle	*56630-1*	Trek Hi-density super soft foam							
Seatpost		Alloy	26.6 mm diameter						
Seat binder		Quick release							
Additionals		Rack mounts, 2 water bottle mounts							
Colors		Gloss Ice Green • White decal							
		Dry Bright Blue• Black decal							
Frame sizes		13.5	16.5	18	19.5	21	22.5	24	17W	20W
Handlebar width		560	580	580	580	580	580	580	580	610
	Part No. →	*57140*	*57140*	*57140*	*57140*	*57140*	*57140*	*57140*	*62540*	*62541*
Stem length		80	80	80	100	100	120	120	100	100
	Part No. →	*64861*	*64861*	*64861*	*64862*	*64862*	*64863*	*64863*	*64862*	*64862*
Crank length		170	170	170	170	170	170	170	170	170
	Part No. →	*64360*	*64360*	*64360*	*64360*	*64360*	*64360*	*64360*	*64360*	*64360*
Seatpost length		300	300	300	300	300	300	300	250	300
	Part No. →	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*54326*	*57102*
Steerer, mm		122	122	122	142	182	222	262	162	192
Head angle		70.0	70.0	70.5	70.5	70.5	70.5	70.5	69.5	69.5
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0	72.0	72.5	72.5
MM Standover		687	711	731	758	795	832	869		
Seat tube		342	419	457	495	533	571	610	432	508
Head tube		85	85	85	105	145	185	225	125	155
Eff top tube		540	550	560	570	580	590	600	533	536
Reach		561	571	581	597	607	622	632	558	561
Chainstays		436	436	436	436	436	436	436	436	436
BB height		291	293	295	295	295	297	297	283	295
Offset		43	43	43	43	43	43	43	45	45
Trail		75	75	72	72	72	72	72	77	73
Wheelbase		1031	1042	1044	1045	1066	1073	1084	1031	1043
IN Standover		27.0	28.0	28.8	29.8	31.3	32.8	34.2		
Seat tube		13.5	16.5	18.0	19.5	21.0	22.5	24.0	17.0	20.0
Head tube		3.3	3.3	3.3	4.1	5.7	7.3	8.9	4.9	6.1
Eff top tube		21.3	21.7	22.0	22.4	22.8	23.2	23.6	21.0	21.1
Reach		22.1	22.5	22.9	23.5	23.9	24.5	24.9	22.0	22.1
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2
BB height		11.5	11.5	11.6	11.6	11.6	11.7	11.7	11.1	11.6
Offset		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.8
Trail		3.0	3.0	2.8	2.8	2.8	2.8	2.8	3.0	2.9
Wheelbase		40.6	41.0	41.1	41.1	42.0	42.2	42.7	40.6	41.1

	28	38	48
14	52	71	90
16	46	62	79
18	41	55	70
20	37	50	63
22	33	45	57
24	31	42	52
28	26	36	45

Hybrids

Assembly Details

Seatposts

Lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

Aluminum, 3 Tube Carbon, and some steel hybrid bikes are designed to accept 27.2 mm seatposts with a tolerance of 27.10 to 27.20 mm outer diameter (or in the case of 730 and lower numbers; 26.6 mm +0/-0.1mm). Measure aftermarket seatposts for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Parts

	TCG Part #
Chainstay guard	T83663
Manitou BodyShock seatpost shim (27.2)	T972697
BAU (Brake Actuator Unit)	T950695
Women's BAU	T940358

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell.

Chainstay guard

Aluminum Hybrid frames must always be fitted with a chainstay guard to protect against damage in case of chainsuck or overshifting past the inner chainring.

Our Price: $ _____

UAV 2

	Part No.				
Main tubes		Trek butted carbon			
Stays		Easton tapered aluminum			
Fork		Manitou suspension, alloy steerer, 48mm travel			
Headset	63340	Tange Seiki DX-2 Aheadset	25.4/34.0/30.0, 26.9 mm stack		
Handlebars		TTT Lex	25.4mm clamp diameter		
Stem		TTT Forge Ahead, direct connect, 39.5 mm steerer clamp height			
Bar ends	54238	System 1			
Grips		GripShift ESP 700			
Shifters	63022/4	GripShift ESP 700			
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	63003	GripShift ESP 7.0			
Brakes	61087/8	Shimano Alivio			
Brake levers	62725	Tektro 367AP			
Crankset		Shimano Deore LX 42/32/22	58/94 mm bolt hole circle		
Bottom bracket	61017	Shimano BB-UN52	68 x 113		
Pedals	60217	Shimano SPD M323 clipless	9/16" axle		
Cassette	61204	Shimano HG70I 11-28	8spd		
Chain	61253	Shimano IG70	106L length		
Front wheel	973010				
Front hub	961825	System 3, suspension axle			
Front tire	T960314	Tioga City Slicker II	700 x 38c		
Rear wheel	973011				
Rear hub	61703	Shimano Deore LX	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.		
Rear tire	T960314	Tioga City Slicker II	700 x 38c		
Tubes		Presta valve			
Rims	961896	Matrix Cosmo	610 E.R.D., Velox 19mm rim strip		
Spokes		DT 14/15G butted stainless	32 spokes/299 front/297/298 rear(D/ND)/3x		
Saddle	T970002	Selle Bassano, CroMoly rails, leather cover			
Seatpost		Manitou BodyShock	27.2 mm diameter		
Seat binder	T961827	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additionals		Rack mounts, 2 water bottle mounts, BodyShock 27.2 shim (T972697)			
Colors		Dry Ice Black/Natural• Silver decal			
Frame sizes		16.5	18	20	22
Handlebar width		620	620	620	620
	Part No.→	-	-	-	-
Stem length		90	105	120	120
	Part No.→	-	-	-	-
Crank length		170	170	175	175
	Part No.→	61287	61287	61288	61288
Seatpost length		350	350	350	350
	Part No.→	T972696	T972696	T972696	T972696
Steerer, mm		172	172	191	226
Head angle		70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0
MM Standover		743	764	794	836
Seat tube		419	457	507	559
Head tube		93	93	116	167
Eff top tube		564	574	574	585
Reach		622	643	653	664
Chainstays		430	430	430	430
BB height		308	311	311	313
Offset		40	40	40	40
Trail		76	73	73	73
Wheelbase		1043	1056	1057	1060
IN Standover		29.3	30.1	31.3	32.9
Seat tube		16.5	18.0	20.0	22.0
Head tube		3.7	3.7	4.6	6.6
Eff top tube		22.2	22.6	22.6	23.0
Reach		24.5	25.3	25.7	26.1
Chainstays		16.9	16.9	16.9	16.9
BB height		12.1	12.2	12.2	12.3
Offset		1.6	1.6	1.6	1.6
Trail		3.0	2.9	2.9	2.9
Wheelbase		41.1	41.6	41.6	41.7

	22	32	42
11	54	79	104
12	50	73	95
14	43	62	82
16	37	54	72
18	33	48	64
21	29	42	54
24	25	36	48
28	21	31	41

UAV 1

Our Price: $ _____

	Part No.				
Main tubes		Easton ProGram taper wall aluminum alloy			
Stays		Easton tapered aluminum			
Fork		Manitou suspension	48mm travel		
Headset	63339	Tange Seiki STE Aheadset	25.4/34.0/30.0, 24.5 mm stack		
Handlebars		System 2 ATB, butted alloy, 170g, 25.4mm clamp diameter			
Stem		TTT Forge Ahead, direct connect, 39.5 mm steerer clamp height			
Bar ends		-			
Grips		GripShift ESP 500			
Shifters	630261/8	GripShift ESP 500			
Front derailleur	61417	Shimano STX-RC Top Swing	Top pull, 34.9 mm/ 1 3/8"		
Rear derailleur	63004	GripShift ESP 5.0			
Brakes	61087/8	Shimano Alivio			
Brake levers	62725	Tektro 367AP			
Crankset		Shimano STX-RC 42/32/22	58/94 mm bolt hole circle		
Bottom bracket		Shimano BB-LP26	68 x 113		
Pedals		Wellgo City	9/16" axle		
Cassette	61228	Shimano IG50 11-30	7spd		
Chain	61252	Shimano IG51	108L length		
Front wheel	973468				
Front hub	960101	System 1, suspension axle			
Front tire	T960314	Tioga City Slicker II	700 x 38c		
Rear wheel	973467				
Rear hub	61683	Shimano STX	HyperGlide Compact cassette, 7 speed, 135 mm O.L.D.		
Rear tire	T960314	Tioga City Slicker II	700 x 38c		
Tubes	29982	Presta valve			
Rims	970711	Matrix Vapor	610 E.R.D., Velox 19mm rim strip		
Spokes		DT 14/15G butted stainless	32 spokes/299 front/297/298 rear(D/ND)/3x		
Saddle	56630	Trek Dual density			
Seatpost		KEI SRU suspension	27.2 mm diameter		
Seat binder	T961827	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additionals		Rack mounts, 2 water bottle mounts			
Colors		Brushed Aluminum• Black decal			
Frame sizes		16.5	18	20	22
Handlebar width		560	560	560	560
	Part No. →	57149	57149	57149	57149
Stem length		90	105	120	120
	Part No. →	-	-	-	-
Crank length		170	170	175	175
	Part No. →	61282	61282	61283	61283
Seatpost length		350	350	350	350
	Part No. →	T952205	T952205	T952205	T952205
Steerer, mm		171	171	190	225
Head angle		70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0
MM Standover		743	764	794	836
Seat tube		419	457	507	559
Head tube		93	93	116	167
Eff top tube		564	574	574	585
Reach		622	643	653	664
Chainstays		430	430	430	430
BB height		308	311	311	313
Offset		40	40	40	40
Trail		76	73	73	73
Wheelbase		1043	1056	1057	1060
IN Standover		29.3	30.1	31.3	32.9
Seat tube		16.5	18.0	20.0	22.0
Head tube		3.7	3.7	4.6	6.6
Eff top tube		22.2	22.6	22.6	23.0
Reach		24.5	25.3	25.7	26.1
Chainstays		16.9	16.9	16.9	16.9
BB height		12.1	12.2	12.2	12.3
Offset		1.6	1.6	1.6	1.6
Trail		3.0	2.9	2.9	2.9
Wheelbase		41.1	41.6	41.6	41.7

	22	32	42
11	57	81	100
13	48	69	85
16	39	56	69
19	33	47	58
22	29	41	50
26	24	34	42
30	21	30	37

Our Price: $ _____

7600

	Part No.				
Main tubes		Easton ProGram taper wall aluminum alloy			
Stays		Easton tapered aluminum alloy			
Fork		Trek hybrid CroMoly			
Headset		Tange Seiki Passage	25.4/34.0/30.0, 33.4 mm stack		
Handlebars		Aluminum alloy, 30mm rise	25.4mm clamp diameter		
Stem		Tig CroMoly	25.4 mm insertion		
Bar ends	54238	System 1			
Grips		Trek logo, GS			
Shifters		GripShift SRT 450	(combination shift/brake)		
Front derailleur	61417	Shimano STX-RC Top Swing	Top pull, 34.9 mm/ 1 3/8"		
Rear derailleur	61501	Shimano Deore LX			
Brakes	61087/8	Shimano Alivio			
Brake levers			(combination shift/brake)		
Crankset		Shimano Deore LX 4 arm 42/32/22, 58/94 mm bolt hole circle			
Bottom bracket	61017	Shimano BB-UN52	68 x 113		
Pedals		System 2 ATB w/clips and straps, 9/16" axle			
Cassette	61205	Shimano HG60 11-30	8spd		
Chain	61252	Shimano IG51			
Front wheel	973014				
Front hub	961822	System 2, suspension axle			
Front tire	56640	Trek Invert II	700 x 38c		
Rear wheel	973017				
Rear hub	61685	Shimano STX-RC	HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.		
Rear tire	56640	Trek Invert II	700 x 38c		
Tubes	29982	Presta valve			
Rims	961896	Matrix Cosmo	610 E.R.D., Velox 19mm rim strip		
Spokes		DT 14G stainless	32 spokes/300 front/298/299 rear(D/ND)/3x		
Saddle		Selle Italia Avant Garde			
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter		
Seat binder	T960659	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additionals					
Colors		Ice Green			
Frame sizes		16.5	18	20	22
Handlebar width		580	580	580	580
	Part No. →	57144	57144	57144	57144
Stem length		90	105	120	120
	Part No. →	62377	62378	62379	62379
Crank length		175	175	175	175
	Part No. →	61290	61290	61290	61290
Seatpost length		300	300	350	350
	Part No. →	-	-	57106	57106
Steerer, mm		133	133	158	209
Head angle		70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0
MM Standover		743	764	794	836
Seat tube		419	457	507	559
Head tube		93	93	116	167
Eff top tube		564	574	574	585
Reach		642	666	673	697
Chainstays		430	430	430	430
BB height		308	311	311	313
Offset		40	40	40	40
Trail		76	73	73	73
Wheelbase		1043	1056	1057	1060
IN Standover		29.3	30.1	31.3	32.9
Seat tube		16.5	18.0	20.0	22.0
Head tube		3.7	3.7	4.6	6.6
Eff top tube		22.2	22.6	22.6	23.0
Reach		25.3	26.2	26.5	27.4
Chainstays		16.9	16.9	16.9	16.9
BB height		12.1	12.2	12.2	12.3
Offset		1.6	1.6	1.6	1.6
Trail		3.0	2.9	2.9	2.9
Wheelbase		41.1	41.6	41.6	41.7

	22	32	42
11	54	79	104
13	46	67	88
15	40	58	76
17	35	51	67
20	30	44	57
23	26	38	50
26	23	34	44
30	20	29	38

25.1 lb.
11.40 kg.

Our Price: $

	Part No.						
Main tubes		Trek double butted CroMoly					
Stays		CroMoly					
Fork		System 1 Hybrid CroMoly					
Headset		Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack				
Handlebars		System 1 ATB, alloy, 230g	25.4mm clamp diameter				
Stem		System 1 hybrid, CroMoly	22.2 mm insertion				
Bar ends		-					
Grips		GripShift logo					
Shifters	*63036/7*	GripShift SRT 400					
Front derailleur	*61404*	Shimano STX Top Swing	Down pull, 31.8 mm/ 1 1/4"				
Rear derailleur	*61498*	Shimano STX SGS					
Brakes	*61087/8*	Shimano Alivio					
Brake levers	*62725*	Tektro 376AP					
Crankset		Shimano STX 42/32/22	58/94 mm bolt hole circle				
Bottom bracket	*61002*	Shimano BB-LP26	68 x 110				
Pedals		System 1 ATB w/clips and straps, 9/16" axle					
Cassette	*61227*	Shimano IG50 11-28	7spd				
Chain	*61251*	Shimano IG31	106L length				
Front wheel							
Front hub	*61657*	Shimano Alivio					
Front tire	*56640*	Trek Invert II	700 x 38c				
Rear wheel							
Rear hub	*61675*	Shimano R050 'Silent Clutch'	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.				
Rear tire	*56640*	Trek Invert II	700 x 38c				
Tubes		Presta valve					
Rims	*970711*	Matrix Vapor	610 E.R.D., Velox 19mm rim strip				
Spokes		DT 14G stainless	32 spokes/299 front/297/298 rear(D/ND)/3x				
Saddle		Velo					
Seatpost		Micro-adjust, alloy	27.2 mm diameter				
Seat binder		System Steel w/QR	31.8 clamp diameter				
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Ice Inkwell Blue• Silver decal					

	22	32	42
11	54	79	104
13	46	67	88
15	40	58	76
18	33	48	64
21	29	42	54
24	25	36	48
28	21	31	41

25.4 lb.
11.53 kg.

		15	17	19	21	23	17W	20W
Frame sizes								
Handlebar width		560	560	560	560	560		
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*	-	-
Stem length		90	105	120	120	135	90	105
	Part No. →	*62122*	*62123*	*62124*	*62124*	*62125*	*62122*	*62123*
Crank length		170	170	170	175	175		
	Part No. →	*61280*	*61280*	*61280*	*61281*	*61281*	-	-
Seatpost length		300	350	350	350	350	300	350
	Part No. →	-	*57106*	*57106*	*57106*	*57106*	-	*57106*
Steerer, mm		128	128	128	138	178	120	165
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	70.5
Seat angle		74.0	74.0	73.0	73.0	73.0	74.0	73.0
MM Standover		658	728	753	784	828	682	680
Seat tube		381	432	483	533	584	432	483
Head tube		90	90	90	100	140	120	165
Eff top tube		545	550	560	570	580	548	556
Reach		614	631	653	664	686	617	637
Chainstays		430	430	430	430	430	430	430
BB height		281	281	281	281	281	281	281
Offset		50	50	50	50	50	50	50
Trail		73	70	70	63	63	70	70
Wheelbase		1038	1039	1039	1041	1052	1039	1039
IN Standover		25.9	28.7	29.6	30.9	32.6	26.9	26.8
Seat tube		15.0	17.0	19.0	21.0	23.0	17.0	19.0
Head tube		3.5	3.5	3.5	3.9	5.5	4.7	6.5
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.6	21.9
Reach		24.2	24.8	25.7	26.1	27.0	24.3	25.1
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1
Offset		2.0	2.0	2.0	2.0	2.0	2.0	2.0
Trail		2.9	2.8	2.8	2.5	2.5	2.8	2.8
Wheelbase		40.9	40.9	40.9	41.0	41.4	40.9	40.9

Our Price: $

	Part No.						
Main tubes		Trek double butted CroMoly					
Stays		CroMoly					
Fork		CroMoly					
Headset		Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack				
Handlebars		System 1 ATB, 30mm rise Women's, 25.4mm clamp diameter					
Stem		System 1 ATB, CroMoly	22.2 mm insertion				
Bar ends		-					
Grips	*56033*	GripShift logo					
Shifters	*63036/7*	GripShift SRT 400					
Front derailleur	*61391*	Shimano Alivio Top Swing	Down pull, 28.6mm/11/8"				
Rear derailleur	*61497*	Shimano Alivio					
Brakes	*61087/8*	Shimano Alivio					
Brake levers	*62725*	Tektro 367AP					
Crankset		Shimano Alivio 42/34/24	67 mm bolt hole circle				
Bottom bracket	*61002*	Shimano BB-LP26	68 x 110				
Pedals	*57182*	System 1 ATB w/clips and straps, 9/16" axle					
Cassette	*61227*	Shimano IG50 11-28	7spd				
Chain	*61251*	Shimano IG31	106L length				
Front wheel	*973465*						
Front hub		Shimano Acera-X					
Front tire	*56640*	Trek Invert II	700 x 38c				
Rear wheel	*973466*						
Rear hub		Shimano Acera-X	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.				
Rear tire	*56640*	Trek Invert II	700 x 38c				
Tubes		Schraeder valve					
Rims	*970418*	Matrix Vapor	610 E.R.D.,				
Spokes		14G stainless	32 spokes/299 front/297/298 rear(D/ND)/3x				
Saddle		Trek Hi-density foam					
Seatpost		SP-263 alloy micro-adjust	26.6 mm diameter				
Seat binder	*T962846*	Quick release					
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Ice Forest Green• Titanium decal					
		Gloss Ice Cream • Blue decal					

	24	34	42
11	59	84	104
13	50	71	88
15	44	62	76
18	36	51	64
21	31	44	54
24	27	39	48
28	23	33	41

25.7 lb.
11.67 kg.

		15	17	19	21	23	17W	20W
Frame sizes								
Handlebar width		560	560	560	560	560	580	580
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*	-	-
Stem length		90	105	105	105	120	90	105
	Part No. →	*62122*	*62123*	*62123*	*62123*	*62124*	*62122*	*62123*
Crank length		170	170	170	175	175	170	170
	Part No. →	*61278*	*61278*	*61278*	*61279*	*61279*	*61278*	*61278*
Seatpost length		300	350	350	350	350	300	350
	Part No. →	-	*57102*	*57102*	*57102*	*57102*	-	*57102*
Steerer, mm		123	123	123	133	173	153	198
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	70.5
Seat angle		74.0	74.0	73.0	73.0	73.0	74.0	73.0
MM Standover		658	728	753	784	828	682	680
Seat tube		381	432	483	533	584	432	483
Head tube		90	90	90	100	140	120	165
Eff top tube		545	550	560	570	580	548	556
Reach		614	631	641	652	674	617	637
Chainstays		430	430	430	430	430	430	430
BB height		281	281	281	281	281	281	281
Offset		50	50	50	50	50	50	50
Trail		73	70	70	63	63	70	70
Wheelbase		1038	1039	1039	1041	1052	1039	1039
IN Standover		25.9	28.7	29.6	30.9	32.6	26.9	26.8
Seat tube		15.0	17.0	19.0	21.0	23.0	17.0	19.0
Head tube		3.5	3.5	3.5	3.9	5.5	4.7	6.5
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.6	21.9
Reach		24.2	24.8	25.2	25.7	26.5	24.3	25.1
Chainstays		16.9	16.9	16.9	16.9	16.9	16.9	16.9
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1
Offset		2.0	2.0	2.0	2.0	2.0	2.0	2.0
Trail		2.9	2.8	2.8	2.5	2.5	2.8	2.8
Wheelbase		40.9	40.9	40.9	41.0	41.4	40.9	40.9

Our Price: $ _____

	Part No.							
Main tubes		CroMoly						
Stays		High tensile steel						
Fork		CroMoly						
Headset		Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack					
Handlebars		Steel, 30mm rise, 5° bend	25.4mm clamp diameter					
Stem		Steel hybrid	22.2 mm insertion					
Bar ends		-						
Grips	*56033*	GripShift logo						
Shifters	*63039/42*	GripShift MRX170						
Front derailleur	*61477*	Shimano Altus CT92E	Down pull, E-type, bracket					
Rear derailleur	*61495*	Shimano Acera-X						
Brakes	*61081/2*	Shimano Altus CT91						
Brake levers	*62725*	Tektro 376AP						
Crankset		Shimano Altus CT92 42/34/24, Riveted rings						
Bottom bracket	*61000*	Shimano BB-CT91E	68 x 116					
Pedals	*57181*	Wellgo LU-945	9/16" axle					
Cassette	*61171*	Shimano HG30 11-28	7spd					
Chain	*61245*	HG50	106L length					
Front wheel	*973470*							
Front hub	*61657*	Shimano Alivio						
Front tire	*56469*	Trek MultiTrack	700 x 35c					
Rear wheel	*973469*							
Rear hub	*61659*	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.					
Rear tire	*56469*	Trek MultiTrack	700 x 35c					
Tubes		Schraeder valve						
Rims	*970418*	Matrix Vapor	610 E.R.D.,					
Spokes		14G stainless	32 spokes/299 front/297/298 rear(D/ND)/3x					
Saddle	*64445/6*	Velo						
Seatpost		Micro-adjust, alloy	26.6 mm diameter					
Seat binder	*T962846*	Quick release						
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Ice Inkwell Blue• Silver decal						
		Garnet Red• Gold decal						
Frame sizes		15	17	19	21	23	17W	20W
Handlebar width		560	560	560	560	560	560	560
	Part No. →	-	-	-	-	-	-	-
Stem length		100	100	100	100	100	100	100
	Part No. →	-	-	-	-	-	-	-
Crank length		170	170	170	170	170	170	170
	Part No. →	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*
Seatpost length		300	350	350	350	350	300	300
	Part No. →	-	*57102*	*57102*	*57102*	*57102*	-	-
Steerer, mm		123	123	123	133	173		
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0
MM Standover		702	727	750	781	826		
Seat tube		381	432	483	533	584	432	483
Head tube		85	85	85	100	140	125	155
Eff top tube		545	550	560	570	580	533	536
Reach		587	593	603	615	625	576	581
Chainstays		436	436	436	436	436	436	436
BB height		281	281	281	281	281	281	281
Offset		40	40	40	40	40	40	40
Trail		83	80	80	74	74	80	74
Wheelbase		1033	1034	1034	1036	1047	1036	1041
IN Standover		27.6	28.6	29.5	30.7	32.5		
Seat tube		15.0	17.0	19.0	21.0	23.0	17.0	19.0
Head tube		3.3	3.3	3.3	3.9	5.5	4.9	6.1
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.0	21.1
Reach		23.1	23.3	23.7	24.2	24.6	22.7	22.9
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1
Offset		1.6	1.6	1.6	1.6	1.6	1.6	1.6
Trail		3.3	3.1	3.1	2.9	2.9	3.1	2.9
Wheelbase		40.7	40.7	40.7	40.8	41.2	40.8	41.0

	24	34	42
11	59	84	104
13	50	71	88
15	44	62	76
18	36	51	64
21	31	44	54
24	27	39	48
28	23	33	41

Our Price: $ _____

	Part No.								
Main tubes		High tensile steel							
Stays		High tensile steel							
Fork		High tensile steel							
Headset	*58960*	VP H67W	22.2/30.0/27.0, 35.0 mm stack						
Handlebars		Steel, 5° bend; Women's: 60mm rise, 25.4mm clamp diameter							
Stem		Steel ATB	22.2 mm insertion						
Bar ends		-							
Grips	*63060*	GripShift logo							
Shifters	*63039/42*	GripShift MRX170							
Front derailleur	*61477*	Shimano Altus CT92E	Down pull, E-type, bracket						
Rear derailleur	*61494*	Shimano Altus CT92 GS							
Brakes	*61081/2*	Shimano Altus CT91							
Brake levers	*64810*	Chang Star 273A							
Crankset		Shimano Altus CT92 42/34/24, Riveted rings							
Bottom bracket	*58458*	VP-B33/5L	68 x 5L (32/54/30)						
Pedals	*57180*	Wellgo LU-945	9/16" axle						
Cassette	*61171*	Shimano HG30 11-28	7spd						
Chain	*29705*	UG50	108L length						
Front wheel	*60932*								
Front hub		Aluminum, sealed							
Front tire	*56469*	Trek MultiTrack	700 x 35c						
Rear wheel	*60933*								
Rear hub	*62267*	Quick release cassette	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.						
Rear tire	*56469*	Trek MultiTrack	700 x 35c						
Tubes	*25994*	Schraeder valve							
Rims		Rigida AS26							
Spokes		14G UCP	36 spokes/295 front/293/294 rear(D/ND)/3x						
Saddle	*56630-1*	Trek Hi-density foam							
Seatpost		Steel, chrome plated	26.6 mm diameter						
Seat binder	*64874-5*	Kalloy M6 x 55 (women's 60)							
Additionals		2 water bottle mounts							
Colors		Gloss Red • White decal							
		Gloss Mirror Black• Silver decal							
Frame sizes		15	17	19	21	23	25	17W	20W	23W
Handlebar width		580	580	610	610	610	610	580	610	610
	Part No. →	*62540*	*62540*	*62541*	*62541*	*62541*	*62541*	*62540*	*62541*	*62541*
Stem length		105	105	105	105	105	120	105	105	105
	Part No. →	*64864*	*64864*	*64864*	*64865*	*64865*	*64866*	*64864*	*64864*	*64864*
Crank length		170	170	170	170	170	170	170	170	170
	Part No. →	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*	*61273*
Seatpost length		300	300	300	300	300	300	250	300	300
	Part No. →	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*54326*	*57102*	*57102*
Steerer, mm		122	122	132	137	177		157	202	217
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5		
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0		
MM Standover		702	727	750	781	826				
Seat tube		381	432	483	533	584	635			
Head tube		85	85	85	100	140	125	155		
Eff top tube		545	550	560	570	580	533	536		
Reach		598	603	613	625	635	594	591		
Chainstays		436	436	436	436	436	436	436		
BB height		281	281	281	281	281	281	281		
Offset		40	40	40	40	40	40	40		
Trail		83	80	80	74	74	80	74		
Wheelbase		1033	1034	1034	1036	1047	1036	1041		
IN Standover		27.6	28.6	29.5	30.7	32.5				
Seat tube		15.0	17.0	19.0	21.0	23.0	25.0			
Head tube		3.3	3.3	3.3	3.9	5.5	4.9	6.1		
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.0	21.1		
Reach		23.5	23.8	24.1	24.6	25.0	23.4	23.3		
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2		
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1		
Offset		1.6	1.6	1.6	1.6	1.6	1.6	1.6		
Trail		3.3	3.1	3.1	2.9	2.9	3.1	2.9		
Wheelbase		40.7	40.7	40.7	40.8	41.2	40.8	41.0		

	24	34	42
11	59	84	104
13	50	71	88
15	44	62	76
18	36	51	64
21	31	44	54
24	27	39	48
28	23	33	41

Our Price: $

	Part No.							
Main tubes		High tensile steel						
Stays	↓	High tensile steel						
Fork		High tensile steel						
Headset	*58960*	HPO1H	22.2/30.0/27.0, 35.5 mm stack					
Handlebars		Steel, 60mm rise	25.4mm clamp diameter					
Stem		Steel ATB	22.2 mm insertion					
Bar ends		-						
Grips	*63060*	Kraton						
Shifters	*63039/42*	GripShift MRX170						
Front derailleur	*61382*	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"					
Rear derailleur	*61494*	Shimano Tourney TY30 GS						
Brakes	*61081/2*	Shimano Altus CT91						
Brake levers	*64810*	Chang Star 273A						
Crankset		SR 48/38/28	Riveted rings					
Bottom bracket	*58458*	YST BB-612	68					
Pedals	*57180*	Wellgo LU-945	9/16" axle					
Cassette	*61231*	Shimano HG37 14-28	7spd					
Chain	*29705*	UG50						
Front wheel	*60930*							
Front hub		Alloy quick release						
Front tire	*56469*	Trek MultiTrack	700 x 35c					
Rear wheel	*60931*							
Rear hub		Alloy, nutted	Threaded, 7 spd, nutted rear, 135 mm O.L.D.					
Rear tire	*56469*	Trek MultiTrack	700 x 35c					
Tubes	*25994*	Schraeder valve						
Rims		Aluminum alloy						
Spokes		14G UCP	36 spokes/295.front/292/293 rear(D/ND)/3x					
Saddle	*56630-1*	Trek Hi-density foam						
Seatpost		Alloy	26.6 mm diameter					
Seat binder		M6 x 55						
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Baja Blue• Black decal						

		15	17	19	21	23	25	17W	20W
Frame sizes									
Handlebar width		580	580	580	610	610	610	580	610
	Part No.→	*62540*	*62540*	*62540*	*62541*	*62541*	*62541*	*62540*	*62541*
Stem length		105	105	105	105	105	120	105	105
	Part No.→	*64864*	*64864*	*64865*	*64865*	*64865*	*64866*	*64865*	*64865*
Crank length		170	170	170	170	170	170	170	170
	Part No.→	*64359*	*64359*	*64359*	*64359*	*64359*	*64359*	*64359*	*64359*
Seatpost length		300	300	300	300	300	300	250	300
	Part No.→	*57102*	*57102*	*57102*	*57102*	*57102*	*57102*	*54326*	*57102*
Steerer, mm		123	125	128	138	183	195	168	201
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5	
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0	
MM Standover		702	727	750	781	826			
Seat tube		381	432	483	533	584	635		
Head tube		85	85	85	100	140	125	155	
Eff top tube		545	550	560	570	580	533	536	
Reach		589	595	605	617	627	585	583	
Chainstays		436	436	436	436	436	436	436	
BB height		281	281	281	281	281	281	281	
Offset		40	40	40	40	40	40	40	
Trail		83	80	80	74	74	80	74	
Wheelbase		1033	1034	1034	1036	1047	1036	1041	
IN Standover		27.6	28.6	29.5	30.7	32.5			
Seat tube		15.0	17.0	19.0	21.0	23.0	25.0		
Head tube		3.3	3.3	3.3	3.9	5.5	4.9	6.1	
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.0	21.1	
Reach		23.2	23.4	23.8	24.3	24.7	23.0	22.9	
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1	
Offset		1.6	1.6	1.6	1.6	1.6	1.6	1.6	
Trail		3.3	3.1	3.1	2.9	2.9	3.1	2.9	
Wheelbase		40.7	40.7	40.7	40.8	41.2	40.8	41.0	

	28	38	48
14	54	74	93
16	48	65	82
18	42	58	73
20	38	52	65
22	35	47	59
24	32	43	54
28	27	37	47

Assembly Details

Seatposts

With OCLV Road, like their Y and Mountain counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the 'seat tube' prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

Trek road bikes are designed to accept 27.2 mm seat posts (except the 470 and 370, which are 26.6mm) with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV bikes).

Chainkeepers and Chainstay guards

OCLV frames must always be fitted with a chainkeeper and chainstay guard to protect against damage in case of chainsuck or overshifting past the inner chainring.

Special Torque Specs

With newer 3 Tube Carbon frames, an internal aluminum sleeve is bonded into the seat tube to prevent possible crushing of the seat tube through extreme overtightening of the front derailleur clamp. However, prior to 1993 this was not done. Instead a plastic insert was used in the derailleur clamp to prevent overtightening. Be especially careful not to overtighten when attaching front derailleurs to older 3 Tube Carbon bikes.

Tighten tandem bottom bracket eccentric expander bolts to 180 lb•in (20.3 NM).

Special Parts	TCG Part #
Chainkeeper	T83663
Chainstay guard	T950130
Tandem bottom bracket eccentric (w/hardware)	T82672
Extra length brake nuts	T950112
Front derailleur braze-on plate (5000, 5200, 5500)	T83201
Front derailleur braze-on plate (5020)	T973749
OCLV bottom bracket cable guide	T942820
Tandem bottom bracket cable guide	T92798
Road SP18 (2300, etc.) bottom bracket cable guide	T963350
Front derailleur frame clamp AD15, 34.9	40090
Top tube foam insert	T82052
Brake Actuator Unit w/barrel adjuster	T950695

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

OCLV Road Frame Hardware

On OCLV frames, the large diameter tubes add stiffness and strength. However, this increased size can require unconventional fastening of parts. That's why we use a braze-on style front derailleur, and extra long brake attachment nuts.

Road Bikes *(continued)*

The longer nuts are required for the rear brake on all OCLV frames. It is also required on our new Air Rail fork, found on the 5500 and 5200.

The 5020 uses a different braze-on plate to position the Shimano 105 Triple front derailleur correctly.

Internal Cable Guide Sleeve

Trek Aluminum and 3 Tube Carbon Road bikes use an internally routed rear brake cable for clean, good looks. In some cases of extremely bumpy roads, the cable can bounce inside the top tube, causing an annoying rattle. To prevent this, we provide a foam sleeve which is used to pad the housing inside the top tube.

There are a variety of techniques to install the sleeve, but here's one:

Stand the bike on the floor with the seatpost removed from the frame (do not clamp the seat tube in a repair stand; the chance of damaging the decals is too great). With the cable installed in the housing, thread the cable (and as the cable enters the frame, the housing, too) through the front cable entry hole. With your free hand, insert a finger down the set tube and into the top tube. Allow the cable end to contact the end of your finger, and while pushing the housing further into the frame's front hole, let the pressure of the cable end push your finger back out of the top tube.

With the cable pulled well outside the top tube, slide the sleeve over the cable end and housing, and into the top tube. To help with this, after the cable end is protruding out of the back of the sleeve, pinch the housing through the foam, and pull the housing out from the front of the top tube. But don't let the cable slide back inside the sleeve.

Next, with the sleeve slid as far into the top tube as possible, again reach into the top tube with a finger and find the end of the cable. Use your finger to guide the cable to the rear exit hole of the top tube. When the cable exits the hole, ease the housing out, grease and install the seatpost, and finish your assembly as normal.

At some future time, you may need to install new housing in the frame. Although its preferable that the housing be inside the sleeve, it is not necessary to prevent most rattles. Just install the cable and housing as you normally would.

O.L.D. vs Rear Triangle Spacing

O.L.D. (Over Locknut Dimension) is a measurement of the hub width on the outside of the axle locknuts. When we list OLD, we're referring to the rear hub. In addition, we have listed the frame dimensions rather than the hub. This is technically incorrect, but more useful because many of our road frames are designed with a 128mm rear axle spacing to use either a 130 OLD 7/8/9 speed hub, or a 126 OLD 6 speed hub. It does not damage the frame in any way to use either of these hub sizes in a bike with a listed 128 OLD.

Our Price: $ _____ 5500

Main tubes	*Part No.*	Trek design OCLV carbon						
Stays		Trek design OCLV carbon						
Fork		System 4 Road OCLV						
Headset		Tange Seiki Levin VR254	22.2/30.2/26.4, 35.2 mm stack					
Handlebars		System 3 Road, alloy	26.0mm clamp diameter					
Stem		3TTT Synthesis	22.2 mm insertion					
Grips	*T972947*	Cinelli cork tape						
Shifters	*61578*	Shimano Dura-Ace STI Dual Control						
Front derailleur	*61572*	Shimano Dura-Ace Down pull, Braze-on style						
Rear derailleur	*61553*	Shimano Dura-Ace						
Brakes	*61527*	Shimano Dura-Ace Dual Pivot						
Brake levers			(Dual Control)					
Crankset		Shimano Dura-Ace 53/39	130 mm bolt hole circle					
Bottom bracket	*61525*	Shimano Dura-Ace	68 x 115					
Pedals	*60212*	Shimano Dura-Ace SPD clipless, 9/16" axle						
Cassette	*61531*	Shimano Dura-Ace 12-23, 9spd						
Chain	*61535*	Shimano Dura-Ace	106L length					
Front wheel	*56038*							
Front hub	*56038*	Spynergy w/Ti Salsa Flip-Offs						
Front tire		Continental Grand Prix, foldable, 700 x 23c						
Rear wheel	*56043*							
Rear hub	*56043*	Spynergy w/Ti Salsa Flip-Offs, HyperGlide cassette, 9 spd, 128 mm O.L.D.						
Rear tire		Continental Grand Prix, foldable, 700 x 23c						
Tubes	*62251*	Presta superlight						
Rims		Spynergy						
Spokes		Spynergy						
Saddle	*T970005*	Selle Bassano, silver plated 531 rails, leather cover						
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter						
Seat binder	*T973565*	System OCLV w/integral bolt, 35.1 (nude) clamp diameter						
Additionals		2 water bottle mounts						
Colors		Gloss Nude• Silver decal						

	39	53
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
18	57	78
18	57	78
21	49	67
23	45	61

19.3 lb.
8.76 kg.

Frame sizes		50	52	54	56	58	60	62
Handlebar width		420	430	440	440	460	460	460
Stem length	*Part No.*	*T972982*	*T972983*	*T972984*	*T972984*	*T972985*	*T972985*	*T972985*
		90	100	110	110	120	130	130
Crank length	*Part No.*	*T951961*	*T951962*	*T951963*	*T951963*	*T951964*	*T951965*	*T951965*
		170	170	172.5	172.5	172.5	175	175
Seatpost length	*Part No.*	*61542*	*61542*	*61544*	*61544*	*61544*	*61546*	*61546*
		250	250	250	250	250	250	250
	Part No.	-	-	-	-	-	-	-
Steerer, mm								
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover		749	759	773	793	811	830	848
Seat tube		500	520	540	560	580	600	620
Head tube		97	97	104	121	140	158	177
Eff top tube		518	528	545	560	570	580	590
Reach		608	628	655	680	690	710	720
Chainstays		408	408	410	410	412	412	412
BB height		266	266	266	268	268	268	268
Offset		47	47	47	43	43	43	43
Trail		60	57	54	53	53	52	52
Wheelbase		979	982	987	986	994	1001	1006
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach		23.9	24.7	25.8	26.8	27.2	28.0	28.3
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6

5200

Our Price: $ _____

	Part No.						
Main tubes		Trek design OCLV carbon					
Stays		Trek design OCLV carbon					
Fork		System 4 Road OCLV					
Headset		Tange Seiki Levin VR254	22.2/30.2/26.4, 35.2 mm stack				
Handlebars		System 3 Road, alloy	26.0mm clamp diameter				
Stem		3TTT Synthesis	22.2 mm insertion				
Grips	T942637	White cork tape					
Shifters	619512	Shimano Ultegra STI Dual Control					
Front derailleur	61474	Shimano Ultegra	Down pull, Braze-on style				
Rear derailleur	61513	Shimano Ultegra					
Brakes	61115	Shimano Ultegra Super SLR					
Brake levers			(Dual Control)				
Crankset		Shimano Ultegra 53/39	130 mm bolt hole circle				
Bottom bracket	61034	Shimano BB-UN72	68 x 115				
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61212	Shimano HG90 12-23	8spd				
Chain	61247	Shimano HG90	106L length				
Front wheel	973455						
Front hub	61770	Shimano Ultegra					
Front tire		Continental Grand Prix, foldable, 700 x 23c					
Rear wheel	973454						
Rear hub	61776	Shimano Ultegra	HyperGlide cassette, 8 spd, 128 mm O.L.D.				
Rear tire		Continental Grand Prix, foldable, 700 x 23c					
Tubes	62251	Presta superlight					
Rims	961892	Matrix Aurora, Ti anodized	610 E.R.D., Velox 16mm rim strip				
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	T970003	Selle Bassano, silver plated 531 rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter					
Additionals		2 water bottle mounts					
Colors		Gloss Ice Inkwell • White decal					

	39	53
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

19.8 lb.
8.99 kg.

Frame sizes		50	52	54	56	58	60	62
Handlebar width		400	400	420	440	440	440	460
	Part No.	57176	57176	57177	57178	57178	57178	57179
Stem length		90	100	110	120	120	130	130
	Part No.	T951961	T951962	T951963	T951964	T951964	T951965	T951965
Crank length		170	170	172.5	172.5	172.5	175	175
	Part No.	61350	61350	61352	61352	61352	61354	61354
Seatpost length		250	250	250	250	250	250	250
	Part No.	57130	57130	57130	57130	57130	57130	57130
Steerer, mm		146	146	153	170	189	208	226
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover		749	759	773	793	811	830	848
Seat tube		500	520	540	560	580	600	620
Head tube		97	97	104	121	140	158	177
Eff top tube		518	528	545	560	570	580	590
Reach		608	628	655	680	690	710	720
Chainstays		408	408	410	410	412	412	412
BB height		266	266	266	268	268	268	268
Offset		47	47	47	43	43	43	43
Trail		60	57	54	53	53	52	52
Wheelbase		979	982	987	986	994	1001	1006
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach		23.9	24.7	25.8	26.8	27.2	28.0	28.3
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6

Our Price: $ _____

5000

	Part No.						
Main tubes		Trek design OCLV carbon					
Stays		Trek design OCLV carbon					
Fork		System 3 Road OCLV					
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack				
Handlebars		System 2 Road, alloy	26.0mm clamp diameter				
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion					
Grips	T970511	Black cork tape					
Shifters	619461/9	Shimano 105SC STI Dual Control					
Front derailleur	61474	Shimano Ultegra	Down pull, Braze-on style				
Rear derailleur	61513	Shimano Ultegra					
Brakes	61114	Shimano 105SC Dual Pivot					
Brake levers			(Dual Control)				
Crankset		Shimano 105SC 53/39	130 mm bolt hole circle				
Bottom bracket	61015	Shimano BB-UN52	68 x 107				
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61210	Shimano HG70 13-26	8spd				
Chain	61246	Shimano HG70	108L length				
Front wheel	973457						
Front hub	61766	Shimano 105SC					
Front tire		Continental Grand Prix, foldable, 700 x 23c					
Rear wheel	973456						
Rear hub	61764	Shimano 105SC	HyperGlide cassette, 8 spd, 128 mm O.L.D.				
Rear tire		Continental Grand Prix, foldable, 700 x 23c					
Tubes	62251	Presta superlight					
Rims	961860	Matrix Aurora	610 E.R.D., Velox 16mm rim strip				
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x				
Saddle	T970007	Selle Bassano, 531 rails					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder		System OCLV w/integral bolt, 35.5 (painted) clamp diameter					
Additionals		2 water bottle mounts					
Colors		Gloss Red• Black decal					

	39	53
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61
26	40	54

20.0 lb.
9.08 kg.

Frame sizes		50	52	54	56	58	60	62
Handlebar width		400	400	420	440	440	440	460
	Part No.	57171	57171	57172	57173	57173	57173	57174
Stem length		80	100	100	120	120	130	130
	Part No.	57064	57066	57066	57068	57068	57069	57069
Crank length		170	170	172.5	172.5	172.5	175	175
	Part No.	61342	61342	61343	61343	61343	61344	61344
Seatpost length		250	250	250	250	250	250	250
	Part No.	57130	57130	57130	57130	57130	57130	57130
Steerer, mm		142	142	150	167	185	204	223
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover		749	759	773	793	811	830	848
Seat tube		500	520	540	560	580	600	620
Head tube		97	97	104	121	140	158	177
Eff top tube		518	528	545	560	570	580	590
Reach		598	628	645	680	690	710	720
Chainstays		408	408	410	410	412	412	412
BB height		266	266	266	268	268	268	268
Offset		47	47	47	43	43	43	43
Trail		60	57	54	53	53	52	52
Wheelbase		979	982	987	986	994	1001	1006
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach		23.5	24.7	25.4	26.8	27.2	28.0	28.3
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6

5020

Our Price: $

	Part No.						
Main tubes		Trek design OCLV carbon					
Stays		Trek design OCLV carbon					
Fork		System 3 Road OCLV					
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack				
Handlebars		System 2 Road, alloy	26.0mm clamp diameter				
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion					
Grips	T970511	Black cork tape					
Shifters	61946/9	Shimano 105SC STI Dual Control					
Front derailleur	61472	Shimano 105SC, triple	Down pull, Braze-on style				
Rear derailleur	61512	Shimano 105GS					
Brakes	61114	Shimano 105SC Dual Pivot					
Brake levers			(Dual Control)				
Crankset		Shimano 105SC 52/42/30	74/130 mm bolt hole circle				
Bottom bracket	61019	Shimano BB-UN52	68 x 118				
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61210	Shimano HG70 13-26	8spd				
Chain	61246	Shimano HG70	108L length				
Front wheel	973457						
Front hub	61766	Shimano 105SC					
Front tire		Continental Grand Sport	700 x 25c				
Rear wheel	973456						
Rear hub	61764	Shimano 105SC	HyperGlide cassette, 8 spd, 128 mm O.L.D.				
Rear tire		Continental Grand Sport	700 x 25c				
Tubes	62251	Presta superlight					
Rims	961860	Matrix Aurora	610 E.R.D., Velox 16mm rim strip				
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x				
Saddle	T970512	Selle Bassano, 531 rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter					
Additionals		2 water bottle mounts					
Colors		Gloss Titanium• Titanium decal					

	30	42	52
13	61	85	106
14	57	79	98
15	53	74	92
17	47	65	81
19	42	58	72
21	38	53	65
23	35	48	60
26	31	43	53

20.5 lb.
9.22 kg.

		50	52	54	56	58	60	62
Frame sizes								
Handlebar width		400	400	420	440	440	440	460
	Part No.	57171	57171	57172	57173	57173	57173	57174
Stem length		80	100	100	120	120	130	130
	Part No.	57064	57066	57066	57068	57068	57069	57069
Crank length		170	170	170	175	175	175	175
	Part No.	61345	61345	61345	61346	61346	61346	61346
Seatpost length		250	250	250	250	250	250	250
	Part No.	57130	57130	57130	57130	57130	57130	57130
Steerer, mm		144	144	152	169	187	206	225
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM Standover		749	759	773	793	811	830	848
Seat tube		500	520	540	560	580	600	620
Head tube		97	97	104	121	140	158	177
Eff top tube		518	528	545	560	570	580	590
Reach		598	628	645	680	690	710	720
Chainstays		408	408	410	410	412	412	412
BB height		266	266	266	268	268	268	268
Offset		47	47	47	43	43	43	43
Trail		60	57	54	53	53	52	52
Wheelbase		979	982	987	986	994	1001	1006
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2
Reach		23.5	24.7	25.4	26.8	27.2	28.0	28.3
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6

Our Price: $

2300

	Part No.						
Main tubes		Trek butted carbon					
Stays		Easton tapered aluminum alloy					
Fork		System 2 Road epoxy bonded aluminum					
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack				
Handlebars		System 2 Road, alloy	26.0mm clamp diameter				
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion					
Grips		White cork tape					
Shifters	61951/2	Shimano Ultegra STI Dual Control					
Front derailleur	61474	Shimano Ultegra	Down pull, 34.9 mm/ 1 3/8"				
Rear derailleur	61513	Shimano Ultegra					
Brakes	61115	Shimano Ultegra Super SLR					
Brake levers			(Dual Control)				
Crankset		Shimano Ultegra 53/39	130 mm bolt hole circle				
Bottom bracket	61034	Shimano BB-UN72	68 x 115				
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61212	Shimano HG90 12-23	8spd				
Chain	61247	Shimano HG90	106L length				
Front wheel	973455						
Front hub	61770	Shimano Ultegra					
Front tire		Continental Grand Prix, foldable, 700 x 23c					
Rear wheel	973454						
Rear hub	61764	Shimano Ultegra	HyperGlide cassette, 8 spd, 128 mm O.L.D.				
Rear tire		Continental Grand Prix, foldable, 700 x 23c					
Tubes	62251	Presta superlight					
Rims	961892	Matrix Aurora, Ti anodized	610 E.R.D., Velox 16mm rim strip				
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	T961255	SSM Techno Dynamic, CroMoly rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25					
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Gloss Saturn Silver/Natural • Ice Red decal					

	39	53
12	86	117
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61

21.3 lb.
9.67 kg.

		47	50	52	54	56	58	60	62
Frame sizes									
Handlebar width		400	400	400	420	440	440	440	460
	Part No.	57171	57171	57171	57172	57173	57173	57173	57174
Stem length		65	80	100	100	120	120	130	130
	Part No.	57063	57064	57066	57066	57068	57068	57069	57069
Crank length		170	170	170	172.5	172.5	172.5	175	175
	Part No.	61350	61350	61350	61352	61352	61352	61354	61354
Seatpost length		250	250	250	250	250	250	250	250
	Part No.	57130	57130	57130	57130	57130	57130	57130	57130
Steerer, mm		128	128	147	167	187	206	226	235
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM Standover		724	753	771	792	811	829	848	858
Seat tube		470	500	520	540	560	580	600	620
Head tube		86	86	104	124	145	165	183	193
Eff top tube		518	530	530	550	550	570	570	585
Reach		583	610	630	650	670	690	700	715
Chainstays		415	415	415	415	415	415	415	415
BB height		267	267	267	267	267	267	267	267
Offset		47	47	47	43	43	43	43	43
Trail		56	54	54	55	55	55	55	52
Wheelbase		963	972	972	984	984	1004	1004	1014
IN Standover		28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
Seat tube		18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
Eff top tube		20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
Reach		23.0	24.0	24.8	25.6	26.4	27.2	27.6	28.1
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
Trail		2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
Wheelbase		37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

2100

Our Price: $ _____

	Part No.							
Main tubes		Trek butted carbon						
Stays		Easton tapered aluminum alloy						
Fork		System 2 Road epoxy bonded aluminum						
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack					
Handlebars		System 2 Road, alloy	26.0mm clamp diameter					
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion						
Grips	*T942637*	White cork tape						
Shifters	*61943/4*	Shimano RX100 STI Dual Control						
Front derailleur	*61469*	Shimano 105SC	Down pull, 34.9 mm/ 1 3/8"					
Rear derailleur	*61511*	Shimano 105SC						
Brakes	*61113*	Shimano RX100 Dual Pivot						
Brake levers			(Dual Control)					
Crankset		Shimano 105SC 53/39	130 mm bolt hole circle					
Bottom bracket	*61015*	Shimano BB-UN52	68 x 107					
Pedals	*60216*	Shimano SPD M535 clipless	9/16" axle					
Cassette	*61210*	Shimano HG70 13-26	8spd					
Chain	*61245*	Shimano HG50	108L length					
Front wheel	*973459*							
Front hub	*61754*	Shimano RX100						
Front tire		Continental Super Sport	700 x 23c					
Rear wheel	*973458*							
Rear hub	*61756*	Shimano RX100	HyperGlide cassette, 8 spd, 128 mm O.L.D.					
Rear tire		Continental Super Sport	700 x 23c					
Tubes	*62251*	Presta superlight						
Rims	*961860*	Matrix Aurora	610 E.R.D., Velox 16mm rim strip					
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	*58207*	SSM Techno Dynamic						
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter					
Seat binder	*T82263/4*	System Road, 5mm allen, M6 x 25						
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Gloss Ice Inkwell Blue/Natural • Ice Inkwell Blue decal						

	39	**53**
13	79	108
14	74	100
15	69	93
17	61	82
19	54	74
21	49	67
23	45	61
26	40	54

21.5 lb.
9.76 kg.

Frame sizes		47	50	52	54	56	58	60	62
Handlebar width		380	400	400	420	440	440	440	460
	Part No. →	*57170*	*57171*	*57171*	*57172*	*57173*	*57173*	*57173*	*57174*
Stem length		65	80	100	100	120	120	130	130
	Part No. →	*57063*	*57064*	*57066*	*57066*	*57068*	*57068*	*57069*	*57069*
Crank length		170	170	170	172.5	172.5	172.5	175	175
	Part No. →	*61342*	*61342*	*61342*	*61343*	*61343*	*61343*	*61344*	*61344*
Seatpost length		250	250	250	250	250	250	250	250
	Part No. →	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*
Steerer, mm		130	130	149	169	189	208	228	237
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM Standover		724	753	771	792	811	829	848	858
Seat tube		470	500	520	540	560	580	600	620
Head tube		86	86	104	124	145	165	183	193
Eff top tube		518	530	530	550	550	570	570	585
Reach		583	610	630	650	670	690	700	715
Chainstays		415	415	415	415	415	415	415	415
BB height		267	267	267	267	267	267	267	267
Offset		47	47	47	43	43	43	43	43
Trail		56	54	54	55	55	55	55	52
Wheelbase		963	972	972	984	984	1004	1004	1014
IN Standover		28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
Seat tube		18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
Eff top tube		20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
Reach		23.0	24.0	24.8	25.6	26.4	27.2	27.6	28.1
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
Trail		2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
Wheelbase		37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

2120

Our Price: $ _____

	Part No.							
Main tubes		Trek butted carbon						
Stays		Easton tapered aluminum alloy						
Fork		System 2 Road epoxy bonded aluminum						
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack					
Handlebars		System 1 Road, alloy	26.0mm clamp diameter					
Stem		System 1 90° Road, CroMoly,	22.2 mm insertion					
Grips	*T942637*	White cork tape						
Shifters	*61946/9*	Shimano 105SC STI	Dual Control					
Front derailleur	*61472*	Shimano RX100T	Down pull, 34.9 mm/ 1 3/8"					
Rear derailleur	*61512*	Shimano 105GS						
Brakes	*61114*	Shimano 105SC Dual Pivot						
Brake levers			(Dual Control)					
Crankset		Shimano 105SC 52/42/30	74/130 mm bolt hole circle					
Bottom bracket	*61019*	Shimano BB-UN52	68 x 122.5					
Pedals	*60216*	Shimano SPD M535 clipless	9/16" axle					
Cassette	*61210*	Shimano HG70 13-26	8spd					
Chain	*61246*	Shimano HG70	108L length					
Front wheel	*973457*							
Front hub	*61766*	Shimano 105SC						
Front tire		Continental Super Sport Ultra, 700 x 25c						
Rear wheel	*973456*							
Rear hub	*61764*	Shimano 105SC	HyperGlide cassette, 8 spd, 128 mm O.L.D.					
Rear tire		Continental Super Sport Ultra	700 x 23c					
Tubes	*62251*	Presta superlight						
Rims	*961860*	Matrix Aurora	610 E.R.D., Velox 16mm rim strip					
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	*58208*	Velo, CroMoly rails, leather cover						
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter					
Seat binder	*T82263/4*	System Road, 5mm allen, M6 x 25						
Additionals		Rack mounts, 2 water bottle mounts						
Colors		Gloss Ice Forest Green/Natural• Ice forest green decal						

	30	**42**	**52**
13	61	85	106
14	57	79	98
15	53	74	92
17	47	65	81
19	42	58	72
21	38	53	65
23	35	48	60
26	31	43	53

21.8 lb.
9.90 kg.

Frame sizes		47	50	52	54	56	58	60	62
Handlebar width		380	400	400	420	440	440	440	460
	Part No. →	*57165*	*57166*	*57166*	*57167*	*57168*	*57168*	*57168*	*57169*
Stem length		65	80	80	80	100	120	120	120
	Part No. →	*62538*	*62539*	*62539*	*62539*	*62540*	*62541*	*62541*	*62541*
Crank length		170	170	170	170	175	175	175	175
	Part No. →	*61345*	*61345*	*61345*	*61345*	*61346*	*61346*	*61346*	*61346*
Seatpost length		250	250	250	250	250	250	250	250
	Part No. →	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*	*57105*
Steerer, mm		130	130	149	169	189	208	228	237
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM Standover		724	753	771	792	811	829	848	858
Seat tube		470	500	520	540	560	580	600	620
Head tube		86	86	104	124	145	165	183	193
Eff top tube		518	530	530	550	550	570	570	585
Reach		580	607	607	627	646	685	685	700
Chainstays		415	415	415	415	415	415	415	415
BB height		267	267	267	267	267	267	267	267
Offset		47	47	47	43	43	43	43	43
Trail		56	54	54	55	55	55	55	52
Wheelbase		963	972	972	984	984	1004	1004	1014
IN Standover		28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
Seat tube		18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
Eff top tube		20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
Reach		22.8	23.9	23.9	24.7	25.4	27.0	27.0	27.6
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
Trail		2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
Wheelbase		37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

1400

Our Price: $ _____

	Part No.		39	53
Main tubes		Easton ProGram taper wall aluminum alloy		
Stays		Easton tapered aluminum alloy		
Fork		System 2 Road epoxy bonded aluminum		
Headset		Tange Seiki Passage 22.2/30.2/26.4, 30.9 mm stack		
Handlebars		System 2 Road, alloy 26.0mm clamp diameter		
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion		
Grips	T970511	White cork tape		
Shifters	61940/1	Shimano RSX STI Dual Control		
Front derailleur	61466	Shimano RX100 Down pull, 34.9 mm/ 1 3/8"		
Rear derailleur	61509	Shimano RX100		
Brakes	61112	Shimano RSX Dual Pivot		
Brake levers		(Dual Control)		
Crankset		Shimano RX100 53/39 130 mm bolt hole circle		
Bottom bracket	61002	Shimano BB-LP26 68 x 110		
Pedals	57184	System 2 Road w/clips and straps, 9/16" axle		
Cassette	61172	Shimano HG50 11-24 7spd		
Chain	61245	Shimano HG50 108L length		
Front wheel	973461			
Front hub	61746	Shimano RSX		
Front tire		Continental Super Sport 700 x 23c		
Rear wheel	973460			
Rear hub	61756	Shimano RSX HyperGlide Compact cassette, 7 spd, 128 mm O.L.D.		
Rear tire		Continental Super Sport 700 x 23c		
Tubes	62251	Presta superlight		
Rims	961860	Matrix Aurora 610 E.R.D., Velox 16mm rim strip		
Spokes		DT 14/15G butted stainless 32 spokes/299 front/296/298 rear(D/ND)/3x		
Saddle	58207	SSM Techno Dynamic		
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter		
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25		
Additionals		Rack mounts, 2 water bottle mounts		
Colors		Gloss Judy Yellow • Blue decal		

	39	53
11	94	127
12	86	117
14	74	100
16	64	88
18	57	78
21	49	67
24	43	58

21.5 lb.
9.76 kg.

		47	50	52	54	56	58	60	62
Frame sizes									
Handlebar width		380	400	400	420	440	440	440	460
	Part No.	57170	57171	57171	57172	57173	57173	57173	57174
Stem length		65	80	100	100	120	120	130	130
	Part No.	57063	57064	57066	57066	57068	57068	57069	57069
Crank length		170	170	170	172.5	172.5	175	175	175
	Part No.	61339	61339	61339	-	-	61340	61340	61340
Seatpost length		250	250	250	250	250	250	250	250
	Part No.	57105	57105	57105	57105	57105	57105	57105	57105
Steerer, mm		127	127	146	166	186	205	225	234
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM Standover		724	753	771	792	811	829	848	858
Seat tube		470	500	520	540	560	580	600	620
Head tube		86	86	104	124	145	165	183	193
Eff top tube		518	530	530	550	550	570	570	585
Reach		583	610	630	650	670	690	700	715
Chainstays		415	415	415	415	415	415	415	415
BB height		267	267	267	267	267	267	267	267
Offset		47	47	47	43	43	43	43	43
Trail		56	54	54	55	55	55	55	52
Wheelbase		963	972	972	984	984	1004	1004	1014
IN Standover		28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
Seat tube		18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
Eff top tube		20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
Reach		23.0	24.0	24.8	25.6	26.4	27.2	27.6	28.1
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
Trail		2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
Wheelbase		37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

Our Price: $ _____

1220

	Part No.		26	36	46
Main tubes		Easton EA60 ProGram tapered aluminum alloy			
Stays		Easton tapered aluminum alloy			
Fork		Trek butted CroMoly aero unicrown			
Headset		Tange Seiki Passage 22.2/30.2/26.4, 30.9 mm stack			
Handlebars		System 1 Road, alloy 26.0mm clamp diameter			
Stem		System 1 90° Road, CroMoly 22.2 mm insertion			
Grips	T942637	White cork tape			
Shifters	61940/1	Shimano RSX STI Dual Control			
Front derailleur	61472	Shimano RX100T Down pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61508	Shimano RSX GS			
Brakes	61112	Shimano RSX Dual Pivot			
Brake levers		(Dual Control)			
Crankset		Shimano RSX 46/36/26 74/110 mm bolt hole circle			
Bottom bracket	61019	Shimano BB-LP26 68 x 118			
Pedals		System 1 Road w/clips and straps, 9/16" axle			
Cassette	61172	Shimano HG50 11-24 7spd			
Chain	61245	Shimano HG50 104L length			
Front wheel	973461				
Front hub	61746	Shimano RSX			
Front tire		Continental Super Sport 700 x 25c			
Rear wheel	973460				
Rear hub		Shimano RSX HyperGlide Compact cassette, 7 spd, 128 mm O.L.D.			
Rear tire		Continental Super Sport 700 x 25c			
Tubes	62251	Presta superlight			
Rims	961860	Matrix Aurora 610 E.R.D., Velox 16mm rim strip			
Spokes		DT 14/15G butted stainless 32 spokes/299 front/296/298 rear(D/ND)/3x			
Saddle	58208	Velo, CroMoly rails, leather cover			
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter			
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25			
Additionals		Rack mounts, 2 water bottle mounts			
Colors		Gloss Deep Purple• Titanium decal			

	26	36	46
11	63	87	111
12	57	79	101
14	49	68	87
16	43	60	76
18	38	53	68
21	33	45	58
24	29	40	51

21.7 lb.
9.85 kg.

		47	50	52	54	56	58	60	62
Frame sizes									
Handlebar width		380	400	400	420	440	440	440	460
	Part No.	57165	57166	57166	57167	57168	57168	57168	57169
Stem length		65	80	80	100	100	120	120	120
	Part No.	62538	62539	62539	62540	62540	62541	62541	62541
Crank length		170	170	170	170	175	175	175	175
	Part No.	61334	61334	61334	61334	61335	61335	61335	61335
Seatpost length		250	250	250	250	250	250	250	250
	Part No.	57105	57105	57105	57105	57105	57105	57105	57105
Steerer, mm		127	127	146	166	186	205	225	234
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM Standover		724	753	771	792	811	829	848	858
Seat tube		470	500	520	540	560	580	600	620
Head tube		86	86	104	124	145	165	183	193
Eff top tube		518	530	530	550	550	570	570	585
Reach		580	607	607	646	646	685	685	700
Chainstays		415	415	415	415	415	415	415	415
BB height		267	267	267	267	267	267	267	267
Offset		47	47	47	43	43	43	43	43
Trail		56	54	54	55	55	55	55	52
Wheelbase		963	972	972	984	984	1004	1004	1014
IN Standover		28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
Seat tube		18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
Head tube		3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
Eff top tube		20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
Reach		22.8	23.9	23.9	25.4	25.4	27.0	27.0	27.6
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
Trail		2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
Wheelbase		37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

Our Price: $ _____

	Part No.					
Main tubes		Trek double butted CroMoly				
Stays		Trek CroMoly				
Fork		Full CroMoly				
Headset	*59463*	Tange Seiki Passage	22.2/30.0/27.0, 28.0 mm stack			
Handlebars		HL DR-AL-9B, alloy	25.4mm clamp diameter			
Stem		CroMoly TIG	22.2 mm insertion			
Grips		cork/foam				
Shifters	*61940/1*	Shimano RSX STI	Dual Control			
Front derailleur	*54522*	Shimano RSX	Down pull, 28.6 mm/ 1 1/8"			
Rear derailleur	*54555*	Shimano RSX SS				
Brakes	*61112*	Shimano RSX Dual Pivot				
Brake levers			(Dual Control)			
Crankset		Shimano RSX 46/36	110 mm bolt hole circle			
Bottom bracket	*61002*	Shimano BB-LP26	68 x 110			
Pedals	*57184*	Victor VP516 w/clips and straps, 9/16" axle				
Cassette	*61172*	Shimano HG50 11-24	7spd			
Chain	*29705*	KMC HG50	102L length			
Front wheel	*60928*					
Front hub	*61746*	Shimano RSX				
Front tire	*56408*	Trek IsoTech 3	700 x 25c			
Rear wheel	*60929*					
Rear hub	*61703*	Shimano RSX	HyperGlide Compact cassette, 7 spd, 130 mm O.L.D.			
Rear tire	*56408*	Trek IsoTech 3	700 x 25c			
Tubes	*38595*	Presta valve				
Rims		Rigida SPH-60				
Spokes		14/15G butted stainless	32 spokes/294 front/292/293 rear(D/ND)/3x			
Saddle	*56630*	San Marco Linea				
Seatpost		SP-51, micro-adjust, alloy	26.6 mm diameter			
Seat binder	*51709*	Kalloy 8 x 25 allen bolt				
Additionals		Rack mounts, 2 water bottle mounts				
Colors		Gloss Ice Red• Yellow decal				

	36	46
11	87	111
12	79	101
14	68	87
16	60	76
18	53	68
21	45	58
24	40	51

		43	50	54	56	58	60
Frame sizes							
Handlebar width		390	410	410	430	430	430
	Part No. →	*64879*	*64880*	*64880*	*64881*	*64881*	*64881*
Stem length		80	80	100	100	100	120
	Part No. →	*64878*	*64878*	*64876*	*64876*	*64876*	*64877*
Crank length		170	170	170	170	175	175
	Part No. →	*61334*	*61334*	*61334*	*61334*	*61335*	*61335*
Seatpost length		220	220	220	220	220	220
	Part No. →	*54326*	*54326*	*54326*	*54326*	*54326*	*54326*
Steerer, mm		115	115	130	145	165	180
Head angle		72.5	72.5	73.0	73.0	73.5	74.0
Seat angle		75.0	75.0	74.0	73.0	73.0	73.0
MM Standover		716	748	776	798	813	835
Seat tube		430	500	540	560	580	600
Head tube		85	85	105	123	141	162
Eff top tube		525	522	540	555	566	575
Reach		605	602	640	655	666	695
Chainstays		415	415	415	415	415	415
BB height		267	267	267	267	267	267
Offset		47	47	47	43	43	43
Trail		57	57	54	55	55	52
Wheelbase		978	980	986	989	995	998
IN Standover		28.2	29.4	30.6	31.4	32.0	32.9
Seat tube		16.9	19.7	21.3	22.0	22.8	23.6
Head tube		3.3	3.3	4.1	4.8	5.6	6.4
Eff top tube		20.7	20.6	21.3	21.9	22.3	22.6
Reach		23.8	23.7	25.2	25.8	26.2	27.4
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7
Trail		2.2	2.2	2.1	2.2	2.2	2.0
Wheelbase		38.5	38.6	38.8	38.9	39.2	39.3

	Part No.						
Main tubes		Trek CroMoly					
Stays		High tensile steel					
Fork		Full CroMoly					
Headset	*59463*	HPO1H	22.2/30.0/27.0, 40.0 mm stack				
Handlebars		HL DR-AL-9B, alloy	25.4mm clamp diameter				
Stem		CroMoly TIG	22.2 mm insertion				
Grips		Cork/foam					
Shifters	*61931*	Shimano 400EX down tube					
Front derailleur	*61382*	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"				
Rear derailleur	*61494*	Shimano Acera-X					
Brakes		Shimano 300EX					
Brake levers	*61106*	Dia-Compe BL-07 Aero					
Crankset		SR 48/38/28	Riveted rings				
Bottom bracket	*61019*	Shimano BB-LP26	68 x 118				
Pedals	*57184*	Victor VP-393 w/clips and straps, 9/16" axle					
Cassette	*51214*	Shimano HG50 13-26	7spd				
Chain	*29705*	UG50	106L length				
Front wheel	*60926*						
Front hub		Alloy quick release					
Front tire	*56408*	Trek IsoTech 2	700 x 25c				
Rear wheel	*60927*						
Rear hub	*61655*	Shimano HG50 cassette	HyperGlide cassette, 7 spd, 130 mm O.L.D.				
Rear tire	*56408*	Trek IsoTech 2	700 x 25c				
Tubes	*38595*	Presta valve					
Rims		Weinmann 217					
Spokes		14/15G UCP, butted	36 spokes/296 front/294/295 rear(D/ND)/3x				
Saddle	*56630*	Trek Hi-density foam					
Seatpost		SP-51, micro-adjust, alloy	26.6 mm diameter				
Seat binder		Kalloy 8 x 25					
Additionals		Rack mounts, 2 water bottle mounts					
Colors		Gloss Dark Blue • White decal					

	28	38	48
13	57	77	98
15	49	67	85
17	44	59	75
19	39	53	67
21	35	48	60
23	32	44	55
26	28	39	49

		43	50	54	56	58	60
Frame sizes							
Handlebar width		390	410	410	430	430	430
	Part No. →	*64879*	*64880*	*64880*	*64881*	*64881*	*64881*
Stem length		80	80	100	100	100	120
	Part No. →	*64878*	*64878*	*64876*	*64876*	*64876*	*64877*
Crank length		170	170	170	170	170	170
	Part No. →	*64359*	*64359*	*64359*	*64359*	*64359*	*64359*
Seatpost length		200	200	200	200	200	200
	Part No. →	*54326*	*54326*	*54326*	*54326*	*54326*	*54326*
Steerer, mm		125	125	140	155	175	190
Head angle		72.5	72.5	73.0	73.0	73.5	74.0
Seat angle		75.0	75.0	74.0	73.0	73.0	73.0
MM Standover		716	748	776	798	813	835
Seat tube		430	500	540	560	580	600
Head tube		85	85	105	123	141	162
Eff top tube		525	522	540	555	566	575
Reach		601	598	636	651	662	690
Chainstays		415	415	415	415	415	415
BB height		267	267	267	267	267	267
Offset		47	47	47	43	43	43
Trail		57	57	54	55	55	52
Wheelbase		978	980	986	989	995	998
IN Standover		28.2	29.4	30.6	31.4	32.0	32.9
Seat tube		16.9	19.7	21.3	22.0	22.8	23.6
Head tube		3.3	3.3	4.1	4.8	5.6	6.4
Eff top tube		20.7	20.6	21.3	21.9	22.3	22.6
Reach		23.7	23.6	25.0	25.6	26.1	27.2
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3
BB height		10.5	10.5	10.5	10.5	10.5	10.5
Offset		1.9	1.9	1.9	1.7	1.7	1.7
Trail		2.2	2.2	2.1	2.2	2.2	2.0
Wheelbase		38.5	38.6	38.8	38.9	39.2	39.3

	Part No.					
Main tubes		Trek Double butted CroMoly				
Stays		Trek CroMoly				
Fork		Trek touring CroMoly w/front rack mounts				
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack			
Handlebars		System 1 Road, alloy	26.0mm clamp diameter			
Stem		System 1 90° Road, CroMoly	22.2 mm insertion			
Grips	T972790	Natural tape				
Shifters	61940/1	Shimano RSX STI	Dual Control			
Front derailleur	61464	Shimano RSX	Down pull, 31.8 mm/ 1 1/4"			
Rear derailleur	61508	Shimano RSX GS				
Brakes	61091/2	Shimano STX-RC cantilevers				
Brake levers			(Dual Control)			
Crankset		Shimano RSX 46/36/26	74/110 mm bolt hole circle			
Bottom bracket	61019	Shimano BB-LP26	68 x 118			
Pedals	57184	System 2 Road w/clips and straps, 9/16" axle				
Cassette	61173	Shimano HG50 11-28	7spd			
Chain	61246	Shimano HG70	110L length			
Front wheel	973465					
Front hub		Shimano STX				
Front tire		Continental Super Sport	700 x 28c			
Rear wheel	973466					
Rear hub		Shimano STX	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Continental Super Sport	700 x 28c			
Tubes	62251	Presta superlight				
Rims	970712	Matrix Vapor	610 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G	36 spokes/297 front/294/295 rear(D/ND)/3x			
Saddle	58208	Velo, CroMoly rails, leather cover				
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter			
Seat binder	T950527	System Steel w/integral bolt	31.8 clamp diameter			
Additionals		Rear rack (T952287), 6 water bottle mounts, front and rear rack mounts				
Colors		Gloss Ice Forest Green• Gold decal				

	26	36	46
11	64	88	113
13	54	75	96
15	47	65	83
18	39	54	69
21	33	46	59
24	29	41	52
28	25	35	44

25.7 lb.
11.67 kg.

Frame sizes		17	19	21	23	25
Handlebar width		400	400	420	440	460
Stem length	Part No.	57166	57166	57167	57168	57169
		65	80	100	100	120
Crank length	Part No.	62538	62539	62540	62540	62541
		170	170	175	175	175
Seatpost length	Part No.	61334	61334	61335	61335	61335
		250	250	250	250	250
	Part No.	57105	57105	57105	57105	57105
Steerer, mm		139	139	139	169	214
Head angle		71.0	71.0	71.0	72.0	72.5
Seat angle		74.0	74.0	73.5	73.0	72.0
MM Standover		718	740	768	806	852
Seat tube		432	483	533	584	635
Head tube		90	90	90	120	165
Eff top tube		540	545	555	566	590
Reach		601	621	650	661	704
Chainstays		450	450	450	450	450
BB height		268	268	268	268	268
Offset		52	52	52	52	52
Trail		63	63	63	57	54
Wheelbase		1044	1046	1054	1052	1062
IN Standover		28.3	29.1	30.2	31.7	33.5
Seat tube		17.0	19.0	21.0	23.0	25.0
Head tube		3.5	3.5	3.5	4.7	6.5
Eff top tube		21.3	21.5	21.9	22.3	23.2
Reach		23.7	24.4	25.6	26.0	27.7
Chainstays		17.7	17.7	17.7	17.7	17.7
BB height		10.6	10.6	10.6	10.6	10.6
Offset		2.0	2.0	2.0	2.0	2.0
Trail		2.5	2.5	2.5	2.2	2.1
Wheelbase		41.1	41.2	41.5	41.4	41.8

	Part No.							
Main tubes		Trek True Temper custom butted tandem CroMoly						
Stays		True Temper tapered tandem CroMoly						
Fork		Trek butted Special Taper gauge tandem CroMoly						
Headset	T82797	Tange Seiki OV-Al	28.6/37.0/33.0, 40.9 mm stack					
Handlebars		System 1 Road, alloy	26.0 /25.4mm clamp diameter					
Stem		System 3 90° Tandem CroMoly, 28.6 mm insertion						
		System 2 CroMoly adjustable rear						
Grips		White cork tape						
Shifters	61575	Shimano BS648 Barcons						
Front derailleur	61472	Shimano 105SC, triple	Down pull, 31.8 mm/ 1 1/4"					
Rear derailleur	61503	Shimano Deore XT SGS						
Brakes	61095/6	Shimano Deore XT cantilevers						
Brake levers	T970651/2	Shimano 105SC						
Crankset		Sugino Fuse 54/42/30	74/130 mm bolt hole circle					
Bottom bracket	61035	Shimano BB-UN72	68 x 122.5					
Pedals	60216	Shimano SPD M535 clipless	9/16" axle					
Cassette	61205	Shimano HG70-I 12-28	8spd					
Chain	61247	Shimano HG90	112/152L length					
Front wheel	973472							
Front hub	T963113	Shimano Deore XT Tandem						
Front tire		Continental Super Sport	700 x 28c					
Rear wheel	973471							
Rear hub	T963115	Shimano Deore XT Tandem	HyperGlide Compact cassette, 8 spd, 145 mm O.L.D.					
Rear tire		Continental Super Sport	700 x 28c					
Tubes	38595	Presta superlight						
Rims	970633	Bontrager Clyde 700c	604 E.R.D., Velox 22mm rim strip					
Spokes		13/14G butted stainless	48/48 spokes/289 front/288/289 rear(D/ND)/4x					
Saddle	/56631	SSM Techno Dynamic, CroMoly rails, leather cover/ Trek CroMoly						
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter						
		Manitou BodyShock suspension stoker seatpost, 27.2 mm diameter w/shim						
Seat binder	T950527	System Steel w/integral bolt	31.8 clamp diameter					
	T950525	System Steel w/integral bolt and hanger, 31.8 clamp diameter						
Additionals		Eccentric (T82672), Stoker levers (T82601), adjustable stoker stem (T960690)						
Colors		Gloss Cream• Indigo decal						

	30	42	54
12	68	95	117
13	62	87	108
14	58	81	100
16	51	71	88
18	45	63	78
21	39	54	67
24	34	47	59
28	29	41	50

Frame sizes		50/46		54/50		57/47		58/53	
Handlebar width		420	460	420	460	440	460	440	460
Stem length	Part No.	100		100		120		120	
Crank length	Part No.	57092		57092		57093		57093	
		170	170	170	170	175	170	175	170
Seatpost length	Part No.	See page 59							
		350	300	350	300	350	300	350	300
	Part No.	57121							
Steerer, mm		146		146		183		183	
Head angle		72.0		72.0		73.0		73.0	
Seat angle		73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0
MM Standover		756	692	787	757	794	826	825	794
Seat tube									
Head tube		101		101		137		137	
Eff top tube		554	703	552	699	573	704	573	720
Reach		627	660	639	647	573	704	573	720
Chainstays		430		430		430		430	
BB height		275	275	275	275	275	283	275	283
Offset		60		60		55		55	
Trail		48		48		47		47	
Wheelbase		1733		1727		1738		1758	
IN Standover		29.8	27.2	31.0	29.8	31.3	32.5	32.5	31.3
Seat tube									
Head tube		4.0		4.0		5.4		5.4	
Eff top tube		21.8	27.7	21.7	27.5	22.6	27.7	22.6	28.3
Reach		24.7	26.0	25.2	25.5	22.6	27.7	22.6	28.3
Chainstays		16.9		16.9		16.9		16.9	
BB height		10.8	10.8	10.8	10.8	10.8	11.1	10.8	11.1
Offset		2.4		2.4		2.2		2.2	
Trail		1.9		1.9		1.9		1.9	
Wheelbase		68.2		68.0		68.4		69.2	

T100

Our Price: $ _____

Main tubes	*Part No.*	Trek True Temper custom butted tandem CroMoly						
Stays	↓	True Temper tapered tandem CroMoly						
Fork		Trek butted Special Taper gauge tandem CroMoly						
Headset	*T951127*	YST	28.6/37.0/33.0, 40.4 mm stack					
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter						
Stem		System 2 Tandem CroMoly	28.6 mm insertion					
		System 2 CroMoly adjustable rear						
Grips	*56033/51002*	GripShift logo						
Shifters	*63036/8*	GripShift SRT 400						
Front derailleur	*T943385*	Shimano Deore LX Top Swing, Down pull, 31.8 mm/ 1 1/4"						
Rear derailleur	*61503*	Shimano Deore LX SGS						
Brakes	*61089/90*	Shimano STX cantilevers						
Brake levers	*61080*	Shimano Alivio						
Crankset		Sugino Fuse 54/42/30	74/130 mm bolt hole circle					
Bottom bracket	*61019*	Shimano BB-UN52	68 x 122.5					
Pedals		System 1 ATB w/clips and straps, 9/16" axle						
Cassette	*61187*	Shimano HG70 12-28	7spd					
Chain	*61245*	Shimano HG50	112L/152L length					
Front wheel	*973474*							
Front hub	*T960414*	Shimano STX Tandem						
Front tire	*56640*	Trek Invert II	700 x 38c					
Rear wheel	*973473*							
Rear hub	*T960415*	Shimano STX Tandem	HyperGlide cassette, 7 spd, 145 mm O.L.D.					
Rear tire	*56640*	Trek Invert II	700 x 38c					
Tubes	*29982*	Presta valve						
Rims	*970633*	Bontrager Clyde 700c	604 E.R.D., Velox 22mm rim strip					
Spokes		13/14G butted stainless	48/48 spokes/289 front/288/289 rear(D/ND)/4x					
Saddle	*60910-5663*	Trek Gel/Trek Women's Dual Density						
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter						
Seat binder	*T950527*	System Steel w/integral bolt (F), 31.8 clamp diameter						
		System Steel w/integral bolt and hanger (R), 31.8 clamp diameter						
Additionals		Eccentric (T82672), adjustable stoker stem (T960690)						
Colors		Gloss Pearl Blue• Silver decal						

	30	**42**	**52**
12	68	95	118
13	63	88	109
15	54	76	94
18	45	64	79
21	39	54	67
24	34	48	59
28	29	41	51

Frame sizes		50/46		54/50		57/47		58/53	
Handlebar width		560	560	560	560	560	560	560	560
	Part No. →	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*	*57141*
Stem length		120		120		135		135	
	Part No. →	*57073*		*57073*		*57074*		*57074*	
Crank length		170	170	175	170	175	170	175	170
	Part No. →	*See page 59*							
Seatpost length		350	300	350	300	350	300	350	300
	Part No. →	*57106*							
Steerer, mm		146	146	182	182				
Head angle		72.0		72.0		73.0		73.0	
Seat angle		73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0
MM Standover		756	692	787	757	794	826	825	794
Seat tube									
Head tube		101		101		137		137	
Eff top tube		554	703	552	699	573	704	573	720
Reach		631	639	639	627	573	704	573	720
Chainstays		430		430		430		430	
BB height		275	275	275	275	275	283	275	283
Offset		60		60		55		55	
Trail		48		48		47		47	
Wheelbase		1733		1727		1738		1758	
IN Standover		29.8	27.2	31.0	29.8	31.3	32.5	32.5	31.3
Seat tube									
Head tube		4.0		4.0		5.4		5.4	
Eff top tube		21.8	27.7	21.7	27.5	22.6	27.7	22.6	28.3
Reach		24.8	25.2	25.1	24.7	22.6	27.7	22.6	28.3
Chainstays		16.9		16.9		16.9		16.9	
BB height		10.8	10.8	10.8	10.8	10.8	11.1	10.8	11.1
Offset		2.4		2.4		2.2		2.2	
Trail		1.9		1.9		1.9		1.9	
Wheelbase		68.2		68.0		68.4		69.2	

Tandem Crank Part Numbers

Model	**T100**							
Size	50/46		54/50		57/47		58/53	
	Capt	Stoker	Capt	Stoker	Capt	Stoker	Capt	Stoker
Length	170	170	175	170	175	170	175	170
Part No. → Left	*T970346*	*T970346*	*T970347*	*T970346*	*T970347*	*T970346*	*T970347*	*T970346*
Part No. → Right	*T972614*	*T972617*	*T972615*	*T972617*	*T972615*	*T972617*	*T972615*	*T972617*

Model	**T200**							
Size	50/46		54/50		57/47		58/53	
	Capt	Stoker	Capt	Stoker	Capt	Stoker	Capt	Stoker
Length	170	170	170	170	175	170	175	170
Part No. → Left	*T970345*	*T970345*	*T970345*	*T970345*	*T970348*	*T970345*	*T970348*	*T970345*
Part No. → Right	*T972614*	*T972616*	*T972614*	*T972616*	*T972615*	*T972616*	*T972615*	*T972616*

Recreational, Kids and BMX

Although these bikes may not be particularly expensive, they still deserve a quality assembly. Remember, the customer riding a Mountain Cub today may be shopping for a Y50 in just a few years!

Bikes and Kids

Pay particular attention to greasing the threads on these bikes. They often are left out in the yard when it rains, etc. etc.. Beach cruisers may even be ridden in salt water (shudder!). Make sure to grease the stem bolts (all 4 handlebar clamp bolts on BMX style stems), seatpost, and stem insertion, as well as axle nuts.

Also remember that with kids bikes they must endure hard play and low maintenance. Make sure all the accessories (like chain guards) are aligned and tightened. Also check the chain tension, as this is part of the braking system on a coaster brake equipped bike.

On bikes with training wheels, the correct height of the training wheels depends on the skill of the rider. For new riders just learning: With correct air pressure in the tires and the rider seated on the bike, there should be 3-5 mm clearance between the training wheels and the ground with the bike fully upright. As a rider's skill increases, this gap may be increased to allow leaning the bike in corners, and to teach balance.

Redundant Wheel Retention Devices

With our BMX bikes, do not remove the 'top hat' washers from the front wheel axles. They are redundant retention devices, there to help protect people who neglect to correctly tighten the wheel axle nuts. The portion of the 'tophat' with a smaller diameter fits into the fork's keyhole dropout, while the larger diameter works much like a washer on the outside surface of the fork blade. Make sure they are correctly installed, and instruct the consumer to leave them in place at all times.

Rotors

Some models of BMX bikes are equipped with rotors. When equipped with a rotor, a bike with a front brake can have its handlebars rotated 360 degrees (repeatedly, if you're really good) without catching the brake cable. Bikes with rotors have a specific headset stack with specific washers. do not attempt to remove headset washers for rotor-equipped bikes.

Also pay special attention to the brake adjustment on bikes equipped with rotors. Make sure there is adequate possible adjustment of the brake cable tension with the various barrel adjusters involved.

Our Price: $ _____ Calypso

	Part No.			
Main tubes		High tensile steel		
Stays		High tensile steel		
Fork		High tensile steel		
Headset	*55111*	YST HP-665	22.2/30.0/27.0, 35.0 mm stack	
Handlebars		Steel cruiser, 132mm rise	25.4mm clamp diameter	
Stem		4 bolt BMX type	22.2 mm insertion	
Grips	*63060*	Kraton/ 2 piece foam (64823)		
Shifters	*63040*	GripShift MRX170	Right only	
Front derailleur		- , -		
Rear derailleur	*61491*	Shimano Tourney 22 w/bracket		
Brakes	*61081/2*	Shimano Altus CT91		
Brake levers	*64363*	Tektro 371AP		
Crankset		One-piece type, 40T		
Bottom bracket	*64807*	One-piece type	28 TPI	
Pedals		Victor VP-805	9/16" axle	
Cassette	*61168*	HG60 14-28	6spd	
Chain	*29705*	UG50	110L length	
Front wheel	*64821*			
Front hub	*60939*	Alloy, nutted		
Front tire	*52961*	Gumwall	26 x 2.0"	
Rear wheel	*64815*			
Rear hub	*60940*	Alloy, nutted	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.	
Rear tire	*52961*	Gumwall	26 x 2.0"	
Tubes	*39417*	Schraeder valve		
Rims		Aluminum alloy		
Spokes		14G stainless	36 spokes/264 front/261/263 rear(D/ND)/3x	
Saddle	*56634*	Trek Cruiser, foam padded with steel springs		
Seatpost		Steel, chrome plated	25.6 mm diameter	
Seat binder				
Additionals		Chainguard (64815-6), kickstand (55257)		
Colors		Gloss Plum• Titanium decal (women's)		
		Gloss Pearl White/Gloss Ice Red fade • White decal		
Frame sizes		19	19W	
Handlebar width		700	700	
	Part No.→	*64827*	*64827*	
Stem length		50	50	
	Part No.→	*(64834-white, 64844-plum)*		
Crank length		165	165	
	Part No.→	*62705*	*62705*	
Seatpost length		300	300	
	Part No.→	*64840*	*64840*	
Steerer, mm		159	194	
Head angle				
Seat angle				
MM Standover		85	85	
Seat tube				
Head tube				
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				
IN Standover		3.3	3.3	
Seat tube				
Head tube				
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				

	40
14	75
16	66
18	58
21	50
24	44
28	37

Cruiser Classic

Our Price: $ _____

	Part No.		
Main tubes		High tensile steel	
Stays		High tensile steel	
Fork		High tensile steel	
Headset	*55111*	YST HP-665	22.2/30.0/27.0, 35.0 mm stack
Handlebars		Steel cruiser, 132mm rise	25.4mm clamp diameter
Stem		4 bolt BMX type	22.2 mm insertion
Grips	*64823*	4 piece foam	
Shifters		-	
Front derailleur		-	
Rear derailleur		-	
Brakes		-	
Brake levers			
Crankset		One piece type, 40T	
Bottom bracket	*64807*	One-piece type, BB-621	28 TPI
Pedals		Victor VP-805	9/16" axle
Cog		18T	1 spd
Chain	*54006*	KMC 410, 1/2 x 1/8"	100L length
Front wheel	*60939*		
Front hub	*60939*	Alloy , nutted	
Front tire	*52961*	Blackwall	26 x 2.0"
Rear wheel	*60938*		
Rear hub	*60938*	Shimano coaster brake	Nutted front, Coaster rear, 110 mm O.L.D.
Rear tire	*52961*		
Tubes	*39417*	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G stainless	36 spokes/264 front/260/260 rear(D/ND)/3x
Saddle	*56634*	Trek Cruiser, foam padded with steel springs	
Seatpost		Steel, chrome plated	25.6 mm diameter
Seat binder		Hex bolt and nut	
Additionals		Chainguard (64817-9) , kickstand (55257)	
Colors		Gloss Ice Teal • White decal	Dry Ice Royal Blue • White decal
		Gloss Mirror Black• Silver decal	
Frame sizes		19 19W	

	40
18	58

Handlebar width		700	700
	Part No. →	*64827*	*64827*
Stem length		50	50
	Part No. →	*64845-royal blue, 64846- black, 64847- ice teal*	
Crank length		165	165
	Part No. →	*62705*	*62705*
Seatpost length		300	300
	Part No. →	*64840*	*64840*
Steerer, mm		155	190
Head angle			
Seat angle			
MM Standover			
Seat tube			
Head tube		85	
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover			
Seat tube			
Head tube		3.3	
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

Our Price: $ _____

Mountain Track 240

	Part No.		
Main tubes		HiTensile steel w/ outer butted CroMoly seat tube	
Stays		High tensile steel	
Fork		High tensile steel	
Headset	*58960*	VP H67W	22.2/30.0/27.0, 35.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	
Grips	*63060*	Paw print	
Shifters	*63039/42*	GripShift MRX170	
Front derailleur	*61477*	Shimano Altus CT92E	Down pull, E-type, bracket
Rear derailleur	*61494*	Shimano Altus CT92 GS	
Brakes	*61081/2*	Shimano Altus CT91	
Brake levers	*64809*	Chang Star 274A	
Crankset		Shimano Altus CT92 42/34/24	Riveted rings
Bottom bracket	*61000*	Shimano BB-CT91E	68 x 116
Pedals		Wellgo LU-945	9/16" axle
Cassette	*61171*	Shimano HG30 11-28	7spd
Chain	*29705*	UG50	102L length
Front wheel	*60922*		
Front hub		Alloy nutted	
Front tire		Trek Connection	24 x 1.95
Rear wheel	*60923*		
Rear hub		Alloy nutted, HyperGlide Compact cassette, 7 spd, nutted front&rear, 130 mm O.L.D.	
Rear tire		Trek Connection	24 x 1.95
Tubes	*38593*	Schraeder valve	
Rims	*58356*	Weinmann 519	
Spokes		14G UCP	36 spokes/239 front/235/237 rear(D/ND)/3x
Saddle	*56635*	Trek Paw Print	
Seatpost		Alloy	26.6 mm diameter
Seat binder		Kalloy STP-B	
Additionals		Rack mounts, 1 water bottle mount, derailleur guard (64837)	
Colors		Mirror Black	
		Dry Ice Plum	
Frame sizes		13B 13G	

	24	34	42
11	52	73	90
13	44	62	76
15	38	54	66
18	31	45	55
21	27	38	47
24	24	33	41
28	20	29	35

Handlebar width		540	
	Part No. →	*58963*	
Stem length		60	
	Part No. →	*64842*	
Crank length		170	
	Part No. →	*59461L/R*	
Seatpost length		300	250
	Part No. →	*57102*	*54326*
Steerer, mm		127	142
Head angle			
Seat angle			
MM Standover		635	597
Seat tube			
Head tube		85	85
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover		25.0	23.5
Seat tube			
Head tube		3.3	3.3
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

Mountain Track 220SHX

Our Price: $ _____

	Part No.		
Main tubes		High tensile steel	
Stays		High tensile steel	
Fork		SR DuoTrack 7007	35mm travel
Headset	58960	VP H67	22.2/30.0/27.0, 33.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	
Grips	63060	Trek paw print	
Shifters	63040/42	GripShift MRX170	
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"
Rear derailleur	61494	Shimano Tourney TY22 GS	
Brakes	64361/2	alloy	
Brake levers	64808	Chang Star 246C	
Crankset		SR 48/38/28	Riveted rings
Bottom bracket	53309	VP-B32/3N	68
Pedals		Wellgo LU-945	9/16" axle
Cassette	61168	HG22 14-28	6spd
Chain	29705	UG50	
Front wheel	60920		
Front hub		Nutted	
Front tire		Duro	24 x 2.0
Rear wheel	60921		
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire		Duro	24 x 2.0
Tubes	38593	Schraeder valve	
Rims	58356	Weinmann 519	
Spokes		14G UCP	36 spokes/238 front/236/237 rear(D/ND)/3x
Saddle	56635	Trek paw print	
Seatpost		Alloy	26.6 mm diameter
Seat binder		Kalloy STP-B	
Additionals		Rack mounts, 1 water bottle mount, derailleur guard	
Colors		Gloss Royal Ice Blue	
Frame sizes		13	
Handlebar width		540	
	Part No. →	58963	
Stem length		65	
	Part No. →	64842	
Crank length		165	
	Part No. →	64360	
Seatpost length		300	
	Part No. →	57102	
Steerer, mm		119	
Head angle			
Seat angle			
MM Standover		635	597
Seat tube			
Head tube		85	85
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover		25.0	23.5
Seat tube			
Head tube		3.3	3.3
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

	28	38	48
14	47	64	81
16	41	56	71
18	37	50	63
21	31	43	54
24	28	37	47
28	24	32	40

Our Price: $ _____

Mountain Track 220

	Part No.		
Main tubes		High tensile steel	
Stays		High tensile steel	
Fork		High tensile steel	
Headset	58960	VP H67	22.2/30.0/27.0, 33.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	
Grips	63060	Trek paw print	
Shifters	63039/43	GripShift MRX170	
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"
Rear derailleur	61494	Shimano Tourney TY22 GS	
Brakes	64361/2	alloy	
Brake levers	64808	Chang Star 246C	
Crankset	64360	SR 48/38/28	Riveted rings
Bottom bracket	53309	VP-B32/3N	68
Pedals	57180	Wellgo LU-945	9/16" axle
Cassette	61168	HG22 14-28	6spd
Chain	29705	UG50	
Front wheel	60920		
Front hub		Nutted	
Front tire		Duro	24 x 2.0
Rear wheel	60921		
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire		Duro	24 x 2.0
Tubes	38593	Schraeder valve	
Rims	58356	Weinmann 519	
Spokes		14G UCP	36 spokes/238 front/236/237 rear(D/ND)/3x
Saddle	56635	Trek paw print	
Seatpost		Alloy	26.6 mm diameter
Seat binder		Kalloy STP-B	
Additionals		Rack mounts, 1 water bottle mount, derailleur guard	
Colors		Gloss Ice Teal	Gloss Ice Grape Purple
		Dry Titanium	Gloss Ice Royal Blue
Frame sizes		13	13G
Handlebar width		540	
	Part No. →	58963	
Stem length		65	
	Part No. →	64842	
Crank length		165	
	Part No. →	64360	
Seatpost length		300	250
	Part No. →	57102	
Steerer, mm		128	143
Head angle			
Seat angle			
MM Standover		635	597
Seat tube			
Head tube		85	85
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover		25.0	23.5
Seat tube			
Head tube		3.3	3.3
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

	28	38	48
14	47	64	81
16	41	56	71
18	37	50	63
21	31	43	54
24	28	37	47
28	24	32	40

Mountain Lion 60SHX

Our Price: $ _____

	Part No.		
Main tubes		High tensile steel	
Stays		High tensile steel	
Fork		SR DuoTrack 7007	35mm travel
Headset	58960	VP H67W	22.2/30.0/27.0, 33.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	
Grips	63060	Trek paw print	
Shifters	63040	GripShift MRX170	Right only
Front derailleur		-	
Rear derailleur	61495	Shimano Tourney TY22	
Brakes	61081/2	Shimano Altus CT91	
Brake levers	64808	Chang Star 246C	
Crankset		Steel cotterless, 40T	
Bottom bracket	53309	VP-B32	68 x 3J (30.5/52/30.5)
Pedals		Victor VP-872N	1/2" axle
Cassette	61168	Shimano HG22 14-28	6spd
Chain	29705	UG50	100L length
Front wheel	60918		
Front hub		Nutted	
Front tire	62297	Knobby	20 x 1.95
Rear wheel	60917		
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire	62297	Knobby	20 x 1.95
Tubes	25987	Schraeder valve	
Rims	58355	Weinmann 519	
Spokes		14G UCP	36 spokes/188 front/186/188 rear(D/ND)/3x
Saddle	62299	Trek paw print	
Seatpost		Steel, black	25.6 mm diameter
Seat binder		Kalloy 8 x 25	
Additionals		1 water bottle mount (boy's), chainguard (64814), derailleur guard	
Colors		Chrome plated	

Frame sizes	11.5B	11.5G
Handlebar width	520	
Part No. →	58963	
Stem length	60	
Part No. →	54842	
Crank length	140	
Part No. →	53321	
Seatpost length	300	
Part No. →	64840	
Steerer, mm	132	142
Head angle		
Seat angle		
MM Standover	567	525
Seat tube		
Head tube	85	85
Eff top tube		
Reach		
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		
IN Standover	22.3	20.7
Seat tube		
Head tube	3.3	3.3
Eff top tube		
Reach		
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		

40	
14	57
16	50
18	45
21	38
24	33
28	29

Our Price: $ _____

Mountain Lion 60

	Part No.		
Main tubes		High tensile steel	
Stays		High tensile steel	
Fork		High tensile steel	
Headset	58960	VP H67W	22.2/30.0/27.0, 35.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	
Grips	63060	Trek paw print	
Shifters	63040	GripShift MRX170, right	
Front derailleur		-	
Rear derailleur	61495	Shimano Tourney TY22	
Brakes	61081/2	Shimano Altus CT91	
Brake levers	64808	Chang Star 246C	
Crankset		Steel cotterless, 40T	
Bottom bracket	53309	VP-B32	68 x 3J (30.5/52/30.5)
Pedals		Victor VP-872N	9/16" axle
Cassette	61168	Shimano HG22 14-28	6spd
Chain	29705	UG50	100L length
Front wheel	60918		
Front hub		Nutted	
Front tire	62297	Knobby	20 x 1.95
Rear wheel	60917		
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire	62297	Knobby	20 x 1.95
Tubes	25987	Schraeder valve	
Rims	58355	Weinmann 519	
Spokes		14G UCP	36 spokes/188 front/186/188 rear(D/ND)/3x
Saddle	62299	Trek paw print	
Seatpost		Steel, black	25.6 mm diameter
Seat binder		Kalloy 8 x 25	
Additionals		1 water bottle mount, chainguard (64814), derailleur guard	
Colors		Dry Ice Plum	
		Gloss Black	

Frame sizes	11.5B	11.5G
Handlebar width	520	520
Part No. →	58963	
Stem length	60	60
Part No. →	54842	
Crank length	140	
Part No. →	53321	
Seatpost length	300	25025
Part No. →	64840	64839
Steerer, mm	132	142
Head angle		
Seat angle		
MM Standover	567	525
Seat tube		
Head tube	85	85
Eff top tube		
Reach		
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		
IN Standover	22.3	20.7
Seat tube		
Head tube	3.3	3.3
Eff top tube		
Reach		
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		

40	
14	57
16	50
18	45
21	38
24	33
28	29

Mountain Lion 30

Our Price: $ _____

	Part No.			
Main tubes		High tensile steel		36
Stays		High tensile steel		
Fork		High tensile steel		19 38
Headset	53302-3	LF-864B	22.2/30.0/27.0, 39.0 mm stack	
Handlebars		steel, 150mm rise	25.4mm clamp diameter	
Stem		4 bolt	22.2 mm insertion	
Grips		Trek paw print		
Brakes		-		
Brake levers		-		
Crankset	51647	One piece type, 36T		
Bottom bracket	64806	One-piece type, LF-817	28 TPI	
Pedals	64875	Victor VP-872N *(white-64874)*	1/2" axle	
Cog		19T	1 spd	
Chain	54006	KMC 410, 1/2 x 1/8"	86L length	
Front wheel	60915			
Front hub		Nutted		
Front tire	62297-8	Trek paw print	20 x 2.125	
Rear wheel	60916			
Rear hub		Coaster brake	Nutted front, Coaster rear, 112 mm O.L.D.	
Rear tire	62297-8	Trek paw print	20 x 2.125	
Tubes	25987	Schraeder valve		
Rims		Steel		
Spokes		14G UCP	36 spokes/187 front/184/187 rear(D/ND)/3x	
Saddle	62299	Trek paw print		
Seatpost		Steel, black	22.2 mm diameter	
Seat binder		Steel hex bolt and nut		
Additionals		Chainguard and pads (64833-6)		
Colors		Gloss Metallic Purple	Gloss Metallic Pink	
		Gloss Ice Red	Gloss Chrome Blue	
Frame sizes		9.5B 9.5G		
Handlebar width		550		
	Part No. →	55118	55119	
Stem length		35		
	Part No. →	64841		
Crank length		115		
	Part No. →	51647		
Seatpost length		250		
	Part No. →	64839		
Steerer, mm		130	130	
Head angle				
Seat angle				
MM Standover		567	525	
Seat tube				
Head tube		105	85	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				
IN Standover		22.3	20.7	
Seat tube				
Head tube		4.1	3.3	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				

Our Price: $ _____

Mountain Cub

	Part No.			
Main tubes		High tensile steel		32
Stays		High tensile steel		
Fork		High tensile steel		19 26
Headset	58960-64828	LF-841B	21.2/32.5/27.0, 33.0 mm stack	
Handlebars		steel, 130mm rise	25.4mm clamp diameter	
Stem		4 bolt BMX type	21.2 mm insertion	
Grips	51647	Trek paw print		
Brakes		-		
Brake levers				
Crankset		One piece type, 32T		
Bottom bracket	64806	One-piece type	28 TPI	
Pedals	64871	Wellgo LU-480 *(white-64872)*	9/16" axle	
Cog		19T	1 spd	
Chain	54006	KMC 410, 1/2 x 1/8"	76L length	
Front wheel	60913			
Front hub		Steel nutted		
Front tire	62294-6	Trek paw print	16 x 1.75	
Rear wheel	60914			
Rear hub		Coaster brake	Nutted front, Coaster rear, 112 mm O.L.D.	
Rear tire	62294-6	Trek paw print	16 x 1.75	
Tubes	25985	Schraeder valve		
Rims		Steel		
Spokes		14G UCP	28 spokes/137 front/133/137 rear(D/ND)/3x	
Saddle	62299	Trek paw print		
Seatpost		Steel	22.2 mm diameter	
Seat binder		Steel hex bolt and nut		
Additionals		Training wheels (64848-51), chainguard (64811-3), and pads (64829-32)		
Colors		Gloss Ice Pink	Gloss Neon Purple	
		Gloss Ice Red	Gloss Bright Blue	
Frame sizes		8.5B 8.5G		
Handlebar width		510	510	
	Part No. →	55116	55117	
Stem length		35		
	Part No. →	64841		
Crank length		115		
	Part No. →	51647		
Seatpost length		220		
	Part No. →	64838		
Steerer, mm		130	130	
Head angle				
Seat angle				
MM Standover		451	427	
Seat tube				
Head tube		102	102	
Eff top tube				
Reach		0		
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				
IN Standover		17.8	16.8	
Seat tube				
Head tube		4.0	4.0	
Eff top tube				
Reach		0.0		
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				

Subspecies

Our Price: $ _____

	Part No.		
Main tubes		CroMoly	44
Stays		CroMoly	
Fork		CroMoly	16 55
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 34.0 mm stack
Handlebars	62687	Trek Pro CroMoly	25.4mm clamp diameter
Stem	62691	4 bolt alloy Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62707	LU-313	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62291		25.5 lb. 11.58 kg.
Front hub		Alloy fat body, sealed	
Front tire	62777	Knobby blackwall	20 x 2.125
Rear wheel	62292		
Rear hub		Alloy fat body, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62776	Knobby blackwall	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62696	Trek molded	
Seatpost	62791	CroMoly micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy, 2 bolt	
Additionals		Chainguard *(62719)*	
Colors		Matte Chrome	
Frame sizes			
Handlebar width		700	
	Part No. →	*62687*	
Stem length		55	
	Part No. →	*62691*	
Crank length		175	
	Part No. →	*62704*	
Seatpost length		350	
	Part No. →	*62791*	
Steerer, mm		152	
Head angle		74.0	
Seat angle		71.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		546	
Reach		599	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		21.5	
Reach		23.6	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: $ _____

Subvert 1.0G

	Part No.		
Main tubes		HiTensile w/CroMoly seat tube	42
Stays		High tensile steel	
Fork		High tensile steel	18 47
Headset	62709	Steel	21.2/32.5/27.0, 39.0 mm stack
Handlebars	62689	Steel Freestyle	25.4mm clamp diameter
Stem	62690	Alloy 4 bolt	21.2 mm insertion
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62787/8	Dia-Compe Bulldog front and rear	
Brake levers	62694	Tektro 286A	
Crankset	62705	One piece type, 42T	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62708	LU-469	1/2" axle
Cog	62773	18T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62287		26.0 lb. 11.80 kg.
Front hub		Alloy fat body, sealed	
Front tire	62780	Freestyle	20 x 2.0
Rear wheel	62290		
Rear hub		Alloy fat body, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62780	Freestyle	20 x 2.0
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62701	Steel, chrome plated	25.4 mm diameter
Seat binder	62717	Alloy 2 bolt	
Additionals		Odyssey Gyro rotor (62685), chainguard (62719)	
Colors		Chrome	
		Matte Mustard	
Frame sizes			
Handlebar width		670	
	Part No. →	-	
Stem length		50	
	Part No. →	*62690*	
Crank length		170	
	Part No. →	*62705/6*	
Seatpost length		350	
	Part No. →	*62701*	
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		482	
Reach		530	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		926	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.0	
Reach		20.9	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		36.5	

Subvert 2.0G

Our Price: $ _____

	Part No.		
Main tubes		CroMoly	42
Stays		High tensile steel	
Fork		HiTensile w/CroMoly steerer	18 47
Headset	62709	Steel	21.2/32.5/27.0, 39.0 mm stack
Handlebars	62689	Steel Freestyle	25.4mm clamp diameter
Stem	62690	Alloy 4 bolt	21.2 mm insertion
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62786/7	Dia-Compe 990/R, Bulldog/F	
Brake levers	62694	Tektro 286A	
Crankset	62703	One piece type, 42T	
Bottom bracket	62703	One-piece type	24 TPI
Pedals		LU-313	1/2" axle
Cog	62773	18T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62287		26.0 lb. 11.80 kg.
Front hub		Alloy fat body, sealed	
Front tire	62780	Freestyle	20" x 2.0
Rear wheel	62290		
Rear hub		Alloy fat body, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62780	Freestyle	20" x 2.0
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62701	Steel	25.4 mm diameter
Seat binder	62717		
Additionals		Odyssey rotor (62685), chainguard (62719)	
Colors		Matte Metallic Green	
Frame sizes			
Handlebar width		670	
	Part No. →	62689	
Stem length		50	
	Part No. →	62690	
Crank length		175	
	Part No. →	62704	
Seatpost length		350	
	Part No. →	62701	
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		482	
Reach		530	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		926	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.0	
Reach		20.9	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		36.5	

Our Price: $ _____

Subvert 3.0G

	Part No.		
Main tubes		CroMoly	42
Stays		CroMoly	
Fork		CroMoly	18 47
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62689	Trek CroMoly Freestyle	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62785/6	Dia-Compe 990 U-brake front and rear	
Brake levers	62694	Tektro 286A	
Crankset	62704	One piece CroMoly, 42T	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62702	LU-313	1/2" axle
Cog	62773	18T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62289		25.7 lb. 11.69 kg.
Front hub		Alloy, sealed	
Front tire	62780	Freestyle	20" x 2.0
Rear wheel	62290		
Rear hub		Alloy, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62780	Freestyle	20" x 2.0
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62791	CroMoly, microadjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additionals		Fishbone UFO Rotor (62686), chainguard (62719)	
Colors		Matte Dark Plum	
Frame sizes			
Handlebar width		670	
	Part No. →	62689	
Stem length		55	
	Part No. →	62691	
Crank length		175	
	Part No. →	62704	
Seatpost length		350	
	Part No. →	-	
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		482	
Reach		535	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		876	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.0	
Reach		21.1	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		34.5	

Subdude

Our Price: $ _____

	Part No.		
Main tubes		High tensile steel	42
Stays		High tensile steel	
Fork		High tensile steel	16 53
Headset	62709	Steel	21.2/32.5/27.0, 37.0 mm stack
Handlebars	62687	Steel	25.4mm clamp diameter
Stem	62690	4 bolt BMX	21.2 mm insertion
Grips	62783	Trek logo	
Brakes	62710	Chang Star 854AG cantilever (rear)	
Brake levers	62694	Chang Star 275A-1	
Crankset	62705	One piece type, 42T	110 mm bolt hole circle
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62708	LU-469	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	88L length
Front wheel	62280		
Front hub		Steel, sealed	
Front tire	62777	Knobby blackwall	20 x 2.125
Rear wheel	62281		
Rear hub		Steel, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62776	Knobby blackwall	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/190 front/187/187 rear(D/ND)/3x
Saddle	62715	Padded	
Seatpost	62699	Steel, chrome plated	25.4 mm diameter
Seat binder	62717	Alloy 2 bolt	
Additionals			
Colors		Chrome	
		Matte Royal Blue	
Frame sizes			

25.0 lb.
11.35 kg.

	Part No.	
Handlebar width		670
Stem length	Part No. → 62687	50
Crank length	Part No. → 62690	170
Seatpost length	Part No. → 62705	350
	Part No. → 62699	
Steerer, mm		142
Head angle		73.5
Seat angle		71.0
MM Standover		
Seat tube		203
Head tube		100
Eff top tube		476
Reach		524
Chainstays		368
BB height		
Offset		
Trail		
Wheelbase		914
IN Standover		
Seat tube		8.0
Head tube		3.9
Eff top tube		18.7
Reach		20.6
Chainstays		14.5
BB height		
Offset		
Trail		
Wheelbase		36.0

Our Price: $ _____

Submission

	Part No.		
Main tubes		HiTensile w/CroMoly seat tube	44
Stays		High tensile steel	
Fork		High tensile steel	16 55
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	Steel	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62705	One piece type, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62708	LU-469	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	88L length
Front wheel	62280		
Front hub		Steel, sealed	
Front tire	62777	Knobby	20 x 2.125
Rear wheel	62281		
Rear hub		Steel, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62776	Knobby	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/190 front/187/187 rear(D/ND)/3x
Saddle	62715	Trek padded	
Seatpost	62791	Steel micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additionals		Chainguard (62719)	
Colors		Chrome	
		Matte Black	
Frame sizes			

25.0 lb.
11.35 kg.

	Part No.	
Handlebar width		670
Stem length	Part No. → 62687	50
Crank length	Part No. → 62691	170
Seatpost length	Part No. → 62705	350
	Part No. → 62791	
Steerer, mm		152
Head angle		73.5
Seat angle		71.0
MM Standover		
Seat tube		203
Head tube		100
Eff top tube		476
Reach		524
Chainstays		369
BB height		
Offset		
Trail		
Wheelbase		890
IN Standover		
Seat tube		8.0
Head tube		3.9
Eff top tube		18.7
Reach		20.6
Chainstays		14.5
BB height		
Offset		
Trail		
Wheelbase		35.0

Subhead

Our Price: $ _____

	Part No.		44
Main tubes		CroMoly	
Stays		High tensile steel	
Fork		CroMoly	16 55
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	Steel	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton, replaceable ends	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62704	One piece type, 2pc. spider and sprocket, 44T, 110 mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62707	LU-313	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62335		24.7 lb. 11.24 kg.
Front hub		Alloy, sealed	
Front tire	62777	Knobby	20 x 2.125
Rear wheel	62336		
Rear hub		Alloy, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62776	Knobby	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/190 front/187/187 rear(D/ND)/3x
Saddle	62715	Trek padded	
Seatpost	62791	Steel micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additionals		Chainguard (62719)	
Colors		Chrome	
		Matte Burnt Orange	
Frame sizes			
Handlebar width		670	
Stem length	Part No. → 62687	50	
	Part No. → 62691		
Crank length		175	
Seatpost length	Part No. → 62704	350	
	Part No. → 62791		
Steerer, mm		152	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		501	
Reach		549	
Chainstays		382	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.7	
Reach		21.6	
Chainstays		15.0	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: $ _____

Subatomic

	Part No.		44
Main tubes		7005 heat treated aluminum	
Stays		7000 series aluminum	
Fork		CroMoly/Hi-Ten	16 55
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	Trek	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62704	One-piece type, 2pc. spider and sprocket, 44T, 110 mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62707	LU-313	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62282		24.0 lb. 10.90 kg.
Front hub		Alloy, sealed	
Front tire	62779	Knobby	20 x 2.125
Rear wheel	62283		
Rear hub		Alloy, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62778	Knobby	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/190 front/188/188 rear(D/ND)/3x
Saddle	62715	Trek padded	
Seatpost	62700	Steel micro-adjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additionals		Chainguard (62719)	
Colors		Ball Burnished	
		Matte Grey Green	
Frame sizes			
Handlebar width		700	
Stem length	Part No. → 62687	50	
	Part No. → 62691		
Crank length		175	
Seatpost length	Part No. → 62704	350	
	Part No. → 62700		
Steerer, mm		152	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		501	
Reach		549	
Chainstays		382	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.7	
Reach		21.6	
Chainstays		15.0	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Subatomic SS

Our Price: $ _____

	Part No.		
Main tubes		7005 heat treated aluminum	44
Stays		7000 series aluminum	
Fork		CroMoly	16 55
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	Trek CroMoly	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62692	Tektro 875A V-brake (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62684	LU-953	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62335		24.0 lb. 10.90 kg.
Front hub		Alloy, sealed	
Front tire	62779	Knobby	20 x 2.125
Rear wheel	62336		
Rear hub		Alloy, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62778	Knobby	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/188 front/188/188 rear(D/ND)/3x
Saddle	62715	Trek padded	
Seatpost	62700	CroMoly micro-adjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additionals		Chainguard (62719)	
Colors		Ball Burnished	
Frame sizes			
Handlebar width		700	
	Part No. → 62687		
Stem length		50	
	Part No. → 62691		
Crank length		175	
	Part No. → 62704		
Seatpost length		350	
	Part No. → 62700		
Steerer, mm		162	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		229	
Head tube		100	
Eff top tube		546	
Reach		594	
Chainstays		420	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		9.0	
Head tube		3.9	
Eff top tube		21.5	
Reach		23.4	
Chainstays		16.5	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: $ _____

Subculture

	Part No.		
Main tubes		7005 heat treated aluminum	44
Stays		7000 series aluminum	
Fork		CroMoly	16 55
Headset	62790	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	CroMoly	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62692	Tektro 875A V brake (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62684	LU-953	1/2" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62335		23.7 lb. 10.78 kg.
Front hub		Alloy, sealed	
Front tire	62779	Tioga Comp III skinwall	20 x 2.125
Rear wheel	62336		
Rear hub		Alloy, sealed	Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	62779	Tioga Comp III skinwall	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	36 spokes/188 front/188/188 rear(D/ND)/3x
Saddle	62695	Kevlar corners, CroMoly rails	
Seatpost	62700	CroMoly microadjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additionals		Chainguard (62719)	
Colors		Ball Burnished	
Frame sizes			
Handlebar width		700	
	Part No. → 62687		
Stem length		55	
	Part No. → 62691		
Crank length		175	
	Part No. → 62704		
Seatpost length		350	
	Part No. → 62700		
Steerer, mm		162	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		229	
Head tube		100	
Eff top tube		546	
Reach		599	
Chainstays		420	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		9.0	
Head tube		3.9	
Eff top tube		21.5	
Reach		23.6	
Chainstays		16.5	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Subculture SS

Our Price: $ _____

	Part No.	
Main tubes		7005 heat treated aluminum
Stays		7000 series aluminum
Fork		CroMoly
Headset	*62790*	Dia-Compe SE-1 Aheadset — 25.4/34.0/30.0, 24.5 mm stack
Handlebars	*62687*	CroMoly — 25.4mm clamp diameter
Stem	*62691*	Alloy 4 bolt — 30.0 mm steerer clamp height
Grips	*62783*	Trek logo, Kraton w/replaceable endcaps
Brakes	*62692*	Tektro 876AG V-brake (rear)
Brake levers	*62693*	Tektro RBP-291A
Crankset	*62681*	Three piece CroMoly, 44T — 110 mm bolt hole circle
Bottom bracket	*62680*	Sealed — 24 TPI
Pedals	*62684*	LU-952 — 9/16" axle
Cog	*62774*	16T — 1 spd
Chain	*54006*	410A, 1/2x1/8" — 90L length
Front wheel	*62285*	
Front hub		Alloy, sealed bearing
Front tire	*62779*	Tioga Comp III skinwall — 20 x 2.125
Rear wheel	*62286*	
Rear hub		Alloy, sealed bearing — Threaded, 1 spd, nutted front and rear , 110 mm O.L.D.
Rear tire	*62779*	Tioga Comp III skinwall — 20 x 1.75
Tubes	*25987*	Schraeder valve
Rims		Araya 7X
Spokes		14G UCP — 36 spokes/188 front/188/188 rear(D/ND)/3x
Saddle	*62695*	Kevlar corners, CroMoly rails
Seatpost	*62700*	CroMoly microadjust, chrome plated, 26.8 mm diameter
Seat binder	*62716*	Alloy 2 bolt
Additionals		Chainguard (62719)
Colors		Ball Burnished

	44
16	55

23.7 lb.
10.78 kg.

Frame sizes

		700
Handlebar width		
Stem length	Part No. → *62687*	55
Crank length	Part No. → *62691*	180
Seatpost length	Part No. → *62681*	350
	Part No. → *62700*	
Steerer, mm		162
Head angle		73.5
Seat angle		71.0
MM Standover		229
Seat tube		100
Head tube		546
Eff top tube		599
Reach		394
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		915
IN Standover		9.0
Seat tube		3.9
Head tube		21.5
Eff top tube		23.6
Reach		15.5
Chainstays		
BB height		
Offset		
Trail		
Wheelbase		36.0

WARRANTY

Trek Bicycle Corporation Limited Warranty

The Trek Bicycle Corporation warrants each new Trek bicycle frame and rigid fork against defects in workmanship and materials for the lifetime of the original owner, except OCLV carbon and full suspension bikes which are warranted for the first five years of ownership by original owner. Trek Bicycle Corporation likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable.

Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, or installation of parts or accessories not originally intended or compatible with the bicycle as sold.

The warranty does not apply to damage or failure due to accident, misuse, abuse, or neglect. Modification of the frame or components shall void this warranty.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. Labor charges for parts changeovers are not covered by the warranty.

This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not effect the statutory rights of the consumer.

What to do with a Defective Frame or Fork

When a consumer comes to you with a frame or fork that is covered by the warranty, please do the following:

1. Evaluate the item. Trek approves over 90% of all the items that are returned for warranty. Don't be afraid to make a warranty call if it is an obvious warranty claim. We trust you and want you to give your customers the best service possible.

2. Call your Inside Sales Rep. They will issue a UPS Call Tag, or a Returned Goods Authorization (RGA) number for the frameset. Trek will repair or replace the item and return it to you. Warranty items cannot be accepted without either a Call Tag or an RGA. This will ensure that the item is properly handled and processed quickly.

3. Completely remove ALL parts from the frame or fork before packaging. We make every effort to return a warranty claim as fast as possible. Since tracking parts from a frameset would slow this process considerably, we rely on you to remove and save all parts.

UPS Call Tags and Returned Goods Authorization (RGA) numbers

There are two ways to return a frameset to Trek. UPS Call Tags usually take 5-10 working days to appear at your door. With a Call Tag, there is no shipping charge to you.

To substantially decrease the time for a Call Tag, you can ship the frame or fork to us via normal UPS ground service and we will credit you for the shipping expense. To have a Call Tag or RGA issued, call your Inside Rep with the following information:

1. Serial Number
2. Size
3. Model number
4. Color
5. Nature of the problem

The Inside Rep will give you the Returned Goods Authorization (RGA) number. Write the number on the outside of the box and keep note of the number for reference if needed for checking on the item.

Items that cannot be repaired will be replaced. Our manufacturing and warranty departments have committed to turning around repairs in 5 working days of receipt of the item. This provides excellent service to the customer.

If an item is to be repaired, have the consumer choose a color from the current production year for the repaint. We can only offer colors from the current production year.