

"I take nothing for granted.
I now have only good days,
or great days."
Lance Armstrong,
Trek USPS Road Race Team
TREK
AMERICAN BICYCLE TECHNOLOGY
1999



LONG TRAVEL

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **VRX 500** and **VRX 400** Long Travel frame has Trek proprietary Alpha FS Aluminum construction that is bombproof. The frame's revolutionary rear suspension system features the new Fully Independent Linkage (F.I.L.) system. This progressive shock compression system starts your ride plush, but ramps up on big hits so you don't bottom out. F.I.L. is adjustable to three shock positions: Cross Country (XC), All Conditions (AC) and Downhill (DH); simply dial in the ride that matches the day's terrain. The VRX frame design also isolates the suspension from the rear wheel, and puts the load on the single pivot swing arm so the rear wheel tracks straight in all conditions. Spec'd with extra long travel front and rear shocks and rugged components to keep you alive and riding. The Trek Pro geometry gives you a very responsive ride at high speeds.

MOUNTAIN BIKE ▸ **PRO**
LONG TRAVEL | COMPETITION | RECREATION

VRX 400™



U.S. Patents Pending.

KEY COMPONENTS:

VRX 400 | **WHEELSET** Bontrager Maverick rims • Bontrager Jones tires • Disc front and rear hubs | **SUSPENSION** Manitou X-Vert-T suspension fork, 100mm travel • Fox Vanilla coil over rear shock | **DRIVETRAIN** ICON Flywheel, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT rear derailleur | **BRAKESET** Hayes Disc, cable actuated brakes | **COMPONENTS** Bontrager FS+10 Comp saddle • Shimano SPD M545, clipless pedals • ICON Diesel, 9° bend, 30mm rise handlebar • ICON Durante, forged alloy direct connect stem

[VRX is] "The next generation of long travel bikes."
Mike Riedy, Mountain Bike Magazine



MOUNTAIN BIKE ▸ PRO
LONG TRAVEL | COMPETITION | RECREATION

VRX 500™

KEY COMPONENTS:

VRX 500 | **WHEELSET** Rolf Dolomite Disc system | **SUSPENSION** Rock Shox SID XL suspension fork, 100mm travel • Fox Vanilla R coil over, adjustable rebound rear shock | **DRIVETRAIN** ICON Tork, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Hayes Disc Hydraulic brakes | **COMPONENTS** Bontrager FS+10 Race, Cro-Moly rails saddle • Shimano SPD M545, clipless pedals • ICON Diesel, 9° bend, 30mm rise handlebar • ICON Duranté, forged alloy direct connect stem



MOUNTAIN BIKE ▸ PRO
LONG TRAVEL | COMPETITION | RECREATION

Pro Issue DH™

KEY COMPONENTS:

Pro Issue DH | **WHEELSET** Bontrager Jones Tires • Hayes disc front and rear hubs | **SUSPENSION** Rock Shox Boxxer Pro suspension fork, 125mm travel • Fox Vanilla RX piggy back coil over; TSC, rear shock | **DRIVETRAIN** Shimano XTR crankset • Deore XT Rapidfire SL O.G.D. right shifter • XTR Rapid-Rise rear derailleur | **BRAKESET** Hayes Disc, downhill rotor front and rear

CROSS COUNTRY FULL SUSPENSION

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **Y SL 300** and **Y SL 200** are lighter than most hardtails. They feature the proven Y Bike™ design, with the added benefit of the latest Trek carbon technology – proprietary OCLV-HC – to make it stronger, lighter (1.65 lb. mainframe) and faster. The frame has the patented Trek Fully Active Uni-Link™ rear suspension system that stays active throughout your ride, and an aluminum Unified Rear Triangle that gives you more pedal power. The rear remote adjust lets you tune the rear shock damping as you ride, whether on hardtailish climbs, or madman downhill runs. The Trek Pro geometry helps the Y SL handle like a pro at the highest speeds. The **Y3** has strong, Trek Alpha FS Aluminum frame construction and the same great suspension philosophy as the Y SLs – minus the dollar philosophy. The Y3 is a gateway to full suspension fun.

MOUNTAIN BIKE ▸ **PRO**
CROSS COUNTRY FULL SUSPENSION | COMPETITION | RECREATION

Y SL 200™



U.S. Patent Nos. 5,685,553; D369,678.

KEY COMPONENTS:

YSL 200 | **WHEELSET** Rolf Dolomite system | **SUSPENSION** Rock Shox SID XC suspension fork, 63mm travel • Rock Shox SID w/remote adjust rear shock | **DRIVETRAIN** ICON Crankshaft, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Avid Single Digit 20, direct pull brakes | **COMPONENTS** Bontrager FS Race, Cro-Moly rails saddle • Bontrager RE-II, clipless pedals • ICON Ernie, 2014, 5° bend handlebar • ICON Durante, forged alloy direct connect stem



MOUNTAIN BIKE ▸ **PRO**
CROSS COUNTRY
FULL SUSPENSION
COMPETITION
RECREATION

Y SL 300™

KEY COMPONENTS:

YSL 300 | **WHEELSET** Rolf Propel system | **SUSPENSION** Rock Shox SID SL Ti suspension fork, 63mm travel • Rock Shox SID w/remote adjust rear shock | **DRIVETRAIN** ICON Tork, 4 arm 44/32/22 crankset • 9-speed Shimano Deore XT Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Shimano Deore XT V-Brakes | **COMPONENTS** Bontrager FS Race Lite, titanium/leather saddle • Time, clipless pedals • ICON Ernie, 2014, 5° bend handlebar • ICON Durante, forged alloy direct connect stem



MOUNTAIN BIKE PRO
CROSS COUNTRY
FULL SUSPENSION ▸ **COMPETITION**
RECREATION

Y3™

KEY COMPONENTS:

Y3 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Alloy sealed front and rear hubs | **SUSPENSION** Rock Shox Jett C suspension fork, 45mm travel • Fox Vanilla coil over rear shock | **DRIVETRAIN** Shimano Acera X 42/32/22 crankset • 8-speed Shimano Alivio Rapidfire SL shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Crossbow saddle • Resin w/clips and straps pedals • Alloy, 5° bend, 30mm rise handlebar • Forged alloy direct connect stem



CROSS COUNTRY FULL SUSPENSION

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **VRX 300** and **VRX 200** have Trek proprietary Alpha FS Aluminum construction that is bombproof. The frame's revolutionary suspension features the new Fully Independent Linkage (F.I.L.). This progressive shock compression system starts your ride plush but ramps up on big hits, providing the right amount of travel right when you need it. F.I.L. adjusts to three shock positions: Cross Country (XC), All Conditions (AC) and Downhill (DH); simply dial in the ride that matches the day's terrain. The VRX frame design also isolates the suspension from the rear wheel, and puts the load on the single pivot swing arm so the rear wheel tracks straight in all conditions. Carefully selected components reduce weight and increase speed and performance. Less travel in the front and rear shocks gives you the right blend of smooth and fast. The Trek Pro geometry gives you the most responsive ride at the highest speeds.

MOUNTAIN BIKE
CROSS COUNTRY FULL SUSPENSION
PRO
COMPETITION
RECREATION

VRX 300™



KEY COMPONENTS:

VRX 300 | **WHEELSET** Bontrager Maverick rims • Bontrager Jones tires • Bontrager Comp II front and rear hubs | **SUSPENSION** Rock Shox Judy XC suspension fork, 80mm travel • Fox Vanilla R coil over, adjustable rebound rear shock | **DRIVETRAIN** ICON Flywheel, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT SGS rear derailleur | **BRAKESET** Avid Single Digit 20, direct pull brakes | **COMPONENTS** Bontrager FS+10 Comp saddle • Bontrager RE-II, clipless pedals • ICON Diesel, 9° bend, 30mm rise handlebar • ICON Duranté, forged alloy direct connect stem

MOUNTAIN BIKE
CROSS COUNTRY
FULL SUSPENSION
PRO
COMPETITION
RECREATION


VRX 200™



KEY COMPONENTS:

VRX 200 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Bontrager Comp II rear; Comp I front hubs | **SUSPENSION** Rock Shox Jett XC suspension fork, 75mm travel • Fox Vanilla coil over rear shock | **DRIVETRAIN** Shimano Alivio 42/32/22 crankset • 8-speed Shimano STX-RC Rapidfire SL shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Bontrager FS+10 Comp saddle • Alloy w/clips and straps pedals • ICON 9° bend, 30mm rise handlebar • Alloy direct connect stem

ROLF WHEELS




Rolf gives you additional pulling spokes thanks to an oversized non-drive side hub flange, tangential spoking and an extra stiff hub body.

AS GOOD AS THE SUM OF ITS PARTS. Many Pro level Trek mountain bicycles feature Rolf wheels – innovative, low spoke count wheels with a patented Paired Spoke Design Technology that gives you the perfect balance of weight, strength, aerodynamics and serviceability. Their unique construction allows the wheels to carry twice the tension of conventional wheels for greater wheel stiffness, which gives you increased strength with precise handling and control. Rolf wheels also incorporate a patent-pending hub flange design that balances torque transmission and doubles the pulling spokes for better power transfer and longer spoke life. And if you need to replace spokes, replacements are readily available and require no special tools.

WANT TO KNOW MORE ABOUT THE WONDERS OF ROLF WHEELS? LOOK FOR THE NEW ROLF CATALOG, AVAILABLE ANYWHERE TREK BICYCLES ARE SOLD.





CROSS COUNTRY HARDTAIL

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **9.9** and **9.8** have Trek OCLV-HC frame construction for a lighter (10% lighter than OCLV), stronger (20% stiffer than OCLV), faster hardtail. The engineering behind OCLV-HC – a carbon fiber "honeycomb" sandwiched between carbon fiber sheets – allows us to use less material to make a lighter, more durable ride. The lightest production mountain bike frame in the world (3.0 lb. mainframe). The frame also includes aluminum chainstays for easy upgrading to disc brakes, and the Trek Pro geometry that gives you a whole new level of control at high speed flight.

The **8900** and **8500 LT** use seamless drawn Alpha SL Aluminum – the lightest, strongest aluminum on the mountain. Double butted tubes make it even lighter (3.45 lb. mainframe). An ovalized downtube adds stiffness. Beefy, elliptical chainstays also add stiffness, and give you better tire clearance over rough ground. A "wishbone" monostay and welded front gusset help the frame stand up to what you throw at it. Dual disc brakes and mounts let you stop on command. The 8500 LT's front shock with 4 inches of travel and suspension seatpost have the industry buzzing (and riders drooling) about its plush potential.

MOUNTAIN BIKE > **PRO**

CROSS COUNTRY HARDTAIL | COMPETITION | RECREATION

Pro 9.9™



KEY COMPONENTS:

Pro 9.9 | **WHEELSET** Rolf Propel system | **SUSPENSION** Rock Shox SID SL Ti suspension fork, 63mm travel | **DRIVETRAIN** Shimano XTR 4 arm 46/34/24 crankset • 9-speed Shimano XTR Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Shimano XTR V-Brakes | **COMPONENTS** Bontrager FS Race Lite, titanium/leather saddle • Time, clipless pedals • ICON Ernie, 2014, 5° bend handlebar • ICON Durante, forged alloy direct connect stem

MOUNTAIN BIKE ▸ PRO
CROSS COUNTRY HARDTAIL | COMPETITION | RECREATION

Elite 9.8™



KEY COMPONENTS:

Elite 9.8 | **WHEELSET** Rolf Dolomite system | **SUSPENSION** Rock Shox SID XC suspension fork, 63mm travel | **DRIVETRAIN** ICON Crankshaft, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Avid Single Digit 20, direct pull brakes | **COMPONENTS** Bontrager FS Race, Cro-Moly rails saddle • Bontrager RE-II, clipless pedals • ICON Ernie, 2014, 5° bend handlebar • ICON Duranté, forged alloy direct connect stem

MOUNTAIN BIKE ▸ PRO
CROSS COUNTRY HARDTAIL | COMPETITION | RECREATION

8900™



KEY COMPONENTS:

8900 | **WHEELSET** Rolf Dolomite Disc system | **SUSPENSION** Rock Shox Judy SL suspension fork, 63mm travel | **DRIVETRAIN** ICON Crankshaft, 4 arm 44/32/22 crankset • 9-speed Shimano Deore XT Rapidfire SL shifters • Shimano XTR rear derailleur | **BRAKESET** Hayes Hydraulic brakes | **COMPONENTS** Bontrager FS Race, Cro-Moly rails saddle • Bontrager RE-II, clipless pedals • ICON Ernie, 2014, 7° bend handlebar • ICON Duranté, forged alloy direct connect stem

MOUNTAIN BIKE | PRO
CROSS COUNTRY HARDTAIL ▸ COMPETITION | RECREATION


8500™ LT



KEY COMPONENTS:

8500 LT | **WHEELSET** Bontrager Maverick ASYM rims • Bontrager Jones tires • Disc front and rear hubs | **SUSPENSION** Rock Shox Judy 100 suspension fork, 100mm travel | **DRIVETRAIN** ICON Flywheel, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT S6S rear derailleur | **BRAKESET** Hayes Disc, cable actuated front; Avid Single Digit 10, direct pull rear brakes | **COMPONENTS** Bontrager FS+10 Race, Cro-Moly rails saddle • Bontrager RE-II, clipless pedals • ICON, 9° bend, 30mm rise handlebar • ICON Duranté, forged alloy direct connect stem

"This is the bike everyone has been asking for."
Mark Riedy, Mountain Bike



CROSS COUNTRY HARDTAIL

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

Welcome to the **8000** - Trek/Volkswagen Pro Travis Brown's new rocket ship. Travis knows Alpha SL Aluminum is the ticket to ride if you want to end up on the podium with your arms raised (and he should know). The custom, seamless drawn, double butted Alpha SL tubing allows us to make a superlight (3.45 lb. mainframe) race machine. An ovalized downtube and beefy, elliptical chainstays and "wishbone" monostay make the 8000 a climbing and cornering beast (Did we mention that it's also disc mount compatible for easy upgrading?). All other aluminum please bow down.

The **8000 WOMEN'S SPECIFIC DESIGN** takes the awesome features of the Trek 8000 and engineers them to fit the female racer. Its shorter top tube and higher stem put you in a more comfortable riding position. Short-reach brake levers and a custom-tuned suspension fork give you a level of performance you may find missing on unisex frames.

The **7000** has a light, 3.63 lb. frame made of seamless drawn, Alpha ZX Aluminum. Alpha ZX allows us to use large diameter tubing to make the 7000 stiff, rugged and a great value. It has an ovalized downtube and short chainstays for added stiffness, a "wishbone" monostay to eliminate brake flex, and welded gussets for longer frame life. And it's now rear disc brake compatible for easy upgrading.

MOUNTAIN BIKE
CROSS COUNTRY HARDTAIL
PRO
COMPETITION
RECREATION

8000™



Also available in Pearl White with Black decals

KEY COMPONENTS:

8000 | **WHEELSET** Bontrager Maverick rims • Bontrager Revolt ST-2, folding tires • Shimano Deore LX rear; Bontrager Comp II front hubs | **SUSPENSION** Manitou SX suspension fork, 70mm travel | **DRIVETRAIN** ICON Crankshaft, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT SGS rear derailleur | **BRAKESET** Avid Single Digit 20, direct pull brakes | **COMPONENTS** Bontrager FS+10 Race, Cro-Moly/leather saddle • Bontrager RE-II, clipless pedals • ICON Matador, 6061, 5° bend handlebar • ICON, forged alloy direct connect stem

MOUNTAIN BIKE PRO
CROSS COUNTRY HARDTAIL **COMPETITION**
RECREATION

8000™ WSD



WSD™
women's SPECIFIC DESIGN

Women's Specific Design re-engineers the proven Trek frame to address the specific needs of female cyclists.

- Modified tube lengths and angles that improve stability, steering control, power transfer, shock absorption and overall comfort.
- Specially selected components, such as short-reach brake levers, that make the bicycle easier to handle.
- Custom tuned suspension that is built for lighter riders.

Together, these and other unique features give you the performance you might have found lacking on a unisex frame.

KEY COMPONENTS:

8000 WSD | **WHEELSET** Bontrager Maverick rims • Bontrager Revolt ST-2, folding tires • Shimano Deore LX rear; Bontrager Comp II front hubs | **SUSPENSION** Manitou SX, soft springs suspension fork, 70mm travel | **DRIVETRAIN** ICON Crankshaft, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT SGS rear derailleur | **BRAKESET** Avid Single Digit 20, direct pull brakes | **COMPONENTS** Trek WSD specific saddle • Bontrager RE-II, clipless pedals • ICON WSD Matador, 6061, 5° bend handlebar • ICON, forged alloy direct connect stem

MOUNTAIN BIKE PRO
CROSS COUNTRY HARDTAIL **COMPETITION**
RECREATION


7000™



Also available in Metal Flake Blue with Yellow decals

KEY COMPONENTS:

7000 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Bontrager Comp II front and rear hubs | **SUSPENSION** Rock Shox Judy XC suspension fork, 63mm travel | **DRIVETRAIN** ICON Flywheel, 4 arm 44/32/22 crankset • 9-speed Shimano Deore LX Rapidfire SL shifters • Shimano Deore XT SGS rear derailleur | **BRAKESET** Avid Single Digit 10, direct pull brakes | **COMPONENTS** Bontrager FS+10 Comp saddle • ICON SoleMate, clipless pedals • ICON, 6061, 5° bend handlebar • ICON, forged alloy direct connect stem



CROSS COUNTRY HARDTAIL

FRAME FEATURES:

The **6500** uses seamless drawn Alpha ZX Aluminum to create a superlight, 3.63 lb. frame. Strong, rugged, large diameter tubing. An ovalized downtube and short chainstays add stiffness. A "wishbone" monostay eliminates brake flex. Welded gussets increase frame life. New rear disc brake compatibility makes upgrades easy.

The **6500 WOMEN'S SPECIFIC DESIGN** takes the Trek 6500 and engineers it to better fit the female cyclist, with a shorter top tube, higher stem, short-reach brake levers, and a custom-tuned suspension fork.

The **6000** has a 4.2 lb. Alpha Aluminum frame with large diameter tubing that's stiff and strong. Short chainstays add stiffness, a "wishbone" monostay reduces brake flex, and a welded front gusset lengthens frame life. The hottest hardtail from '98 is back.

The **930** has a triple butted Trek Cro-Moly frame that's strong, reliable, and shock absorbent to give you a uniquely smooth ride. The butted tubing lets us make a steel hardtail that's surprisingly light (4.3 lbs.).

The **830 AL** has an Alpha Aluminum frame that is durable and light (4.2 lbs.). Large diameter tubing adds stiffness. A rigid monostay helps you brake without flex. The 830, spec'd with an RST suspension fork, is a real off road ride designed and built to handle serious terrain.

TREK BIKES LIFETIME LIMITED WARRANTY — All Trek frames come with a limited lifetime warranty.

MOUNTAIN BIKE CROSS COUNTRY HARDTAIL — PRO / **COMPETITION** / RECREATION

6500™

KEY COMPONENTS:

6500 | **WHEELSET** Bontrager Corvair rims · Bontrager Jones tires · Bontrager Comp II rear; Comp I front hubs | **SUSPENSION** Rock Shox Judy C suspension fork, 63mm travel | **DRIVETRAIN** Shimano Alivio 42/32/22 crankset · 8-speed Shimano STX-RC Rapidfire shifters · Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Bontrager FS+10 Comp saddle · Alloy w/clips and straps pedals · ICON, 6061, 5° bend handlebar · Forged alloy direct connect stem

Also available in Dragonfly Orange with Black decals



MOUNTAIN BIKE CROSS COUNTRY HARDTAIL — PRO / **COMPETITION** / RECREATION

6500™ WSD

WSD™ *women's* SPECIFIC DESIGN

Women's Specific Design features
- Modified tube lengths and angles.
- Specially selected components, such as short-reach brake levers.
- Custom tuned suspension.



KEY COMPONENTS:

6500 WSD | **WHEELSET** Bontrager Corvair rims · Bontrager Jones tires · Bontrager Comp II rear; Comp I front hubs | **SUSPENSION** Rock Shox Judy C soft suspension fork, 63mm travel | **DRIVETRAIN** Shimano Alivio 42/32/22 crankset · 8-speed Shimano STX-RC Rapidfire shifters · Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek WSD specific saddle · Alloy w/clips and straps pedals · ICON, 6061, 5° bend handlebar · Forged alloy direct connect stem

MOUNTAIN BIKE
CROSS COUNTRY HARDTAIL
PRO
COMPETITION
RECREATION

6000™

Also available in Inkwell Blue with White decals



KEY COMPONENTS:

6000 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Alloy sealed front and rear hubs | **SUSPENSION** Rock Shox Jett T2 suspension fork, 65mm travel | **DRIVETRAIN** Shimano Acera X 42/32/22 crankset • 8-speed Shimano Alivio Rapidfire shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Crossbow saddle • Resin w/clips and straps pedals • ICON, 6061, 5° bend handlebar • Die cast alloy direct connect stem

MOUNTAIN BIKE
CROSS COUNTRY HARDTAIL
PRO
COMPETITION
RECREATION

930™

Also available in Pearl White with Red decals



KEY COMPONENTS:

930 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Bontrager Comp II rear; Comp I front hubs | **SUSPENSION** Rock Shox Jett T2 suspension fork, 65mm travel | **DRIVETRAIN** Shimano Alivio 42/32/22 crankset • 8-speed Shimano STX-RC Rapidfire shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Bontrager FS•10 Comp saddle • Alloy w/clips and straps pedals • ICON, 6061, 5° bend handlebar • Die cast alloy direct connect stem

0936308

MOUNTAIN BIKE
CROSS COUNTRY HARDTAIL
PRO
COMPETITION
RECREATION

830™ AL


Also available in Dragonfly Orange with Black decals



KEY COMPONENTS:

830 AL | **WHEELSET** Alloy rims • Bontrager Jones tires • Alloy sealed front and rear hubs | **SUSPENSION** RST 281 suspension fork, 65mm travel | **DRIVETRAIN** Shimano Altus 42/34/24 crankset • 8-speed Grip Shift ESP 5.0 shifters • Grip Shift ESP 5.0 rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Super Soft saddle • Nylon AT8 w/clips and straps pedals • Alloy, 5° bend handlebar • Die cast alloy direct connect stem

0830316



RECREATION

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **4000** and **820 AL** have a durable, light (4.2 lbs.) Alpha Aluminum frame, with large diameter tubing for added stiffness. The stiff monostay provides better braking. A Cro-Moly fork absorbs vibration for a smoother ride. The higher riding position adds comfort. The 820 AL has rack and fender mounts for touring or commuting.

The **820** has a Cro-Moly frame, 4.6 lbs., with large diameter tubing for strength. A super stiff monostay makes braking better. Rack and fender mounts make tours, commutes or errands more convenient. Its upright riding position lets you see – and be seen – easier.

The **800** and **800 SPORT** have a durable, Trek high tensile frame (5.0 lbs.) with stiff, large diameter tubing. A Cro-Moly seat tube absorbs vibration. Its stiff monostay enhances braking. Rack and fender mounts add versatility. A higher, more comfortable riding position helps get you off the couch and on the trail.

MOUNTAIN BIKE PRO / COMPETITION / **RECREATION**

4000™

KEY COMPONENTS:

4000 | **WHEELSET** Bontrager Corvair rims • Bontrager Jones tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Acera X 42/32/22 crankset • 8-speed Shimano Alivio Rapidfire shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Crossbow saddle • Resin w/clips and straps pedals • ICON, 6061, 5° bend handlebar • Die cast alloy direct connect stem





MOUNTAIN BIKE PRO / COMPETITION / **RECREATION**

820™ AL

KEY COMPONENTS:

820 AL | **WHEELSET** Alloy rims • Trek Connection tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Altus 42/34/24 crankset • 8-speed Grip Shift ESP 5.0 shifters • Grip Shift ESP 5.0 rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Super Soft saddle • Nylon ATB pedals • 5° bend (Women's 60mm rise) handlebar • Front load ATB stem

Also available in Trek Red with Black decals



Also available in Dragonfly Green with White decals

MOUNTAIN BIKE PRO | COMPETITION | **RECREATION**

820™

KEY COMPONENTS:

820 | **WHEELSET** Alloy rims • Trek Connection tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Altus 42/34/24 crankset • 8-speed Grip Shift Centera shifters • Shimano Alivio rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Super Soft saddle • Nylon ATB pedals • 5° bend (Women's 60mm rise) handlebar • Front load ATB stem

MOUNTAIN BIKE PRO | COMPETITION | **RECREATION**

800™

KEY COMPONENTS:

800 | **WHEELSET** Alloy rims • Trek Connection tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Altus 42/34/24 crankset • 8-speed Grip Shift ESP 5.0 shifters • Grip Shift ESP 5.0 rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Super Soft saddle • Nylon ATB pedals • 5° bend (Women's 60mm rise) handlebar • Front load ATB stem

Also available in Metallic Ice Red with Silver decals



Also available in Gloss Black with Red decals

Also available in Violet Pearl with Titanium decals




MOUNTAIN BIKE PRO | COMPETITION | **RECREATION**

800™ SPORT

KEY COMPONENTS:

800 SPORT | **WHEELSET** Alloy rims • Trek Connection tires • Alloy front and rear hubs | **DRIVETRAIN** Shimano Tourney TY30 48/38/28 crankset • 7-speed Grip Shift MRX shifters • Shimano Altus rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Trek Super Soft saddle • Nylon ATB pedals • 60mm rise handlebar • Front load ATB stem



PERFORMANCE

FRAME FEATURES:

The **Y FOIL 77** and **Y FOIL 66** benefit from two key technological leaps: OCLV carbon, a patented, proprietary Trek material that keeps the frame weight down to a slim 3.6 lbs.; and the unique Y Foil design - it not only soaks up road vibration, but is also 34% more aerodynamic than traditional double diamond frame designs. Wind tunnel tests at the University of Michigan proved that. Light weight, aerodynamics and shock reduction, combined with a bottom bracket that stays stiff during sprints and climbs, give you a true high performance thoroughbred. The Trek Pro Performance geometry evenly distributes your weight, and gives you smoother, stronger pedal strokes for faster sprints.

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

ROAD BIKE
PERFORMANCE | **PRO** COMPETITION RECREATION

Y Foil 66™



U.S. Patent No. 0393,265. U.S. Patent Pending.

KEY COMPONENTS:

Y Foil 66 | **WHEELSET** Rolf Vector Comp system | **DRIVETRAIN** Shimano Ultegra 53/39 or 52/42/30 crankset • 9-speed Shimano Ultegra STI, Shimano Flight Deck™ compatible shifters • Shimano Ultegra rear derailleur | **BRAKESET** Shimano Ultegra brakes | **COMPONENTS** fizik Pave, titanium/leather saddle • ICON De La Sole, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem


ROAD BIKE PERFORMANCE | **PRO** COMPETITION RECREATION

Y Foil 77™



KEY COMPONENTS:

Y Foil 77 | **WHEELSET** Rolf Vector Pro system | **DRIVETRAIN** Shimano Dura-Ace 53/39 crankset • 9-speed Shimano Dura-Ace STI shifters • Shimano Dura-Ace rear derailleur | **BRAKESET** Shimano Dura-Ace brakes | **COMPONENTS** fizik Pave, titanium/leather saddle • Shimano Dura-Ace SPD-R, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Havana, forged alloy direct connect stem



"I have always felt the need for speed. With the Y Foil 77 that need has been fulfilled. Thanks, Trek."

Mike Pigg, Triathlete



PERFORMANCE

FRAME FEATURES:

The **5500** (the USPS team bike in the '97 and '98 Tour de France), **5200** and **5000** feature the world's lightest production frame – a mere 2.44 lbs. Trek OCLV carbon makes it possible. OCLV cuts down on road vibration so you stay comfortable even after a whole day in the saddle. The frame's Trek Pro Performance geometry evenly distributes your weight across a longer top tube, with an ideal seat tube angle and chainstay length for smoother, stronger pedal strokes and faster sprints. Simply the best of the best.

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.



U.S. Patent No. 5,624,519.

ROAD BIKE PERFORMANCE | **PRO** COMPETITION RECREATION

5500™

KEY COMPONENTS:

5500 | **WHEELSET** Rolf Vector Pro system | **DRIVETRAIN** Shimano Dura-Ace 53/39 crankset • 9-speed Shimano Dura-Ace STI shifters • Shimano Dura-Ace rear derailleur | **BRAKESET** Shimano Dura-Ace brakes | **COMPONENTS** fizik Pave, titanium/leather saddle • Shimano Dura-Ace SPD-R, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Havana, forged alloy direct connect stem

ROAD BIKE PERFORMANCE | **PRO** COMPETITION RECREATION

5500™ Frameset



U.S. Patents Pending.

The USPS Team Issue **5500 FRAMESET** features OCLV (Optimum Compaction Low Void) carbon – engineered and produced exclusively by Trek. Optimum Compaction = compressing carbon fibers to the ideal blend of fiber and epoxy. Low Void = minimizing air pockets to a level below one percent for greater strength. Together, OCLV makes the 5500 the lightest production road frame in the world (2.44 lbs.). It also makes it faster in sprints and on climbs, and more durable for long lasting performance. No wonder the entire USPS team was one of the only teams to finish the Tour de France two years in a row.

"It doesn't surprise me the Postal Team uses stock OCLV bikes...the 5500 is simply perfect. The best road bike I've ever ridden."

Bike Sport News, Germany

ROAD BIKE PERFORMANCE ▸ **PRO** | COMPETITION | RECREATION

5200™



Also available in Metal Flake Blue with Red and White decals

KEY COMPONENTS:

5200 | **WHEELSET** Rolf Vector Comp system | **DRIVETRAIN** Shimano Ultegra 53/39 or 52/42/30 crankset • 9-speed Shimano Ultegra STI, Shimano Flight Deck™ compatible shifters • Shimano Ultegra rear derailleur | **BRAKESET** Shimano Ultegra brakes | **COMPONENTS** fizik Pave, titanium/leather saddle • ICON De La Sole, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem


ROAD BIKE PERFORMANCE | PRO ▸ **COMPETITION** | RECREATION

5000™



KEY COMPONENTS:

5000 | **WHEELSET** Rolf Vector system | **DRIVETRAIN** Shimano 105 53/39 or 52/42/30 crankset • 9-speed Shimano 105 STI, Shimano Flight Deck™ compatible shifters • Shimano 105 rear derailleur | **BRAKESET** Shimano 105 brakes | **COMPONENTS** Selle Italia Sphere Gel, manganese/leather saddle • ICON De La Sole, clipless pedals • ICON Swoop Ergo, 6014 aluminum handlebar • ICON Bordeaux quill stem



PERFORMANCE

TREK BIKES LIFETIME LIMITED WARRANTY — All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **2500** and **2300** use our latest aluminum innovation - Alpha SL - to create our lightest (2.9 lbs.), strongest aluminum road frame ever. The tubes are fabricated using special seamless dies, then drawn to make the walls lighter, thinner and stronger. Double butting the tubes means there is no disconnect between rider, pedal force and pure speed. A custom, computer designed butted headtube reduces weight and reinforces the front end, while the new, 3-D forged, super stiff "wishbone" monostay handles the harshest sprints or climbs and enhances rear braking. Stiff, power efficient elliptical chainstays feature lightweight, sculpted dropouts and a replaceable derailleur hanger. The Trek Pro Performance geometry evenly distributes your weight across a longer top tube, with an ideal seat tube angle and chainstay length for smoother, stronger pedal strokes and faster sprints.

ROAD BIKE PERFORMANCE | **PRO** COMPETITION RECREATION

2300™



KEY COMPONENTS:

2300 | **WHEELSET** Rolf Vector Comp system | **DRIVETRAIN** Shimano Ultegra 53/39 or 52/42/30 crankset • 9-speed Shimano Ultegra STI, Shimano Flight Deck™ compatible shifters • Shimano Ultegra rear derailleur | **BRAKESET** Shimano Ultegra brakes | **COMPONENTS** Selle Italia Sphere Gel, titanium/leather saddle • ICON De La Sole, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem

ROAD BIKE PERFORMANCE → **PRO** COMPETITION RECREATION

2500™



Also available as a frameset

KEY COMPONENTS:

2500 | **WHEELSET** Rolf Vector Pro system | **DRIVETRAIN** Shimano Dura-Ace 53/39 crankset • 9-speed Shimano Dura-Ace STI shifters • Shimano Dura-Ace rear derailleur | **BRAKESET** Shimano Dura-Ace brakes | **COMPONENTS** fizik Pave, titanium/leather saddle • ICON De La Sole, clipless pedals • ICON Stash Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem

ROLF WHEELS



George Hincapie wins the North America's biggest prize – the 156 mile/First Union USPRO Championship by the length of a Rolf wheel.

AS GOOD AS THE SUM OF ITS PARTS. Many Pro level Trek road bicycles feature Rolf wheels – innovative, low spoke count wheels with a patented Paired Spoke Design Technology that gives you the perfect balance of weight, strength, aerodynamics and serviceability. Their unique construction allows the wheels to carry twice the tension of conventional wheels for greater wheel stiffness, which gives you increased strength with precise handling and control. The single-cavity, low-profile Rolf rims offer the same level of protection against lateral forces as box section rims, but with less weight and better aerodynamics. That means you ride faster and waste less energy. Just ask George Hincapie of the United States Postal Service race team, who won the 1998 USPRO championship by the length of his Rolf wheel.

WEIGHT COMPARISON	front	rear
Rolf Vector Pro	**765 g**	**995 g**
Spinergy	870 g	1042 g
Mavic Cosmic Carbon	880 g	1090 g
Specialized	890 g	1090 g



YOU'LL FIND MORE FASCINATING FACTS ABOUT ROLF WHEELS IN THE NEW ROLF CATALOG, AVAILABLE ANYWHERE TREK BICYCLES ARE SOLD.



PERFORMANCE

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **2200** and **2100** use our latest aluminum innovation – Alpha SL – to create our lightest (2.9 lbs.), strongest aluminum road frame ever. The frame's Trek Pro Performance geometry evenly distributes your weight across a longer top tube, with an ideal seat tube angle and chainstay length for smoother, stronger pedal strokes and faster sprints.

The **2200 WOMEN'S SPECIFIC DESIGN** takes the high performance features of the 2200 and tailors them to meet the unique needs of the female cyclist. From its adjusted tube lengths, heights and angles to its smaller, lighter wheels and comfort enhanced saddle, the 2200 WSD is the ride you've been asking for.

ROAD BIKE

PERFORMANCE

PRO

COMPETITION

RECREATION

2200™



KEY COMPONENTS:

2200 | **WHEELSET** Rolf Vector system | **DRIVETRAIN** Shimano 105 53/39 or 52/42/30 crankset • 9-speed Shimano 105 STI, Shimano Flight Deck™ compatible shifters • Shimano 105 rear derailleur | **BRAKESET** Shimano 105 brakes | **COMPONENTS** Selle Italia Sphere Gel, manganese/leather saddle • ICON De La Sole, clipless pedals • ICON Swoop Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem

ROAD BIKE
PERFORMANCE
PRO
COMPETITION
RECREATION

2200™ WSD

WSD
women's SPECIFIC DESIGN




Women's Specific Design re-engineers the proven Trek frame to address the specific needs of female cyclists.

- Modified tube lengths and angles that improve stability, steering control, power transfer, shock absorption and overall comfort.
- Lighter, smaller wheels that improve climbing and accelerating ability.
- Specially selected components, such as short-reach brake levers and a lightweight ICON Carbon Classic fork, that make the bicycle easier to handle.
- A triple chainring that offers wider gear options.

Together these and other unique features give you the performance you might be missing on a unisex frame.

KEY COMPONENTS:

2200 | **WHEELSET** Rolf Vector system | **DRIVETRAIN** Shimano 105 52/42/30 crankset • 9-speed Shimano 105 STI, Shimano Flight Deck™ compatible shifters • Shimano 105 rear derailleur | **BRAKESET** Shimano 105 brakes | **COMPONENTS** Selle Italia Sphere Gel, manganese/leather saddle • ICON De La Sole, clipless pedals • ICON Swoop Ergo, 7075 aluminum handlebar • ICON Bordeaux quill stem



ROAD BIKE
PERFORMANCE
PRO
COMPETITION
RECREATION

2100™



KEY COMPONENTS:

2100 | **WHEELSET** Rolf Vector system | **DRIVETRAIN** Shimano RSX 52/42/30 crankset • 8-speed Shimano RSX STI Dual Control shifters • Shimano 105 GS rear derailleur | **BRAKESET** Shimano RSX brakes | **COMPONENTS** Selle Italia Sphere Gel, manganese/leather saddle • ICON SoleMate, clipless pedals • ICON Swoop aluminum handlebar • Front load aluminum stem



PERFORMANCE

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

FRAME FEATURES:

The **2000** uses our latest aluminum innovation – Alpha SL – to create our lightest (2.9 lbs.), strongest aluminum road frame ever. The frame's Trek Pro Performance geometry evenly distributes your weight across a longer top tube, with an ideal seat tube angle and chain-stay length for smoother, stronger pedal strokes and faster sprints.

The **2000 WOMEN'S SPECIFIC DESIGN** takes the high performance features of the 2000 and tailors them to meet the unique needs of the female cyclist. From its adjusted tube lengths, heights and angles to its smaller, lighter wheels and comfort enhanced saddle, the 2000 WSD is the ride you've been asking for.

The **1200** uses light (3.1 lbs.) and strong Trek Alpha Aluminum as its mainframe material, with a Trek Cro-Moly fork for softening road vibration. A great touring or rec bike in a racer-styled frame.

The **320** has a Trek Cro-Moly frame to really soften road vibration. Double butted tubing gives you steel's strength with less weight (4.3 lbs.). The frame's relaxed geometry places you in a more upright riding position for greater comfort and control.

ROAD BIKE
PERFORMANCE
PRO
COMPETITION
RECREATION

2000™



KEY COMPONENTS:

2000 | **WHEELSET** Mavic CXP21 rims · Continental Super Sport tires · Shimano RSX front and rear hubs | **DRIVETRAIN** Shimano RSX 52/42/30 crankset · 8-speed Shimano RSX STI Dual Control shifters · Shimano RSX GS rear derailleur | **BRAKESET** Shimano RSX brakes | **COMPONENTS** Selle Italia Sphere Gel saddle · Alloy w/clips and straps pedals · ICON Swoop aluminum handlebar · Front load aluminum stem



ROAD BIKE
PERFORMANCE — PRO / **COMPETITION** / RECREATION

2000™ WSD

WSD
women's SPECIFIC DESIGN

Women's Specific Design features
- Modified tube lengths and angles.
- Lighter, smaller wheels.
- Specially selected components, such as short-reach brake levers.

KEY COMPONENTS:

2000 WSD | **WHEELSET** Mavic CXP21, 650c rims · Continental Grand Prix, folding tires · Shimano RSX front and rear hubs | **DRIVETRAIN** Shimano RSX 52/42/30 crankset · 8-speed Shimano RSX STI Dual Control shifters · Shimano RSX GS rear derailleur | **BRAKESET** Shimano RSX brakes | **COMPONENTS** Terry Sport saddle · Alloy w/clips and straps pedals · ICON Swoop aluminum handlebar · Front load aluminum stem



ROAD BIKE
PERFORMANCE — PRO / **COMPETITION** / RECREATION

1200™

KEY COMPONENTS:

1200 | **WHEELSET** Vuelta Airline 2 Aero, machined sidewalls rims · Continental Super Sport 100 tires · Shimano RSX front and rear hubs | **DRIVETRAIN** Shimano RSX 52/42/30 crankset · 8-speed Shimano RSX STI Dual Control shifters · Shimano RSX GS rear derailleur | **BRAKESET** Shimano RSX brakes | **COMPONENTS** Selle Italia XO saddle · Alloy/steel w/clips and straps pedals · ICON Swoop Ergo handlebar · Front load aluminum, 0° rise stem



ROAD BIKE
PERFORMANCE — PRO / COMPETITION / **RECREATION**

320™

KEY COMPONENTS:

320 | **WHEELSET** Vuelta Airline 2 Aero, machined sidewalls rims · Trek tires · Alloy front and rear hubs | **DRIVETRAIN** CPI 52/42/32 crankset · 8-speed Shimano RSX STI Dual Control shifters · Shimano RSX GS rear derailleur | **BRAKESET** Alloy dual pivot brakes | **COMPONENTS** Trek Racing saddle · Steel/resin w/clips and straps pedals · ICON Swoop Ergo handlebar · Cro-Moly, 0° rise stem



TOURING

FRAME FEATURES:

The **540** has durable, lightweight (3.1 lbs.) Alpha Aluminum construction, with a Cro-Moly fork to absorb road vibration. Its geometry gives you better stability, even when fully loaded. Longer chainstays keep your heels and panniers from meeting each other.

The **520** has a Trek Cro-Moly frame to soften road vibration. Double butted tubing gives you strength with less weight (4.3 lbs.). The frame's geometry has a longer wheelbase for better stability when loaded, and longer chainstays that keep panniers away from your pedals.

TREK BIKES LIFETIME LIMITED WARRANTY — All Trek frames come with a limited lifetime warranty.

ROAD BIKE — TOURING — PRO / **COMPETITION** / RECREATION

540™

KEY COMPONENTS:

540 | **WHEELSET** Bontrager Fairlane rims • Continental Top Touring tires • Shimano Deore LX front and rear hubs | **DRIVETRAIN** Shimano 105 52/42/30 crankset • 8-speed Shimano Ultegra bar end shifters • Shimano Deore XT SGS rear derailleur | **BRAKESET** Shimano Deore LX V-Brakes | **COMPONENTS** Selle Bassano EZ Rider, manganese/leather saddle • Shimano SPD M323, platform/clipless pedals • ICON Stash Ergo handlebar • ICON Bordeaux quill stem






ROAD BIKE — TOURING — PRO / **COMPETITION** / RECREATION

520™

KEY COMPONENTS:

520 | **WHEELSET** Bontrager Fairlane rims • Continental Top Touring tires • Shimano Deore LX front and rear hubs | **DRIVETRAIN** Shimano 105 52/42/30 crankset • 8-speed Shimano Ultegra bar end shifters • Shimano Deore LX SGS rear derailleur | **BRAKESET** Shimano Deore LX V-Brakes | **COMPONENTS** Selle Bassano EZ Rider, manganese/leather saddle • Shimano SPD M323, platform/clipless pedals • ICON Ergo handlebar • ICON Bordeaux quill stem



Did you know that bicycle retailers across the country voted Trek #1 in warranty service?
Bicycle Retailer and Industry News, March '98

RECUMBENT

FRAME FEATURES:

The Trek **R200** takes recumbent performance to the next level. And gives a wide range of cyclists (in all shapes and sizes) a comfortable alternative. Its Alpha Aluminum frame is strong and easy to control. The custom tuned rear suspension softens road vibration with no pedal-induced movement. The handlebar unit is smooth and responsive to inspire confidence. The unique "mid-drive" drivetrain is reliable, with a wide gear range for handling hills (a challenge to most recumbents) as well as plains. Adjusts to fit almost anyone. Fold-up the handlebar and rear swingarm to make storage and transport a snap.



ROAD BIKE
RECUMBENT
PRO
COMPETITION
RECREATION

R200™

KEY COMPONENTS:

R200 | **WHEELSET** Alloy rims • Primo Comet tires • Bontrager front and rear hubs | **SUSPENSION** Air adjustable rear suspension | **DRIVETRAIN** Single chain ring alloy crankset • 8-speed Grip Shift Centera shifters • Two SRAM 7.0 rear derailleurs | **BRAKESET** Avid SD 10 V-Brakes | **COMPONENTS** Mesh back saddle w/foam Lycra base • Icon clipless pedals • Arc Bar handlebar • Trek designed adjustable stem



HYBRID

FRAME FEATURES:

The **7700, 7500 SHX** and **7500** have strong, durable and light (4.2 lb. mainframe) Alpha Aluminum construction, with large diameter tubing for added stiffness. A higher riding position and suspension seatpost (with a suspension fork included on the 7700 and 7500 SHX) give you a comfortable ride over many different terrains.

TREK BIKES LIFETIME LIMITED WARRANTY — All Trek frames come with a limited lifetime warranty.

CITY/BIKE PATH HYBRID — PRO **COMPETITION** RECREATION

7700™



KEY COMPONENTS:

7700 | **WHEELSET** Rolf Vector system • Trek Invert II tires | **SUSPENSION** Rock Shox Ruby Metro suspension fork, 30mm travel | **DRIVETRAIN** Shimano Nexave 400 48/38/28 crankset • 8-speed Shimano Nexave Tap-Fire shifters • Shimano Nexave T400 rear derailleur | **BRAKESET** Shimano Nexave 400 w/modulator brakes | **COMPONENTS** Selle Bassano EZ Rider saddle • Shimano SPD M323, clipless pedals • Alloy, 5° bend, 65mm rise handlebar • Alloy adjustable rise stem



CITY/BIKE PATH
HYBRID
PRO
COMPETITION
RECREATION

7500™ SHX

KEY COMPONENTS:

7500 SHX | **WHEELSET** Bontrager Fairlane rims · Trek Invert II tires · Bontrager Comp II rear; Comp I front hubs | **SUSPENSION** Rock Shox Ruby Metro suspension fork, 30mm travel | **DRIVETRAIN** Shimano Nexave 400 48/38/28 crankset · 8-speed Grip Shift Centera shifters · Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Selle Bassano EZ Rider saddle · Alloy w/clips and straps pedals · Alloy, 5° bend, 65mm rise handlebar · Alloy adjustable rise stem

CITY/BIKE PATH
HYBRID
PRO
COMPETITION
RECREATION

7500™



Also available in Metal Flake Green with Silver decals

KEY COMPONENTS:

7500 | **WHEELSET** Bontrager Fairlane rims · Trek Invert II tires · Bontrager Comp II rear; Comp I front hubs | **DRIVETRAIN** Shimano Nexave 400 48/38/28 crankset · 8-speed Grip Shift Centera shifters · Shimano Deore LX SGS rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Selle Bassano EZ Rider saddle · Alloy w/clips and straps pedals · Alloy, 5° bend, 65mm rise handlebar · Alloy adjustable rise stem



COMFORT

FRAME FEATURES:

The **NAVIGATOR 500, 400** and **300** have a light (4.2 lbs.) Alpha Aluminum mainframe that is also strong and durable, while the **NAVIGATOR 200** has a durable, 5.0 lb. Trek high tensile frame with a Trek Cro-Moly seat tube that adds strength and softens vibration. Key features of the Navigator series include a suspension seatpost, high rise handlebar and adjustable suspension stem, cushioned saddle and semi-smooth tires to give you the most comfortable ride possible. The Navigator 500 includes a suspension fork for handling bigger bumps. The upright riding position improves your view during sightseeing tours or busy commutes, and makes the bike easier to handle. A longer wheelbase adds stability.

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.



CITY/BIKE PATH PRO
COMFORT **COMPETITION**
RECREATION

Navigator™ 500

KEY COMPONENTS:

Navigator 500 | **WHEELSET** Bontrager Corvair rims · Semi-smooth tires · Shimano Nexave 400 Silent Clutch rear; Alloy sealed front hubs | **SUSPENSION** RST 802 suspension fork, 40mm travel | **DRIVETRAIN** Shimano Nexave 400 48/38/28 w/chainguard crankset · 8-speed Shimano Nexave Tap-Fire shifters · Shimano Nexave 400 rear derailleur | **BRAKESET** Shimano Nexave 400 w/modulator brakes | **COMPONENTS** Selle Royal Gel saddle · Alloy platform pedals · Alloy, 5° bend, 65mm rise handlebar · Front load adjustable rise stem

CITY/BIKE PATH PRO
COMFORT **COMPETITION**
RECREATION

Navigator™ 400

KEY COMPONENTS:

Navigator 400 | **WHEELSET** Bontrager Corvair rims · Semi-smooth tires · Shimano Nexave 400 Silent Clutch rear; Alloy sealed front hubs | **DRIVETRAIN** Shimano Nexave 400 48/38/28 w/chainguard crankset · 8-speed Shimano Nexave Tap-Fire shifters · Shimano Nexave 400 rear derailleur | **BRAKESET** Shimano Nexave 400 w/modulator brakes | **COMPONENTS** Selle Royal Gel saddle · Alloy platform pedals · Alloy, 5° bend, 65mm rise handlebar · Front load adjustable rise suspension stem



CITY/BIKE PATH | PRO
COMFORT | COMPETITION
RECREATION

Navigator™ 300



KEY COMPONENTS:

Navigator 300 | **WHEELSET** Alloy rims • Semi-smooth tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Altus 42/34/24 w/chainguard crankset • 8-speed Grip Shift Centera shifters • Shimano Alivio rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Oasis Web Spring Comfort saddle • Dual density platform pedals • 60mm rise handlebar • Front load adjustable rise suspension stem


CITY/BIKE PATH | PRO
COMFORT | COMPETITION
RECREATION

Navigator™ 200



KEY COMPONENTS:

Navigator 200 | **WHEELSET** Alloy rims • Semi-smooth tires • Alloy sealed front and rear hubs | **DRIVETRAIN** Shimano Tourney TY30 48/38/28 w/chainguard crankset • 7-speed Grip Shift MRX IBS shifters • Shimano Altus rear derailleur | **BRAKESET** Alloy direct pull brakes | **COMPONENTS** Oasis Web Spring Comfort saddle • Platform pedals • 60mm rise handlebar • Adjustable rise stem



CRUISER

FRAME FEATURES:

The **TOWN & COUNTRY, CALYPSO** and **CRUISER CLASSIC** have Trek high tensile frame construction for long lasting performance and shock absorbing comfort. Stylish, curved tubes add to the frame's retro look. Fat whitewall tires look good while softening road vibration. A simply cool design, all the way down to the brakes and drivetrain.

TREK BIKES LIFETIME LIMITED WARRANTY

All Trek frames come with a limited lifetime warranty.

CITY/BIKE PATH | PRO COMPETITION **RECREATION**
CRUISERS

Town & Country™



KEY COMPONENTS:

Town & Country | **WHEELSET** Alloy rims • Whitewall tires • Shimano Nexus 4spd rear; alloy nutted front hubs | **DRIVETRAIN** Alloy three-piece, 33T crankset • Grip Shift SRT 4.0 for Nexus, right only shifters | **BRAKESET** Shimano Nexus coaster brakes | **COMPONENTS** Oasis Spring Cruiser saddle • Platform pedals • Cruiser handlebar • Alloy stem

Also available in Women's model



Also available in Mirror Black with Red decals

CITY/BIKE PATH | PRO COMPETITION **RECREATION**
CRUISERS

Calypso™

KEY COMPONENTS:

Calypso | **WHEELSET** Alloy rims • Whitewall tires • Alloy nutted front and rear hubs | **DRIVETRAIN** One-piece type, 40T crankset • 6-speed Grip Shift MRX, right only shifters • Shimano Tourney TY22 rear derailleur | **BRAKESET** Cantilever brakes | **COMPONENTS** Oasis Spring Cruiser saddle • Platform pedals • Cruiser handlebar • Alloy stem

Also available in Women's model



Also available in Women's model

CITY/BIKE PATH PRO
CRUISERS COMPETITION
RECREATION

Cruiser Classic®



Also available in Ice Red with White decals

KEY COMPONENTS:

Cruiser Classic | **WHEELSET** Alloy rims • Whitewall tires • Shimano coaster rear; alloy nutted front hubs | **BRAKESET** Shimano coaster brakes | **COMPONENTS** Oasis Spring Cruiser saddle • Platform pedals • Cruiser handlebar • Alloy stem



CITY & BIKE PATH BIKES

- **hybrid** — COMP — 7700 | 7500 SHX | 7500
- **hybrid** — REC — 7300 | 720 | 700
- **comfort** — COMP — Navigator 500 | Navigator 400
- **comfort** — REC — Navigator 300 | Navigator 200
- **CRUISERS** — REC — Town & Country | Calypso | Cruiser Classic

TREK

BMX

Trek BMX™ bikes are the perfect remedy if you're itching to try something a little different on a bike. Stuff that would push a degree of difficulty to its boiling point. You might like flying around a jump-filled, dirt-and-mud moto track with dozens of your closest friends. Maybe going solo – and orbital – is your method of expression. Or you may just like showing off around the neighborhood. Whichever of the three Trek BMX bike styles you call home, you're gonna be having a ton of fun. Want details? Get yourself a copy of the Trek BMX catalog – it's available at any Trek dealer.



U.S. Patent Nos. 5088,302; 5384,245

TI 1™
BMX RACE




VERT 3™
BMX FREESTYLE




TR 30™
BMX DIRT



RACE




FREESTYLE/VERT



PHOTOGRAPHY BY KEITH MULLIGAN

DIRT



PHOTOGRAPHY BY KEITH MULLIGAN

KIDS

24" WHEELS

Mt Track™ 240



KEY COMPONENTS:

Mt. Track 240 | **FRAME** Trek high tensile steel with Cro-Moly steel seat tube | **WHEELSET** Aluminum alloy rims • Bontrager Revolt ST-2 tires • Alloy front and rear hubs | **SUSPENSION** SYNC suspension fork, 52mm travel | **DRIVETRAIN** SR XR-17 42/34/24 crankset • 7-speed Grip Shift MRX shifters • Shimano Tourney TY30 rear derailleur | **BRAKESET** Direct pull alloy brakes | **COMPONENTS** Trek padded saddle • Platform pedals • Steel, 30mm rise handlebar • Steel ATB stem

KIDS

24" WHEELS

Mt Track™ 220



Also available in Team Blue to White Fade with White decals

Also available in Ice Royal Blue with Silver decals



Also available in Ice Grape Purple with Pink decals





KEY COMPONENTS:

Mt. Track 220 | **FRAME** Trek high tensile steel with Cro-Moly steel seat tube | **WHEELSET** Aluminum alloy rims • Bontrager Revolt ST-2 tires • Alloy front and rear hubs | **DRIVETRAIN** SR XR-17 42/34/24 crankset • 7-speed Grip Shift MRX shifters • Shimano Tourney TY30 rear derailleur | **BRAKESET** Direct pull alloy brakes | **COMPONENTS** Trek padded saddle • Platform pedals • Steel, 50mm rise handlebar • Steel ATB stem

KIDS

20" WHEELS

Mt Lion® 60





KEY COMPONENTS:

Mt. Lion 60 | **FRAME** Trek high tensile steel | **WHEELSET** Aluminum alloy rims • Bontrager Revolt ST-2 tires • Alloy front and rear hubs | **DRIVETRAIN** Three-piece type, 38T crankset • 6-speed Grip Shift MRX, right only shifter • Shimano Tourney TY22 rear derailleur | **BRAKESET** Direct pull alloy brakes | **COMPONENTS** Trek Paw design saddle • Platform pedals • Steel, 30mm rise handlebar • Steel ATB stem

KIDS

20" WHEELS

Mt Lion® 30



Also available in Ice Red with Yellow decals



Also available in Vivid Purple with Yellow decals

KEY COMPONENTS:

Mt. Lion 30 | **FRAME** Trek high tensile steel | **WHEELSET** Aluminum alloy rims • Trek Paw design tires • Coaster brake rear; steel front hubs | **DRIVETRAIN** One-piece type, 36T crankset | **BRAKESET** Coaster w/rear cantilever brakes | **COMPONENTS** Trek Paw design saddle • Platform pedals • BMX high rise handlebar • 4 bolt BMX stem

KIDS

16" WHEELS

Mt Cub™ 16



Also available in Ice Royal Blue with Yellow decals



Also available in Ice Pink with Yellow decals

KEY COMPONENTS:

Mt. Cub 16 | **FRAME** Trek high tensile steel | **WHEELSET** Steel rims • Trek Paw design tires • Coaster brake rear; steel front hubs | **DRIVETRAIN** One-piece type, 32T crankset | **BRAKESET** Coaster brake | **COMPONENTS** Trek Paw design saddle • Platform pedals • BMX high rise handlebar • 4 bolt BMX stem

KIDS

12" WHEELS

Mt Cub™ 12





KEY COMPONENTS:

Mt. Cub 12 | **FRAME** Trek high tensile steel | **WHEELSET** Steel rims • Trek Paw design tires • Coaster brake rear; steel front hubs | **DRIVETRAIN** One-piece type, 28T crankset | **BRAKESET** Coaster brake | **COMPONENTS** Trek Paw design saddle • Platform pedals • BMX high rise handlebar • 4 bolt BMX stem


MOUNTAIN



ROAD




VRX 500
VRX 400
VRX 300
VRX 200




FRAME SIZE	S	M	L
A HEAD ANGLE	71.0°	71.0°	71.0°
D SEAT ANGLE	74.4°	73.4°	72.3°
C TOP TUBE	56.0 22.0	60.0 23.6	64.0 25.2
D CHAIN STAY	42.1 16.6	42.1 16.6	42.1 16.6
E BOTTOM BRACKET	30.6 12.0	30.6 12.0	30.6 12.0
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	105.1 41.4	108.1 42.6	111.0 43.7
TRAIL	7.1 2.8	7.1 2.8	7.1 2.8
STAND OVER	68.6 27.0	69.7 27.4	72.1 28.4

Y SL 300
Y SL 200
Y 3




FRAME SIZE	S	M	L
A HEAD ANGLE	71.0°	71.0°	71.0°
D SEAT ANGLE	74.0°	73.0°	72.0°
C TOP TUBE	56.2 22.1	61.1 24.1	64.1 25.2
D CHAIN STAY	42.5 16.7	42.5 16.7	42.5 16.7
E BOTTOM BRACKET	31.3 12.3	31.3 12.3	31.3 12.3
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	105.9 41.7	109.9 43.3	111.5 43.9
TRAIL	6.8 2.7	6.8 2.7	6.8 2.7
STAND OVER	71.2 28.0	73.0 28.7	75.0 29.5

Pro Issue DH




FRAME SIZE	S	M	L
A HEAD ANGLE	67.0°	67.0°	67.0°
D SEAT ANGLE	69.0°	69.0°	69.0°
C TOP TUBE	57.7 22.7	59.7 23.5	62.6 24.6
D CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5
E BOTTOM BRACKET	32.1 12.6	32.1 12.6	32.1 12.6
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	108.0 42.5	110.1 43.3	113.1 44.5
TRAIL	9.6 3.8	9.6 3.8	9.6 3.8

Pro 9.9
Elite 9.8



FRAME SIZE	M 17.5"	L 19.5"	XL 21.5"
A HEAD ANGLE	71.0°	71.0°	71.0°
D SEAT ANGLE	73.0°	73.0°	72.5°
C TOP TUBE	58.8 23.1	62.5 24.6	64.1 25.2
D CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E BOTTOM BRACKET	29.7 11.7	29.7 11.7	29.7 11.7
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	106.4 41.9	110.2 43.4	111.3 43.8
TRAIL	7.1 2.8	7.1 2.8	7.1 2.8
STAND OVER	74.4 29.3	78.2 30.8	82.1 32.3

8900
8500 LT
(NOT AVAILABLE IN 13")
8000
7000
6500



FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"
A HEAD ANGLE	71.0°	71.0°	71.0°	71.0°	71.0°
D SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	72.5°
C TOP TUBE	53.6 21.1	56.6 22.3	58.4 23.0	59.6 23.5	61.0 24.0
D CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7
E BOTTOM BRACKET	28.8 11.3	29.1 11.5	29.3 11.5	29.5 11.6	29.7 11.7
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	101.5 40.0	104.2 41.0	105.7 41.6	107.0 42.1	108.0 42.5
TRAIL	7.1 2.8	7.1 2.8	7.1 2.8	7.1 2.8	7.1 2.8
STAND OVER	66.1 26.0	71.4 28.1	74.2 29.2	77.4 30.5	80.5 31.7


6000
(NOT AVAILABLE IN WOMEN'S SIZES)
4000

FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	WS 17"	WL 20"
A HEAD ANGLE	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°
D SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	73.0°	72.5°	73.5°	73.0°
C TOP TUBE	53.0 20.9	56.0 22.0	57.9 22.8	58.9 23.2	60.0 23.6	61.0 24.0	55.8 22.0	58.8 23.1
D CHAIN STAY	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9
E BOTTOM BRACKET	28.8 11.3	29.5 11.6	29.8 11.7	29.8 11.7	29.8 11.7	30.0 11.8	29.5 11.6	29.5 11.6
F OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G WHEEL BASE	101.6 40.0	103.9 40.9	105.5 41.5	106.6 42.0	107.8 42.4	108.4 42.7	103.9 40.9	106.6 42.0
TRAIL	7.9 3.1	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0
STAND OVER	65.0 25.6	71.2 28.0	74.1 29.2	77.2 30.4	80.2 31.6	83.9 33.0	67.8 26.7	68.8 27.1

8000WSD
6500WSD


FRAME SIZE	WXS 13"	WS 17"	WM 19"
A HEAD ANGLE	70.0°	70.0°	70.0°
D SEAT ANGLE	75.0°	74.0°	73.5°
C TOP TUBE	52.0 20.5	53.4 21.0	56.5 22.2
D CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E BOTTOM BRACKET	28.8 11.3	28.8 11.3	29.3 11.5
F OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G WHEEL BASE	101.8 40.1	102.3 40.3	105.1 41.4
TRAIL	7.8 3.1	7.8 3.1	7.8 3.1
STAND OVER	67.0 26.4	70.0 27.6	74.0 29.1

Y Foil 77
Y Foil 66




FRAME SIZE	XS 48cm	S 51cm	M 54cm	M 56cm	L 59cm	XL 62cm
A HEAD ANGLE	72.0°	72.5°	73.0°	73.5°	74.0°	74.0°
D SEAT ANGLE	74.5°	73.8°	73.3°	72.0°	72.0°	72.0°
C TOP TUBE	51.0 20.1	52.7 20.7	54.5 21.5	56.5 22.2	58.5 23.0	60.5 23.8
D CHAIN STAY	40.8 16.1	40.8 16.1	41.0 16.1	41.0 16.1	41.2 16.2	41.2 16.2
E BOTTOM BRACKET	26.4 10.4	26.4 10.4	26.6 10.5	26.6 10.5	26.8 10.6	26.8 10.6
F OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7
G WHEEL BASE	96.1 37.8	96.7 38.1	97.9 38.5	97.8 38.5	99.6 39.2	101.5 40.0
TRAIL	6.1 2.4	5.8 2.3	5.5 2.1	5.6 2.2	5.3 2.1	5.3 2.1
STAND OVER	72.7 28.6	74.4 29.3	75.0 29.5	76.9 30.3	79.7 31.4	88.0 34.6

5500
5200
5000



FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 62cm
A HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
D SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C TOP TUBE	51.8 20.4	52.8 20.8	54.5 21.5	56.0 22.0	57.0 22.4	58.0 22.8	59.0 23.2
D CHAIN STAY	40.8 16.1	40.8 16.1	41.0 16.1	41.0 16.1	41.2 16.2	41.2 16.2	41.2 16.2
E BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6
F OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7	4.3 1.7
G WHEEL BASE	97.7 38.5	98.0 38.6	98.5 38.8	98.8 38.9	99.6 39.2	100.3 39.5	100.8 39.7
TRAIL	6.1 2.4	5.8 2.3	5.5 2.1	5.4 2.1	5.4 2.1	5.3 2.1	5.3 2.1
STAND OVER	74.9 29.5	75.9 29.9	77.3 30.4	79.3 31.2	81.1 31.9	83.0 32.7	84.8 33.4

2500
2300
2200
2100
2000




FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 63cm
A HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
D SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C TOP TUBE	52.3 20.6	52.8 20.8	54.5 21.5	56.0 22.0	57.0 22.4	58.0 22.8	60.0 23.6
D CHAIN STAY	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4
E BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.8 10.6	26.8 10.6	26.8 10.6	27.0 10.6
F OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7	4.3 1.7
G WHEEL BASE	98.8 38.9	98.9 38.9	99.3 39.1	99.4 39.1	99.9 39.3	100.6 39.6	102.1 40.2
TRAIL	6.1 2.4	5.8 2.3	5.5 2.1	5.4 2.1	5.4 2.1	5.3 2.1	5.3 2.1
STAND OVER	74.0 29.1	75.4 29.7	76.8 30.2	78.8 31.0	80.6 31.7	82.5 32.5	85.4 33.6

CITY & BIKE PATH



All sizes are in centimeters over inches unless otherwise indicated.




Navigator 500
Navigator 400
Navigator 300
Navigator 200

	FRAME SIZE	S	M	L	XL	XXL	WM	WL
A	HEAD ANGLE	70.0°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°
D	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	72.5°	73.5°	73.0°
C	TOP TUBE	52.6 20.7	54.3 21.3	55.8 21.9	57.9 22.8	59.5 23.4	54.0 21.3	54.8 21.6
D	CHAIN STAY	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1
E	BOTTOM BRACKET	28.7 11.3	28.7 11.3	28.7 11.3	28.7 11.3	28.7 11.3	28.3 11.1	28.3 11.1
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	102.1 40.2	103.0 40.5	104.2 41.0	106.4 41.9	107.6 42.2	102.5 40.2	103.0 40.4
	TRAIL	8.0 3.1	7.7 3.0	7.7 3.0	7.7 3.0	7.7 3.0	7.7 3.0	7.7 3.0
	STAND OVER	62.0 24.3	67.0 26.3	70.7 27.7	75.1 29.5	81 31.8	50.1 19.7	50.1 19.7

7700
7500 SHX
7500
7300
(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 13"	XS 15"	S 17.5"	M 20.5"	L 23"	WXS 15"	WS 17"	WM 20"
A	HEAD ANGLE	70.0°	70.0°	70.5°	70.5°	71.5°	70.0°	70.5°	70.5°
D	SEAT ANGLE	74.5°	74.0°	74.0°	73.0°	73.0°	74.0°	74.0°	73.0°
C	TOP TUBE	53.8 21.2	54.5 21.5	55.0 21.7	56.4 22.2	58.2 22.9	54.2 21.3	54.7 21.5	55.3 21.8
D	CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5
E	BOTTOM BRACKET	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1
F	OFFSET	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0
G	WHEEL BASE	105.5 41.5	104.3 41.1	104.4 41.1	104.9 41.3	105.7 41.6	105.5 41.5	105.6 41.6	106.2 41.8
	TRAIL	7.3 2.9	7.4 2.9	7.0 2.8	7.0 2.8	6.4 2.5	7.3 2.9	7.0 2.8	7.0 2.8
	STAND OVER	65.4 25.7	69.0 27.2	73.2 28.8	77.4 30.5	82.2 32.4	59.7 23.5	60.3 23.7	60.5 23.8



Town & Country
Calypso
Cruiser Classic

	FRAME SIZE	M 20"	L 23"	WS 17"
A	HEAD ANGLE	69.5°	69.5°	69.5°
D	SEAT ANGLE	72.8°	72.8°	72.8°
C	TOP TUBE	58.3 22.9	63.0 24.7	56.0 22.0
D	CHAIN STAY	45.0 17.7	45.0 17.7	45.0 17.7
E	BOTTOM BRACKET	27.5 10.8	27.5 10.8	27.5 10.8
F	OFFSET	5.8 2.3	5.8 2.3	5.8 2.3
G	WHEEL BASE	110.5 43.4	115.5 45.3	108.0 42.4
	TRAIL	6.4 2.5	6.4 2.5	6.4 2.5
	STAND OVER	68.3 26.9	72.7 28.6	52.6 20.7

720
700

	FRAME SIZE	XS 13"	XS 15"	S 17"	M 19"	M 21"	L 23"	WS 15"	WS 17"	WM 20"	WL 23"
A	HEAD ANGLE	70.0°	70.0°	70.5°	70.5°	71.5°	71.5°	70.0°	70.5°	70.5°	71.5°
D	SEAT ANGLE	74.5°	74.0°	74.0°	73.0°	73.0°	73.0°	74.0°	74.0°	73.0°	73.0°
C	TOP TUBE	54.0 21.2	54.5 21.5	55.0 21.7	56.0 22.0	57.0 22.4	58.0 22.8	54.5 21.4	54.7 21.5	55.6 21.9	57.8 22.7
D	CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5
E	BOTTOM BRACKET	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6	27.1 10.6
F	OFFSET	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0
G	WHEEL BASE	105.2 41.4	105.3 41.5	105.3 41.5	105.4 41.5	105.5 41.5	106.6 41.8	105.3 41.5	105.3 41.5	105.4 41.5	106.6 41.8
	TRAIL	6.9 2.7	6.9 2.7	6.5 2.6	6.5 2.6	5.9 2.3	5.9 2.3	6.9 2.7	6.5 2.6	6.5 2.6	5.9 2.3
	STAND OVER	56.2 22.1	66.4 26.1	69.6 27.3	72.7 28.5	76.5 30.0	81.0 31.8	58.9 23.1	58.9 23.1	58.9 23.1	58.9 23.1

2200WSD
2000WSD

	FRAME SIZE	WXS 43cm	WS 47cm	WM 52cm
A	HEAD ANGLE	73.0°	72.5°	72.5°
D	SEAT ANGLE	76.0°	75.0°	74.0°
C	TOP TUBE	49.0 19.3	50.0 19.7	50.5 19.9
D	CHAIN STAY	41.2 16.2	41.2 16.2	41.2 16.2
E	BOTTOM BRACKET	26.2 10.3	26.4 10.4	26.4 10.4
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	95.0 37.4	95.6 37.6	95.4 37.6
	TRAIL	5.5 2.2	5.8 2.3	5.8 2.3
	STAND OVER	68.3 26.9	70.8 27.9	75.1 29.6

1200
320

	FRAME SIZE	XS 43cm	XS 50cm	S 54cm	M 56cm	M 58cm	L 60cm
A	HEAD ANGLE	72.5°	72.5°	72.5°	73.5°	74.0°	74.0°
D	SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.5°	73.0°
C	TOP TUBE	52.0 20.5	52.0 20.5	53.6 21.1	55.5 21.9	56.5 22.2	57.5 22.6
D	CHAIN STAY	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3
E	BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5
F	OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7
G	WHEEL BASE	98.0 38.6	98.0 38.6	98.7 38.9	98.9 33.9	98.9 38.9	99.9 39.3
	TRAIL	6.0 2.4	6.0 2.4	6.0 2.4	5.4 2.1	5.5 2.1	5.5 2.1
	STAND OVER	71.3 28.1	74.7 29.4	76.5 30.1	78.5 30.9	80.4 31.7	82.1 32.3

540

	FRAME SIZE	S 51cm	M 55cm	M 57cm	L 59cm	XL 63cm
A	HEAD ANGLE	70.9°	71.5°	71.8°	71.9°	72.5°
D	SEAT ANGLE	71.9°	72.0°	71.8°	71.8°	72.0°
C	TOP TUBE	54.3 21.4	55.7 21.9	58.0 22.8	59.2 23.3	61.6 24.3
D	CHAIN STAY	45.7 18.0	45.7 18.0	45.7 18.0	45.7 18.0	45.7 18.0
E	BOTTOM BRACKET	25.9 10.2	26.4 10.4	26.7 10.5	26.9 10.6	27.4 10.8
F	OFFSET	4.9 1.9	4.9 1.9	4.6 1.8	4.6 1.8	4.6 1.8
G	WHEEL BASE	102.4 40.3	104.7 41.2	105.3 41.5	106.7 42.0	108.9 42.9
	STAND OVER	71.8 28.3	79.2 31.2	81.4 32.0	83.6 32.9	87.9 34.6

520

	FRAME SIZE	S 17"	M 19"	M 21"	L 23"	XL 25"
A	HEAD ANGLE	71.0°	71.0°	71.0°	72.0°	72.5°
D	SEAT ANGLE	74.0°	74.0°	73.5°	73.0°	72.0°
C	TOP TUBE	54.0 21.3	54.5 21.5	55.5 21.9	56.6 22.3	59.0 23.2
D	CHAIN STAY	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7
E	BOTTOM BRACKET	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6
F	OFFSET	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0
G	WHEEL BASE	104.4 41.1	104.6 41.2	105.4 41.5	105.2 41.4	106.2 41.8
	TRAIL	6.4 2.5	6.4 2.5	6.4 2.5	5.8 2.3	5.5 2.1
	STAND OVER	69.7 27.4	72.7 28.6	76.4 30.1	60.6 31.7	85.2 33.5

930

	FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"
A	HEAD ANGLE	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°
D	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	73.0°	72.5°
C	TOP TUBE	53.0 20.9	56.0 22.0	58.0 22.8	58.0 22.8	60.0 23.6	61.0 24.0
D	CHAIN STAY	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9
E	BOTTOM BRACKET	28.8 11.3	29.5 11.6	29.8 11.7	29.8 11.7	29.8 11.7	30.0 11.8
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	101.6 40.0	103.9 40.9	105.6 41.6	106.6 42.0	107.8 42.4	108.4 42.7
	TRAIL	7.7 3.0	7.4 2.9	7.4 2.9	7.4 2.9	7.4 2.9	7.4 2.9
	STAND OVER	68.6 26.9	73.3 28.8	75.3 29.6	77.8 30.5	81.5 32.0	85.3 33.5

830 AL
(NOT AVAILABLE IN WOMEN'S SIZES)
820 AL

	FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	WS 17"	WL 20"
A	HEAD ANGLE	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°
D	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	73.0°	72.5°	73.5°	73.0°
C	TOP TUBE	53.0 20.9	56.0 22.0	57.9 22.8	58.9 23.2	60.0 23.6	61.0 24.0	55.8 22.0	58.8 23.1
D	CHAIN STAY	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9
E	BOTTOM BRACKET	28.8 11.3	29.5 11.6	29.8 11.7	29.8 11.7	29.8 11.7	30.0 11.8	29.5 11.6	29.5 11.6
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	101.6 40.0	103.9 40.9	105.5 41.5	106.6 42.0	107.8 42.4	108.4 42.7	103.9 40.9	106.6 42.0
	TRAIL	7.9 3.1	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0	7.5 3.0
	STAND OVER	65.0 25.6	71.2 28.0	74.1 29.2	77.2 30.4	80.2 31.6	83.9 33.0	67.8 26.7	68.8 27.1

820
800
800 SPORT
(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	XL 24"	WS 13"	WS 17"	WL 20"
A	HEAD ANGLE	70.0°	70.5°	70.5°	70.5°	71.0°	71.0°	71.0°	70.0°	70.5°	70.5°
D	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	72.5°	72.0°	72.0°	74.0°	73.5°	73.0°
C	TOP TUBE	52.8 20.8	54.5 21.5	55.5 21.9	56.5 22.2	57.5 22.6	58.5 23.0	59.5 23.4	52.5 20.6	54.1 21.2	54.9 21.5
D	CHAIN STAY	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1
E	BOTTOM BRACKET	28.8 11.3	29.1 11.5	29.1 11.5	29.3 11.5	29.3 11.5	29.5 11.6	29.5 11.6	28.3 11.1	28.3 11.1	28.3 11.1
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	102.3 40.3	103.2 40.6	103.7 40.7	104.9 41.3	105.0 41.2	105.6 41.4	106.7 41.9	102.2 40.1	102.6 40.3	103.1 40.6
	TRAIL	8.0 3.1	7.7 3.0	7.7 3.0	7.7 3.0	7.4 2.9	7.4 2.9	7.4 2.9	8.0 3.1	7.7 3.0	7.7 3.0
	STAND OVER	63.7 25.0	69.6 27.3	72.2 28.4	75.3 29.6	78.9 31.0	82.6 32.4	86.3 34.0	50.1 19.7	50.1 19.7	50.1 19.7

		MOUNTAIN BIKES LONG TRAVEL		CROSS COUNTRY FULL SUSPENSION					CROSS COUNTRY HARDTAIL			
		VRX 500	VRX 400	Y SL 300	Y SL 200	VRX 300	VRX 200	Y3	Pro 9.9	Elite 9.8	8900	8500 LI
FRAMESET	SIZE	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	(M) 17.5", (L) 19.5", (XL) 21.5"	(M) 17.5", (L) 19.5", (XL) 21.5"	(S) 16.5", (M) 18", 19.5", (L) 21"	(S) 16.5", (M) 18", 19.5", (L) 21"
	COLOR	Dragonfly Orange	Black Gold	Nude Carbon w/UV clear coat	Nude Carbon w/UV clear coat	Dragonfly Green	Metal Flake Blue	Inkwell Blue	VW Team colors	Black Gold	Trek Red	Black Gold
	MAIN TUBES	Trek Alpha FS aluminum	Trek Alpha FS aluminum	OCLV-HC carbon fiber composite	OCLV-HC carbon fiber composite	Trek Alpha FS aluminum	Trek Alpha FS aluminum	Trek Alpha FS aluminum	OCLV HC	OCLV HC	Trek Alpha SL double butted aluminum	Trek Alpha SL double butted aluminum
	STAYS	TIG welded Alpha FS aluminum	TIG welded Alpha FS aluminum	TIG welded Alpha aluminum unified rear triangle	TIG welded Alpha aluminum unified rear triangle	TIG welded Alpha FS aluminum	TIG welded Alpha FS aluminum	Cro-Moly unified rear triangle	OCLV carbon w/Alpha aluminum disc compatible chainstays	OCLV carbon w/Alpha aluminum disc compatible chainstays	Trek Alpha SL aluminum	Trek Alpha SL aluminum
	FORK	Rock Shox SID XL suspension, 100mm travel	Manitou X-Vert-T suspension, 100mm travel	Rock Shox SID SL Ti suspension, 63mm travel	Rock Shox SID XC suspension, 63mm travel	Rock Shox Judy XC suspension, 80mm travel	Rock Shox Jett XC suspension, 75mm travel	Rock Shox Jett C suspension, 45mm travel	Rock Shox SID SL Ti suspension, 63mm travel	Rock Shox SID XC suspension, 63mm travel	Rock Shox Judy SL suspension, 63mm travel	Rock Shox Judy 100 suspension, 100mm travel
	REAR SHOCK	Fox Vanilla R coil over, adjustable rebound	Fox Vanilla coil over	Rock Shox SID w/remote adjust	Rock Shox SID w/remote adjust	Fox Vanilla R coil over, adjustable rebound	Fox Vanilla coil over	Fox Vanilla coil over				
WHEELS	RIMS	Rolf Dolomite Disc, 20 hole	Bontrager Maverick w/ASYM rear, 32 hole	Rolf Propel, 20 hole front, 24 rear	Rolf Dolomite, 20 hole	Bontrager Maverick w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 32 hole	Rolf Propel, 20 hole front, 24 rear	Rolf Dolomite, 20 hole	Rolf Dolomite Disc, 20 hole	Bontrager Maverick ASYM, 32 hole
	TIRES	Bontrager Jones, folding, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Super X, folding, 49/48	Bontrager Revolt ST-2, folding, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Super X, folding, 49/48	Bontrager Revolt ST-2, folding, 49/53 front, 46/50 rear	Bontrager Revolt ST-2, folding, 49/53 front, 46/50 rear	Bontrager Jone 49/53 front, 46/50 rear
	HUBSET	N/A	Disc front and rear	N/A	N/A	Bontrager Comp II front and rear	Bontrager Comp II rear; Comp I front	Alloy sealed front and rear	N/A	N/A	N/A	Disc front and rear
	SPOKES	N/A	DT 15G stainless	N/A	N/A	DT 15G stainless	DT 15G stainless	15G stainless	N/A	N/A	N/A	DT 15G
COCKPIT COMPONENTS	SADDLE	Bontrager FS+10 Race, Cro-Moly rails	Bontrager FS+10 Comp	Bontrager FS Race Lite, titanium/leather	Bontrager FS Race, Cro-Moly rails	Bontrager FS+10 Comp	Bontrager FS+10 Comp	Trek Crossbow	Bontrager FS Race Lite, titanium/leather	Bontrager FS Race, Cro-Moly rails	Bontrager FS Race, Cro-Moly rails	Bontrager FS+1 Race, Cro-Moly rails
	SEATPOST	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	Alloy micro-adjust	Alloy micro-adjust	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	Rock Shox sus-pension
	HANDLEBARS/ BAR ENDS	ICON Diesel, 9° bend, 30mm rise	ICON Diesel, 9° bend, 30mm rise	ICON Ernie, 2014, 5° bend	ICON Ernie, 2014, 5° bend	ICON Diesel, 9° bend, 30mm rise	ICON 9° bend, 30mm rise	Alloy, 5° bend, 30mm rise	ICON Ernie w/Crushed Velvet, bar ends	ICON Ernie, 2014, 5° bend w/ICON Fatty McGee bar ends	ICON Ernie, 2014, 7° bend w/ICON Fatty McGee bar ends	ICON, 9° bend, 30mm rise
	STEM	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	Alloy direct connect	Forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect	ICON Duranté, forged alloy direct connect
DRIVETRAIN	HEADSET	Dia-Compe SA Aheadset, alloy	Dia-Compe SA Aheadset, alloy	WTB Momentum AL threadless	Dia-Compe SA Aheadset, alloy	Dia-Compe ST Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	WTB Momentum AL threadless	Dia-Compe SA Aheadset, alloy	Dia-Compe SA Aheadset, alloy	Dia-Compe SA Aheadset
	SHIFTERS	Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano STX-RC Rapidfire SL	Shimano Alivio Rapidfire SL	Shimano XTR Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore LX Rapidfire SL
	FRONT DERAILLEUR	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano STX-RC	Shimano Alivio	Shimano XTR	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX
	REAR DERAILLEUR	Shimano XTR	Shimano Deore XT	Shimano XTR	Shimano XTR	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano XTR	Shimano XTR	Shimano XTR	Shimano Deore XT SGS
	CRANKSET	ICON Tork, 4 arm 44/32/22	ICON Flywheel, 4 arm 44/32/22	ICON Tork, 4 arm 44/32/22	ICON Crankshaft, 4 arm 44/32/22	ICON Flywheel, 4 arm 44/32/22	Shimano Alivio 42/32/22	Shimano Acera X 42/32/22	Shimano XTR 4 arm 46/34/24	ICON Crankshaft, 4 arm 44/32/22	ICON Crankshaft, 4 arm 44/32/22	ICON Flywheel, arm 44/32/22
	CASSETTE	Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd	Shimano XT 11-34, 9spd	Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd	Shimano HG50-I 11-30, 8spd	11-30, 8spd	Shimano XTR 12-34, 9spd	Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd
OTHER COMPONENTS	BRAKESET	Hayes Disc Hydraulic w/Avid SD-1.9 L, long pull levers	Hayes Disc, cable actuated w/alloy direct pull levers	Shimano Deore XT V-Brakes w/combination brake/shift levers	Avid Single Digit 20, direct pull w/Avid SD-1.9 L, long pull levers	Avid Single Digit 20, direct pull w/Avid SD-1.9 L, long pull levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Shimano XTR V-Brakes w/combi-nation brake/shift levers	Avid Single Digit 20, direct pull w/Avid SD-1.9 L, long pull levers	Hayes Hydraulic	Hayes Disc, cab actuated front; Avid Single Digi 10, direct pull r w/Avid AD-1.0 L, long
	PEDALS	Shimano SPD M545, clipless	Shimano SPD M545, clipless	Time, clipless	Bontrager RE-II, clipless	ontrager RE-II, clipless	Alloy w/clips and straps	Resin w/clips and straps	Time, clipless	Bontrager RE-II, clipless	Bontrager RE-II, clipless	Bo cli
	ADDITIONAL COMPONENTS	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts, shock pump, handlebar mount damping adjuster	2 water bottle mounts, shock pump, handlebar mount damping adjuster	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts (1 on 13")	2 water bottle mounts (1 on

								RECREATION			
00	8000 WSD	7000	6500	6500 WSD	6000	930	830 AL	4000	820 AL	820	
(S) 13", (S) 16.5", (M) 18", 19.5", (L) 21"	(WXS) 13", (WS) 17", (WM) 19"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21"	(XS)13", (S) 16.5", (M) 18", 19.5", (L) 21"	(WXS) 13", (WS) 17", (WM) 19"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5", (WS) 17", (WL) 20"	(XS) 13", (S) 16.5", (M) 18", 19.5" (L) 21", (XL) 22.5", (WS) 17", (WL) 20"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5", 24"; (WS) 17", (WL) 20"	SIZE
eam Blue; Pearl hite	Pearl White	Dragonfly Green; Metal Flake Blue	Dragonfly Orange; Black Gold	Dragonfly Orange	Inkwell Blue; Trek Red	Metal Flake Blue; Pearl White	Dragonfly Orange; Metal Flake Green	Metallic Ice Red	Trek Red; Black Gold	Dragonfly Green; Inkwell Blue	COLOR
rek Alpha SL ouble butted luminum	Trek Alpha SL double butted aluminum	Trek Alpha ZX aluminum	Trek Alpha ZX aluminum	Trek Alpha ZX aluminum	Trek Alpha aluminum	True Temper triple butted Cro-Moly	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	Cro-Moly	MAIN TUBES
rek Alpha SL luminum	Trek Alpha SL aluminum	Trek Alpha ZX aluminum	Trek Alpha ZX aluminum	Trek Alpha ZX aluminum	Trek Alpha aluminum	Cro-Moly	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	High tensile steel	STAYS
anitou SX uspension, 70mm travel	Manitou SX, soft springs suspension, 70mm travel	Rock Shox Judy XC suspension, 63mm travel	Rock Shox Judy C suspension, 63mm travel	Rock Shox Judy C soft suspension, 63mm travel	Rock Shox Jett T2 suspension, 65mm travel	Rock Shox Jett T2 suspension, 65mm travel	RST 281 suspension, 65mm travel	Trek Cro-Moly	Trek Cro-Moly	Trek Cro-Moly	FORK
											REAR SHOCK
Bontrager Maverick w/ASYM rear, 28 hole front, 32 rear	Bontrager Maverick w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Bontrager Corvair w/ASYM rear, 28 hole front, 32 rear	Alloy, 32 hole	Bontrager Corvair w/ASYM rear, 32 hole	Alloy, 32 hole	Alloy, 32 hole	RIMS
Bontrager Revolt ST-2, folding, 49/53 front, 46/50 rear	Bontrager Revolt ST-2, folding, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Bontrager Jones, 49/53 front, 46/50 rear	Trek Connection, 26 x 1.95"	Trek Connection, 26 x 1.95"	TIRES
Shimano Deore LX rear; Bontrager Comp front	Shimano Deore LX rear; Bontrager Comp II front	Bontrager Comp II front and rear	Bontrager Comp II rear; Comp I front	Bontrager Comp II rear; Comp I front	Alloy sealed front and rear	Bontrager Comp II rear; Comp I front	Alloy sealed front and rear	Alloy sealed front and rear	Alloy sealed front and rear	Alloy sealed front and rear	HUBSET
inless	DT 15G stainless	DT 15G stainless	DT 15G stainless	DT 15G stainless	15G stainless	DT 15G stainless	14G stainless	15G stainless	14G stainless	14G stainless	SPOKES
Bontrager FS+10 Race, Cro-Moly/leather	Trek WSD specific	Bontrager FS+10 Comp	Bontrager FS+10 Comp	Trek WSD specific	Trek Crossbow	Bontrager FS+10 Comp	Trek Super Soft	Trek Crossbow	Trek Super Soft	Trek Super Soft	SADDLE
ICON Moses, 6061 aluminum	ICON Moses, 6061 aluminum	ICON Moses, 6061 aluminum	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	SEATPOST
ICON Matador, 6061, 5° bend w/ICON Fatty McGee bar ends	ICON WSD Matador, 6061, 5° bend w/Trek bar ends	ICON, 6061, 5° bend	ICON, 6061, 5° bend	ICON, 6061, 5° bend	ICON, 6061, 5° bend	ICON, 6061, 5° bend	Alloy, 5° bend	ICON, 6061, 5° bend	5° bend (Women's 60mm rise)	5° bend (Women's 60mm rise)	HANDLEBARS/ BAR ENDS
ICON, forged alloy direct connect	ICON, forged alloy direct connect	ICON, forged alloy direct connect	Forged alloy direct connect	Forged alloy direct connect	Die cast alloy direct connect	Die cast alloy direct connect	Die cast alloy direct connect	Die cast alloy direct connect	Front load ATB	Front load ATB	STEM
Dia-Compe SA Aheadset, alloy	Dia-Compe SA Aheadset, alloy	Dia-Compe ST Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	Dia-Compe SE-1 Aheadset	Sealed	Sealed	HEADSET
Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	Shimano STX-RC Rapidfire SL	Shimano STX-RC Rapidfire SL	Shimano Alivio Rapidfire SL	Shimano STX-RC Rapidfire SL	Grip Shift ESP 5.0	Shimano Alivio Rapidfire SL	Grip Shift ESP 5.0	Grip Shift Centera	SHIFTERS
Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Alivio	Shimano Alivio	Shimano Acera X	Shimano Alivio	Shimano Altus	Shimano Acera X	Shimano Altus	Shimano Altus	FRONT DERAILLEUR
Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Grip Shift ESP 5.0	Shimano Deore LX SGS	Grip Shift ESP 5.0	Shimano Alivio	REAR DERAILLEUR
ICON Crankshaft, 4 arm 44/32/22	ICON Crankshaft, 4 arm 44/32/22	ICON Flywheel, 4 arm 44/32/22	Shimano Alivio 42/32/22	Shimano Alivio 42/32/22	Shimano Acera X 42/32/22	Shimano Alivio 42/32/22	Shimano Altus 42/34/24	Shimano Acera X 42/32/22	Shimano Altus 42/34/24	Shimano Altus 42/34/24	CRANKSET
Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd	Shimano HG70 11-32, 9spd	Shimano HG50-I 11-30, 8spd	Shimano HG50-I 11-30, 8spd	11-30, 8spd	Shimano HG50-I 11-30, 8spd	Shimano HG50-I 11-30, 8spd	11-30, 8spd	Shimano HG50-I 11-30, 8spd	Shimano HG50-I 11-30, 8spd	CASSETTE
Avid Single Digit 20, direct pull w/Avid SD-1.9 L, long pull levers	Avid Single Digit 20, direct pull w/short reach levers	Avid Single Digit 10, direct pull w/Avid AD-1.0 L, long pull levers	Alloy direct pull w/alloy levers	Alloy direct pull w/short reach levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	BRAKESET
Bont clipless	Bontrager RE-II, clipless	ICON SoleMate, clipless	Alloy w/clips and straps	Alloy w/clips and straps	Resin w/clips and straps	Alloy w/clips and straps	Nylon ATB w/clips and straps	Resin w/clips and straps	Nylon ATB	Nylon ATB	PEDALS
2 water bottle mounts (1 on 13")	2 water bottle mounts (1 on 13")	2 water bottle mounts (1 on 13")	2 water bottle mounts (1 on 13")	2 water bottle mounts (1 on 13")	2 water bottle mounts, rack mounts (1 bottle, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle on 13", 17W, 20W, no rack on 13")	ADDITIONAL COMPONENTS

FRAMESET

WHEELS

COCKPIT COMPONENTS

DRIVETRAIN

OTHER COMPONENTS

		MOUNTAIN BIKES RECREATION		ROAD BIKES PERFORMANCE								
		800	800 Sport	Y Foil 77	Y Foil 66	5500	5200	2500	5000	2300	2200	2200 W
FRAMESET	SIZE	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5"; (WS) 17", (WL) 20"	(XS) 13", (S) 16.5", (M) 18", 19.5", (L) 21", (XL) 22.5"; (WXS) 13", (WS) 17", (WL) 20"	(XS) 48cm, (S) 51cm, (M) 54cm, 56cm, (L) 59cm, (XL) 62cm	(XS) 48cm, (S) 51cm, (M) 54cm, 56cm, (L) 59cm, (XL) 62cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 63cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 63cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 52cm
	COLOR	Pearl Navy; Metallic Ice Red	Gloss Black; Metal Flake Green; Violet Pearl	Metal Flake Blue	Trek Red	Black Gold	Pearl White; Metal Flake Blue	Metal Flake Blue	Trek Red	Trek Red	Black Gold	Black Gold
	MAIN TUBES	High tensile steel w/Cro-Moly seat tube	High tensile steel w/Cro-Moly seat tube	OCLV carbon	OCLV carbon	OCLV carbon	OCLV carbon	Trek Alpha SL double butted aluminum	OCLV carbon	Trek Alpha SL double butted aluminum	Trek Alpha SL double butted aluminum	Trek Alpha SL double butted aluminum
	STAYS	High tensile steel	High tensile steel	OCLV carbon	OCLV carbon	OCLV carbon	OCLV carbon	Trek Alpha SL aluminum	OCLV carbon	Trek Alpha SL aluminum	Trek Alpha SL aluminum	Trek Alpha SL aluminum
	FORK	High tensile steel	High tensile steel	ICON OCLV carbon Airail SRG	ICON OCLV carbon Airail SRG	ICON OCLV carbon Airail	ICON OCLV carbon Airail	ICON OCLV carbon Airail	ICON OCLV carbon Airail	ICON OCLV carbon Airail	ICON OCLV Carbon Classic	ICON OCLV Carbon Classic
WHEELS	RIMS	Alloy, 32 hole	Alloy, 32 hole	Rolf Vector Pro, 14 hole front, 16 rear	Rolf Vector Comp, 18 hole front, 20 rear	Rolf Vector Pro, 14 hole front, 16 rear	Rolf Vector Comp, 18 hole front, 20 rear	Rolf Vector Pro, 14 hole front, 16 rear	Rolf Vector, 20 hole front, 24 rear	Rolf Vector Comp, 18 hole front, 20 rear	Rolf Vector, 20 hole front, 24 rear	Rolf Vector, 650c, 20 hole front, 24 rear
	TIRES	Trek Connection, 26 x 1.95"	Trek Connection, 26 x 1.95"	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Super Sport, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Super Sport, 700 x 25c	Continental Grand Prix, 650 x 25c
	HUBSET	Alloy sealed front and rear	Alloy front and rear	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	SPOKES	14G stainless	14G stainless	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
COCKPIT COMPONENTS	SADDLE	Trek Super Soft	Trek Super Soft	fizik Pave, titanium/leather	fizik Pave, titanium/leather	fizik Pave, titanium/leather	fizik Pave, titanium/leather	fizik Pave, titanium/leather	Selle Italia Sphere Gel, manganese/ leather	Selle Italia Sphere Gel, titanium/leather	Selle Italia Sphere Gel, manganese/leather	Terry Sp Cro-Mo
	SEATPOST	Alloy micro-adjust	Alloy micro-adjust	Thomson Elite	Thomson Elite	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum	ICON Oz, 2014 aluminum
	HANDLEBARS/ BAR ENDS	5° bend (Women's 60mm rise)	60mm rise	ICON Stash Ergo, 7075 aluminum	ICON Stash Ergo, 7075 aluminum	ICON Stash Ergo, 7075 aluminum	ICON Stash Ergo, 7075 aluminum	ICON Stash Ergo, 7075 aluminum	ICON Swoop Ergo, 6014 aluminum	ICON Stash Ergo, 7075 aluminum	ICON Swoop Ergo, 7075 aluminum	ICON Swoop Ergo, 7075 aluminum
	STEM	Front load ATB	Front load ATB	ICON Havana, forged alloy direct connect	ICON Bordeaux quill	ICON Havana, forged alloy direct connect	ICON Bordeaux quill	ICON Bordeaux quill	ICON Bordeaux quill	ICON Bordeaux quill	ICON Bordeaux quill	ICON Bordeaux quill
DRIVETRAIN	HEADSET	Sealed	Sealed	Cane Creek Aheadset	Tange Seiki Vantage DX2, alloy	Cane Creek Aheadset	Tange Seiki Vantage DX2, alloy	Tange Seiki Vantage DL	Tange Seiki Passage DX2, alloy	Tange Seiki Vantage DX2, alloy	Tange Seiki Passage DX2, alloy	Tange Seiki Passage DX2, alloy
	SHIFTERS	Grip Shift ESP 5.0	Grip Shift MRX	Shimano Dura-Ace STI	Shimano Ultegra STI, Flight Deck compatible	Shimano Dura-Ace STI	Shimano Ultegra STI, Flight Deck compatible	Shimano Dura-Ace STI	Shimano 105 STI, Flight Deck compatible	Shimano Ultegra STI, Flight Deck compatible	Shimano 105 STI, Flight Deck compatible	Shimano 105 STI, Flight Deck compatible
	FRONT DERAILLEUR	Shimano Altus	Shimano Tourney TY32	Shimano Dura-Ace	Shimano Ultegra	Shimano Dura-Ace	Shimano Ultegra	Shimano Dura-Ace	Shimano 105	Shimano Ultegra	Shimano 105	Shimano 105 triple
	REAR DERAILLEUR	Grip Shift ESP 5.0	Shimano Altus	Shimano Dura-Ace	Shimano Ultegra	Shimano Dura-Ace	Shimano Ultegra	Shimano Dura-Ace	Shimano 105	Shimano Ultegra	Shimano 105	Shimano 105 GS
	CRANKSET	Shimano Altus 42/34/24	Shimano Tourney TY30 48/38/28	Shimano Dura-Ace 53/39	Shimano Ultegra 53/39 or 52/42/30	Shimano Dura-Ace 53/39	Shimano Ultegra 53/39 or 52/42/30	Shimano Dura-Ace 53/39	Shimano 105 53/39 or 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano 105 53/39 or 52/42/30	Shimano 105 52/42/30
	CASSETTE	11-30, 8spd	Shimano HG37 14-28, 7spd	Shimano Dura-Ace 12-23, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Dura-Ace 12-23, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Dura-Ace 12-23, 9spd	Shimano HG70 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano HG70 12-25, 9spd	Shimano HG70 12-25, 9spd
OTHER COMPONENTS	BRAKESET	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Shimano Dura-Ace w/combination brake/shift levers	Shimano Ultegra w/combination brake/shift levers	Shimano Dura-Ace w/combination brake/shift levers	Shimano Ultegra w/combination brake/shift levers	Shimano Dura-Ace w/combination brake/shift levers	Shimano 105 w/combination brake/shift levers	Shimano Ultegra w/combination brake/shift levers	Shimano 105 w/combination brake/shift levers	Shimano 105 w/combination brake/shift levers
	PEDALS	Nylon ATB	Nylon ATB	Shimano Dura-Ace SPD-R, clipless	ICON De La Sole, clipless	Shimano Dura-Ace SPD-R, clipless	ICON De La Sole, clipless	ICON De La Sole, clipless	ICON De La Sole, clipless	ICON De La Sole, clipless	ICON De La Sole, clipless	ICON De La Sole, cli
	ADDITIONAL COMPONENTS	2 water bottle mounts, rack mounts (1 bottle on 13", 17W, 20W, no rack on 13")	2 water bottle mounts, rack mounts (1 bottle on 13", 17W, 20W, no rack on 13")	2 water bottle mounts, 1 seat-post mount	2 water bottle mounts, 1 seat-post mount	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts

			TOURING				RECUMBENT	CITY AND BIKE PATH HYBRIDS				
100	2000	2000 WSD	1200	320	540	520	R200	7700	7500 SHX	7500		
(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 63cm	(XS) 50cm, (S) 52cm, 54cm, (M) 56cm, 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 52cm	(XS) 43cm, 50cm, (S) 54cm, (M) 56cm, 58cm, (L) 60cm	(XS) 43cm, 50cm, (S) 54cm, (M) 56cm, 58cm, (L) 60cm	(S) 51cm, (M) 55cm, 57cm, (L) 59cm, (XL) 63cm	(S) 17", (M) 19", 21", (L) 23", (XL) 25"	One size	(XS) 13", 15", (S) 17.5", (M) 20.5", (L) 23"	(XS) 13", 15", (S) 17.5", (M) 20.5", (L) 23", (XL) 25"	(XS) 13", 15", (S) 17.5", (M) 20.5", (L) 23"; (WXS) 15", (WS) 17", (WM) 20"	SIZE	FRAMESET
Metal Flake Red	Inkwell Blue	Inkwell Blue	Metal Flake Green	Deep Teal	Pearl White	Pearl Navy	Red gold	Graphite Pearl	Metal Flake Green	Pearl White; Metal Flake Green	COLOR	
Trek Alpha SL double butted aluminum	Trek Alpha SL double butted aluminum	Trek Alpha SL double butted aluminum	Trek Alpha aluminum	Double butted Cro-Moly steel	Trek Alpha aluminum	True Temper double butted Cro-Moly	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	MAIN TUBES	
Trek Alpha SL aluminum	Trek Alpha SL aluminum	Trek Alpha SL aluminum	Trek Alpha aluminum	High tensile steel	Trek Alpha aluminum	Cro-Moly steel	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	STAYS	
ICON OCLV Carbon Classic	Trek epoxy bonded aluminum	ICON OCLV Carbon Classic	Trek Cro-Moly Aero	Trek Cro-Moly Aero	Trek Cro-Moly	Trek Cro-Moly Touring	Trek Cro-Moly	Rock Shox Ruby Metro suspension, 30mm travel	Rock Shox Ruby Metro suspension, 30mm travel	Trek Cro-Moly	FORK	
Rolf Vector, 20 hole front, 24 rear	Mavic CXP21, 32 hole	Mavic CXP21, 650c, 32 hole	Vuelta Airline 2 Aero, machined sidewalls, 32 hole	Vuelta Airline 2 Aero, machined sidewalls, 32 hole	Bontrager Fairlane w/ASYM rear, 36 hole	Bontrager Fairlane w/ASYM rear, 36 hole	Alloy, 24 hole front, 28 rear	Rolf Vector, 20 hole front, 24 rear	Bontrager Fairlane w/ASYM rear, 32 hole	Bontrager Fairlane w/ASYM rear, 32 hole	RIMS	WHEELS
Continental Super Sport, 700 x 25c	Continental Super Sport, 700 x 25c	Continental Grand Prix, folding, 650 x 23c	Continental Super Sport 100, 700 x 28c	Trek, 700 x 28c	Continental Top Touring, 700 x 32c	Continental Top Touring, 700 x 32c	Primo Comet, 20 x 1.35"	Trek Invert II, 700 x 38c	Trek Invert II, 700 x 38c	Trek Invert II, 700 x 38c	TIRES	
N/A	Shimano RSX front and rear	Shimano RSX front and rear	Shimano RSX front and rear	Alloy front and rear	Shimano Deore LX front and rear	Shimano Deore LX front and rear	Bontrager front and rear	N/A	Bontrager Comp II rear; Comp I front	Bontrager Comp II rear; Comp I front	HUBSET	
N/A	DT 14G stainless	DT 15G stainless	14G stainless	14G stainless	DT 14G stainless	DT 14G stainless	14G stainless	N/A	14G stainless	14G stainless	SPOKES	
[illegible] Gel, [illegible]nese/ leather	Selle Italia Sphere Gel	Terry Sport	Selle Italia XO	Trek Racing	Selle Bassano EZ Rider, manganese/leather	Selle Bassano EZ Rider, manganese/leather	Mesh back w/foam Lycra base, aluminum/ Cro-moly framed	Selle Bassano EZ Rider	Selle Bassano EZ Rider	Selle Bassano EZ Rider	SADDLE	COCKPIT COMPONENTS
Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	ICON Oz, 2014 aluminum	Alloy micro-adjust	N/A	Polygon shock absorber	Polygon shock absorber	Polygon shock absorber	SEATPOST	
ICON Swoop aluminum	ICON Swoop aluminum	ICON Swoop aluminum	ICON Swoop Ergo	ICON Swoop Ergo	ICON Stash Ergo	ICON Ergo	Arc Bar	Alloy, 5° bend, 65mm rise	Alloy, 5° bend, 65mm rise	Alloy, 5° bend, 65mm rise	HANDLEBARS/ BAR ENDS	
Front load aluminum	Front load aluminum	Front load aluminum	Front load aluminum, 0° rise	Cro-Moly, 0° rise	ICON Bordeaux quill	ICON Bordeaux quil	Trek designed adjustable	Alloy adjustable rise	Alloy adjustable rise	Alloy adjustable rise	STEM	
Tange Seiki Passage	Tange Seiki Passage	Tange Seiki Passage	Tange Seiki Passage	Sealed	Tange Seiki Vantage	Tange Seiki CDS	Sealed	Tange Seiki Passage	Tange Seiki Passage	Tange Seiki Passage	HEADSET	DRIVETRAIN
Shimano RSX STI Dual Control	Shimano RSX STI Dual Control	Shimano RSX STI Dual Control	Shimano RSX STI Dual Control	Shimano RSX STI Dual Control	Shimano Ultegra bar end	Shimano Ultegra bar end	Grip Shift Centera	Shimano Nexave Tap-Fire	Grip Shift Centera	Grip Shift Centera	SHIFTERS	
Shimano RSX	Shimano RSX triple	Shimano RSX triple	Shimano RSX	Shimano RSX	Shimano 105	Shimano 105	SRAM 7.0	Shimano Nexave 401	Shimano Nexave 401	Shimano Nexave 401	FRONT DERAILLEUR	
Shimano 105 GS	Shimano RSX GS	Shimano RSX GS	Shimano RSX GS	Shimano RSX GS	Shimano Deore XT SGS	Shimano Deore LX SGS	SRAM 7.0	Shimano Nexave T400	Shimano Deore LX SGS	Shimano Deore LX SGS	REAR DERAILLEUR	
Shimano RSX 52/42/30	Shimano RSX 52/42/30	Shimano RSX 52/42/30	Shimano RSX 52/42/30	CPI 52/42/32	Shimano 105 52/42/30	Shimano 105 52/42/30	Single alloy chain ring	Shimano Nexave 400 48/38/28	Shimano Nexave 400 48/38/28	Shimano Nexave 400 48/38/28	CRANKSET	
Shimano HG50 13-26, 8spd	Shimano HG50 13-26, 8spd	Shimano HG50 13-26, 8spd	Shimano HG50 13-26, 8spd	11-28, 8spd	Shimano IG60 11-28, 8spd	Shimano HG50-I 11-30, 8spd	Shimano HG50 11-30, 8spd	Shimano HG50-I 11-30, 8spd	Shimano HG50-I 11-30, 8spd	Shimano HG50-I 11-30, 8spd	CASSETTE	
Shimano RSX w/combination brake/shift levers	Shimano RSX w/combination brake/shift levers	Shimano RSX w/combination brake/shift levers	Shimano RSX w/ combination brake/shift levers	Alloy dual pivot w/combination brake/shift levers	Shimano Deore LX V-Brakes w/Dia-Compe 287 Aero levers	Shimano Deore LX V-Brakes w/Dia-Compe 287 Aero levers	Avid SD 10 V-brakes w/Avid levers	Shimano Nexave 400 w/modulator w/combination brake/shift levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	BRAKESET	OTHER COMPONENTS
ICON SoleMate, clip[illegible]	Alloy w/clips and straps	Alloy w/clips and straps	Alloy/steel w/clips and straps	Steel/resin w/clips and straps	Shimano SPD M323, platform/clipless	Shimano SPD M323, platform/clipless	Icon clipless	Shimano SPD M323, clipless	Alloy w/clips and straps	Alloy w/clips and straps	PEDALS	
2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	3 water bottle mounts, front & rear rack mounts	3 water bottle mounts, front & rear rack mounts, rear rack	3 water bottle mounts, Sock pump	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	ADDITIONAL COMPONENTS	

		CITY AND BIKE PATH HYBRIDS			COMFORT				CRUISERS		
		7300	720	700	Navigator 500	Navigator 400	Navigator 300	Navigator 200	Town & Country	Calypso	Cruiser Classic
FRAMESET	SIZE	(XS) 13", 15", (S) 17.5", (M) 20.5", (L) 23"; (WXS) 15", (WS) 17", (WM) 20"	(XS) 13", 15", (S) 17", (M) 19", 21", (L) 23"; (WXS) 15", (WS) 17", (WM) 20"	(XS) 13", 15", (S) 17", (M) 19", 21", (L) 23"; (WXS) 15", (WS) 17", (WM) 20"	S, M, L, XL, XXL; WM, WL	S, M, L, XL, XXL; WM, WL	S, M, L, XL, XXL; WM, WL	S, M, L, XL, XXL; WM, WL	(M) 20", (L) 23"; (WS) 17"	(M) 20", (L) 23"; (WS) 17"	(M) 20", (L) 23"; (WS) 17"
	COLOR	Inkwell Blue; Metallic Ice Red	Explorer Green; Graphite Pearl	Metal Flake Titanium; Pearl Navy	Black Gold	Metal Flake Green	Pearl Abyss/Gloss Black fade	Mediterranean Blue/Inkwell Blue fade	Blue Moon	Mirror Black; Metal Flake Green	Ice Royal Blue; Ice Red
	MAIN TUBES	Trek Alpha aluminum	Cro-Moly steel	High tensile steel w/Cro-Moly seat tube	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	High tensile steel w/Cro-Moly seat tube	High tensile steel	High tensile steel	High tensile steel
	STAYS	Trek Alpha aluminum	High tensile steel	High tensile steel	Trek Alpha aluminum	Trek Alpha aluminum	Trek Alpha aluminum	High tensile steel	High tensile steel	High tensile steel	High tensile steel
	FORK	Trek Cro-Moly	Trek Cro-Moly	High tensile steel	RST 802 suspension, 40mm travel	Trek Cro-Moly	Trek Cro-Moly	High tensile steel	High tensile steel	High tensile steel	High tensile steel
WHEELS	RIMS	Weinmann 519 alloy, 32 hole	Weinmann 519 alloy, 32 hole	Weinmann 519 alloy, 36 hole	Bontrager Corvair w/ASYM rear, 32 hole	Bontrager Corvair w/ASYM rear, 32 hole	Alloy, 32 hole	Alloy, 32 hole	Alloy, 36 hole	Alloy, 36 hole	Alloy, 36 hole
	TIRES	Trek Invert II, 700 x 38c	Trek Invert II, 700 x 38c	Trek Invert II, 700 x 38c	Semi-smooth, 26 x 1.95"	Semi-smooth, 26 x 1.95"	Semi-smooth, 26 x 1.95"	Semi-smooth, 26 x 1.95"	Whitewall, 26 x 2.0"	Whitewall, 26 x 2.0"	Whitewall, 26 x 2.0"
	HUBSET	Alloy sealed front and rear	Alloy sealed front and rear	Alloy sealed front and rear	Shimano Nexave 400 Silent Clutch rear; Alloy sealed front	Shimano Nexave 400 Silent Clutch rear; Alloy sealed front	Alloy sealed front and rear	Alloy sealed front and rear	Shimano Nexus 4spd rear; alloy nutted front	Alloy nutted front and rear	Shimano coaster rear; alloy nutted front
	SPOKES	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless	14G stainless
COCKPIT COMPONENTS	SADDLE	Oasis Web Spring Comfort	Oasis Web Spring Comfort	Oasis Web Spring Comfort	Selle Royal Gel	Selle Royal Gel	Oasis Web Spring Comfort	Oasis Web Spring Comfort	Oasis Spring Cruiser	Oasis Spring Cruiser	Oasis Spring Cruiser
	SEATPOST	Polygon shock absorber	Polygon shock absorber	Alloy micro-adjust	Polygon shock absorber	Polygon shock absorber	Polygon shock absorber	Shock absorber	Alloy	Alloy	Alloy
	HANDLEBARS/ BAR ENDS	60mm rise	Northroad, 65mm rise	Northroad, 65mm rise	Alloy, 5° bend, 65mm rise	Alloy, 5° bend, 65mm rise	60mm rise	60mm rise	Cruiser	Cruiser	Cruiser
	STEM	Alloy adjustable rise	Aluminum adjustable rise	Aluminum adjustable rise	Front load adjustable rise	Front load adjustable rise suspension	Front load adjustable rise suspension	Adjustable rise	Alloy	Alloy	Alloy
DRIVETRAIN	HEADSET	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Steel	Steel	Steel
	SHIFTERS	Grip Shift Centera	GripShift Centera	Grip Shift MRX	Shimano Nexave Tap-Fire	Shimano Nexave Tap-Fire	Grip Shift Centera	Grip Shift MRX IBS	Grip Shift SRT 4.0 for Nexus, right only	Grip Shift MRX, right only	N/A
	FRONT DERAILLEUR	Shimano Nexave 300	Shimano Tourney TY32	Shimano Tourney TY32	Shimano Nexave 400	Shimano Nexave 400	Shimano Altus	Shimano Tourney TY32	N/A	N/A	N/A
	REAR DERAILLEUR	Shimano STX-RC SGS	Shimano Alivio	Shimano Acera X	Shimano Nexave 400	Shimano Nexave 400	Shimano Alivio	Shimano Altus	N/A	Shimano Tourney TY22	N/A
	CRANKSET	Shimano Nexave 301 48/38/28 w/chainguard	Shimano Tourney TY40 42/34/24 w/chainguard	Shimano Tourney TY30 48/38/28 chainguard	Shimano Nexave 400 48/38/28 w/chainguard	Shimano Nexave 400 48/38/28 w/chainguard	Shimano Altus 42/34/24 w/chain-guard	Shimano Tourney TY30 48/38/28 w/chainguard	Alloy three-piece, 33T	One-piece type, 40T	One-piece type, 40T
	CASSETTE	11-30, 8spd	11-30, 8spd	HG72 13-28, 7spd	Shimano HG60-I 11-34, 8spd	Shimano HG60-I 11-34, 8spd	11-30, 8spd	11-30, 7spd	20T	HG60 14-28, 6spd	18T
OTHER COMPONENTS	BRAKESET	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Shimano Nexave 400 w/modulator w/combination brake/shift levers	Shimano Nexave 400 w/modulator w/combination brake/shift levers	Alloy direct pull w/alloy levers	Alloy direct pull w/alloy levers	Shimano Nexus coaster	Cantilever w/alloy 4-finger levers	Shimano coaster
	PEDALS	Platform	Platform	Platform	Alloy platform	Alloy platform	Dual density platform	Platform	Platform	Platform	Platform
	ADDITIONAL COMPONENTS	2 water bottle mounts, rack mounts (1 bottle on 15", 17W, 20W)	2 water bottle mounts, rack mounts (1 bottle on 15", 17W, 20W)	2 water bottle mounts, rack mounts (1 bottle on 15", 17W, 20W)	2 water bottle mounts, rack mounts (1 bottle, no rack on 13"), kickstand, Shimano Flight Deck computer	2 water bottle mounts, rack mounts (1 bottle, no rack on 13"), kickstand	2 water bottle mounts, rack mounts (1 bottle, no rack on 13"), kickstand	2 water bottle mounts, rack mounts (1 bottle, no rack on 13"), kickstand	Kickstand, chainguard, quick release seatpost	Kickstand, chainguard, quick release seatpost	Kickstand, chainguard, quick release seatpost