

2002
TREK
UNITED STATES POSTAL SERVICE
Graham Watson
Lance Armstrong wins his first of four stages at the 2001 Tour de France.
TREK
TREKBIKES.COM

Create your own one-of-a-kind OCLV Carbon road bike. Introducing Project One.



If you want choices, you've come to the right place. Virtually every part of a Project One bike has options for you to choose from.



PERFORMANCE // PRO COMP REC

5900 USPS Team Superlight™

The lightest production frame in the world with heavy responsibility: defending the Tour.

UNITED STATES POSTAL SERVICE®
Pro Cycling Team

FRAMESET AVAILABLE



FRAME Ultralight OCLV® 110 Carbon creates the lightest, stiffest frame ever made. Carbon provides amazing comfort on long rides. Pro Race Geometry improves handling. Lance's Tour de France frame. **FORK** Oversized superlight Aero OD. OCLV® 110 Carbon, 348 grams. **WHEELS** Bontrager Race X-Lite offers superior aerodynamics, light weight, and titanium skewers for the pros in the Tour de France. **COMPONENTS** Shimano Dura Ace crank and 9-speed shifting. Double chainring for racing or fast training rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm **COLOR** Bright Silver/Satin Silver

The same OCLV Carbon bikes we build for Lance we build for you. But maybe you want a different color. Or Campagnolo components.

Trek introduces Project One, a custom bike program that allows you to individualize a 5900, 5500, or 5200 OCLV Carbon bike. With Project One, you get to choose from a wide range of unique color and graphic styles. To complete the custom look of your ride, name your bike with up to 18 characters of lettering on the top tube.


Performance upgrades are also available with your choice of Campagnolo or Shimano components, and a variety of handlebar, saddle, stem, seatpost, and wheel options.

Project One is also about fit. Your Trek dealer will find the frame, stem, and seatpost that fit you just right. Once the order is placed, your bike will be custom-painted, professionally built, and shipped to your dealer within 30 days. **Project One. Build your one-of-a-kind bike.**

To learn more, go to
WWW.TREKBIKES.COM/PROJECT_ONE
or your nearest Trek dealer.

PROJECT One





PERFORMANCE // PRO COMP REC

5500®

Lance can't believe he rides a stock bike. Neither will you.

UNITED STATES POSTAL SERVICE®
Pro Cycling Team



FRAMESET AVAILABLE



FRAME OCLV® 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France. **FORK** Oversized ICON Air Rail OD Carbon. **WHEELS** Bontrager Race X-Lite offers superior aerodynamics, light weight, and titanium skewers for the pros in the Tour de France. **COMPONENTS** Shimano Dura Ace crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm **COLOR** Abyss. Frameset available in Abyss and USPS Team.

PERFORMANCE // PRO COMP REC

5200™

Now the USPS Team can ride the same stock frame you do.

UNITED STATES POSTAL SERVICE®
Pro Cycling Team



FRAME OCLV® 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France. **FORK** Oversized ICON Air Rail OD Carbon. **WHEELS** Bontrager Race Lite provides improved aerodynamics, lateral rigidity, and prolonged wheel life. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm **COLORS** USPS Team, Smoke Carbon

ZR 9000™ CUSTOM ALLOY

From Trek's Advanced Concept Group comes a light, stiff, and strong new idea: ZR 9000 Alloy.

Trek has created the all-new ZR 9000 Alloy to be the next great frame material. Our proprietary process makes it the lightest alloy available – lighter than titanium and stronger than steel.

The special feature of the ZR 9000 frame is the element Zirconium – a hardening material – that creates a new alloy superior to industry standard aluminum. A full 15% stronger and 15% lighter.

ZR tubes are custom formed, laser cut, and hand precision-welded in Waterloo, WI, by the world's greatest craftsmen. These race bikes feature an inset headset, T-back seat stay, and custom large-diameter thin-wall tubes that shed 177 grams of weight. A difference you'll feel with every turn of the crank.

Pro Race Geometry provides quick handling, and makes the frame stiff yet comfortable for long distance rides and races.

Found on: 2300, 2300 WSD

PERFORMANCE // PRO COMP REC

2300™

It features the secret frame material with benefits that are anything but.



FRAMESET AVAILABLE



FRAME ZR 9000 Alloy with a Pro Race Geometry. This new frame material is lighter than titanium and stronger than steel. **FORK** Oversized OCLV Air Rail Carbon. **WHEELS** Bontrager Race Lite provides improved aerodynamics, lateral rigidity, and prolonged wheel life. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm **COLORS** Pearl White, Starry Night. Frameset available only in Starry Night.

SL CUSTOM ALUMINUM

SL stands for everything you want in a road bike: Super Light.

Every Alpha SL frame is handcrafted in our Waterloo, Wisconsin factory. Building them here allows us to control every detail and process that goes into our Alpha SL frames.

The Alpha process starts when we take the finest top grade aluminum and create seamless drawn double butted tubing. These tubes are then laser cut and hand precision-welded by the world's finest craftsmen. The super light, large diameter tubing is flex resistant and allows for extraordinary power transfer.

Features like the custom butted headtube and T-back seat stays add to the bike's pedaling efficiencies throughout the frame.


The Pro Geometry helps you take control and sprint and climb with more power.

Found on: 2200, 2200 WSD, 2000, 1200

PERFORMANCE // PRO COMP REC

2200™

Race on it. Tour on it. Just be on it whenever you can.



FRAME Alpha™ SL Aluminum. Built from the ground up in Waterloo, Wisconsin. **FORK** Oversized OCLV Air Rail Carbon. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology.™ **COMPONENTS** Shimano Ultegra crank and 105/Ultegra 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm **COLOR** Candy Blue

PERFORMANCE // PRO **COMP** REC

2000™

The superlight all-around road bike.



FRAME Alpha™ SL Aluminum. Built from the ground up in Waterloo, Wisconsin. **FORK** Lightweight, vibration-dampening OCLV Carbon Classic in an aero design. **WHEELS** Bontrager Fairlane rims and IRC Red Storm tires are lightweight and reliable. **COMPONENTS** Shimano 105 crank and Tiagra/105 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 52cm, 54cm, 56cm, 58cm, 60cm, 63cm **COLOR** Candy Red

PERFORMANCE // PRO **COMP** REC

1200™

Alpha SL Aluminum helps you enjoy the time between point A and point B.



FRAME Alpha™ SL Aluminum. Built from the ground up in Waterloo, Wisconsin. **FORK** Aluminum aero is durable and shock absorbing. **WHEELS** Aurora rims and IRC Red Storm tires are lightweight and reliable. **COMPONENTS** Shimano Tiagra crank and 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm **COLOR** Starry Night

PERFORMANCE // PRO COMP **REC**

1000™

Road riding begins with this bike.



PEARL WHITE



METALLIC ORANGE

FRAME New oversized Alpha™ Aluminum, custom butted 1-1/8" head tube, and Pro Geometry. **FORK** Trek alloy with Cro-Moly steerer is durable and shock absorbing. **WHEELS** Vuelta Typhoon rims and IRC Red Storm tires are lightweight and reliable. **COMPONENTS** SR Superbe crank and Shimano Sora 8-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 43cm, 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm **COLORS** Pearl White, Metallic Orange

WSD™ women's SPECIFIC DESIGN




Why are all these women smiling? They finally found the perfect fit.

We make bikes with that "just feels right" fit for women – they're called Women's Specific Design (WSD) bikes.

We've modified frame geometries to increase comfort while providing a more aggressive, power-generating riding position. Special frame angles also keep shorter arms relaxed for improved handling.

Extra attention is paid to the components that enhance the bike. Narrower bars make the bike easier to control with smaller hands. Smaller, 650c wheels (700c on the 54cm bike) give the bike an overall better fit for women. Shorter cranks help shorter legs get to top speed, faster. There's even a WSD saddle to improve comfort and endurance.

Found on: 2300 WSD, 2200 WSD, 2000 WSD



PERFORMANCE // PRO COMP REC

2300 WSD™

If women were from Venus, this'd be the #1 bike there.



FRAME ZR 9000 Alloy with custom Women's Specific Design Geometry that increases comfort and power. This new frame material is lighter than titanium and stronger than steel. **FORK** OCLV Air Rail. Light, responsive, and silences road vibration for comfortable, all-day riding. **WHEELS** Bontrager Race Lite provides improved aerodynamics, lateral rigidity, and prolonged wheel life in an ideal size for smaller riders. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 43cm, 47cm, 51cm, 54cm **COLOR** Georgia Blue


PERFORMANCE // PRO COMP REC

2200 WSD™

The two words women have been waiting to hear: Perfect Fit.



FRAME Alpha™ SL Aluminum with a custom Women's Specific Design Geometry that increases comfort and power. Built from the ground up in Waterloo, Wisconsin. **FORK** OCLV Carbon Classic. Light, responsive, and silences road vibration for comfortable, all-day riding. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology™ in an ideal size for smaller riders. **COMPONENTS** Shimano Ultegra crank and 105/Ultegra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 43cm, 47cm, 51cm, 54cm **COLOR** Candy Red



PERFORMANCE // PRO **COMP** REC

2000 WSD™

Superstrong. Superfast.
Seems this bike resembles its owner.



FRAME Alpha™ SL Aluminum with a custom Women's Specific Design Geometry that increases comfort and power. Built from the ground up in Waterloo, Wisconsin. **FORK** Lightweight, vibration-dampening OCLV Carbon Classic in an aero design. **WHEELS** Bontrager Fairlane rims and IRC Red Storm tires are lightweight and reliable. **COMPONENTS** Shimano 105 crank and Tiagra/105 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 43cm, 47cm, 51cm, 54cm **COLOR** Frost

HILO

Improved **Hilo Technology** means triathletes have more time for running and swimming.

Wind tunnel tested and race proven by world-class triathletes, this Alpha SLR Aluminum tri frame features an aero downtube, steeper seat tube, and flared seatstays. All of these features work to provide a comfortable, powerful, and aerodynamic riding position.

The 650c tires and Carbon Air Foil fork combine to save your energy with a wind-slicing design.

Pro Tri Geometry puts you in a power-generating position that's also aerodynamic to reduce drag and increase speed.

Found on: Hilo 2000, Hilo 1000

TRIATHLON // PRO COMP REC

Hilo 2000™

Swim. Bike faster with Superlight Race Aluminum. Run.

FRAMESET AVAILABLE



FRAME Alpha™ SLR Aluminum with aero downtube and Pro Tri Geometry. **FORK** Carbon Air Foil. The same aerodynamic fork used on the Time Trial Frameset. **WHEELS** Bontrager Race X-Lite offers superior aerodynamics, light weight, titanium skewers, and are quick to accelerate. **COMPONENTS** TruVativ crank and Shimano Ultegra 9-speed shifting. Double chainring for racing or fast training rides. **SIZES** 50cm, 54cm, 56cm, 58cm, 60cm **COLOR** Starry Night

TRIATHLON // PRO COMP REC

Hilo 1000™

Note to self: don't ride through the transition.



FRAME Alpha™ SLR Aluminum with aero downtube and Pro Tri Geometry. **FORK** Carbon Air Foil. The same aerodynamic fork used on the Time Trial Frameset. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology.™ **COMPONENTS** TruVativ crank and Shimano 105 9-speed shifting. Double chainring for fast or long rides. **SIZES** 50cm, 54cm, 56cm, 58cm, 60cm **COLOR** Dusk

XO



As strong and maneuverable on the **cyclocross** track as it is everywhere else.

The new frame design and Cross Pro Geometry makes this bike a serious race machine as well as a durable commuter.

Our Alpha SL process uses seamlessly drawn, double-butted aluminum tubes to make a frame that's strong, durable, and superlight for speed and quick handling. The lightweight frame also comes in handy when you're shouldering it.

The new Pro Cross Geometry offers the perfect balance of a slightly higher bottom bracket, shorter top tube, and mud clearing chainstays when you're on the pavement or off.


Found on: XO 1

CYCLOCROSS // PRO COMP REC

XO 1™

Lets you ride where and when other road bikes can't.

FRAMESET AVAILABLE



FRAME Alpha™ SL Aluminum in a Pro Cross Geometry. **FORK** Oversized, OD, cross-specific aluminum that's light and ready to race. Fits tires up to 40c. **WHEELS** Aurora rims and Bontrager Jones CX tires are ready for dirt or asphalt. **COMPONENTS** Shimano Sora crank and 24-speed shifting and bar con shifters. Triple chainring for wider gear options to match the terrain. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm **COLOR** Starry Night

TANDEM // PRO COMP REC

T 2000™

Our top-of-the-line bicycle built for two.



FRAME ZR 9000 Alloy in a Tandem configuration. This new frame material is lighter than titanium and stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Race X-Lite Tandem offers a superior combination of aerodynamics, light weight, and strength. **COMPONENTS** Shimano Ultegra crank and 27-speed drivetrain ride smooth and last long. Triple chainring for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm **COLOR** Metallic Blue

TANDEM // PRO COMP REC

T 1000™

The bike that's all about long-distance relationships.



FRAME ZR 9000 Alloy in a Tandem configuration. This new frame material is lighter than titanium and stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Clyde rims and IRC Duro Tour tires roll fast and stay true. **COMPONENTS** Shimano 105 Tandem crank with Deore LX 27-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm **COLOR** Metallic Green

TOURING // PRO COMP REC

520™

Go for a bike ride. Come back in a month.



FRAME Trek Cro-Moly built for loaded touring with added braze-ons for racks. **FORK** Cro-Moly cuts road buzz. **WHEELS** Bontrager Fairlane rims and IRC Duro Tour tires are built to be reliable for serious touring. **COMPONENTS** Shimano 105 crank and 105/Deore LX 27-speed shifting. Triple chainring for wider gear options on longer tours. **SIZES** 17", 19", 21", 23", 25" **COLOR** Rainforest

XC FULL SUSPENSION // PRO COMP REC

Fuel 100™

The ultimate in lightweight full-suspension is also a World Cup winner. Coincidence?



FRAMESET AVAILABLE

FRAME Fully independent cross country suspension at a hardtail weight. New ZR 9000 Alloy with Pro Race Geometry. OCLV MC moldable carbon rocker link, titanium hardware, and carbon fiber seat and chain stays make this frame even lighter. **WHEELS** Bontrager Race Lite Tubeless–the choice of the Trek/VW Racing Team. High-performance versatility in one of the lightest wheelsets available. **SUSPENSION** RockShox SID Race fork (80mm travel) and Ultralight Fox Float RC rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Race Lite crank and Shimano XT/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night/Candy Blue

XC FULL SUSPENSION // PRO COMP REC

Fuel 98™

Lightweight. Full-suspension. Two great things that go fast together.



FRAME Fully independent cross country suspension at a hardtail weight. New ZR 9000 Alloy with Pro Race Geometry. Carbon fiber seat and chain stays and titanium hardware make this frame even lighter. **WHEELS** Bontrager Race Modified Tubeless are engineered for lateral stiffness and have adjustable pre-load skewers. **SUSPENSION** RockShox Duke Race fork (80mm travel) and Fox Float R rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Georgia Blue/Starry Night

XC FULL SUSPENSION // PRO COMP REC

Fuel 90™

Fast. Efficient. Suddenly a 24 hour race seems perfectly reasonable.



DISC OPTION AVAILABLE. SPECIFICATIONS MAY VARY.

FRAME Fully independent cross country suspension at a hardtail weight. Alpha SLR Aluminum with Pro Race Geometry. **WHEELS** Bontrager Select offers great performance with welded rims machined for smooth braking. An optional disc brake package, with Bontrager Race Disc wheels and Hayes HFX disc brakes adds superior stopping power in slop or steep descents. **SUSPENSION** Manitou Black Elite fork (80-100mm travel) and Fox Float rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Select crank and Shimano LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Trek Red/Platinum

XC FULL SUSPENSION // PRO **COMP** REC

Fuel 80™

The freedom to go anywhere. The suspension to get you back in one piece.



FRAME Fully independent cross country suspension at a hardtail weight. Alpha SLR Aluminum with Pro Race Geometry. **WHEELS** Bontrager Corvair is fast and tough, with machined sidewalls for smooth braking. **SUSPENSION** Manitou Black Comp fork (80-100mm travel) and Fox Float rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Sport crank and Shimano Alivio/Deore 24-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night/Platinum

STP

STP = Soft Tail Pro.
The superlight racer with just enough rear suspension to take the edge off.

The unreal lightness of an OCLV Carbon frame coupled with the benefits of full-suspension - a combination that's been ridden to Olympic and World Cup victory.

The pivotless Leaf Spring Design rear suspension replaces the monostay with a rear shock to soak up hits without the weight and energy-sapping float of a swingarm. This design is made possible by the strength and inherent compliance of OCLV Carbon chain stays.

Tunable rear suspension: A custom Rock Shox SID Race rear shock, with positive and negative air chambers and external damping, allows you to fine tune your level of comfort and control - up to 1.25"/35mm of rear wheel travel.

Found on: STP 400

XC FULL SUSPENSION // PRO COMP REC

TREK RACING TEAM

STP 400™

The pros wanted a softer hardtail that's also lightweight. OCLV Carbon made the dream a reality.

FRAMESET AVAILABLE



FRAME OCLV® Carbon in a Pro Race Geometry. Pivotless Leaf Spring Design™ full-suspension gives you a race hardtail ride with just a touch of give. **WHEELS** Bontrager Race Lite Tubeless - the choice of the Trek/VW Racing Team. High-performance versatility in one of the lightest wheelsets available. **SUSPENSION** RockShox SID Race fork (80mm travel) and RockShox SID Race dual air 1.25" rear air shock are perfect for XC racing. **COMPONENTS** Shimano XTR crank and 9-speed shifting. **SIZES** 17.5", 19.5", 21.5" **COLOR** Smoke Carbon/Candy Blue

OCLV CARBON HC

Pros who ride the lightest, fastest, most responsive OCLV HC Carbon call it "unbelievable." You will, too.

A honeycomb of Nomex® is sandwiched between layers of OCLV Carbon to make a head lug and bottom bracket so stiff and light, the frame weighs in at only 3.0 pounds. And carbon's vibration-soaking properties take the edge off the already tough terrain.

If you're into fine-tuning this racer even further it features disc-brake compatibility, a millable bottom bracket interface, and a replaceable rear derailleur hanger.

Climb, descend, and corner with the same Pro Race Geometry that has won World Cup events.

Found on: Elite 9.8

XC HARDTAIL // PRO COMP REC

TREK RACING TEAM


Elite 9.8™

The best feature of the lightest pro hardtail on the circuit? It's available to you.

FRAMESET AVAILABLE



FRAME OCLV® HC Carbon. Honeycomb design adds stiffness and strength with less weight - only 3 lbs. Pro Race Geometry improves handling at high speeds. **WHEELS** Bontrager Race Modified Tubeless. Strength and durability at a lower weight and spoke count. **SUSPENSION** The RockShox SID SL fork (80mm travel) is dialed for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 17.5", 19.5", 21.5" **COLOR** Starry Night/Candy Blue



"My goal is to be on the podium."
— Wade Bootes, Trek/VW Team rider, UCI Dual Slalom World Champion

Built for Downhill punishment.

We use a monocoque construction technique for the aluminum down tube to make an extremely stiff connection between the fork and swingarm, for precise, responsive steering control.

The Trek Chain Torque Eliminator isolates the crank from the swingarm. This prevents pedal forces from actuating the rear suspension, or "bobbing", and keeps the rider from feeling unwanted suspension feedback through the cranks.


Diesel DH features a single pivot rear suspension design, with a 1" diameter hollow aluminum axle and sealed cartridge bearings. The rear suspension geometry has a nearly flat 2.9:1 leverage ratio, and using a Fox downhill shock gives 8" of rear wheel travel.

Found on: Diesel DH

DOWNHILL // PRO COMP REC

Diesel™ DH

The full-on downhill racing frame.



FRAME Alpha Aluminum. Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. **SUSPENSION** Single-pivot rear suspension design features a Fox downhill shock. **SIZES** S/M, M/L **COLOR** Black

WSD™ women's SPECIFIC DESIGN



Dirt divas rejoice: **Women's Specific Design** brings comfort and power to your off-road rides.

We make bikes with that "just feels right" fit for women – they're called Women's Specific Design (WSD) bikes.

Specially modified frame designs provide a more comfortable fit for women, with improved handling and shock absorption.

Specially selected components enhance the frame – narrower bars, thinner grips and easy-to-reach brake levers make the bike easier to control with smaller hands. A custom-tuned fork gives lighter riders plenty of shock absorption. Shorter cranks help smaller legs get to top speed, faster. There's even a WSD saddle to improve comfort and endurance.

Found on: Fuel 90 WSD, 8000 WSD, 6700 WSD, 4900 WSD



XC FULL SUSPENSION // PRO COMP REC

WSD™ WOMEN'S SPECIFIC DESIGN

Fuel 90 WSD™

How did we improve Fuel lightweight full-suspension? We designed it just for women.



FRAME Alpha™ SLR Aluminum in a custom Women's Specific Design Geometry that increases comfort and power. Fully independent suspension in a practical double-diamond XC frame design gives you a solid, quiet, bob-free ride. **WHEELS** Bontrager Select offers great performance with welded rims machined for smooth braking. **SUSPENSION** Manitou Black Elite Diva (80-100mm travel) and Fox Float rear air shock (up to 3" of rear wheel travel) are custom-tuned for smaller, lighter riders. **COMPONENTS** Bontrager Select crank and Shimano LX/XT 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Georgia Blue/Bright Silver

XC HARDTAIL // PRO COMP REC

WSD™ WOMEN'S SPECIFIC DESIGN

8000 WSD™

A new lightweight frame made with racing – and women – in mind.



FRAME New ZR 9000 Alloy with a custom Women's Specific Design Geometry that increases comfort and power. This new alloy is stronger than steel and lighter than titanium. **WHEELS** Bontrager Select offers great performance with welded rims machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) is custom tuned for smaller, lighter riders. **COMPONENTS** Bontrager Select crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Frost/Starry Night

XC HARDTAIL // PRO **COMP** REC

6700 WSD™

Women asked for a better bike.
This is our fast, light, and strong answer.



FRAME Alpha™ SLR Aluminum in a custom Women's Specific Design Geometry that increases comfort and power. **WHEELS** Bontrager Superstock is a solid performer in the toughest of conditions. **SUSPENSION** RockShox Duke C fork (80mm travel) is custom-tuned for smaller, lighter riders. **COMPONENTS** Bontrager Select crank and Shimano Deore/LX 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Candy Blue/Starry Night

XC HARDTAIL // PRO **COMP** REC

4900 WSD™

At last, a bike that works
with a woman's body, not against.



FRAME Oversized Alpha™ Aluminum in a custom Women's Specific Design Geometry that increases comfort and power. **WHEELS** Bontrager Corvair rims and Jones AC tires were born for XC. **SUSPENSION** RockShox Judy C fork (80mm travel) is custom-tuned for smaller, lighter riders. **COMPONENTS** Bontrager crank and Shimano Alivio/Deore 24-speed shifting. **SIZES** 14", 16", 18" **COLOR** Iris



ZR 9000 CUSTOM ALLOY™



Trek's Advanced Concept Group takes a light, stiff, and strong new idea off-road: ZR 9000 Alloy.™


ZR 9000 frames feature the element Zirconium – a hardening material – that creates a new alloy superior to industry standard aluminum. A full 15% stronger and 15% lighter. These numbers mean you get everything you want in a frame, at an even lighter weight.

These handbuilt mountain bikes have a bi-axial downtube that provides power at the bottom bracket and strength at the headtube while shedding unwanted weight: a benefit you'll appreciate on the inclines.

The rear triangle features a replaceable rear derailleur hanger and our Disc-O™ mount that provides full disc brake compatibility.

Power-generating Pro Race Geometry that gives racers a competitive edge – like World Cup winner Roland Green.

Found on: 8500, 8000, 8000 WSD



XC HARDTAIL // PRO COMP REC

8500™

New, light frame material. Optional disc brakes. Looks like you'll be calling in "sick" more often.

FRAMESET AVAILABLE

DISC OPTION AVAILABLE. SPECIFICATIONS MAY VARY.



FRAME New ZR 9000 Alloy with Pro Race Geometry. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Race Tubeless are lightweight but durable for years of off-road abuse. An optional Bontrager Race Modified Disc wheelset and Hayes disc brake system provide additional stopping power in wet conditions. **SUSPENSION** RockShox Duke RC, Dual Air with 80mm of travel is tuned in for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21" **COLOR** Georgia Blue/Starry Night

XC HARDTAIL // PRO COMP REC

8000™

Thanks to ZR 9000 Alloy, the only thing missing on this all-around racer is frameweight.



FRAME New ZR 9000 Alloy with Pro Race Geometry. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Select offers great performance with welded rims machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80 mm travel) is tuned in for XC racing. **COMPONENTS** Bontrager Select crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21" **COLOR** Bright Silver/Starry Night

CUSTOM ALUMINUM SLR

Superlight Race. Custom, top-of-the-line aluminum that takes everything you throw at it.

Our Alpha SLR process features the finest bike-grade aluminum, seamlessly drawn into double-butted tubes. Careful shaping and minimizing of the tube walls creates a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else. Hand-welded in Waterloo, Wisconsin.

Added to our superlight race aluminum is a rear triangle that eliminates brake flex, and stays stiff on climbs and sprints. The rear triangle also includes a replaceable derailleur hanger and the Trek Disc-O™ mount that provides full disc brake compatibility.

Pro Race Geometry means you climb, descend, and control the bike more efficiently.

Found on: 6700, 6500



XC HARDTAIL // PRO **COMP** REC

6700™

The bike that works all week and races on the weekend.



SPANISH GOLD



CANDY BLUE/STARRY NIGHT

DISC OPTION AVAILABLE. SPECIFICATIONS MAY VARY.

FRAME Alpha™ SLR Aluminum with Pro Race Geometry. **WHEELS** Bontrager Superstock is a solid performer in the toughest of conditions. An optional Shimano Deore disc brake package with Bontrager Superstock Disc wheels adds superior stopping power in slop or steep descents. **SUSPENSION** RockShox Duke C fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Bontrager Select crank and Shimano Deore/LX 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLORS** Candy Blue/Starry Night, Spanish Gold. Disc option available only in Candy Blue/Starry Night.

XC HARDTAIL // PRO **COMP** REC

6500™

Is it the destination or the journey? Either way, get there faster on this lightweight ride.



DUSK



TREK RED/STARRY NIGHT

FRAME Alpha™ SLR Aluminum with Pro Race Geometry. **WHEELS** Bontrager Corvair rims and Jones AC tires were born for XC riding. **SUSPENSION** Manitou Six Super fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Bontrager Sport crank and Shimano Deore/LX 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLORS** Trek Red/Starry Night, Dusk

ALPHA
CUSTOM ALUMINUM


Alpha Aluminum is built strong to handle the terrain, and light to get up the inclines.

We start with our straight-gauge Alpha Aluminum, form it into strong and lightweight tubes, and TIG weld it into a comfortable, durable, and lightweight frame that performs.

Oversized power tubes and new bi-axial downtube increase the strength and rigidity of the overall frame. And the added stiffness increases power transfer.

Alpha frames are constructed with Pro Geometry – that maximizes power through your riding position so you can climb, descend, and control the bike more efficiently.

Found on: 4900, 4500, 4300, Bruiser Two, Bruiser One, Y 26



John Laptad

XC HARDTAIL // PRO COMP REC

4900™

Our best Alpha Aluminum hardtail is built ready for anything.



METAL FLAKE YELLOW



STARRY NIGHT

FRAME New oversized Alpha™ Aluminum. **WHEELS** Bontrager Corvair rims and Jones AC tires were born for XC. **SUSPENSION** RockShox Judy C fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Bontrager crank and Shimano Alivio/Deore 24-speed shifting. **SIZES** 13", 16.5", 18", 19.5", 21", 22.5" **COLORS** Metal Flake Yellow, Starry Night

MOUNTAIN // PRO COMP **REC**

4500™

**Front-suspension. 24 speeds.
New lightweight frame.
Happy trails to you.**



BRIGHT SILVER/TREK RED



STARRY NIGHT/SPANISH GOLD

FRAME New oversized Alpha™ Aluminum. **WHEELS** Matrix 750 double-walled rims and Bontrager Jones AC tires let you climb and descend on trails with confidence. **SUSPENSION** RockShox Judy TT fork (80mm travel, adjustable preload) smoothes out trails and paths. **COMPONENTS** Bontrager crank and Shimano Alivio 24-speed shifting. **SIZES** 13", 16.5", 18", 19.5", 21", 22.5", 24" **COLORS** Bright Silver/Trek Red, Starry Night/Spanish Gold

MOUNTAIN // PRO COMP **REC**

4300™

**On the trails. On the pavement.
On your mind when you can't ride.**

DISC OPTION AVAILABLE. SPECIFICATIONS MAY VARY.



STONE PEARL/PLATINUM



BALL BURNISHED/CANDY BLUE

FRAME New oversized Alpha™ Aluminum. **WHEELS** Matrix 550 rims and Bontrager Connection tires tackle trails and pavement. An optional Hayes disc brake package adds stopping power in slop or steep descents. **SUSPENSION** RST Capa TL fork (63mm travel, adjustable preload) smoothes out trails and paths. **COMPONENTS** SunRace crank and Shimano Acera 24-speed shifting. **SIZES** 13", 16.5", 18", 19.5", 21", 22.5" **COLORS** Stone Pearl/Platinum, Ball Burnished/Candy Blue. Disc option available only in Ball Burnished/Candy Blue.

MOUNTAIN // PRO COMP REC

820™

The strength of steel.
The comfort of front suspension.



DUSK



PLATINUM/BRIGHT SILVER

FRAME Oversized Cro-Moly and high tensile steel. **WHEELS** Matrix 550 rims and Bontrager Connection tires perform well on dirt or pavement. **SUSPENSION** RST Capa CL fork (63mm travel) smoothes out trails and paths. **COMPONENTS** SunRace crank and Shimano Altus 21-speed shifting. **SIZES** 13", 16.5", 18", 19.5", 21", 22.5"; 17" Women's **COLORS** Dusk, Platinum/Bright Silver

MOUNTAIN // PRO COMP REC

800® Sport™

Begin the journey. Begin on a Trek.



STARRY NIGHT



FROST/NIAGARA BLUE



PEARL WHITE/CANDY RED

FRAME Oversized Cro-Moly and high tensile steel. **FORK** High tensile ATB eases road vibration. **WHEELS** Matrix 550 rims and Bontrager Connection tires perform well on dirt or pavement. **COMPONENTS** SunRace crank and Shimano Altus/SRAM MRX Plus 21-speed shifting. **SIZES** 13", 16.5", 18", 19.5", 21", 22.5"; 13" Women's, 17" Women's, 20" Women's **COLORS** Starry Night, Frost/Niagara Blue, Pearl White/Candy Red

XC HARDTAIL // PRO COMP REC

Bruiser Two™

"On behalf of everyone at Bruiser Airlines, we hope you enjoyed the flight."



FRAME Alpha™ Aluminum in a Trails Jumping Geometry that's stable in the air and takes the hits on re-entry. **WHEELS** Triple wall alloy 1" tall rims offer huge strength and durability. Avid disc brakes give incredible, reliable control. **SUSPENSION** Marzocchi Bomber Z-4 coil fork (100mm travel) is true to its name - a suspension you can bomb the hell out of. **COMPONENTS** Truvativ Hussefelt DH crank and Shimano Deore LX 8-speed shifting. **SIZES** 14.5", 16" **COLOR** Raw Smoke

XC HARDTAIL // PRO COMP REC

Bruiser One™

Nearly indestructible. The fully armored assault bike.



FRAME Alpha™ Aluminum in a Trails Jumping Geometry that's stable in the air and takes the hits on re-entry. **FORK** Trek Full Cro-Moly Jumping Fork with 1-3/8" blades and a double-thick steer tube. **WHEELS** Alloy 1" tall rims offer huge strength and durability. **COMPONENTS** Truvativ FIREX crank and Shimano Alivio/GripShift Centera 8-speed shifting. **SIZES** 14.5", 16" **COLOR** Raw Steel



XC FULL SUSPENSION // PRO COMP REC

Y 26™

This full-suspension bike takes the shocks your body shouldn't.



FRAME A proven Y Bike™ full suspension design in oversized Alpha™ Aluminum. **WHEELS** Matrix 750 rims and Bontrager Connection tires give excellent braking and traction on dirt or pavement. **SUSPENSION** RST Capa CL fork (63mm travel) and coil rear shock smooth out singletrack. **COMPONENTS** SunRace crank and Shimano Acera 21-speed shifting. **SIZES** 16", 17.5", 19" **COLOR** Ball Burnished/Candy Blue



The key to these bikes is **comfort**, pure and simple.

Comfort Navigators are designed to give you the perfect blend of comfort and performance to take away the bumps and jolts of roads and rail-trails. So you don't feel them after you've gotten off your bike.

Our Alpha Aluminum process creates an aluminum comfort frame that's light, durable, and shock absorbing.

Special comfort features, like a suspension seatpost, spring saddle, and adjustable high-rise stem, make every ride more enjoyable. We also outfit Navigators with semi-smooth tires that roll fast on pavement, give you plenty of traction, and soak up the bumps.




The wider gear range lets you choose just the right one for ease of pedaling on any incline.

The Navigator's unique Comfort Geometry puts you in a relaxed, upright riding position to make handling better, pedaling effortless, and enjoying the view easier.



Found on: Navigator 600 through the Navigator 100



COMFORT // PRO COMP REC

Navigator 600™

The ultimate comfort ride with an integrated handlebar system for computer, mirrors, and shifters.



THE NAVIGATOR 600 FEATURES THE SRAM SMARTBAR™ FULLY INTEGRATED CONTROL SYSTEM.

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Corvair rims and Comfort tires are made for smooth rides. Kevlar belting and Slime sealant virtually eliminate flats. **SUSPENSION** InSync 178 (50mm travel, adjustable preload) will add comfort to every ride. The suspension seatpost helps, too. **COMPONENTS** Shimano T303 crank and Shimano Nexave/SRAM Smartbar 24-speed shifting. Trek comfort saddle with integrated flashing light. **SIZES** 14.5", 16.5", 18.5", 21" **COLOR** Starry Night/Warm Silver

COMFORT // PRO COMP REC

Navigator 500™

Comfort you'll feel miles down the road.



FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Corvair rims and Comfort tires for smooth rolling and easy braking. Kevlar belting and Slime sealant virtually eliminate flats. **SUSPENSION** InSync 178 fork (50mm travel, adjustable preload) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough road surfaces. **COMPONENTS** Shimano T303 crank with Shimano Deore LX 24-speed shifting. Trek comfort saddle with integrated flashing light. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLOR** Georgia Blue/Pearl Navy

COMFORT // PRO COMP REC

Navigator 400™

The bike that makes an uncomfortable ride a thing of the past.



AVAILABLE IN A WOMEN'S FRAME.

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 750 rims with Bontrager Comfort tires for smooth rolling and easy braking. Slime sealant in tubes reduces flats. **SUSPENSION** RST CT COM CL fork (50mm travel, adjustable preload) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough road surfaces. **COMPONENTS** CPI crank and Nexus Revo 7-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLOR** Platinum/Rainforest



COMFORT // PRO COMP REC

Navigator 300™

The bike that makes every road feel smoother.



GLACIER



SPANISH GOLD/STARRY NIGHT

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 750 rims and Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** RST CT COM TL fork (50mm travel, adjustable preload) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough road surfaces. **COMPONENTS** Shimano C203 crank and Deore 24-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLORS** Glacier, Spanish Gold/Starry Night

COMFORT // PRO COMP REC

Navigator 200™

Take to the streets in comfort with front suspension.



STONE PEARL/PLATINUM



DUSK

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 550 rims with Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** RST CT COM CL fork (50mm travel) and shock absorbing seatpost soften rough riding surfaces. **COMPONENTS** SunRace crank and Shimano Acera/SRAM Verio 21-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLORS** Stone Pearl/Platinum, Dusk



COMFORT // PRO COMP **REC**

Navigator 100™

A safe, comfy ride made of light Alpha Aluminum.



CANDY RED



STARRY NIGHT/WARM SILVER

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **FORK** High tensile ATB cuts down on road vibration. **WHEELS** Matrix 550 rims and Bontrager Comfort tires for smooth rolling and easy braking. **COMPONENTS** SunRace crank with SRAM 5.0 Royale 21-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLORS** Candy Red, Starry Night/Warm Silver

DIRT //

TR30™

With quick handling and stability in the air, it's for serious dirt/ street riders.



FRAME Trek dirt design. All Cro-Moly. **FORK** Oversized and all Cro-Moly. 1-3/8" blades and superthick steer tube. **COMPONENTS** Trek 3-piece forged Cro-Moly crank takes the torque. Threadless stem system. Rear linear brake. Cro-Moly handlebars. Trek Dirt Jumper saddle. SST Oryg rotor keeps the cables in line. Trek steel pegs. **COLOR** Matte White

DIRT //

TR20™

Made to handle the pounding of the dedicated dirt rider.



FRAME Trek dirt design with a tough Cro-Moly mainframe. Long wheelbase for stable all-around ride. **FORK** Oversized 1-3/8" Cro-Moly blades and superthick steer tube. **COMPONENTS** Trek forged steel 3-piece crank. Bontrager saddle. Threadless stem system. Rear linear brake. SST Oryg rotor keeps the cables in line. Trek steel pegs. **COLOR** Matte Black

DIRT //

TR10™

Handles like a racer with the toughness of a dirt bike.



CANDY BLUE/GLOSS BLACK



BRIGHT SILVER

FRAME Trek dirt design in all steel. Double-thick headtube and dropouts. **FORK** Oversized all steel. 1-3/8" blades and superthick steer tube. **COMPONENTS** 180mm forged steel crank. Bontrager saddle. Threadless stem system. Front and rear linear brakes. SST Oryg rotor keeps the cables in line. Trek steel pegs. **COLORS** Candy Blue/Gloss Black, Bright Silver



Trek BMX rider Wade Bootes chills on his VW Jetta after a race in southern California.



MultiTrack Hybrids
combine the comfort of a mountain bike and the speed of a road bike.


Our MultiTrack Hybrid aluminum bikes make getting from point A to point B efficient and comfortable.

We use our proven Alpha SL and Alpha processes to create aluminum hybrid frames that are lighter and stiffer to easily generate power.

The suspension seatpost and saddle soften rough pavement and add comfort to your ride.

The frame's medium upright riding position lets you enjoy the scenery as you get in shape.

Found on: 7700, 7500, 7300, 7200, 7100



HYBRID // PRO **COMP** REC

7700™

Our top-of-the-line hybrid shifts as smooth as it rides.



FRAME Alpha™ SL Aluminum with an easy, upright riding position. Lightweight and designed for comfort. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology™. **SUSPENSION** RockShox Metro SL fork (60mm travel) and suspension seatpost soften rough riding surfaces. **COMPONENTS** Shimano Deore crank and Deore XT 27-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLOR** Georgia Blue/Starry Night

HYBRID // PRO **COMP** REC

7500™

This hybrid adds comfort to the ride with an upgraded frame.



FRAME Alpha™ SL Aluminum with an easy, upright riding position. Lightweight and designed for comfort. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology™. Bontrager Select tires smooth out the road. **SUSPENSION** InSync Odessa 168 fork (45mm travel), seatpost and CRZ+ saddle soften rough riding surfaces. **COMPONENTS** Shimano Nexave crank and Alivio/LX 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLORS** Sand, Slate Pearl

HYBRID // PRO COMP **REC**

7300™

Our most popular hybrid for a lot of comfortable reasons.



DUSK



STARRY NIGHT

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Fairlane welded machined rims are strong and Bontrager Select tires add traction, reduce vibration. **SUSPENSION** Cozy ST fork (40mm travel) plus a suspension seatpost to soften rough riding surfaces. **COMPONENTS** Shimano Nexave crank and Centera/Deore 24-speed shifting. **SIZES** 13", 15", 17.5", 20", 22.5" ; 15" Women's, 17.5" Women's, 20" Women's **COLORS** Dusk, Starry Night



HYBRID // PRO COMP **REC**

7200™

The smoothest feature of this hybrid? The suspension fork.



WARM SILVER



GEORGIA BLUE/PEARL NAVY

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 750 double walled rims and Bontrager Select tires add traction, reduce vibration. **SUSPENSION** Post Modern Comfy fork (40mm travel) and suspension seatpost soften rough riding surfaces. **COMPONENTS** Shimano C203 crank and Shimano Acera/SRAM Verio 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5", 25"; 15" Women's, 17" Women's, 20" Women's **COLORS** Warm Silver, Georgia Blue/Pearl Navy

HYBRID // PRO COMP **REC**

7100™

Alpha Aluminum makes this a lighter hybrid ride.



WARM SILVER/RAINFOREST



GLACIER

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **FORK** High tensile ATB is lightweight and shock absorbing. **WHEELS** Matrix 550 rims and Bontrager Select tires for smooth, fast rolling. **SUSPENSION** Shock absorbing seatpost and saddle soften rough riding surfaces. **COMPONENTS** SunRace crank and Shimano TY40/SRAM Verio 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5"; 15" Women's, 17" Women's, 20" Women's **COLORS** Warm Silver/Rainforest, Glacier

FITNESS // PRO COMP REC

7700 FX™

This top-of-the-line fitness bike is built for speed.



FRAME Alpha™ SL Aluminum with Trek Pro Geometry. Lightweight and designed for speed. **FORK** Lightweight, vibration-dampening aero aluminum. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology™. **COMPONENTS** Shimano Tiagra crank and Shimano R440/Tiagra 9-speed shifting. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm **COLOR** Platinum Silver/Starry Night

FITNESS // PRO COMP REC

7500 FX™

Reach your fitness and exercise goals faster and more comfortably.



FRAME Alpha™ SL Aluminum with a comfortable, upright riding position. Lightweight and designed for speed. **FORK** Cro-Moly cuts down the road buzz. **WHEELS** Bontrager Select offers aerodynamics and strength with Paired Spoke Technology™. **COMPONENTS** Shimano Nexave crank and Alivio/Deore 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLOR** Dusk/Bright Silver

CRUISER // PRO COMP **REC**

Clyde™

The attitude is back in black.



AVAILABLE IN A WOMEN'S FRAME.


FRAME Alpha™ Aluminum tubes in a Comfort Cruiser frame design that's a blast from the past and fun to ride. **WHEELS** Matrix 750 rims and blackwall tires look mean but ride smooth. **COMPONENTS** Bontrager crank and Shimano Nexus 4-speed rear hub. Easy to use and maintain. **SIZE** 20" **COLOR** Matte Black

CRUISER // PRO COMP **REC**

Town & Country™

A fun, retro-active ride.





FRAME Alpha™ Aluminum tubes in a Comfort Cruiser frame design that's a blast from the past and fun to ride. **WHEELS** Matrix 550 rims and fat, whitewall tires look smooth and ride smooth. **COMPONENTS** Shimano Nexus 3-speed rear hub that's easy to use and maintain. With front and rear fenders. **SIZE** 20"; 17" Women's **COLOR** Mistral Blue

CRUISER // PRO COMP **REC**

Calypso®

Take a ride into the past.



EMERALD



ANTHRACITE

FRAME Alpha™ Aluminum tubes in a Comfort Cruiser frame design that's a blast from the past and fun to ride. **WHEELS** Matrix 550 rims and fat, whitewall tires look smooth and ride smooth. **COMPONENTS** Shimano TY40/SRAM MRX Plus 7-speed shifting. Easy to use and maintain. **SIZE** 20"; 17" Women's **COLORS** Emerald, Anthracite

CRUISER // PRO COMP **REC**

Cruiser Classic®

It's more than a bike. It's a state of mind.



MAYAN GOLD



BIG ISLAND BLUE

FRAME Alpha™ Aluminum tubes in a Comfort Cruiser frame design that's a blast from the past and fun to ride. **WHEELS** Matrix 550 rims and fat, whitewall tires look smooth and ride smooth. **COMPONENTS** Single-speed drivetrain - more than a component, it's a way of life. **SIZE** 20"; 17" Women's **COLORS** Mayan Gold, Big Island Blue

KIDS ROAD BIKE //

KDR 1000™

Now kids can ride like the pros.



FRAME Oversized Alpha™ Aluminum. A smaller version of the full-featured adult road bike. **FORK** Cro-Moly aero is durable and shock absorbing. **WHEELS** Alloy Aero rims and IRC Red Storm tires run smooth on roads. **COMPONENTS** Cyclone crank and Shimano Sora STI 24-speed shifting. Triple chainring for wider gear options on longer rides. **COLOR** Blue

KIDS 24" WHEELS //

Y 24™

Full-suspension for future extreme riders.



FRAME All high tensile steel. A kids version of the award-winning Y full-suspension design. **WHEELS** Alloy rims are light and tough. Knobby tires are traction-packed. **SUSPENSION** RST fork (50mm travel) and 650lb. coil spring rear shock. Designed for real off-road action. **COMPONENTS** GripShift MRX Plus shifters and Shimano 21-speed shifting make it easy to find the right gear. **COLOR** Silver/Blue



KIDS MOUNTAIN BIKE //

Mt. Track 240™

The serious mountain bike made for kids.



FRAME Oversized Alpha™ Aluminum. A smaller version of the full-featured adult mountain bike. **WHEELS** Alloy rims and ATB Knobby tires grip the ground. **SUSPENSION** RST suspension fork (60mm travel) smoothes out the off-road bumps. **COMPONENTS** GripShift shifters and Shimano Deore 24-speed rear derailleur makes it easy to adjust to the terrain. **COLOR** Black/Silver

KIDS 24" WHEELS //

Mt. Track 230™

21-speeds of trail-riding fun.



FRAME Trek Jr. ATB steel frame with Cro-Moly seat tube. A true Trek mountain bike made smaller. **WHEELS** Alloy rims and Knobby ATB tires are traction-packed. **SUSPENSION** RST suspension fork (50mm travel) handles the bumps off-road. **COMPONENTS** GripShift MRX Plus shifters and Shimano 21-speed derailleurs make it easy to change gears. **COLORS** Silver/Blue (shown), White/Red

KIDS 24" WHEELS //

Mt. Track 220™

The kid-sized mountain bike that's made tough.





FRAME Trek Jr. ATB steel frame with Cro-Moly seat tube. A true Trek mountain bike made smaller. **FORK** Trek straight blade MTB fork for added cool factor. **WHEELS** Alloy rims and Knobby ATB tires are traction-packed. **COMPONENTS** GripShift MRX Plus shifters and Shimano 21-speed derailleurs make it easy to change gears. **COLORS** Boy's Black/Silver (shown), Black/Green; Girl's White/Purple (shown), Light Blue

KIDS 20" WHEELS //

Mt. Lion® 60™

Six-speed grip-shifting fun.





FRAME Trek Jr. MTB frame in all steel. A real mountain bike only smaller. **FORK** Trek straight blade MTB fork for strength and added cool factor. **WHEELS** Alloy rims and MTB Knobby tires for extra traction. **COMPONENTS** GripShift MRX and Shimano 6-speed shifting for smooth-and-easy gear changes. **COLOR** Boy's Blue (shown); Girl's Purple/Blue

KIDS 20" WHEELS //

Mt. Lion 30™

Forget the training wheels - it's time to ride.





FRAME All high-tensile steel in a Y-BMX design, a true BMX bike only smaller. **FORK** Trek BMX fork with all the strength you need. **WHEELS** Alloy rims and Trek Paw design tires are traction-packed. **COMPONENTS** Pads, chainguard, coaster brake, and a kid-sized hand brake help kids gain confidence. **COLORS** Boy's Red/Silver (shown), Blue; Girl's White/Pink (shown), Purple

KIDS 16" WHEELS //

Mt. Cub® 16™

For little riders who want to go far.





FRAME All steel Y-design is fun to ride and lasts through the growing years. **FORK** Trek BMX-style with tons of strength. **WHEELS** All steel with ball-bearing hubs for easy maintenance. Trek Paw design tires are traction-filled. **COMPONENTS** Pads, chainguard, and training wheels help kids gain confidence. **COLORS** Boy's Black/Blue (shown), Red; Girl's White/Purple (shown), Pink

WARNING: this product is not intended for use of children under 3 years of age.

KIDS 12" WHEELS //

Mt. Cub® 12™

A first "real" bike for kids.





FRAME All steel Y-design is fun to ride and lasts through the growing years. **FORK** Trek BMX-style with tons of strength. **WHEELS** All steel with ball-bearing hubs for easy maintenance. Trek Paw design tires are traction-packed. **COMPONENTS** Pads, fenders, and training wheels help kids gain confidence. **COLOR** Boy's Blue; Girl's Purple

WARNING: this product is not intended for use of children under 3 years of age.

PEDAL TRAILER 24" WHEEL //

Mt. Train 241™

This pedal trailer lets your kids enjoy the ride.



FRAME All steel pedal trailer with a tougher frame design. Patented hitch secures easily to seatpost. Boom arm folds for storage. **WHEEL** 24" alloy rear wheel with stainless steel spokes and all-terrain tire. **COMPONENTS** Single speed, adjustable stem angle, and plush Trek saddle. **COLOR** Gloss Black

PEDAL TRAILER 24" WHEEL //

Mt. Train 247™

An easy way for kids to learn how to ride – and shift gears.



FRAME All steel pedal trailer with a tougher frame design. Patented hitch secures easily to seatpost. Boom arm folds for storage. **WHEEL** 24" alloy rear wheel with stainless steel spokes and all-terrain tire. **COMPONENTS** 7-speed, adjustable stem angle, and plush Trek saddle. **COLOR** Ice Royal Blue

PEDAL TRAILER 20" WHEEL //

Mt. Train 201™

Now younger kids can pedal along with you.



FRAME All steel pedal trailer with a tougher frame design. Patented hitch secures easily to seatpost. **WHEEL** 20" alloy rear wheel with stainless steel spokes and knobby tire. **COMPONENTS** Single speed, bar pad, and chain guard. **COLOR** Ice Red

PEDAL TRAILER 20" WHEEL //

Mt. Train 206™

The next step in family fun.



FRAME All steel pedal trailer with a tougher frame design. Patented hitch secures easily to seatpost. Boom arm folds for storage. **WHEEL** 20" alloy rear wheel with knobby tire. **COMPONENTS** GripShift 6-speed shifting with Shimano Tourney rear derailleur, adjustable stem angle, and plush Trek saddle. **COLORS** Silver (shown), Green

TREK BMX: TOUGH IN THE AIR AND ON THE GROUND. Whether you're cruising, perfecting tricks, or going vertical, Trek BMX bikes are built to take a beating.



BMX

Wade Bootes – BMX champion – rides Trek loud and fast. Back in '94 he came over from Australia to race – ever since, his competition wishes he hadn't. Now he's #1 in the ABA and the World Champion in the UCI Dual Slalom. Who knows, maybe he'll be a 2004 Olympic champion. Here's your chance to ride the same designs and technology Wade does with Trek BMX.

RACE

Designed for full-speed traction on moto-tracks or anywhere else that inspires you.

FREESTYLE

Designed to spin, grind, and stall all over your favorite landmarks or ramp park.

DIRT

Where BMX began – riding for speed and taking the jumps in backyards, vacant lots, or tracks.

RACE //

T.I. 1™

The all-around racer with the same frame-style as BMX-pro Wade Bootes.



FRAME Trek Alpha™ Aluminum BMX race frame in a Pro XL size. **FORK** Trek TI race fork, with 1-3/8" Cro-Moly blades. **COMPONENTS** Trek 3-piece forged Cro-Moly crank. Bontrager saddle. Pro Max linear pull brake. Alloy chain adjusters. **COLOR** Bright Silver/Candy Blue

FREESTYLE / AIR //

VERT 2™

The bike built with air geometry for hardcore street and ramp riding.



FRAME All-steel. Trek Air Geometry blends the best of vert and street bikes. **FORK** All steel Freestyle with 1-3/8" blades. **COMPONENTS** Trek forged steel 3-piece crank. Bontrager saddle. Threadless stem system. Front and rear linear brakes. SST Oryg rotor keeps the cables in line. Trek steel pegs in front and rear. Freestyle tires. **COLOR** Candy Blue

FREESTYLE / AIR //

VERT 1™

Takes all the street riding and ground tricks riders throw at it.



BRIGHT SILVER



MATTE GREEN

FRAME All-steel. Trek Air Geometry blends the best of vert and street bikes. **FORK** All steel Freestyle with 1-3/8" blades. **COMPONENTS** Threadless stem system. Front and rear linear brakes. SST Oryg rotor keeps cables in line. Trek steel pegs in front and rear. Freestyle tires. **COLORS** Bright Silver, Matte Green

FRAME MATERIALS

	MATERIAL	MODELS	WEIGHT
OCLV CARBON FIBER	**OCLV 110** OCLV 110 Carbon was specially engineered to help Lance Armstrong defend the Tour de France. He pulled away from the pack with a frame designed to weigh as little as possible - a reduction of 160 grams compared to the original Tour winner. By optimizing the amount of OCLV per square meter (110 grams) and adding high modulus carbon, we've created a superior frame that's ultrastrong, ultrastiff, and ultralight. The best feature? You can have the same stock frame Lance rides.	**ROAD -** 5900 USPS Team Superlight	**ROAD -** 2.27 lbs / 1030 g (Frame and fork 2.98 lbs / 1353 g)
	OCLV 120 Get a stiff, strong frame with unparalleled ride quality that weighs 100 grams less than the original Tour winner. It uses 120 grams of carbon fiber per square meter, hand built into a comfortable frame without compromising its strength and stiffness. The result is the same high-performance bike ridden by the USPS Team – and you.	**ROAD -** 5500, 5200 USPS Team Bike	**ROAD -** 2.4 lbs / 1090 g (Frame and fork 3.39 lbs / 1539 g)
	OCLV Carbon OCLV uses 150 grams of carbon fiber per square meter of OCLV material, hand built into a lightweight frame. Featured in both Lance's original Tour winner and the Trek Volkswagen Pro Mountain Bike Team's STP rides, this is the material that started it all. Over the years, we've made subtle tweaks that have added up to big results. It's re-engineered to be stronger, lighter, more durable, and comfortable. Ride one and you're riding a frame that's close to perfection.	**MOUNTAIN -** STP 400, STP Frameset	**MOUNTAIN -** 3.6 lbs / 1634 g
	OCLV Carbon HC This material is formed from a honeycomb of Nomex® sandwiched between layers of OCLV Carbon. Sandwich construction results in increased wall rigidity, allowing engineers to make more exotic shapes. Shapes that lead to incredible aerodynamics for Lance Armstrong's 2001 Tour time trial bike. Or added stiffness in the bottom bracket and headtube of Trek Volkswagen Pro Mountain Bike Team's World Cup proven 9.8 hardtail. Overall, the strength of the honeycomb requires less carbon, which reduces the total weight of these remarkable frames.	**ROAD -** USPS Team Time Trial Frameset **MOUNTAIN -** Elite 9.8, Elite 9.8 Frameset	**ROAD -** 3.36 lbs / 1525 g **MOUNTAIN -** 3.0 lbs / 1362 g
ZR 9000 ALLOY	**ZR 9000 Alloy** The ZR 9000 frame is custom-designed and hand built in Waterloo with the hardening material Zirconium that increases stiffness, fatigue life, and strength – all while reducing weight. ZR mountain frames feature power inducing bi-axial downtubes and lose 30 grams of weight. ZR road bikes are totally new top-to-bottom with an inset headset, T-Back seat stay, and thin-wall tubes that shed 177 grams of weight. Proven Pro Race Geometry provides more efficient energy transfer helping you climb with ease and descend with confidence.	**ROAD -** 2300, 2300 WSD T 2000, T 1000 **MOUNTAIN -** Fuel 100, Fuel 98 8500, 8000, 8000 WSD	**ROAD -** 2.71 lbs / 1230 g 7.2 lbs / 3266 g **MOUNTAIN -** 4.41 lbs / 2003 g 4.52 lbs / 2053 g 3.33 lbs / 1514 g
ALPHA ALUMINUM	**Alpha SLR** We handbuild race-worthy performance into our Alpha Aluminum superlight race bikes with a custom butted headtube and 3-D forged wishbone monostay. You'll get the stiffness you want and the compliance you need because this superlight aluminum frame utilizes our proprietary heat-treating process that increases overall strength. And with the added proven race geometry you'll be able to climb with more power, descend with confidence, and steer with ease.	**MOUNTAIN -** Fuel 90, Fuel 90 WSD, Fuel 80 6700, 6700 WSD, 6500 **ROAD -** Hilo 2000, Hilo 1000	**MOUNTAIN -** 4.75 lbs / 2157 g 3.4 lbs / 1544 g **ROAD -** 2.8 lbs / 1272 g
	Alpha SL We take Alpha Aluminum and create seamless drawn, double butted tubes and handbuild these frames in Wisconsin. The frame features a custom butted headtube, totally redesigned thin-wall tubing with T-back seat stay, plus stiff and powerful elliptical chainstays. Our proprietary heat treating process enhances strength, making this a superior aluminum frame.	**ROAD -** 2200, 2200 WSD, 2000, 2000 WSD, 1200, XO 1 **CITY & BIKE PATH -** 7700, 7500, 7700 FX, 7500 FX	**ROAD -** 2.85 lbs / 1293 g **CITY & BIKE PATH -** 3.63 lbs / 1649 g
	Alpha This TIG-welded aluminum frame provides the lightweight, comfortable performance you've come to expect from Trek. Redesigned frame tubes add comfort and performance to our hybrid and comfort bikes, durability and strength to our mountain bikes, and lightweight stiffness to our road bikes.	**MOUNTAIN -** 4900, 4900 WSD, 4500, 4300, Bruiser Two, Bruiser One, Y26, Diesel DH Frameset **ROAD -** 1000 **CITY/BIKE -** NAV 600/500/400/300/200/100, 7300, 7200, 7100 Clyde, Town & Country, Calypso, Cruiser Classic	**MOUNTAIN -** 4.2 lbs / 1908 g **ROAD -** 3.1 lbs / 1408 g **CITY/BIKE -** 4.2 lbs / 1908 g 5.0 lbs / 2271
TREK STEEL	**Trek High Tensile Steel & Cro-Moly** We start by making tubes of quality high tensile steel and Cro-Moly. Then, we form them into frames with a maximum of shock-absorbing comfort and long-lasting strength. High tensile steel and Cro-Moly frames offer an exceptional combination of the highest performance for the lowest price.	**ROAD -** 520 **MOUNTAIN -** 820 **CITY & BIKE PATH -** 800 Sport	**ROAD -** 4.3 lbs / 1953 g **MOUNTAIN -** 4.6 lbs / 2089 g **CITY & BIKE PATH -** 5.0 lbs / 2271 g

Road

PERFORMANCE

	P12 USPS Team TT FS	P12 5900 USPS	P13 5500	P13 5200	P14 2300	P15 2300 WSD	P14 2200	P15 2200 WSD	P15 2000	P17 2000 WSD
SIZES	(S) 53-55cm, (M) 55-57cm, (L) 57-59cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 51cm, (WL) 54cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm	(WXS) 43cm, (WS) 47cm, (WM) 51cm, (WL) 54cm	(S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 51cm, (WL) 54cm
COLORS	USPS Team	Bright Silver/ Satin Silver	Abyss	USPS Team, Smoke Carbon	Pearl White, Starry Night. Frameset available in Starry Night	Georgia Blue	Candy Blue	Candy Red	Candy Red	Frost
FRAME	OCLV HC Carbon. Proven by the USPS Team in the Tour de France. The world's lightest, strongest frame material. OCLV Carbon plus stiff Honeycomb Nomex® between carbon layers. Race proven, wind tunnel-tested. 1° head tube. Aero downtube, steeper seattube, and flared chainstays for a powerful, aerodynamic position. Handmade in USA. 3.36 lb.	OCLV 110 Carbon. Proven by the USPS Team in the Tour de France. The lightest, fastest production frame ever made. Optimum Compaction Low Void carbon. 110 grams of carbon fiber per square meter of OCLV creates this ultralight frame. 1-1/8" head tube. Trek Pro Race geometry. Handmade in USA. 2.27 lb.	OCLV 120 Carbon. Proven by the USPS Team in the Tour de France. 100 grams lighter than the 1999 Tour winner. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. 120 grams of carbon fiber per square meter of OCLV material. 1-1/8" head tube. Trek Pro Race geometry. Handmade in USA. 2.4 lb.	OCLV 120 Carbon. Proven by the USPS Team in the Tour de France. 100 grams lighter than the 1999 Tour winner. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. 120 grams of carbon fiber per square meter of OCLV material. 1-1/8" head tube. Trek Pro Race geometry. Handmade in USA. 2.4 lb.	ZR 9000 Alloy. Double butted, large diameter, thin-wall, seamless drawn tubing. Custom butted 1-1/8" head tube. T-Back seat stay. Inset headset. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 2.71 lb.	ZR 9000 Alloy. Women's Specific Design. Double butted, large diameter, thin-wall, seamless drawn tubing. Custom butted 1-1/8" head tube. T-Back seat stay. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 2.71 lb.	Alpha SL Aluminum. Super Light aluminum. Double-butted, seamless drawn round tubing. Custom butted 1-1/8" head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.85 lb.	Alpha SL Aluminum. Women's Specific Design. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 2.85 lb.	Alpha SL Aluminum. Super Light aluminum. Double-butted, seamless drawn round tubing. Custom butted 1-1/8" head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.85 lb.	Alpha SL Aluminum. Women's Specific Design. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 2.85 lb.
FORK	Carbon Air Foil	ICON OCLV Superlight Carbon Air Rail OD. Oversized 1-1/8", 0.77 lbs., 348g	ICON OCLV Carbon Air Rail OD 1-1/8"	ICON OCLV Carbon Air Rail OD 1-1/8"	ICON OCLV Carbon Air Rail OD 1-1/8"	ICON OCLV Carbon Air Rail OD 1-1/8"	ICON OCLV Carbon Air Rail OD 1-1/8"	ICON OCLV Carbon Classic w/Cro-Moly steerer	ICON OCLV Carbon Classic w/Cro-Moly steerer	ICON OCLV Carbon Classic w/Cro-Moly steerer
REAR SHOCK										
WHEELS		Bontrager Race X-Lite: Supreme all-around racing wheelset; 23mm semi-deep front rim provides excellent aero; 21mm rear rim improves lateral rigidity, prolongs wheel life; Bladed spokes; Race X-Lite Titanium skewers; 660g, 20h front/870g, 24h rear	Bontrager Race X-Lite: Supreme all-around racing wheelset; 23mm semi-deep front rim provides excellent aero; 21mm rear rim improves lateral rigidity, prolongs wheel life; Bladed spokes; Race X-Lite Titanium skewers; 660g, 20h front/ 870g, 24h rear	Bontrager Race Lite: 23mm semi-deep front rim provides excellent aero; 21mm rear rim w/OSB improves lateral rigidity, prolongs wheel life; Fully serviceable Swiss-made rear hub w/cartridge and needle bearings; Cro-mo skewers; Stiff, 14G bladed spokes; 740g, 20h front/1020g, 24h rear	Bontrager Race Lite: 23mm semi-deep front rim provides excellent aero; 21mm rear rim w/OSB improves lateral rigidity, prolongs wheel life; Fully serviceable Swiss-made rear hub w/cartridge and needle bearings; Cro-mo skewers; Stiff, 14G bladed spokes; 740g, 20h front/1020g, 24h rear	Bontrager Race Lite: 23mm semi-deep front rim provides excellent aero; 21mm rear rim w/OSB improves lateral rigidity, prolongs wheel life; Fully serviceable Swiss-made rear hub w/cartridge and needle bearings; Cro-mo skewers; Stiff, 14G bladed spokes; 740g, 20h front/1020g, 24h rear	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Aurora, welded, machined sidewalls rims; Shimano Tiagra, 32h hubs; 14G stainless spokes	Aurora, welded, machined sidewalls rims; Shimano Tiagra, 32h hubs; 14G stainless spokes
TIRES		Bontrager Race X-Lite, folding, 700x23c front and rear	Bontrager Race X-Lite, folding, 700x23c front and rear	Bontrager Race X-Lite, folding, 700x23c front and rear	Bontrager Race X-Lite, folding, 700x23c front and rear	Bontrager Race X-Lite, folding, 650/700x23c front and rear	Bontrager Race Lite, 700x23c front and rear	IRC 650/700x25c front and rear	IRC Red Storm, 700x25c front and rear	IRC 650/700x25c front and rear
SADDLE		Selle San Marco Era, titanium/leather	Selle San Marco Era, titanium/leather	Selle San Marco Era, Cro-Moly/leather	Selle San Marco Era, Cro-Moly/leather	Bontrager FS 2000 WSD w/gel, Cro-Moly rails, leather	Selle San Marco New Millennium, Cro-Moly	Bontrager FS 2000 WSD w/Cro-Moly rails	Selle San Marco New Millennium	Bontrager FS 2000 WSD w/Cro-Moly rails
SEATPOST		Thomson Elite	Thomson Elite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy micro-adjust	Alloy micro-adjust
HANDLEBARS		Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy road w/ergo bend	Alloy road w/ergo bend
STEM		Bontrager Race Lite, reversible 7°	Bontrager Race Lite, reversible 7°	Bontrager Race, reversible 7°	Bontrager Race, reversible 7°	Bontrager Race, reversible 7°	Bontrager Race, reversible 7°	Bontrager Race, reversible 7°	Road ahead, reversible 17°	Road ahead, reversible 17°
HEADSET	Cane Creek S6 Aheadset, 1"	Superlight Bearing System	Cane Creek S6 Aheadset	Cane Creek S2 Aheadset	Cane Creek Internal	Cane Creek Internal	Cane Creek C-1 Aheadset	STR w/1 steerer to 1 1/8" head tube adapter	STR w/1 steerer to 1 1/8" head tube adapter	STR w/1 steerer to 1 1/8" head tube adapter
SHIFTERS		Shimano Dura Ace STI	Shimano Dura Ace STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105 STI	Shimano 105 STI
FRONT DERAILLEUR		Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra or Ultegra T	Shimano Ultegra or Ultegra T	Shimano Ultegra T	Shimano 105 or 105 T	Shimano 105 T	Shimano Tiagra T	Shimano Tiagra T
REAR DERAILLEUR		Shimano Dura Ace	Shimano Dura Ace or Dura Ace GS	Shimano Ultegra or Ultegra GS	Shimano Ultegra or Ultegra GS	Shimano Ultegra GS	Shimano Ultegra or Ultegra GS	Shimano Ultegra GS	Shimano 105 GS	Shimano 105 GS
CRANKSET		Shimano Dura Ace 53/39	Shimano Dura Ace 53/39 or 53/39/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano 105 52/42/30	Shimano 105 52/42/30
CASSETTE		Shimano Dura Ace 12-23, 9spd	Shimano Dura Ace 12-23, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-50 12-25, 9spd	Shimano HG-50 12-25, 9spd
BRAKESET		Shimano Dura Ace w/Shimano Dura-Ace STI levers	Shimano Dura Ace w/Shimano Dura-Ace STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Alloy, dual pivot w/Shimano 105 STI levers	Alloy, dual pivot w/Shimano 105 STI levers
PEDALS							Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless

FRAMESET WHEELS COMPONENTS DRIVETRAIN OTHER

European Central Office Bikeurope B.V. Tel: 31 33 45 09 060 Fax: 31 33 45 64 825 SUBSIDIARIES **Austria** Fahrradhandel Gesellschaft mbH Tel: 43 524 272 440 Fax: 43 524 272 440 90 **Germany** Trek Bicycle GmbH Tel: 49 6103 50700 Fax: 49 6103 74741 **Benelux** Bikeurope B.V. Tel: 31 33 45 09 040 Fax: 31 33 45 65 383 **Japan** Trek Japan Corporation Tel: 81 78 413 6606 Fax: 81 78 413 6607 **Spain** Trek Bicycle S.L. Tel: 34 91 654 9011 Fax: 34 91 654 6819 **Switzerland** Trek Fahrrad AG Tel: 41 1 735 8585 Fax: 41 1 735 8575 **United Kingdom** Trek Bicycle Corporation Ltd. Tel: 44 1908 282 626 Fax: 44 1908 285 006 TREK DISTRIBUTORS **Argentina** Bike Group S.A. Tel: 5411 4512 1640 Fax: 5411 4512 2333 **Aruba** Tri-Bike Aruba Tel: 2978 52734 Fax: 2978 50609

Mountain

		TRIATHLON		CYCLOCROSS	TANDEM		TOURING	XC FULL SUSPENSION		
P.15	P.15	P.18	P.18	P.19	P.19	P.19	P.19	P.24	P.24	
1200	**1000**	**Hilo 2000**	**Hilo 1000**	**XO 1**	**T 2000**	**T 1000**	**520**	**Fuel 100**	**Fuel 98**	
(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm	(XS) 43cm, (XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(XS) 50cm, (S) 54cm, (M) 56cm, (L) 58cm, (XL) 60cm	(XS) 50cm, (S) 54cm, (M) 56cm, (L) 58cm, (XL) 60cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(S) 54/43-56cm, (M) 56/43-56cm, (L) 58/43-56cm	(S) 54/43-56cm, (M) 56/43-56cm, (L) 58/43-56cm	(S) 17", (M) 19", (M) 21", (L) 23", (XL) 25"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	**SIZES**
Starry Night	Pearl White, Metallic Orange	Starry Night	Dusk	Starry Night	Metallic Blue	Metallic Green	Rainforest	Starry Night/ Candy Blue	Georgia Blue/ Starry Night	**COLORS**
Alpha SL Aluminum. Super Light aluminum. Double-butted, seamless drawn round tubing. Custom butted 1-1/8" head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.85 lb.	New Alpha Aluminum. Seamless drawn round tubing. Custom butted 1-1/8" head tube. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry.	Alpha SLR Aluminum. Double butted seamless drawn tubing. Tri frame is based on race proven, wind tunnel-tested USPS time trial bike tech. The Trek Pro Tri geometry has an aero downtube, steeper seattube and flared chainstays to keep you in a comfortable, power-generating, aerodynamic position. Handmade in the USA. 3.0 lb.	Alpha SLR Aluminum. Double butted seamless drawn tubing. Tri frame is based on race proven, wind tunnel-tested USPS time trial bike tech. The Trek Pro Tri geometry has an aero downtube, steeper seattube and flared chainstays to keep you in a comfortable, power-generating, aerodynamic position. Handmade in the USA. 3.0 lb.	Alpha SL Aluminum. Super Light aluminum. Cross Specific Frame. Double-butted, seamless drawn round tubing. Custom butted 1-1/8" head tube. Stiff elliptical chainstays. Rack mounts on stays. Cold forged replaceable derailleur hanger. Trek Pro Cross geometry. Handmade in the USA. 2.85 lb.	ZR 9000 Alloy. Double butted, large diameter, thin-wall, seamless drawn tubing. Custom butted 1-1/8" head tube. Stiffness tuned boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi-brake compatibility. Trek Sport Touring geometry. Handmade in the USA.	ZR 9000 Alloy. Double butted, large diameter, thin-wall, seamless drawn tubing. Custom butted 1-1/8" head tube. Stiffness tuned boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi-brake compatibility. Trek Sport Touring geometry. Handmade in the USA.	Trek Cro-Moly. High grade Trek engineered double butted Cro-Moly steel. Excellent shock absorption. Handmade in the USA.	ZR 9000 Alloy. Trek/VW Team tested. Double butted seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Triangulated Rocker Link made of OCLV MC moldable carbon with Ti hardware. Carbon chain and seat stays. Light Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.41 lb.	ZR 9000 Alloy. Trek/VW Team tested. Double butted seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Triangulated Rocker Link with Ti hardware. Aluminum rear with carbon chain and seat stays. Light Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.52 lb.	**FRAME**
Trek Alloy w/Cro-Moly steerer	Trek Alloy w/Cro-Moly steerer	Carbon Air Foil	Carbon Air Foil	Aluminum Cross Specific	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly	Cro-Moly	RockShox SID Race, All Travel 63/80, Dual Air, compression control, pure damp., Ti Nitride stanch.	RockShox Duke RC, Dual Air, 30mm upper tubes, ext. rebound adj., Al steer tube, 80mm travel	**FORK**
								Fox Float RL air spring, self adj. neg. spring, reb. adj. knob, comp. adj. lever, Ni charged	Fox Float R air spring, self adj. neg. spring, reb. adj. knob, Ni charged	**REAR SHOCK**
Aurora, welded, machined sidewalls rims; Alloy quick release hubs; 14G stainless spokes	Vuelta Typhoon, eyeletted rims; Alloy quick release hubs; stainless spokes	Bontrager Race X-Lite: Supreme all-around racing wheelset; 23mm semi-deep front rim provides excellent aero; 21mm rear rim improves lateral rigidity, prolongs wheel life; Bladed spokes; Race X-Lite Titanium skewers; 660g, 20h front/870g, 24h rear	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Aurora, welded, machined sidewalls rims; Alloy quick release hubs; 14G stainless spokes	Bontrager Race X-Lite rims; Bontrager Race X-Lite Tandem hubs	Bontrager Clyde rims; Shimano Deore XT Tandem, 48h hubs; 14G stainless spokes	Bontrager Fairlane, welded, machined sidewalls rims; Shimano Deore LX, 36h hubs; 14G stainless spokes	Bontrager Race Lite Tubeless: Trek/VW Team wheel; One of the lightest sets available; Durable and World Class fast; Uses a regular tire/tube, or tubeless tires for increased control and reduced flats; Swiss-made hubs; Race Lite skewers; 625g, 24h front/835g, 28h rear	Bontrager Race Modified Tubeless: Engineered to provide good lateral stiffness for any size rider; Fully serviceable, cartridge sealed bearing hubset; Oversize cartridge bearings and aluminum axle on front hub w/adjustable pre-load; Race Cro-mo skewers; 765g, 24h front/1050g, 28h rear	**WHEELS**
IRC Red Storm, 700x25c front and rear	IRC Red Storm, 700x25c front and rear	Bontrager Race X-Lite, folding, 650x23c front and rear	IRC Triathalon, 650x25c front and rear	Bontrager Jones CX, 700x32c front and rear	Continental Duraskin, 700x28c front and rear	IRC Duro Tour, 700x35c front and rear	IRC Duro Tour, 700x35c front and rear	Bontrager Revolt Super-X, 26x48/49 front and rear	Bontrager Revolt Super-X, 26x48/49 front and rear	**TIRES**
Selle San Marco New Millennium	Trek Race	Selle San Marco Era, titanium/leather	Selle San Marco New Millennium, Cro-Moly/leather	Bontrager Sport	Bontrager FS 2000 w/Cro-Moly rails, leather	Bontrager FS 2000 w/Cro-Moly rails, leather	Selle San Marco New Millennium, Cro-Moly	Bontrager Race Lite, titanium rails, leather	Bontrager FS 2000 w/Cro-Moly rails, leather	**SADDLE**
Alloy micro-adjust	Alloy micro-adjust	Thomson Elite	Bontrager Select	Bontrager Sport	Bontrager Race Lite	Bontrager Select	Bontrager Sport	Bontrager Race Lite	Bontrager Race	**SEATPOST**
Alloy road w/ergo bend	Alloy road w/ergo bend	Bontrager Race, bullhorn	Bontrager Race, bullhorn	Bontrager Race	Bontrager Race Lite	Bontrager Select	Bontrager Select	Bontrager Race Lite	Bontrager Race	**HANDLEBARS**
Road ahead, reversible 17°	Road ahead, reversible	Bontrager Race	Bontrager Race	Bontrager Sport	Bontrager Race Lite	Bontrager Sport	Bontrager Race	Bontrager Race Lite	Bontrager Race	**STEM**
STR w/1 steerer to 1 1/8" head tube adapter	STR w/1 steerer to 1 1/8" head tube adapter	Cane Creek S6 Aheadset	Cane Creek C-1 Aheadset	STR Aheadset	Cane Creek S6 Aheadset	Cane Creek SAS, 1 1/8", sealed	Cane Creek C-1 Aheadset	Cane Creek S6 Aheadset	Dia-Compe SAS, 1 1/8", sealed	**HEADSET**
Shimano Tiagra STI	Shimano Sora STI	Shimano Dura Ace, bar end control	Shimano Dura Ace, bar end control	Shimano Sora	Shimano Ultegra STI	Shimano SL R440, 9spd	Shimano Dura Ace, bar end control	Shimano Deore XT	Shimano Deore XT	**SHIFTERS**
Shimano Tiagra T	Shimano Sora	Shimano Ultegra	Shimano 105	Shimano Sora T	Shimano Ultegra	Shimano 105	Shimano 105 T	Shimano Deore XT	Shimano Deore XT	**FRONT DERAILLEUR**
Shimano Tiagra GS	Shimano Sora GS	Shimano Ultegra	Shimano 105	Shimano Sora GS	Shimano Ultegra	Shimano Deore LX	Shimano Deore LX SGS	Shimano Deore XTR SGS	Shimano Deore XTR SGS	**REAR DERAILLEUR**
Shimano Tiagra 52/42/30	SR Superbe 52/42/30	TruVativ Elita 55/42	TruVativ Elita 55/42	Shimano Sora 52/42/30	Shimano Ultegra 52/42/30	Shimano 105 Tandem 53/42/30	Shimano 105 52/42/30	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	**CRANKSET**
Shimano HG-50 12-25, 9spd	SunRace 11-28, 8spd	Shimano Ultegra 11-21, 9spd	Shimano HG-70 12-23, 9spd	Shimano HG-50 13-26, 8spd	Shimano HG-72 12-34 9spd	Shimano HG-50 11-34 9spd	SRAM 7.0 11-32, 9spd	Shimano Deore XT 11-34, 9spd	Shimano Deore LX 11-32, 9spd	**CASSETTE**
Alloy, dual pivot w/Shimano Tiagra STI levers	Alloy, dual pivot w/Shimano Sora STI levers	Shimano Ultegra w/ Dia-Compe 188 levers	Shimano 105 w/ Dia-Compe 188 levers	Avid Shorty 4 w/Shimano Sora levers	Avid Shorty 6, rear Shimano BRR600 w/Cane Creek Stoker levers	Avid SD5, linear pull w/alloy levers	Avid SD5, direct pull w/Dia-Compe 287 levers	Avid SD Ti w/Shimano Deore XT levers	Avid SD5, direct pull w/Shimano Deore XT levers	**BRAKESET**
Alloy road, sealed w/clips and straps	Alloy/nylon road w/toe clips			Shimano M515, clipless	N/A	Resin/Alloy w/clips and straps	Shimano M515, clipless	Time ATAC Carbon, clipless	Time ATAC, clipless	**PEDALS**
						Cane Creek Ergo Control Bar Ends				

FRAMESET WHEELS COMPONENTS DRIVETRAIN OTHER

Australia Trek Bicycle Australia Tel: 61 29 299 7444 Fax: 61 29 290 3860 **Bahrain** Skate Shack Tel: 973 581142 Fax: 973 717058 **Bermuda** Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 **Bolivia** Bicicar Tel: 591 279 4362 Fax: 591 277 2217 **Brazil** International Sports do Brazil Tel: 5511 3662 5355 Fax: 5511 3662 5355 **Canary Islands** Adolfo Suanzes S.A. Tel: 349 28 22 68 12 Fax: 349 28 27 79 29 **Chile** Sparta Deportes Limitada Tel: 56-2-5604777 Fax: 56-2-5572850 **Colombia** Sport & Bike (Bike House) Tel: 574 262 3223 Fax: 574 262 2880 **Costa Rica** Mitmo Tel: 506 296 3383 Fax: 506 220 3580 **Croatia** Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337 **Cyprus** Goodtones Ltd. Tel: 357 235 1617 Fax: 357 235 1130 **Czech Republic** Bretton S.R.O.

Mountain

		XC FULL SUSPENSION						DOWNHILL	XC HARDTAIL		
		F26	F25	F28	F25	F26	F25	F27	F26	F30	F30
		Fuel 90 Disc	**Fuel 90**	**Fuel 90 WSD**	**Fuel 80**	**STP 400**	**Y 26**	**Diesel DH**	**Elite 9.8**	**8500 Disc**	**8500**
	SIZES	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(XS) 14", (S) 16", (M) 18"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(M) 17.5", (L) 19.5", (XL) 21.5"	(S) 16", (M) 17.5", (L) 19"	S/M, M/L	(M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21"
	COLORS	Trek Red/Platinum	Trek Red/Platinum	Georgia Blue/ Bright Silver	Starry Night/ Platinum	Smoke Carbon/ Candy Blue	Ball Burnished/ Candy Blue*	Black	Starry Night/ Candy Blue	Georgia Blue/ Starry Night	Georgia Blue/ Starry Night
FRAMESET	**FRAME**	Alpha SLR Aluminum. Super Light Race. Trek Pro Race geometry. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Women's Specific Design. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW Team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Bi-axial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	OCLV Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Computer assisted strength specific design. STP Soft Tail Pro suspension. Trek Pro geometry. Handmade in the USA. 3.6 lb.	Alpha Aluminum. Oversized, ovalized Y frame. Oversized single pivot. Fully Active Uni-Link Suspension.	Alpha Aluminum. Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. Trek's Chain Torque Eliminator prevents pedal forces from "bobbing" the rear suspension. Replaceable rear dropouts	OCLV HC Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Trek/VW Team tested. Addition of stiff Honeycomb Nomex® between carbon layers. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.0 lb.	ZR 9000 Alloy. Double butted seamless drawn tubing. Custom butted head tube. Bi-axial downtube. T-Back seat stay. Stiff powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.3 lb.	ZR 9000 Alloy. Double butted seamless drawn tubing. Custom butted head tube. Bi-axial downtube. T-Back seat stay. Stiff powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.3 lb.
	FORK	Manitou Black Elite, Rapid Trav. Adj. 80/100, Rev. Arch. Fluid Flow damp., Al crown	Manitou Black Elite, Rapid Trav. Adj. 80/100, Rev. Arch, Fluid Flow damp., Al crown	Manitou Black Elite Diva, Rapid Travel Adj. 80/100, Reverse Arch, Fluid Flow damp., Al crown	Manitou Black Comp., Rapid Travel Adj. 80/100, Reverse Arch, Fluid Flow damp.	RockShox SID Race, All Travel 63/80, Dual Air, compression control, pure damp., Ti Nitride stanch.	RST Capa CL, 63mm travel		RockShox SID SL, All Travel 63/80, Dual Air, ext. reb, cont., compr. control, pure damp.	RockShox Duke RC, Dual Air, 30mm upper tubes, ext. rebound adj., Al steer tube, 80mm travel	RockShox Duke RC, Dual Air, 30mm upper tubes, ext. rebound adj., Al steer tube, 80mm travel
	REAR SHOCK	Fox Float air spring, self adj. neg. spring, factory tuned reb., Ni charged	Fox Float air spring, self adj. neg. spring, factory tuned reb., Ni charged	Fox Float air spring, self adj. neg. spring, factory tuned reb., Ni charged	Fox Float air spring, self adj. neg. spring, factory tuned reb., Ni charged	RockShox SID Race dual air adj., schraeder adj., floating piston, 235g, 1.25" travel	RST Coil	Fox Vanilla RC, Ni charged			
WHEELS	**WHEELS**	Bontrager Race Disc: Trek Regional Team wheel; Disc-specific rims, welded for huge strength; Bontrager Offset Spoke Bed; fully serviceable, cartridge bearing hubs; International standard brake rotor, no adapters req.; Race Cro-mo skewers; 965g, 28h front/ 1050g, 28h rear	Bontrager Select: Welded rims for superior strength, machined for smooth braking; OSB rear rim provides good stiffness for any size rider; Hi-Lo ATB rear hub design w/excellent spoke bracing angles for improved lateral wheel rigidity; Cro-mo skewers; 780g, 24h front/1045g, 28h rear	Bontrager Select: Welded rims for superior strength, machined for smooth braking; OSB rear rim provides good stiffness for any size rider; Hi-Lo ATB rear hub design w/excellent spoke bracing angles for improved lateral wheel rigidity; Cro-mo skewers; 780g, 24h front/1045g, 28h rear	Bontrager Corvair, welded, machined sidewalls rims; Shimano rear, alloy quick release front hub; 14G stainless spokes	Bontrager Race Lite Tubeless: Trek/VW Team wheel; One of the lightest sets available; Durable and World Class fast; Uses a regular tire/tube, or tubeless tires for increased control and reduced flats; Swiss-made hubs; Race Lite skewers; 625g, 24h front/ 835g, 28h rear	Matrix 750 rims; alloy quick release hubs; 14G spokes		Bontrager Race Modified Tubeless: Lightweight and durable; Bontrager tubeless sealing system uses a regular tire/tube, or tubeless tires for increased control and reduced flats; Fully serviceable, Swiss-made hubs; Cro-mo skewers; 670g, 24h front/ 955g, 28h rear	Bontrager Race Modified Disc: Trek Regional Team wheel; Disc-specific rims, welded for huge strength; Bontrager Offset Spoke Bed; fully serviceable, cartridge bearing hubs; International standard brake rotor, no adapters req.; Race Cro-mo skewers; 965g, 28h front/ 1050g, 28h rear	Bontrager Race Tubeless: Engineered to provide good lateral stiffness for any size rider; Fully serviceable, cartridge sealed bearing hubset; Oversize cartridge bearings and aluminum axle on front hub w/adjustable pre-load; Race Cro-mo skewers; 765g, 24h front/1050g, 28h rear
	TIRES	Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Revolt Super-X, 26x49/48 front and rear	Bontrager Connection, 26x1.95" front and rear		Bontrager Revolt Super-X, 26x48/49 front and rear	Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, folding, 26x49/54 front and rear
COMPONENTS	**SADDLE**	Bontrager FS 2000 w/Cro-Moly rails	Bontrager FS 2000 w/Cro-Moly rails	Bontrager FS 2000 WSD w/Cro-Moly rails	Bontrager FS 2000	Bontrager Race Lite, titanium rails, leather	Trek ATB		Bontrager FS 2000 w/ Cro-Moly rails, leather	Bontrager FS 2000 w/ Cro-Moly rails, leather	Bontrager FS 2000 w/ Cro-Moly rails, leather
	SEATPOST	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Race Lite	Alloy micro-adjust		Bontrager Race	Bontrager Race	Bontrager Race
	HANDLEBARS	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Race Lite	Trek high tensile, 30mm rise		Bontrager Race	Bontrager Race	Bontrager Race
	STEM	Bontrager Select	Bontrager Select	Bontrager Comp	Bontrager Sport	Bontrager Race Lite	Alloy AHS, 25° rise, front load		Bontrager Race	Bontrager Race	Bontrager Race
	HEADSET	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	AHS 1 1/8" sealed	Cane Creek S6 Aheadset	AHS 1 1/8" sealed		Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed
DRIVETRAIN	**SHIFTERS**	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Alivio	Shimano XTR	Shimano EF29 EZ-Fire		Shimano Deore XT	Shimano Deore XT	Shimano Deore XT
	FRONT DERAILLEUR	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Alivio	Shimano XTR	Shimano C050		Shimano Deore XT	Shimano Deore XT	Shimano Deore XT
	REAR DERAILLEUR	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore SGS	Shimano XTR SGS	Shimano Acera		Shimano Deore XTR SGS	Shimano XTR SGS	Shimano XTR SGS
	CRANKSET	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 44/32/22	Shimano XTR 46/34/24	SunRace FCM56 42/34/24		Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22
	CASSETTE	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM ESP 7.0 11-32, 9spd	SRAM 5.0 11-32, 8spd	Shimano XTR 12-34, 9spd	SunRace 13-30, 7spd		Shimano Deore XT 11-34, 9spd	Shimano Deore LX 11-32, 9spd	Shimano Deore LX 11-32, 9spd
OTHER	**BRAKESET**	Hayes HFX Comp, hydraulic disc w/Hayes HFX Comp, hydraulic disc levers	AVID SD3, direct pull w/Shimano Deore LX levers	AVID SD3, direct pull w/Shimano Deore LX levers	Alloy, linear pull w/alloy levers	AVID SD Ti w/Shimano XTR levers	Alloy linear pull w/Shimano alloy, 2 finger levers		AVID SD5, direct pull w/Shimano Deore XT levers	Hayes Disc, full hydraulic w/Hayes Disc, full hydraulic levers	AVID SD5, direct pull w/Shimano Deore XT levers
	PEDALS	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Alloy ATB w/clips and straps	Time ATAC Carbon, clipless	Nylon platform		Time ATAC, clipless	Shimano M515, clipless	Shimano M515, clipless

Tel: 420 2 7936053 Fax: 420 2 7926464 **Denmark** H.F. Cykler A/S Tel: 45 89 14 14 14 Fax: 45 89 14 14 15 **Dominican Republic** Planet Bike Dominica Tel: 809 535 2152 Fax: 809 535 2152 **Ecuador** Bici Sport s.a. Tel: 593 2 460 894 Fax: 593 2 253 691 **Estonia, Latvia** Rademar Tel: 372 651 2910 Fax: 372 655 0120 **Finland** Oy Duell Bike Center Ab Tel: 358 9 2905 6730 Fax: 358 9 2905 6731 **France** Sunex Tel: 33 4 94 19 85 95 Fax: 33 4 94 45 53 67 **Guam** MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 **Guatemala** Novasport Tel: 502 474 2689/90 Fax: 502 474 2691 **Honduras** Planet Bike Tel: 504 232 4707 Fax: 504 232 4707 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602 **Hungary** Prokero KFT. Tel: 36 1 331 3184 Fax: 36 1 473 1686 **Iceland** Orninn Hjol Ltd.

8000	8000 WSD	6700 Disc	6700	6700 WSD	6500	4900	4900 WSD	4500	4300 Disc	
(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21"	(XS) 14", (S) 16", (M) 18"	(S) 15.5", (M) 17.5", (L) 19.5", (L) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (L) 21.5"	(XS) 14", (S) 16", (M) 18"	(S) 15.5", (M) 17.5", (L) 19.5", (L) 21.5"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	(XS) 14", (S) 16", (M) 18"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5", (XXL) 24"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	SIZES
Bright Silver/ Starry Night	Frost/Starry Night	Candy Blue/ Starry Night	Candy Blue/Starry Night, Spanish Gold	Candy Blue/ Starry Night	Trek Red/Starry Night, Dusk	Metal Flake Yellow, Starry Night	Iris	Bright Silver/Trek Red, Starry Night/Spanish Gold	Ball Burnished/ Candy Blue	COLORS
ZR 9000 Alloy. Double butted seamless drawn tubing. Custom butted head tube. Bi-axial downtube. T-Back seat stay. Stiff powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.3 lb.	ZR 9000 Alloy. - Women's Specific Design. Double butted seamless drawn tubing. Custom butted head tube. Bi-axial downtube. T-Back seat stay. Stiff powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold-forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 3.3 lb.	Alpha SLR Aluminum. Super Light Race. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Women's Specific Design. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha Aluminum. Oversized power tubes. New Bi-axial downtube. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Alpha Aluminum. Women's Specific Design. Oversized aero power tubes. New Bi-axial down tube. Wishbone monostay. Replaceable derailleur hanger. WSD geometry. Handmade in USA. 4.2 lb.	Alpha Aluminum. Oversized power tubes. New Bi-axial downtube. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Alpha Aluminum. Oversized power tubes. New Bi-axial downtube. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	FRAME
RockShox Duke XC, Hydra Air, tunable pos. air chamber, ext. rebound adj., 80mm travel	RockShox Duke XC, Hydra Air, tunable pos. air chamber, ext. reb. adj., custom damp., 80mm travel	RockShox Duke C, Hydra Air, tunable positive air chamber, 30mm upper tubes, 80mm travel	RockShox Duke C, Hydra Air, tunable positive air chamber, 30mm upper tubes, 80mm travel	RockShox Duke C, Hydra Air, tunable pos. air chamber, custom damp., 80mm travel	Manitou Six Super, Internal convert. trav., Fluid Flow reb. damp., Al crown, 80mm travel	RockShox Judy C, Coil Spring/MCU, Al crown, preload adj., 80mm travel	RockShox Judy C, Coil Spring/MCU, Al crown, preload adj., custom spring, 80mm travel	RockShox Judy TT, adjustable preload, 80mm travel	RST Capa TL, adjustable preload, 63mm travel	FORK
										REAR SHOCK
Bontrager Select: Welded rims for superior strength, machined for smooth braking; OSB rear rim provides good stiffness for any size rider; Hi-Lo ATB rear hub design w/excellent spoke bracing angles for improved lateral wheel rigidity; Cro-mo skewers; 780g, 24h front/1045g, 28h rear	Bontrager Select: Welded rims for superior strength, machined for smooth braking; OSB rear rim provides good stiffness for any size rider; Hi-Lo ATB rear hub design w/excellent spoke bracing angles for improved lateral wheel rigidity; Cro-mo skewers; 780g, 24h front/1045g, 28h rear	Bontrager Superstock Disc: Engineered to roll smooth, even in tough conditions; Welded rims for superior strength, machined for smooth braking; OSB minimizes dish and provides extra strength. Fully serviceable hubset; Cro-mo skewers; 980g, 28h front/ 1200g, 28h rear	Bontrager Superstock: Engineered to roll smooth, even in tough conditions; Welded rims for superior strength, machined for smooth braking; OSB minimizes dish and provides extra strength. Fully serviceable hubset; Cro-mo skewers; 655g, 24h front/ 1120g, 28h rear	Bontrager Superstock: Engineered to roll smooth, even in tough conditions; Welded rims for superior strength, machined for smooth braking; OSB minimizes dish and provides extra strength. Fully serviceable hubset; Cro-mo skewers; 655g, 24h front/ 1120g, 28h rear	Bontrager Corvair, welded, machined sidewalls rims; Shimano 9spd rear, alloy quick release front hub; 14G stainless spokes	Bontrager Corvair, welded, machined sidewalls rims; Shimano rear, alloy quick release front hub; 14G stainless spokes	Bontrager Corvair, welded, machined sidewalls rims; Shimano rear, alloy quick release front hub; 14G stainless spokes	Matrix 750 rims; Shimano RM40-8 rear, alloy quick release front hub; 14G stainless spokes	Matrix 550 rims; alloy quick release disc hubs; 14G stainless spokes	WHEELS
Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, folding, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	Bontrager Jones AC, 26x49/54 front and rear	TIRES
Bontrager FS 2000 w/Cro-Moly rails	Bontrager FS 2000 WSD w/Cro-Moly rails	Bontrager FS 2000	Bontrager FS 2000	Bontrager FS 2000 WSD	Bontrager FS 2000	Trek ATB	Bontrager FS 2000 WSD	Trek ATB	Trek ATB	SADDLE
Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Alloy micro-adjust	Alloy micro-adjust	SEATPOST
Bontrager Select	Bontrager Select	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Trek high tensile, 30mm rise	HANDLEBARS
Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Alloy AHS, 25° rise, front load	STEM
Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	AHS 1 1/8" sealed	HEADSET
Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano EF29 EZ-Fire	Shimano EF29 EZ-Fire	SHIFTERS
Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Alivio	Shimano C050	FRONT DERAILLEUR
Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore SGS	Shimano Deore SGS	Shimano Alivio	Shimano Acera	REAR DERAILLEUR
Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 44/32/22	Bontrager 42/32/22	Bontrager 42/32/22	Bontrager 42/32/22	SunRace FCM56 42/34/24	CRANKSET
Shimano HG-50 11-32, 9spd	Shimano HG-50 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	CASSETTE
AVID SD3, direct pull w/Shimano Deore LX levers	AVID SD3, direct pull w/Shimano Deore LX levers	Shimano Deore, hydraulic disc w/Shimano Deore, hydraulic disc levers	Shimano M420, V type w/AVID AD 3.0L levers	Shimano 420, V type w/alloy, women's reach levers	Alloy linear pull w/alloy levers	Alloy linear pull w/alloy levers	Alloy linear pull w/alloy, women's reach levers	Alloy linear pull w/Shimano alloy, 2 finger levers	Hayes Disc, mechanical w/Shimano alloy, 2 finger levers	BRAKESET
Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Alloy ATB w/clips and straps	Alloy cage, clipless adaptable	Alloy cage, clipless adaptable	Alloy platform	Alloy platform	PEDALS

FRAMESET

WHEELS

COMPONENTS

DRIVETRAIN

OTHER

Tel: 354 5 889 892 Fax: 354 5 889 896 **Ireland** Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463 **Israel** Cycle Trading Company Ltd. Tel: 972 9 9513 010 Fax: 972 9 9509 783 **Italy** Comar Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747 **Korea** Outdoor International, Ltd. Tel: 82 2 474 0818 Fax: 82 2 474 0656 **Lebanon** Slee Sal Tel: 961 1 499 851 Fax: 961 1 499 843 **Malta** Magri Cycles & Spares Tel: 356 414399 Fax: 356 436377 **Mexico** Grupo Scandi S.A. de C.V. Tel: 525 281 0587 Fax: 525 281 2721 **New Zealand** Cycle Sport New Zealand Tel: 64 6 345 8335 Fax: 64 6 345 5349 **Norway** Foss Sykler Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Panama** Motor Sport Panama, S.A. Tel: 507 236 0852 Fax: 507 236 6140 **Peru** Best Internacional S.A. Tel: 511 263 0964 Fax: 511 263 1037

Mountain

XC HARDTAIL

	P 33 4300	P 34 820	P 34 800 Sport	P 35 Bruiser Two	P 35 Bruiser One
SIZES	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", (L) 19.5", (XL) 21", (XXL) 22.5"; (WM) 17",	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"; (WS) 13", (WS) 17", (WL) 20"	(M) 14.5", (L) 16"	(M) 14.5", (L) 16"
COLORS	Ball Burnished/ Candy Blue, Stone Pearl/Platinum	Platinum/Bright Silver, Dusk	Pearl White/Candy Red, Frost/Niagara Blue, Starry Night	Raw Smoke	Raw Steel
FRAME	Alpha Aluminum. Oversized power tubes. New Bi-axial downtube. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Alpha Aluminum. Jumping design. Square downtube. Wishbone monostay. Rugged 1.5" stays. Replaceable derailleur hanger. Trails Jumping Geometry.	Alpha Aluminum. Jumping design. Square downtube. Wishbone monostay. Rugged 1.5" stays. Replaceable derailleur hanger. Trails Jumping Geometry.
FORK	RST Capa TL, adjustable preload, 63mm travel	RST Capa CL, 63mm travel	Trek high tensile steel ATB	Marzocchi Bomber Z-4, coil springs, 100mm travel	Full Cro-Moly, 1-3/8" blades, double thick steer tube
REAR SHOCK					
WHEELS	Matrix 550 rims; Shimano RM40-8 rear, alloy quick release front hub; 14G stainless spokes	Matrix 550 rims; alloy quick release hubs; 14G stainless spokes	Matrix 550 rims; alloy quick release hubs; 14G stainless spokes	Alloy Triple Wall, black rims; Alloy disc hubs; 14G black spokes	Alloy black w/ silver sides rims; Alloy quick release hubs; 14G black spokes
TIRES	Bontrager Connection, 26x1.95" front and rear	Bontrager Connection, 26x1.95" front and rear	Bontrager Connection, 26x1.95" front and rear	Kenda Kinetics, 26x2.35" front and rear	Kenda Kinetics, 26x2.35" front and rear
SADDLE	Trek ATB	Trek ATB	Trek ATB	Bontrager FS 2000 w/8mm rails	Bontrager FS 10 w/8mm rails
SEATPOST	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust
HANDLEBARS	Trek high tensile, 30mm rise	Trek high tensile, 30mm rise	Trek high tensile, 60mm rise	Alloy, downhill, 680mm x 50mm rise	Alloy, downhill, 680mm x 50mm rise
STEM	Alloy AHS, 25° rise, front load	Alloy AHS, 25° rise (men's), 40° rise (women's), front load	High tensile, 40° rise, front load	CNC 6061 alloy, front load	Alloy 6061 forged, front load
HEADSET	AHS 1 1/8" sealed	AHS 1 1/8" sealed	1 1/8" sealed	Dia-Compe STR Aheadset	Dia-Compe STR Aheadset
SHIFTERS	Shimano EF29 EZ-Fire	Shimano EF29 EZ-Fire	SRAM MRX Plus	Shimano Alivio	SRAM GripShift Centera
FRONT DERAILLEUR	Shimano C050	Shimano C051	Shimano C051	N/A	N/A
REAR DERAILLEUR	Shimano Acera	Shimano Altus	Shimano Altus	Shimano Deore LX	Shimano Alivio
CRANKSET	SunRace FCM56 42/34/24	SunRace FCM36 48/38/28	SunRace FCM36 48/38/28	TruVativ Hussefelt DH 38T	TruVativ FIREX 38T
CASSETTE	SRAM 5.0 11-32, 8spd	SunRace 13-30, 7spd	SunRace 13-30, 7spd	SRAM 5.0 11-32, 8spd	SunRace 12-32, 8spd
BRAKESET	Alloy linear pull w/Shimano alloy, 2 finger levers	Alloy linear pull w/Shimano alloy, 2 finger levers	Alloy linear pull w/Pro-Max alloy, 3 finger w/Kraton inserts levers	Avid Disc, mechanical w/Pro-Max 4.0T levers	Pro-Max 102, linear pull w/Pro-Max LV-77, linear pull levers
PEDALS	Nylon platform	Nylon platform	Nylon platform	Wellgo alloy platform	Wellgo alloy platform
				Chain tensioner, double wheel chain keeper	Chain tensioner, double wheel chain keeper

City & Bike Path

COMFORT

	P 30 Navigator 600	P 31 Navigator 500	P 31 Navigator 400	P 32 Navigator 300	P 32 Navigator 200
SIZES	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5", (WXL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5", (WXL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5", (WXL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5", (WXL) 18.5"
COLORS	Starry Night/ Warm Silver	Georgia Blue/ Pearl Navy	Platinum/Rainforest	Glacier, Spanish Gold/Starry Night	Stone Pearl/ Platinum, Dusk
FRAME	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.
FORK	InSync 178, adjustable preload, 50mm travel	InSync 178, adjustable preload, 50mm travel	RST CT COM TL w/adjustable preload, 50mm travel	RST CT COM TL w/adjustable preload, 50mm travel	RST CT COM CL, 50mm travel
REAR SHOCK					
WHEELS	Bontrager Corvair rims; Shimano Alivio rear, alloy front hub; 14G stainless spokes	Bontrager Corvair rims; Shimano Alivio rear, alloy front hub; 14G stainless spokes	Matrix 750 rims; Shimano 7spd Nexus rear, alloy quick release front hub; 14G stainless spokes	Matrix 750 rims; Shimano RM40-8 rear, alloy quick release front hub; 14G stainless spokes	Matrix 550 rims; alloy quick release hubs; 14G stainless spokes
TIRES	Bontrager Comfort w/Kevlar and Slime, 26x1.95" front and rear	Bontrager Comfort w/Kevlar and Slime, 26x1.95" front and rear	Bontrager Comfort w/Slime, 26x1.95" front and rear	Bontrager Comfort, 26x1.95" front and rear	Bontrager Comfort, 26x1.95" front and rear
SADDLE	Trek Webspring comfort w/flashing light	Trek Webspring comfort w/flashing light	Trek Webspring comfort	Trek Webspring comfort	Trek Webspring comfort
SEATPOST	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension
HANDLEBARS	SRAM Smartbar	Alloy, 50mm rise	50mm rise	50mm rise	50mm rise
STEM	SRAM Smartbar, adjustable rise	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load
HEADSET	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed
SHIFTERS	SRAM Smartbar	Shimano Alivio	Shimano Nexus Revo 7spd	SRAM MRX Plus	SRAM Verio
FRONT DERAILLEUR	Shimano Nexave T301	Shimano Nexave T301	N/A	Shimano Nexave T301	Shimano C051
REAR DERAILLEUR	SRAM ESP 7.0	Shimano Deore LX	N/A	Shimano Deore	Shimano Acera
CRANKSET	Shimano T303 48/38/28 w/chainguard	Shimano T303 48/38/28 w/chainguard	CPI 38T w/chainguard	Shimano C203 48/38/28 w/chainguard	SunRace FCM36 48/38/28 w/chainguard
CASSETTE	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Shimano 20T	SRAM 5.0 11-32, 8spd	Shimano 14-34, 7spd
BRAKESET	Shimano M420 V w/modulator on front w/SRAM Smartbar levers	Shimano M420 V w/modulator on front w/SRAM Two-Axis alloy levers	Pro-Max linear pull front w/mod., Shimano rear roller w/cool. disc w/Pro-Max alloy, 3 finger levers	Pro-Max linear pull w/front modulator w/Pro-Max alloy, 3 finger levers	Pro-Max linear pull w/front modulator w/Pro-Max alloy, 3 finger levers
PEDALS	Dual density platform	Dual density platform	Dual density platform	Dual density platform	Dual density platform

FRAMESET | WHEELS | COMPONENTS | DRIVETRAIN | OTHER

Philippines Joven Enterprises Tel: 632 645 6029 Fax: 632 645 0637 **Poland** S.S.C. Tel: 48 71 3431539 Fax: 48 71 3725448 **Portugal** Bicimax Artigos Desportivos LDA Tel: 35 1 244 553 276 Fax: 35 1 244 553 187 **Puerto Rico** Seamount Corporation Tel: 787 763 4369 Fax: 787 765 6520 **Russia** Sportex Tel: 7 095 959 31 23 Fax: 7 095 959 31 29 **Singapore** Treknology Bikes 3 Tel: 65 466 2673 Fax: 65 466 7610 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 5492 344 Fax: 421 862 5492 350 **Slovenia** Bess-Pro Market Tel: 386 61 274 135 Fax: 386 61 1256 1628 **South Africa - Capetown** Atra Corporation Tel: 27 21 531 2508 Fax: 27 21 531 2551 **South Africa - Randburg** Atra Corporation Tel: 27 11 792 2900 Fax: 27 11 792 1932 **Sweden** Bike Supply Tel: 46 8 760 0070 Fax: 46 8 36 26 40


	HYBRID					FITNESS		CRUISER			
Navigator 100	7700	7500	7300	7200	7100	7700 FX	7500 FX	Clyde	Town & Country	Calypso	Cruiser Classic
(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5", (WXL) 18.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 13", 15", (S) 17.5", (M) 20", (L) 22.5"; (WXS) 15", (WS) 17.5", (WM) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5", (XL) 25"; (WXS) 15", (WS) 17", (WM) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"; (WXS) 15", (WS) 17", (WM) 20"	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(M) 20"	(M) 20"; (WS) 17"	(M) 20"; (WS) 17"	(M) 20"; (WS) 17"
Starry Night/Warm Silver, Candy Red	Georgia Blue/ Starry Night	Sand, Slate Pearl	Starry Night, Dusk	Georgia Blue/Pearl Navy, Warm Silver	Warm Silver/ Rainforest, Glacier	Platinum Silver/ Starry Night	Dusk/Bright Silver	Matte Black	Big Island Blue	Candy Red, Glacier	Alpine, Black Gold
Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha SL Aluminum. Super Light Aluminum. Superior strength-weight ratio. New double-butted seamless drawn tubing. New Bi-axial downtube. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha SL Aluminum. Super Light Aluminum. Superior strength-weight ratio. New double-butted seamless drawn tubing. New Bi-axial downtube. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha SL Aluminum. Super Light aluminum. Cross Specific Frame. Double-butted, seamless drawn round tubing. Custom butted head tube. 1-1/8" steer tube. 3-D forged wishbone monostay. Stiff elliptical chainstays. Rack mounts on stays. Cold forged replaceable derailleur hanger. Trek Pro Cross geometry. Handmade in the USA. 2.9 lb.	Alpha SL Aluminum. Super Light Aluminum. Superior strength-weight ratio. New double-butted seamless drawn tubing. New Bi-axial downtube. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.
Trek high tensile steel ATB	RockShox Metro SL, coil, preload adjustment, 60mm travel	InSync Odessa 168, 45mm travel	Cozy ST, 40mm travel	Post Modern Comfy, 40mm travel	Trek high tensile steel ATB	Aluminum Aero	Cro-Moly	Trek Cro-Moly ATB	Trek high tensile steel ATB	Trek high tensile steel ATB	Trek high tensile steel ATB
Matrix 550 rims; alloy quick release hubs; 14G stainless spokes	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/ 1020g, 24h rear	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Bontrager Fairlane, welded, machined sidewalls rims; Shimano C201, 32h rear; alloy quick release front hub; 14G stainless spokes	Matrix 750 rims; Shimano RM40-7 rear, alloy quick release front hub; 14G stainless spokes	Matrix 550 rims; alloy quick release hubs; 14G stainless spokes	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Bontrager Select: Paired Spoke Technology™; Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/OSB improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-mo skewers; 835g, 20h front/1020g, 24h rear	Matrix 750 rims; Shimano Nexus 4spd rear, alloy nutted front hub; 14G stainless spokes	Matrix 550 rims; Shimano Nexus 3spd w/coaster brake rear, alloy nutted front hub; 14G stainless spokes	Matrix 550 rims; Alloy nutted hubs; 14G stainless spokes	Matrix 550 rims; Shimano single speed coaster brake rear, alloy nutted front hub; 14G stainless spokes
Bontrager Comfort, 26x1.95" front and rear	Bontrager Select, 700x38c front and rear	Bontrager Select, 700x38c front and rear	Bontrager Select, 700x38c front and rear	Bontrager Select, 700x38c front and rear	Bontrager Select, 700x38c front and rear	IRC Duro Tour, 700x35c front and rear	IRC Duro Tour, 700x35c front and rear	Blackwall, 26x2.0" front and rear	Whitewall, 26x2.0" front and rear	Whitewall, 26x2.0" front and rear	Whitewall, 26x2.0" front and rear
Trek Webspring comfort	Trek CRZ+	Trek CRZ+	Trek Webspring comfort	Trek Webspring comfort	Trek Webspring comfort	Bontrager FS 2000 w/Cro-Moly rails	Bontrager Sport	Bontrager FS 2000	Trek Webspring/ dual spring	Trek Webspring/ dual spring	Trek Webspring/ dual spring
Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Bontrager Sport	Bontrager Sport	Bontrager Sport	Alloy pin type	Alloy pin type	Alloy pin type
50mm rise	Alloy 38mm rise	50mm rise	50mm rise	50mm rise	50mm rise	Bontrager Race	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Steel cruiser CP	Steel cruiser CP	Steel cruiser CP
Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Bontrager Sport	Bontrager Sport	Bontrager Sport	Forged alloy	Forged alloy	Forged alloy
1 1/8" sealed	STR Aheadset	STR Aheadset	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	Dia-Compe SAS, 1 1/8", sealed	STR Aheadset	AHS 1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed
SRAM 5.0 Royale	Shimano Deore XT	Shimano Alivio	GripShift Centera	SRAM Verio	SRAM Verio	Shimano R440	Shimano Alivio	Shimano Nexus Revo 4spd	Shimano Nexus Revo 3spd	SRAM MRX Plus	N/A
Shimano C051	Shimano Deore XT	Shimano Nexave 301	Shimano Nexave 301	Shimano C051	Shimano C051	Shimano R440	Shimano Nexave 301	N/A	N/A	N/A	N/A
SRAM ESP 4.0	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore SGS	Shimano Acera	Shimano TY40GS	Shimano Tiagra GS	Shimano Deore SGS	N/A	N/A	Shimano TY40GS	N/A
SunRace FCM36 48/38/28 w/chainguard	Shimano Deore 48/36/26	Shimano Nexave T401 48/38/28	Shimano Nexave T301 48/38/28	Shimano C203 48/38/28 w/chainguard	SunRace FCM36 48/38/28 w/chainguard	Shimano Tiagra GS	Shimano Nexave T401 48/38/28	Bontrager 33T w/chainguard	CPI 33T Nexus type	OPC/40T	OPC/40T
SunRace 13-34, 7spd	SRAM 7.0 11-32, 9spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Shimano HG-50 11-34, 7spd	SunRace 13-34, 7spd	Shimano HG-50 12-25, 9spd	Shimano HG-50 11-30, 8spd	Shimano 20T	Shimano 20T	SunRace 13-34, 7spd	Shimano 18T
Pro-Max linear pull w/front modulator w/Pro-Max alloy, 3 finger levers	AViD SD3, direct pull w/Shimano Deore XT levers	Alloy, linear pull w/alloy levers	Alloy, linear pull w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	AViD SD3, direct pull w/AViD AD 3.0L levers	Alloy, linear pull w/alloy levers	Pro-Max linear pull w/Tektro alloy, 3 finger w/Kraton inserts levers	Shimano coaster rear	Pro-Max linear pull w/Tektro alloy, 3 finger w/Kraton inserts levers	Shimano coaster rear
Dual density platform	Shimano SPD M324, clipless	ATB, alloy cage w/clips and straps	Dual density platform	Dual density platform	Dual density platform	Shimano M515, clipless	Alloy road, seated w/clips and straps	Alloy platform	Barefoot platform	Barefoot platform	Barefoot platform
								Bell	Adjustable alloy kickstand, San Giorgio fenders	Adjustable alloy kickstand, bell	Adjustable alloy kickstand

Tahiti Tahiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336 **Taiwan** Kenforce International Co., Ltd. Tel: 886 4 835 3575 Fax: 886 4 835 3595 **Thailand** Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078 **United Arab Emirates** Sportsline Tel: 971 4 343 9119 Fax: 971 343 9199 **Uruguay** International Sports Ltd. Tel: 598 2708 2498 Fax: 598 2 401 2514 **Venezuela** Bike Pro / Bike Planet Tel: 582 12 993 6736 Fax: 582 12 992 8338 **West Indies** Tri Sport International Tel: 59954 43462 Fax: 59954 43928

GEOMETRIES

ROAD

USPS Team Time Trial




FRAME SIZE	S 66.6-68.8cm	M 69.1-71.3cm	L 71.6-73.8cm
A HEAD ANGLE	73.7°	73.7°	73.7°
D SEAT ANGLE [1]	74.0°	74.0°	74.0°
C EFF TOP TUBE [2]	59.1-60.2cm	60.4-61.5cm	61.7-62.9cm
D BOTTOM BRACKET	26.4cm	26.4cm	26.4cm

[1] Seat tube is measured from center of bottom bracket to center of seat rails along seat tube centerline.

[2] Top tube is measured from center of head tube top to center of seat rails at seat tube centerline.


5900 / 5500 / 5200



FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 62cm
A HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
D SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C EFF TOP TUBE	52.5 / 20.7	53.1 / 20.9	54.5 / 21.5	56.1 / 22.1	57.1 / 22.5	58.1 / 22.9	59.2 / 23.3
D CHAIN STAY	40.8 / 16.1	40.8 / 16.1	41.0 / 16.1	41.0 / 16.1	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2
E BOTTOM BRACKET	26.6 / 10.5	26.6 / 10.5	26.6 / 10.5	26.8 / 10.6	26.8 / 10.6	26.8 / 10.6	26.8 / 10.6
F OFFSET	4.1 / 1.6	4.1 / 1.6	4.1 / 1.6	4.1 / 1.6	4.1 / 1.6	4.1 / 1.6	4.1 / 1.6
G WHEEL BASE	97.5 / 38.4	97.7 / 38.5	98.1 / 38.6	98.6 / 38.8	99.3 / 39.1	100.0 / 39.3	100.4 / 39.2
TRAIL	6.8 / 2.7	6.5 / 2.6	6.2 / 2.4	5.7 / 2.2	5.7 / 2.2	5.5 / 2.1	5.5 / 2.1
STAND OVER	74.0 / 29.1	75.4 / 29.7	77.0 / 30.3	79.0 / 31.1	80.7 / 31.8	82.6 / 32.5	84.4 / 33.2

2300 / 2200 / 2000 / 1200

(SOME MODELS NOT AVAILABLE IN ALL SIZES)



FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 63cm
A HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
D SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C EFF TOP TUBE	52.5 / 20.7	53.2 / 21.0	54.8 / 21.6	56.4 / 22.2	57.4 / 22.6	58.4 / 23.0	59.8 / 23.5
D CHAIN STAY	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2
E BOTTOM BRACKET	26.6 / 10.5	26.6 / 10.5	26.6 / 10.5	26.8 / 10.6	26.8 / 10.6	26.8 / 10.6	27.0 / 10.6
F OFFSET	4.7 / 1.9	4.7 / 1.9	4.7 / 1.9	4.3 / 1.7	4.3 / 1.7	4.3 / 1.7	4.3 / 1.7
G WHEEL BASE	98.8 / 38.9	98.0 / 38.6	99.3 / 39.1	99.3 / 39.1	99.8 / 39.1	100.6 / 39.6	101.5 / 40.0
TRAIL	6.0 / 2.4	5.7 / 2.2	5.4 / 2.1	5.3 / 2.1	5.3 / 2.1	5.2 / 2.0	5.2 / 2.0
STAND OVER	74.0 / 29.1	75.4 / 29.7	76.9 / 30.3	78.9 / 31.1	80.7 / 31.8	82.7 / 32.6	85.6 / 33.7

2300 WSD / 2200 WSD / 2000 WSD


FRAME SIZE	WXS 43cm	WS 47cm	WM 51cm	WL 54cm
A HEAD ANGLE	72.5°	72.5°	72.5°	72.5°
D SEAT ANGLE	76.0°	75.0°	74.0°	74.0°
C EFF TOP TUBE	48.5 / 19.1	49.6 / 19.5	50.4 / 19.8	52.5 / 20.7
D CHAIN STAY	41.2 / 16.2	41.2 / 16.2	41.2 / 16.2	41.7 / 16.4
E BOTTOM BRACKET	26.5 / 10.4	26.7 / 10.5	26.7 / 10.5	26.6 / 10.5
F OFFSET	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	4.7 / 1.9
G WHEEL BASE	95.0 / 37.4	95.4 / 37.6	95.4 / 37.6	97.8 / 38.5
TRAIL	5.8 / 2.3	5.8 / 2.3	5.8 / 2.3	5.7 / 2.2
STAND OVER	68.0 / 26.8	71.0 / 28.0	74.0 / 29.1	77.0 / 30.3

1000


FRAME SIZE	XS 43cm	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 62cm
A HEAD ANGLE	71.0°	71.5°	71.5°	72.5°	73.0°	73.0°	73.5°	74.0°
D SEAT ANGLE	75.0°	75.0°	75.0°	74.5°	73.75°	73.5°	73.5°	72.5°
C TOP TUBE	52.6 / 20.7	53.0 / 20.8	53.0 / 20.8	54.6 / 21.5	56.2 / 22.1	57.2 / 22.5	58.3 / 22.9	60.3 / 23.7
D CHAIN STAY	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4	41.7 / 15.4
E BOTTOM BRACKET	26.6 / 10.4	26.6 / 10.4	26.6 / 10.4	26.6 / 10.4	26.8 / 10.5	26.8 / 10.5	26.8 / 10.5	26.8 / 10.5
F OFFSET	4.7 / 1.8	4.7 / 1.8	4.7 / 1.8	4.7 / 1.8	4.3 / 1.7	4.3 / 1.7	4.3 / 1.7	4.3 / 1.7
G WHEEL BASE	100.0 / 39.3	100.2 / 39.4	100.2 / 39.4	100.4 / 39.5	100.5 / 39.6	101.3 / 39.8	101.9 / 40.1	102.4 / 40.3
TRAIL	6.6 / 2.6	6.2 / 2.4	6.2 / 2.4	5.6 / 2.2	5.7 / 2.2	5.7 / 2.2	5.4 / 2.1	5.1 / 2.0
STAND OVER	69.5 / 27.3	74.0 / 29.1	75.5 / 29.7	76.9 / 30.2	78.9 / 31.0	80.7 / 31.7	82.6 / 32.5	85.6 / 33.7

MOUNTAIN

Elite 9.8



FRAME SIZE	M 17.5"	L 19.5"	XL 21.5"
A HEAD ANGLE	71.0°	71.0°	71.0°
D SEAT ANGLE	73.0°	73.0°	72.5°
C EFF TOP TUBE	58.8 / 23.1	62.5 / 24.6	64.1 / 25.2
D CHAIN STAY	42.4 / 16.7	42.4 / 16.7	42.4 / 16.7
E BOTTOM BRACKET	29.7 / 11.7	29.7 / 11.7	29.7 / 11.7
F OFFSET	4.2 / 1.7	4.2 / 1.7	4.2 / 1.7
G WHEEL BASE	106.4 / 41.9	110.2 / 43.4	111.3 / 43.8
TRAIL	7.0 / 2.8	7.0 / 2.8	7.0 / 2.8
STAND OVER	74.4 / 29.3	78.2 / 30.8	82.1 / 32.3



Fuel 100 / Fuel 98 / Fuel 90 Disc / Fuel 90 / Fuel 80


FRAME SIZE	S 15.5"	M 17.5"	L 19.5"	XL 21.5"
A HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
D SEAT ANGLE	73.5°	73.5°	73.5°	73.5°
C EFF TOP TUBE	55.0 / 21.7	58.8 / 23.1	62.5 / 24.6	64.1 / 25.2
D CHAIN STAY	42.3 / 16.7	42.3 / 16.7	42.3 / 16.7	42.3 / 16.7
E BOTTOM BRACKET	31.1 / 12.2	31.1 / 12.2	31.1 / 12.2	31.1 / 12.2
F OFFSET	3.9 / 1.5	3.9 / 1.5	3.9 / 1.5	3.9 / 1.5
G WHEEL BASE	103.2 / 40.6	107.1 / 42.2	110.9 / 43.6	112.6 / 44.3
TRAIL	7.3 / 2.9	7.3 / 2.9	7.3 / 2.9	7.3 / 2.9
STAND OVER	72.2 / 28.4	75.0 / 29.5	79.0 / 31.1	83.1 / 32.7

Fuel 90 WSD

FRAME SIZE	S 14"	M 16"	L 18"
A HEAD ANGLE	70.0°	70.0°	70.0°
D SEAT ANGLE	73.5°	73.5°	73.5°
C EFF TOP TUBE	52.8 / 20.8	53.2 / 21.0	56.3 / 22.2
D CHAIN STAY	42.3 / 16.7	42.3 / 16.7	42.3 / 16.7
E BOTTOM BRACKET	31.1 / 12.2	31.1 / 12.2	31.1 / 12.2
F OFFSET	3.9 / 1.5	3.9 / 1.5	3.9 / 1.5
G WHEEL BASE	101.8 / 40.1	102.3 / 40.3	105.3 / 41.5
TRAIL	7.9 / 3.1	7.9 / 3.1	7.3 / 2.9
STAND OVER	68.5 / 26.9	71.7 / 28.2	75.5 / 29.7

4900 Disc / 4900 / 4500 / 4300 Disc / 4300

(SOME MODELS NOT AVAILABLE IN ALL SIZES)




FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	XL 24"
A HEAD ANGLE	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°	70.5°
D SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	73.0°	72.5°	72.0°
C EFF TOP TUBE	52.9 / 20.8	55.9 / 22.0	57.8 / 22.8	58.8 / 23.1	59.9 / 23.6	60.9 / 24.0	61.5 / 24.2
D CHAIN STAY	43.0 / 16.9	43.0 / 16.9	43.0 / 16.9	43.0 / 16.9	43.0 / 16.9	43.0 / 16.9	43.0 / 16.9
E BOTTOM BRACKET	28.8 / 11.3	29.5 / 11.6	29.3 / 11.5	29.8 / 11.7	29.8 / 11.7	30.0 / 11.8	30.3 / 12.0
F OFFSET	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5
G WHEEL BASE	101.6 / 40.0	103.9 / 40.9	105.5 / 41.6	106.6 / 42.0	107.8 / 42.4	108.4 / 42.7	108.9 / 42.8
TRAIL	7.8 / 3.1	7.4 / 2.9	7.4 / 2.9	7.4 / 2.9	7.4 / 2.9	7.4 / 2.9	7.8 / 3.1
STAND OVER	65.0 / 25.6	71.2 / 28.0	74.1 / 29.2	77.2 / 30.4	80.2 / 31.6	83.9 / 33.0	87.2 / 34.3

820 / 800 Sport

(SOME MODELS NOT AVAILABLE IN ALL SIZES)


FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	WS 13"	WS 17"	WL 20"
A HEAD ANGLE	70.0°	70.5°	70.5°	70.5°	71.0°	71.0°	70.0°	70.5°	70.5°
D SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	72.5°	72.0°	74.0°	73.5°	73.0°
C EFF TOP TUBE	52.8 / 20.8	54.5 / 21.5	55.5 / 21.9	56.5 / 22.2	57.5 / 22.6	58.5 / 23.0	52.5 / 20.7	54.2 / 21.3	55.0 / 21.6
D CHAIN STAY	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1
E BOTTOM BRACKET	28.8 / 11.3	29.1 / 11.5	29.1 / 11.5	29.3 / 11.5	29.3 / 11.5	29.5 / 11.6	28.3 / 11.1	28.3 / 11.1	28.3 / 11.1
F OFFSET	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5
G WHEEL BASE	102.3 / 40.3	103.2 / 40.6	103.8 / 40.8	104.9 / 41.3	105.1 / 41.4	105.7 / 41.6	102.2 / 40.2	102.7 / 40.4	103.1 / 40.6
TRAIL	8.1 / 3.2	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1	7.4 / 2.9	7.4 / 2.9	8.0 / 3.1	7.8 / 3.1	7.8 / 3.1
STAND OVER	63.8 / 25.1	69.7 / 27.4	72.2 / 28.4	75.4 / 29.7	79.0 / 31.1	82.7 / 32.6	50.1 / 19.7	50.1 / 19.7	50.1 / 19.7




CITY & BIKE PATH

Clyde / Town & Country / Calypso / Cruiser Classic

(SOME MODELS NOT AVAILABLE IN ALL SIZES)



FRAME SIZE	M 20"	WS 17"
A HEAD ANGLE	69.5°	69.5°
D SEAT ANGLE	72.8°	72.8°
C EFF TOP TUBE	58.3 / 23.0	56.0 / 22.0
D CHAIN STAY	45.0 / 17.7	45.0 / 17.7
E BOTTOM BRACKET	27.5 / 10.8	27.5 / 10.8
F OFFSET	5.8 / 2.3	5.8 / 2.3
G WHEEL BASE	170.5 / 43.5	108.0 / 42.5
TRAIL	6.4 / 2.5	6.4 / 2.5
STAND OVER	68.3 / 26.9	52.6 / 20.7




Navigator 600 / Navigator 500 / Navigator 400 / Navigator 300 / Navigator 200 / Navigator 100

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

FRAME SIZE	M 14.5"	L 16.5"	XL 18.5"	XXL 21"	WM 14.5"	WL 16.5"	WXL 18.5"
A HEAD ANGLE	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°
D SEAT ANGLE	73.5°	73.0°	73.0°	72.5°	73.5°	73.0°	73.0°
C EFF TOP TUBE	54.4 / 21.4	55.9 / 22.0	57.9 / 22.8	59.5 / 23.4	54.0 / 21.3	54.8 / 21.6	57.0 / 22.5
D CHAIN STAY	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1	43.5 / 17.1
E BOTTOM BRACKET	28.7 / 11.3	28.7 / 11.3	28.7 / 11.3	28.7 / 11.3	28.3 / 11.1	28.3 / 11.1	28.3 / 11.1
F OFFSET	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5	3.8 / 1.5
G WHEEL BASE	103.1 / 40.6	104.2 / 41.0	106.4 / 41.9	107.6 / 42.4	102.6 / 40.4	103.1 / 40.6	105.6 / 41.6
TRAIL	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1	7.8 / 3.1
STAND OVER	67.9 / 26.7	71.6 / 28.2	75.9 / 29.9	81.0 / 31.9	59.5 / 23.4	60.4 / 23.8	60.5 / 23.8


GEOMETRIES

Hilo 2000
Hilo 1000




	FRAME SIZE	XS 50cm	S 54cm	M 56cm	L 58cm	XL 60cm
A	HEAD ANGLE	72.5°	72.5°	72.5°	72.5°	72.5°
B	SEAT ANGLE	78.0°	78.0°	78.0°	78.0°	78.0°
C	EFF TOP TUBE	51.2 20.1	53.2 20.9	54.2 21.3	55.4 21.8	56.9 22.4
D	CHAIN STAY	38.0 15.0	38.0 15.0	38.0 15.0	38.0 15.0	38.0 15.0
E	BOTTOM BRACKET	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	96.4 38.0	98.6 38.8	99.8 39.3	101.2 39.8	102.9 40.5
	TRAIL	5.9 2.3	5.9 2.3	5.9 2.3	5.9 2.3	5.9 2.3
	STAND OVER	72.4 28.5	74.0 29.1	75.6 29.8	77.6 30.6	80.2 31.6

XO 1




	FRAME SIZE	S 50cm	M 52cm	L 54cm	XL 56cm	XXL 58cm
A	HEAD ANGLE	71.0°	71.0°	71.5°	72.0°	72.5°
B	SEAT ANGLE	74.5°	74.0°	73.5°	73.0°	73.0°
C	EFF TOP TUBE	51.5 20.3	52.5 20.7	54.0 21.3	55.5 21.8	56.5 22.3
D	CHAIN STAY	43.0 17.0	43.0 17.0	43.0 17.0	43.0 17.0	43.0 17.0
E	BOTTOM BRACKET	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.3 11.1
F	OFFSET	4.5 1.8	4.5 1.8	4.5 1.8	4.5 1.8	XX.X XX.X
G	WHEEL BASE	99.9 38.9	100.4 39.2	100.9 39.4	101.4 39.5	102.1 39.8
	TRAIL	7.3 2.9	7.3 2.9	7.0 2.1	6.7 2.6	6.4 2.5
	STAND OVER	76.3 30.0	77.6 30.5	79.2 31.2	80.6 31.7	82.5 32.5

520




	FRAME SIZE	S 17"	M 19"	M 21"	L 23"	XL 25"
A	HEAD ANGLE	71.0°	71.0°	71.0°	72.0°	72.5°
B	SEAT ANGLE	74.3°	74.0°	73.5°	73.0°	72.0°
C	EFF TOP TUBE	54.0 21.3	54.5 21.5	55.5 21.9	56.6 22.3	59.0 23.2
D	CHAIN STAY	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7
E	BOTTOM BRACKET	26.8 10.6	26.8 10.6	27.3 10.7	27.3 10.7	27.3 10.7
F	OFFSET	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0
G	WHEEL BASE	104.4 41.1	104.6 41.2	105.4 41.5	105.2 41.4	106.2 41.8
	TRAIL	6.3 2.5	6.3 2.5	6.3 2.5	5.7 2.2	5.4 2.1
	STAND OVER	71.8 28.3	74.0 29.1	76.8 30.2	80.6 31.7	85.2 33.5

T 2000
T 1000



	FRAME SIZE	S 54/43-56cm	M 56/43-56cm	L 58/43-56cm
A	HEAD ANGLE	72.5°	73.0°	73.0°
B	SEAT ANGLE	73.5°/73.0°	73.0°/73.0°	72.5°/73.0°
C	EFF TOP TUBE	55.0 21.7	56.5 22.2	58.0 22.8
D	CHAIN STAY	44.0 17.3	44.0 17.3	44.0 17.3
E	BOTTOM BRACKET	27.3 10.7	27.3 10.7	27.3 10.7
F	OFFSET	55.0 21.7	55.0 21.7	55.0 21.7
G	WHEEL BASE	175.0 68.9	176.0 69.3	178.0 70.1
	TRAIL	50.5 19.9	47.4 18.7	47.4 18.7
	STAND OVER	75.0/68.0 29.5/26.8	77.0/70.0 30.3/27.6	79.0/71.0 31.1/28.0

8500 Disc
8500
8000
6700 Disc
6700
6500




	FRAME SIZE	S 15.5"	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.5°	73.0°	73.0°	72.5°
C	EFF TOP TUBE	55.0 21.7	58.8 23.1	62.5 24.6	64.1 25.2
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.7 11.7	29.7 11.7	29.7 11.7	30.0 11.8
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	103.0 40.6	106.4 41.9	110.1 43.4	111.4 43.9
	TRAIL	7.0 2.8	7.0 2.8	7.0 2.8	7.0 2.8
	STAND OVER	70.6 27.8	74.2 29.2	78.0 30.7	82.1 32.3

8000 WSD
6700 WSD
4900 WSD

	FRAME SIZE	WXS 14"	WS 16"	WM 18"
A	HEAD ANGLE	70.0°	70.0°	70.0°
B	SEAT ANGLE	75.0°	74.0°	73.5°
C	EFF TOP TUBE	51.8 20.4	53.2 21.0	56.3 22.2
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	28.8 11.3	28.8 11.3	29.3 11.5
F	OFFSET	4.2 1.6	4.2 1.6	4.2 1.6
G	WHEEL BASE	101.8 40.1	102.3 40.3	105.1 41.4
	TRAIL	7.7 3.0	7.7 3.0	7.7 3.0
	STAND OVER	67.0 26.4	70.1 27.6	74.1 29.2

STP 400




	FRAME SIZE	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.0°	73.0°	73.0°
C	EFF TOP TUBE	58.9 23.2	62.5 24.6	63.4 24.9
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.8 11.7	29.8 11.7	29.8 11.7
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	106.4 41.9	110.1 43.4	111.2 43.8
	TRAIL	7.0 2.8	7.0 2.8	7.0 2.8
	STAND OVER	74.7 29.4	77.6 30.5	81.4 32.0

Diesel DH


	FRAME SIZE	S/M	M/L
A	HEAD ANGLE	67.0°	67.0°
B	SEAT ANGLE	62.5°	62.5°
C	EFF TOP TUBE	60.7 23.9	63.2 24.9
D	CHAIN STAY	42.5 16.75	42.5 16.75
E	BOTTOM BRACKET	35.2 14.25	36.2 14.25
F	WHEEL BASE	111.7 44.0	114.3 45.0
	STAND OVER	72.4 28.5	74.9 29.5
	AXLE TO RACE	54.0 21.26	54.0 21.26

Y 26



	FRAME SIZE	S 16"	M 17.5"	L 19"
A	HEAD ANGLE	71.5°	71.6°	71.6°
B	SEAT ANGLE	74.5°	73.6°	72.6°
C	EFF TOP TUBE	56.2 22.1	61.1 24.1	64.1 25.2
D	CHAIN STAY	42.5 16.7	42.5 16.7	42.5 16.7
E	BOTTOM BRACKET	30.2 11.9	30.2 11.9	30.2 11.9
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	105.9 41.7	109.9 43.3	111.5 43.9
	TRAIL	6.8 2.7	6.8 2.7	6.8 2.7
	STAND OVER	71.2 28.0	73.0 28.7	75.0 29.5

Bruiser Two




	FRAME SIZE	M 14.5"	L 16.0"
A	HEAD ANGLE	70.0°	70.0°
B	SEAT ANGLE	71.0°	71.0°
C	EFF TOP TUBE	57.0 22.4	59.2 23.3
D	CHAIN STAY	42.0 16.5	42.0 16.5
E	BOTTOM BRACKET	32.4 12.7	32.4 12.7
F	OFFSET	4.0 1.6	4.0 1.6
G	WHEEL BASE	103.9 40.9	106.1 41.8
	TRAIL	7.9 3.1	7.9 3.1
	STAND OVER	70.0 27.5	71.6 28.2

Bruiser One

	FRAME SIZE	M 14.5"	L 16.0"
A	HEAD ANGLE	70.0°	70.0°
B	SEAT ANGLE	71.0°	71.0°
C	EFF TOP TUBE	57.0 22.4	59.2 23.3
D	CHAIN STAY	42.0 16.5	42.0 16.5
E	BOTTOM BRACKET	32.4 12.7	32.4 12.7
F	OFFSET	3.3 1.3	3.3 1.3
G	WHEEL BASE	103.2 40.6	105.4 41.5
	TRAIL	8.6 3.4	8.6 3.4
	STAND OVER	70.0 27.5	71.6 28.2


7700 FX



	FRAME SIZE	S 50cm	M 52cm	L 54cm	XL 56cm	XXL 58cm
A	HEAD ANGLE	71.0°	71.0°	71.5°	72.0°	72.5°
B	SEAT ANGLE	74.5°	74.0°	73.5°	73.0°	73.0°
C	EFF TOP TUBE	51.5 20.3	52.5 20.7	54.0 21.3	55.5 21.8	56.5 22.3
D	CHAIN STAY	43.0 17.0	43.0 17.0	43.0 17.0	43.0 17.0	43.0 17.0
E	BOTTOM BRACKET	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.3 11.1
F	OFFSET	4.5 1.8	4.5 1.8	4.5 1.8	4.5 1.8	XX.X XX.X
G	WHEEL BASE	99.9 38.9	100.4 39.2	100.9 39.4	101.4 39.5	102.1 39.8
	TRAIL	7.3 2.9	7.3 2.9	7.0 2.1	6.7 2.6	6.4 2.5
	STAND OVER	76.3 30.0	77.6 30.5	79.2 31.2	80.6 31.7	82.5 32.5

7700
7500 FX
7500
7300
7200
7100

(SOME MODELS NOT AVAILABLE IN ALL SIZES)



	FRAME SIZE	XS 13"	XS 15"	S 17.5"	M 19"	L 22.5"	WXS 15"	WS 17"	WM 20"
A	HEAD ANGLE	70.0°	70.0°	70.5°	70.5°	71.5°	70.0°	70.5°	70.5°
B	SEAT ANGLE	74.5°	74.0°	74.0°	73.0°	73.0°	74.0°	74.0°	73.0°
C	EFF TOP TUBE	53.8 21.2	54.4 21.4	54.8 21.6	55.7 21.9	58.1 22.9	54.3 21.4	54.7 21.5	56.2 22.1
D	CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5
E	BOTTOM BRACKET	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1
F	OFFSET	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0
G	WHEEL BASE	105.5 41.5	105.6 41.6	105.6 41.6	106.2 41.8	106.9 42.1	105.6 41.6	106.2 41.8	106.9 42.0
	TRAIL	7.3 2.9	7.3 2.9	7.0 2.7	7.0 2.7	6.3 2.5	7.0 2.7	7.0 2.7	7.0 2.7
	STAND OVER	65.4 25.7	68.5 27.0	73.1 28.8	76.9 30.3	81.7 32.2	105.5 41.5	105.6 41.6	106.1 41.8

All sizes are in centimeters over inches unless otherwise indicated.