TREK

2007 MOUNTAIN
















PAVEMENT IS A

# DIRTY WORD

**Say it and we'll wash your mouth out with a bar of soap.** Because to us, frankly, the idea of riding a mountain bike only on the road is a little obscene. Our bikes are made to get dirty. They're a highly evolved species built not just to revel in dirt, but dominate it. Totally. Pavement? That's for getting to the mountains. Otherwise forget about it.

## THE STORIES


1 WATERLOO
WHERE GREAT BIKES ARE BORN

3 PROJECT ONE
CYCLING GETS PERSONAL

5 WOMEN'S SPECIFIC DESIGN
BETTER FIT FOR A BETTER RIDE

7 TREK ADVOCACY
CAUSES WORTHY OF SUPPORT

8 THE TREK DEALER
YOUR PARTNER ON THE RIDE

9 R1 TUNED SUSPENSION
TUNED TO PERFORM

11 FULL SUSPENSION OVERVIEW
MOVE WITH THE MOUNTAIN

13 TOP FUEL TECHNOLOGY
KING OF CROSS COUNTRY

15 FUEL EX TECHNOLOGY
TOTAL CONTROL, TOTAL DOMINATION

17 REMEDY TECHNOLOGY
ALL-MOUNTAIN VERSATILITY

19 SESSION TECHNOLOGY
HARDER THAN HARDCORE

21 HARDTAIL OVERVIEW
MAKE YOUR CONNECTION

23 ELITE SERIES TECHNOLOGY
THE SPEED OF LIGHT

25 69ER TECHNOLOGY
ALL OR NOTHING

26 JACK TECHNOLOGY
URBAN ASSAULT VEHICLE


## THE BIKES


27 TOP FUEL

29 FUEL EX

33 REMEDY

34 SESSION

35 ELITE SERIES


36 JACK

37 69ER

37 HARDTAIL

47 SPECIFICATIONS

52 GEOMETRIES



HARDTAIL

# RIDE FAST, RIDE HARD

**Sometimes it pays to keep it simple.** Just a straightforward connection between you and the ground on a lightweight, highly efficient bike. One that's perfect for powering up trails, bouncing off bumps, skittering through corners and generally having yourself a heck of a fun ride.



## > ELITE SERIES

**Old school meets high-tech.** Our Elite series hardtails are handcrafted from Trek's advanced OCLV 110 Carbon, so they're light, durable and unbeatable on performance. Just ask the Trek Volkswagen Racing Team — if you can catch them.



## > JACK

**If you know aggro, you should know Jack!™** Technically a bike, it's more like an assault vehicle. Equally ready to take on the hills outside of town or the skatepark down the street. With the speed, handling and durability to tackle pretty much any trick you think up, no matter how insane.



## > 69ER

**It's a cult.** Not a shaved-head, flower-selling, commune-dwelling cult. But one that worships single-speed mountain bikes. Its newest object of veneration? The 69er™ Built by Trek's Advanced Concepts Group. Proven by two-time SS world champ Travis Brown. Now available to the rest of the faithful. You in?



## > ALUMINUM HARDTAIL

**Lighter and stiffer for 2007,** redesigned with a racier new look and performance to match. SLR™ Aluminum frames now share the hydroformed top tube of our vaunted Fuel bikes. ZR 9000™ frames add the Fuel's hydroformed down tube as well. Both lines shave off 100 grams of weight and now accommodate 100mm forks. It's high-level performance without a high-altitude price.



## Enduring Performer

Chris Eatough of the Trek Volkswagen Racing team isn't just in it for the long haul. He's in it to win it. And his Top Fuel is with him all the way. Through two national and six world championships 24-hour solo victories. And through his '06 victory in the Lumberjack 100, where he set a new course record.

"My bike really made a big difference," Eatough says. "Four inches of plush suspension helped me maintain my speed the entire race."





## TOP FUEL SL

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > RockShox Sid World Cup w/postive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 80mm
REAR SUSPENSION > Manitou S-Type SR SPV w/air pressure, SPV pressure, rebound
WHEELSET > Bontrager Race X Lite "SE"
CRANK > Bontrager Race XXX Lite Carbon 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Pearl Carbon
> Frame available.



## TOP FUEL 9.9

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Manitou R-Seven Platinum Snap Valve w/air pressure, SPV pressure, rebound, 100mm
REAR SUSPENSION > Manitou S-Type SRL w/air pressure, rebound, lockout
WHEELSET > Bontrager Race X Lite
CRANK > Shimano XTR 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Chi Red/Team
> Frame available.





## TOP FUEL 9.8

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Fox 32 F100 X w/air pressure, Pro Tune, rebound, 100mm
REAR SUSPENSION > Manitou S-Type SRL w/air pressure, rebound, lockout
WHEELSET > Bontrager Race Lite
CRANK > Bontrager Race X Lite 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Silver
> Frame available.



## TOP FUEL 8


FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm
REAR SUSPENSION > Manitou S-Type SRL w/air pressure, rebound, lockout
WHEELSET > Bontrager Race
CRANK > Shimano Deore LX 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Baja Blue/Bright Silver



## TOP FUEL 7

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm
REAR SUSPENSION > Manitou Radium RL w/air pressure, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Titanite Black/Metallic Onyx







## FUEL EX 9.5

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > Fox Talas RLC w/air pressure, travel, rebound, lockout, 90-130mm
REAR SUSPENSION > Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound
WHEELSET > Bontrager Race X Lite
CRANK > Shimano XTR 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Pearl Carbon
> Frame available.



## FUEL EX 9.0

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm
REAR SUSPENSION > Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound
WHEELSET > Bontrager Race Lite
CRANK > Shimano Deore XT 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Carbon
> Frame available.





## FUEL EX 9

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm
REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Race Lite
CRANK > Shimano Deore XT 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Grey Duotone
> Frame available.



## FUEL EX 8

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > Fox Float 130 RL w/air pressure, rebound, lockout, 130mm
REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Race
CRANK > Shimano Deore LX 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Orange/Silver Custom Flames



## FUEL EX 8

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > Fox Float 130 RL w/air pressure, rebound, lockout, 130mm
REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Race
CRANK > Shimano Deore LX 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Onyx





## FUEL EX 7

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > RockShox Recon 351 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 130mm
REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Nickel



## FUEL EX 7 WSD

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > RockShox Recon 351 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 130mm
REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > Women's 14, 16, 18"
COLOR > Satin Navy

WSD Women's Specific Design





## FUEL EX 6

FRAME > ZR 9000 Alloy main frame w/100mm travel
FRONT SUSPENSION > RockShox Tora 318 Solo Air w/Motion Control, rebound, compression, LO, 100mm
REAR SUSPENSION > RockShox MC 3.1 w/Motion Control adjust
WHEELSET > Bontrager Superstock Disc
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-7
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Chi Red



## FUEL EX 5

FRAME > Alpha SLR Aluminum w/100mm travel
FRONT SUSPENSION > RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm
REAR SUSPENSION > RockShox BAR 1.1 w/air pressure
WHEELSET > Shimano M475 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > SRAM X-5
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Blue



## FUEL EX 5 WSD

FRAME > Alpha SLR Aluminum w/100mm travel
FRONT SUSPENSION > RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm
REAR SUSPENSION > RockShox BAR 1.1 w/air pressure
WHEELSET > Shimano M475 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > SRAM X-5
SIZES > Women's 14, 16, 18"
COLOR > Aquamarine Duotone

WSD Women's Specific Design



## REMEDY 66

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/152-154mm (6") travel
FRONT SUSPENSION > Fox 36 Talas RC2 w/air pressure, high speed and low speed compression, rebound, 100-160mm
REAR SUSPENSION > Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound
WHEELSET > Bontrager Rhythm Elite
CRANK > Shimano Deore XT 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Pewter Anodized



## REMEDY 6

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/152-154mm (6") travel
FRONT SUSPENSION > Manitou Nixon Elite w/air pressure, SPV pressure, SPV volume, travel, rebound, 130-160mm
REAR SUSPENSION > Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound
WHEELSET > Bontrager Rhythm Comp
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Navy



## REMEDY 5

FRAME > ZR 9000 Alloy
FRONT SUSPENSION > Manitou Black Platinum Air w/SPV, rebound, LO, 120mm
REAR SUSPENSION > Manitou Swinger 3-way
WHEELSET > Bontrager Select Disc
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-7
SIZES > 15.5, 17.5, 19.5, 20.5"
COLOR > Matte Black





## SESSION 10

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/254mm (10") travel
FRONT SUSPENSION > Manitou Travis Triple Intrinsic w/rebound, compression, 203mm
REAR SUSPENSION > Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression
WHEELSET > Bontrager King Earl w/150mm rear
CRANK > Bontrager King Earl 38T w/e.13 SRS chainguide
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5"
COLOR > Gloss White
> Frame available.



## SESSION 77

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel
FRONT SUSPENSION > Manitou Travis Single Intrinsic w/rebound, compression, 180mm
REAR SUSPENSION > Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound
WHEELSET > Bontrager King Earl
CRANK > Bontrager King Earl 22/32 w/bash guard
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5"
COLOR > Bluegray Anodized
> Frame available.



## SESSION 7

FRAME > ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel
FRONT SUSPENSION > Manitou Travis Single w/rebound, compression, 180mm
REAR SUSPENSION > Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound
WHEELSET > Bontrager Earl
CRANK > Bontrager Big Earl 22/32 w/bash guard
REAR DERAILLEUR > SRAM X-9
SIZES > 15.5, 17.5, 19.5"
COLOR > Matte Black



## ELITE 9.9

FRAME > OCLV 110 Carbon
FRONT SUSPENSION > RockShox Reba World Cup w/postive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 85mm
WHEELSET > Bontager Race X Lite
CRANK > Shimano XTR 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 20.5"
COLOR > Chi Red
> Frame available.



## ELITE 9.8

FRAME > OCLV 110 Carbon
FRONT SUSPENSION > Fox 32 F80 RL w/air pressure, compression, rebound, lockout, 85mm
WHEELSET > Bontrager Race Lite
CRANK > Bontrager Race Lite 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 20.5"
COLOR > Matte Pearl Carbon



## ELITE 9.7

FRAME > OCLV 110 Carbon
FRONT SUSPENSION > RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 85mm
WHEELSET > Bontrager Race
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-9
SIZES > 15.5, 17.5, 19.5, 20.5"
COLOR > Matte Titanite Black/ Matte Bright Silver





## JACK 3

FRAME > Alpha Aluminum
FRONT SUSPENSION > Manitou Stance Static, 80mm
WHEELSET > Shimano M475 disc hubs; Sun Rhyno Lite rims
CRANK > Bontrager King Earl 36/24 w/bash guard
REAR DERAILLEUR > Shimano Deore LX
SIZES > 13, 15, 17"
COLOR > Gloss White



## JACK 2

FRAME > Alpha Aluminum
FRONT SUSPENSION > Manitou Slate Comp FFD, 100mm
WHEELSET > Shimano M475 disc hubs; Sun Ditch Witch rims
CRANK > Bontrager Big Earl 42/32/22
REAR DERAILLEUR > Shimano Alivio
SIZES > 13, 15, 17"
COLOR > Gloss Orange



## JACK 1

FRAME > Alpha Aluminum
FRONT SUSPENSION > RST Gila T7 w/preload, 100mm
WHEELSET > Shimano M475 disc hubs; Bontrager Camino rims
CRANK > Shimano M341 42/32/22
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 15, 17"
COLOR > Gloss Navy







## 69er

FRAME > ZR 9000 Alloy
FRONT SUSPENSION > Maverick Custom Double crown, 100mm (15.5" size: Single crown)
WHEELSET > Bontrager Race Lite Single Speed; 29" front, 26" rear
CRANK > Bontrager Single Speed 34T
REAR DERAILLEUR > n/a
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Root Beer



## 8500

FRAME > ZR 9000 Alloy
FRONT SUSPENSION > Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm
WHEELSET > Bontrager Race
CRANK > Shimano Deore XT 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Black





## 8000

FRAME > ZR 9000 Alloy
FRONT SUSPENSION > RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm
WHEELSET > Bontrager Select
CRANK > Shimano Deore LX 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Smooth Silver



## 6700

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > RockShox Tora 318 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 100mm
WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-9
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Baja Blue/Platinum Silver




## 6700 WSD

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > RockShox Tora 318 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 100mm
WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-9
SIZES > Women's 14, 16, 18"
COLOR > Aquamarine Duotone

WSD Women's Specific Design





## 6500

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > Manitou Slate Comp w/preload, lockout, 100mm
WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 Octalink 44/32/22
REAR DERAILLEUR > Shimano Deore LX
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Race Yellow/Metallic Black



## 6500

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > Manitou Slate Comp w/preload, lockout, 100mm
WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 Octalink 44/32/22
REAR DERAILLEUR > Shimano Deore LX
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Black Chrome





## 6500 WSD

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > Manitou Slate Comp w/preload, lockout, 100mm
WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 Octalink 44/32/22
REAR DERAILLEUR > Shimano Deore LX
SIZES > Women's 14, 16, 18"
COLOR > White Duotone

Women's Specific Design



## 6000

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > RockShox Dart 1 w/preload, 100mm
WHEELSET > Shimano M475 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > Shimano Deore
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Brushed Aluminum



## 6000

FRAME > Alpha SLR Aluminum
FRONT SUSPENSION > RockShox Dart 1 w/preload, 100mm
WHEELSET > Shimano M475 disc hubs; Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > Shimano Deore
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Metallic Orange/Metallic Black



## 4500

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RockShox Dart 1 w/preload, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > Shimano MC09 42/32/22
REAR DERAILLEUR > Shimano Deore
SIZES > 13, 16, 18, 19.5, 21, 22.5, 24"
COLOR > Matte Black/Matte Candy Red



## 4500

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RockShox Dart 1 w/preload, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > Shimano MC09 42/32/22
REAR DERAILLEUR > Shimano Deore
SIZES > 13, 16, 18, 19.5, 21, 22.5, 24"
COLOR > Steel Gray/Metallic Black



## 4500 WSD

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RockShox Dart 1 w/preload, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > Shimano MC09 42/32/22
REAR DERAILLEUR > Shimano Deore
SIZES > Women's 14, 16, 18"
COLOR > Mint

WSD Women's Specific Design





## 4300 DISC

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RST Gila T7 w/preload, 80mm
WHEELSET > Shimano M65 disc hubs; Bontrager Ranger rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Alivio
SIZES > 13, 16, 18, 19.5, 21"
COLOR > Matte Smoke Silver/ Matte Smooth Silver



## 4300

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RST Gila T7 w/preload, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Alivio
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Pearl Yellow/Metallic Charcoal



## 4300

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RST Gila T7 w/preload, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Alivio
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Matte Smoke Silver/ Matte Smooth Silver



## 4300 WSD

FRAME > Alpha SL Aluminum
FRONT SUSPENSION > RST Gila T7 w/preload, light spring, 80mm
WHEELSET > Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Alivio
SIZES > Women's 14, 16, 18"
COLOR > Platinum Silver

WSD Women's Specific Design



## 3900

FRAME > Alpha Aluminum
FRONT SUSPENSION > InSync Grind 1 w/preload, 70mm
WHEELSET > Alloy front, Shimano RM30 rear hub; Matrix 550 rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Matte Black/Matte Smooth Silver



## 3900

FRAME > Alpha Aluminum
FRONT SUSPENSION > InSync Grind 1 w/preload, 70mm
WHEELSET > Alloy front, Shimano RM30 rear hub; Matrix 550 rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Trans Blue





## 3900 WSD

FRAME > Alpha Aluminum
FRONT SUSPENSION > InSync Grind 1 w/preload, 70mm
WHEELSET > Alloy front, Shimano RM30 rear hub; Matrix 550 rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Acera
SIZES > Women's 13, 16, 19.5"
COLOR > Trans Blue

WSD Women's Specific Design



## 3900 WSD

FRAME > Alpha Aluminum
FRONT SUSPENSION > InSync Grind 1 w/preload, 70mm
WHEELSET > Alloy front, Shimano RM30 rear hub; Matrix 550 rims
CRANK > SR XCC-T102 42/34/24
REAR DERAILLEUR > Shimano Acera
SIZES > Women's 13, 16, 19.5"
COLOR > Pearl Green

WSD Women's Specific Design



## 3700

FRAME > Alpha Aluminum
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Matte Red/Matte Dark Red





## 3700

FRAME > Alpha Aluminum
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21, 22.5"
COLOR > Matte Black/Lava Black



## 3700 WSD

FRAME > Alpha Aluminum
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > Women's 13, 16, 19.5"
COLOR > Crystal Blue

WSD Women's Specific Design





## 820

FRAME > High tensile steel
w/Cro-Moly seat tube
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21"
COLOR > Matte Navy/Matte Bluegray



## 820

FRAME > High tensile steel
w/Cro-Moly seat tube
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > 13, 16, 18, 19.5, 21"
COLOR > Hot Orange/Metallic Dark Silver



## 820 WSD

FRAME > High tensile steel
w/Cro-Moly seat tube
FRONT SUSPENSION > RST 191 C7, 63mm
WHEELSET > Alloy hubs; Matrix 550 rims
CRANK > SR XCC-T208 48/38/28
REAR DERAILLEUR > Shimano Acera
SIZES > Women's 13, 16"
COLOR > Pearl White/Metallic Silver

WSD Women's Specific Design



RACE

| | Model | TOP FUEL 9.9 | TOP FUEL 9.8 | TOP FUEL 8 | TOP FUEL 7 |
|---|---|---|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" |
| | Colors | Chi Red/Team | Matte Silver | Baja Blue/Bright Silver | Titanite Black/Metallic Onyx |
| | Frame | OCLV 110 Carbon; ZR 9000 swingarm w/90mm travel | OCLV 110 Carbon; ZR 9000 swingarm w/90mm travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/90mm travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/90mm travel |
| | Fork | Manitou R-Seven Platinum Snap Valve w/air pressure, SPV pressure, rebound, 100mm | Fox 32 F100 X w/air pressure, Pro Tune, rebound, 100mm | Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm | RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm |
| | Rear Shock | Manitou S-Type SR SPV w/air pressure, SPV pressure, rebound | Manitou S-Type SRL w/air pressure, rebound, lockout | Manitou S-Type SRL w/air pressure, rebound, lockout | Manitou Radium RL w/air pressure, rebound, lockout |
| WHEELS | Wheels | Bontrager Race X Lite | Bontrager Race Lite | Bontrager Race | Bontrager Select |
| | Tires | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 60 tpi, folding |
| DRIVETRAIN | Shifters | Shimano XTR, 9 speed | SRAM X-9, 9 speed | SRAM X-7, 9 speed | Shimano Deore, 9 speed |
| | Front Derailleur | Shimano XTR | SRAM X-9 | Shimano Deore LX | Shimano Deore |
| | Rear Derailleur | Shimano XTR | SRAM X-0 | SRAM X-0 | Shimano Deore XT |
| | Crankset | Shimano XTR 44/32/22 | Bontrager Race X Lite 44/32/22 | Shimano Deore LX 44/32/22 | Shimano Deore 44/32/22 |
| | Cassette | Shimano XTR 11-32, 9 speed | SRAM PG970 11-32, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG-950 11-34, 9 speed |
| | Pedals | n/a | n/a | Shimano 520, clipless | Shimano 505, clipless |
| COMPONENTS | Saddle | Bontrager Race X Lite Pro | Bontrager Race X Lite Pro | Bontrager Race Lite | Bontrager Race | Bontrager Race Basic |
| | Seatpost | Bontrager Race X Lite ACC | Bontrager Race X Lite ACC | Bontrager Race X Lite ACC | Bontrager Race | Bontrager Select |
| | Handlebars | Bontrager Race XXX Lite, 0mm rise, 31.8mm | Bontrager Race XXX Lite, 0mm rise, 31.8mm | Bontrager Race X Lite carbon, 0mm rise, 31.8mm | Bontrager Race Lite, 0mm rise, 31.8mm | Bontrager Race, 0mm rise, 31.8mm |
| | Stem | Bontrager Race XXX Lite, 12 degree, 31.8mm | Bontrager Race XXX Lite, 12 degree, 31.8mm | Bontrager Race Lite, 7 degree, 31.8mm | Bontrager Race, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm |
| | Headset | Chris King sealed cartridge | Cane Creek S-8 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Aheadset Slimstak w/cartridge bearings, sealed, alloy | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Avid SD SL V-brakes w/Avid SD Ultimate levers | Shimano XTR, hydraulic disc, 6" front, 5" rear rotor | Avid Juicy 5, hydraulic disc, 6" rotors | Avid Juicy 5, hydraulic disc, 6" rotors | Avid Juicy 3, hydraulic disc, 6" rotors |

TRAIL

| | Model | FUEL EX 9.5 | FUEL EX 9.0 | FUEL EX 9 | FUEL EX 8 | FUEL EX 7 |
|---|---|---|---|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" |
| | Colors | Matte Pearl Carbon | Satin Carbon | Satin Grey Duotone | Satin Onyx or Orange/Silver Custom Flames | Satin Nickel |
| | Frame | OCLV 110 Carbon; ZR 9000 swingarm w/120mm travel | OCLV 110 Carbon; ZR 9000 swingarm w/120mm travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel |
| | Fork | Fox Talas RLC w/air pressure, travel, rebound, lockout, 90-130mm | Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm | Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm | Fox Float 130 RL w/air pressure, rebound, lockout, 130mm | RockShox Recon 351 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 130mm |
| | Rear Shock | Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound | Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound | Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout | Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout | Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout |
| WHEELS | Wheels | Bontrager Race X Lite | Bontrager Race Lite | Bontrager Race Lite | Bontrager Race | Bontrager Select |
| | Tires | Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding | Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding | Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding | Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding | Bontrager Jones XR 26x2.2/2.25", 60 tpi, folding |
| DRIVETRAIN | Shifters | Shimano XTR, 9 speed | SRAM X-9, 9 speed | Shimano X-7, 9 speed | Shimano Deore, 9 speed | Shimano Deore, 9 speed |
| | Front Derailleur | Shimano XTR | SRAM X-9 | Shimano Deore LX | Shimano Deore LX | Shimano Deore |
| | Rear Derailleur | Shimano XTR | SRAM X-0 | SRAM X-0 | Shimano XTR | Shimano Deore XT |
| | Crankset | Shimano XTR 44/32/22 | Shimano Deore XT 44/32/22 | Shimano Deore XT 44/32/22 | Shimano Deore LX 44/32/22 | Shimano Deore 44/32/22 |
| | Cassette | Shimano XTR 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG-950 11-34, 9 speed |
| | Pedals | n/a | n/a | n/a | Shimano 520, clipless | Shimano 505, clipless |
| COMPONENTS | Saddle | Bontrager Race X Lite Pro | Bontrager Race Lite | Bontrager Race Lite | Bontrager Race | Bontrager Race Basic |
| | Seatpost | Bontrager Race X Lite ACC carbon | Bontrager Race X Lite ACC carbon | Bontrager Race Lite | Bontrager Race | Bontrager Select |
| | Handlebars | Bontrager Race XXX Lite, 40mm rise, 31.8mm | Bontrager Race X Lite, 40mm rise, 31.8mm | Bontrager Race Lite, 40mm rise, 31.8mm | Bontrager Race, 40mm rise, 31.8mm | Bontrager Select, 25mm rise, 31.8mm |
| | Stem | Bontrager Race XXX Lite, 12 degree, 31.8mm | Bontrager Race Lite, 7 degree, 31.8mm | Bontrager Race Lite, 7 degree, 31.8mm | Bontrager Race, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm |
| | Headset | Cane Creek S-8 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Aheadset Slimstak w/cartridge bearings, sealed, alloy | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Shimano XTR, hydralic disc, 6" rotors | Avid Juicy 7, hydraulic disc, 6° rotors w/carbon levers | Avid Juicy 7, hydraulic disc, 6° rotors | Avid Juicy 5, hydraulic disc, 6° rotors | Avid BB-7, mechanical disc w/Avid FR-5 levers |



TRAIL

| | Model | FUEL EX 7 WSD | FUEL EX 6 | FUEL EX 5 | FUEL EX 5 WSD |
|---|---|---|---|---|---|
| FRAMESET | Sizes | Women's 14, 16, 18" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | Women's 14, 16, 18" |
| | Colors | Satin Navy | Chi Red | Satin Blue | Aquamarine Duotone |
| | Frame | ZR 9000 Alloy main frame; ZR 9000 swingarm w/ 120mm travel | ZR 9000 Alloy main frame w/ 100mm travel | Alpha SLR Aluminum w/100mm travel | Alpha SLR Aluminum w/100mm travel |
| | Fork | RockShox Recon 351 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 130mm | RockShox Tora 318 Solo Air w/Motion Control, rebound, compression, LO, 100mm | RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm | RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm |
| | Rear Shock | Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout | RockShox MC 3.1 w/Motion Control adjust | RockShox BAR 1.1 w/air pressure | RockShox BAR 1.1 w/air pressure |
| WHEELS | Wheels | Bontrager Select | Bontrager Superstock Disc | Shimano M475 disc hubs; Bontrager Ranger rims | Shimano M475 disc hubs; Bontrager Ranger rims |
| | Tires | Bontrager Jones XR 26x2.2/2.25", 60 tpi, folding | Bontrager ACX, 26x2.2" | Bontrager Jones XR 26x2.2/2.25", 27 tpi | Bontrager Jones XR 26x2.2/2.25", 27 tpi |
| DRIVETRAIN | Shifters | Shimano Deore, 9 speed | SRAM X-7 | SRAM X-5, 9 speed | SRAM X-5, 9 speed |
| | Front Derailleur | Shimano Deore | Shimano Deore | Shimano Deore | Shimano Deore |
| | Rear Derailleur | Shimano Deore XT | SRAM X-7 | SRAM X-5 | SRAM X-5 |
| | Crankset | Shimano Deore 44/32/22 | Bontrager Race 44/32/22 | Shimano M442 44/32/22 | Shimano M442 44/32/22 |
| | Cassette | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed |
| | Pedals | Shimano 505, clipless | Shimano 505, clipless | Alloy platform w/clips and straps | Alloy platform w/clips and straps |
| COMPONENTS | Saddle | Bontrager Select FIT | Bontrager Select | Bontrager Race Basic Lux | Bontrager Select FIT |
| | Seatpost | Bontrager Select | Bontrager Select | Bontrager Sport | Bontrager Sport |
| | Handlebars | Bontrager Select, 25mm rise, 31.8mm | Bontrager Select, 25mm rise, 31.8mm | Bontrager Crowbar Sport, 25mm rise | Bontrager Crowbar Sport, 25mm rise |
| | Stem | Bontrager Select, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm | Bontrager Sport, 10 degree | Bontrager Sport, 10 degree |
| | Headset | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Avid BB-7, mechanical disc w/Avid FR-5 levers | Hayes MX-1, mechanical disc w/Hayes alloy levers | Avid BB-5, mechanical disc w/alloy levers | Avid BB-5, mechanical disc w/alloy levers |

ALL MOUNTAIN

| | Model | REMEDY 66 |
|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5, 21.5" |
| | Colors | Pewter Anodized |
| | Frame | ZR 9000 Alloy main frame; ZR 9000 swingarm w/ 152-154mm (6") travel |
| | Fork | Fox 36 Talas RC2 w/air pressure, high speed and low speed compression, rebound, 100-160mm |
| | Rear Shock | Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound |
| WHEELS | Wheels | Bontrager Rhythm Elite |
| | Tires | Bontrager Jones ACX 26x2.35", 120 tpi, folding |
| DRIVETRAIN | Shifters | SRAM X-9, 9 speed |
| | Front Derailleur | SRAM X-9 |
| | Rear Derailleur | SRAM X-0 |
| | Crankset | Shimano Deore XT 44/32/22 |
| | Cassette | SRAM PG970 11-34, 9 speed |
| | Pedals | n/a |
| COMPONENTS | Saddle | Bontrager Race Lite |
| | Seatpost | Bontrager Race Lite |
| | Handlebars | Bontrager Race Lite, 40mm rise, 31.8mm |
| | Stem | Bontrager Race Lite, 7 degree, 31.8mm |
| | Headset | Cane Creek S-3 w/cartridge bearings, sealed |
| | Brakeset | Avid Juicy 7, hydraulic disc, 8" front, 7" rear |

ALL MOUNTAIN

| | Model | REMEDY 6 | REMEDY 5 |
|---|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 20.5" |
| | Colors | Matte Navy | Matte Black |
| | Frame | ZR 9000 Alloy main frame; ZR 9000 swingarm w/152-154mm (6") travel | ZR 9000 Alloy |
| | Fork | Manitou Nixon Elite w/air pressure, SPV pressure, SPV volume, travel, rebound, 130-160mm | Manitou Black Platinum Air w/SPV, rebound, LO, 120mm |
| | Rear Shock | Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound | Manitou Swinger 3-way |
| WHEELS | Wheels | Bontrager Rhythm Comp | Bontrager Select Disc |
| | Tires | Bontrager Jones ACX 26x2.35", 120 tpi, folding | Bontrager ACX, folding, 26x2.2" |
| DRIVETRAIN | Shifters | Shimano Deore, 9 speed | SRAM X-7 |
| | Front Derailleur | Shimano Deore LX | Shimano Deore |
| | Rear Derailleur | Shimano Deore XT | SRAM X-7 |
| | Crankset | Bontrager Race 44/32/22 | Bontrager Race 44/32/22 |
| | Cassette | SRAM PG970 11-34, 9 speed | SRAM PG950 11-34, 9 speed |
| | Pedals | n/a | Shimano 505, clipless |
| COMPONENTS | Saddle | Bontrager Race | Bontrager Select |
| | Seatpost | Bontrager Race | Bontrager Select |
| | Handlebars | Bontrager Race, 40mm rise, 31.8mm | Bontrager Select, 7 degree, 31.8mm |
| | Stem | Bontrager Race, 7 degree, 31.8mm | Bontrager Race X Lite Carbon, 40mm rise, 31.8mm |
| | Headset | Aheadset Slimstak w/cartridge bearings, sealed, alloy | Aheadset, sealed, alloy |
| | Brakeset | Avid Juicy 5, hydraulic disc, 8° front, 7° rear | Hayes HFX-9, hydraulic disc, 6" rotors |

FREERIDE

| | Model | SESSION 10 | SESSION 77 | SESSION 7 |
|---|---|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5" | 15.5, 17.5, 19.5" | 15.5, 17.5, 19.5" |
| | Colors | Gloss White | Bluegray Anodized | Matte Black |
| | Frame | ZR 9000 Alloy main frame; ZR 9000 swingarm w/254mm (10") travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel | ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel |
| | Fork | Manitou Travis Triple Intrinsic w/ rebound, compression, 203mm | Manitou Travis Single Intrinsic w/ rebound, compression, 180mm | Manitou Travis Single w/rebound, compression, 180mm |
| | Rear Shock | Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression | Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound | Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound |
| WHEELS | Wheels | Bontrager King Earl w/150mm rear | Bontrager King Earl | Bontrager Earl |
| | Tires | Bontrager Big Earl 26x2.6", 60 tpi | Bontrager Big Earl 26x2.6", 60 tpi | Bontrager Big Earl 26x2.6", 60 tpi |
| DRIVETRAIN | Shifters | SRAM X-0, 9 speed | SRAM X-0, 9 speed | SRAM X-7, 9 speed |
| | Front Derailleur | e.13 SRS Chain Retention System | SRAM X-9 | Shimano Deore |
| | Rear Derailleur | SRAM X-0 | SRAM X-0 | SRAM X-9 |
| | Crankset | Bontrager King Earl 38T w/e.13 SRS chainguide | Bontrager King Earl 22/32 w/bash guard | Bontrager Big Earl 22/32 w/bash guard |
| | Cassette | SRAM PG970 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG970 11-34, 9 speed |
| | Pedals | Bontrager King Earl platform | Bontrager King Earl platform | Bontrager Big Earl platform |
| COMPONENTS | Saddle | Bontrager Big Earl | Bontrager Big Earl | Bontrager Earl K |
| | Seatpost | Bontrager King Earl | Bontrager King Earl | Bontrager Big Earl |
| | Handlebars | Bontrager King Earl, 50mm rise, 31.8mm | Bontrager King Earl, 50mm rise, 31.8mm | Bontrager Earl, 50mm rise, 31.8mm |
| | Stem | Manitou IS2 integrated stem, 31.8mm | Bontrager Big Earl, 10 degree, 31.8mm, 1.5° | Bontrager Big Earl, 10 degree, 31.8mm, 1.5° |
| | Headset | Cane Creek Double XC w/cartridge bearings, 1.5 to 1.125° | Cane Creek Double X w/cartridge bearings, 1.5° | Cane Creek Double X w/cartridge bearings, 1.5° |
| | Brakeset | Avid Juicy CODE, hydraulic disc, 8° rotors | Avid Juicy CODE, hydraulic disc, 8° rotors | Avid Juicy 7, hydraulic disc, 8° rotors |

ELITE SERIES

JACK

| | Model | ELITE 9.9 | ELITE 9.8 | ELITE 9.7 | JACK 3 | JACK 2 |
|---|---|---|---|---|---|---|
| FRAMESET | Sizes | 15.5, 17.5, 19.5, 20.5" | 15.5, 17.5, 19.5, 20.5" | 15.5, 17.5, 19.5, 20.5" | 13, 15, 17" | 13, 15, 17" |
| | Colors | Chi Red | Matte Pearl Carbon | Matte Black/Matte Platinum | Gloss White | Gloss Orange |
| | Frame | OCLV 110 Carbon | OCLV 110 Carbon | OCLV 110 Carbon | Alpha Aluminum | Alpha Aluminum |
| | Fork | RockShox Reba World Cup w/postive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 85mm | Fox 32 F80 RL w/air pressure, compression, rebound, lockout, 85mm | RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 85mm | Manitou Stance Static, 80mm | Manitou Slate Comp FFD, 100mm |
| WHEELS | Wheels | Bontrager Race X Lite | Bontrager Race Lite | Bontrager Race | Shimano M475 disc hubs; Sun Rhyno Lite rims | Shimano M475 disc hubs; Sun Ditch Witch rims |
| | Tires | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Earl, 26x2.4", 27 tpi | Bontrager Earl, 26x2.4", 27 tpi |
| DRIVETRAIN | Shifters | Shimano XTR, 9 speed | SRAM X-9, 9 speed | SRAM X-7, 9 speed | Shimano Deore, 9 speed | Shimano Alivio, 8 speed |
| | Front Derailleur | Shimano XTR | SRAM X-9 | Shimano Deore LX | Shimano Deore | Shimano Alivio |
| | Rear Derailleur | Shimano XTR | SRAM X-0 | SRAM X-9 | Shimano Deore LX | Shimano Alivio |
| | Crankset | Shimano XTR 44/32/22 | Bontrager Race Lite 44/32/22 | Bontrager Race 44/32/22 | Bontrager King Earl 36/24 w/bash guard | Bontrager Big Earl 42/32/22 |
| | Cassette | Shimano XTR 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG830 11-32, 8 speed |
| | Pedals | n/a | n/a | n/a | Bontrager Big Earl platform | Alloy platform |
| COMPONENTS | Saddle | Bontrager Race X Lite Pro | Bontrager Race Lite | Bontrager Race | Bontrager Big Earl | Bontrager Big Earl Jump |
| | Seatpost | Bontrager Race X Lite ACC | Bontrager Race X Lite ACC carbon | Bontrager Race | Bontrager King Earl | Bontrager Sport |
| | Handlebars | Bontrager Race XXX Lite, 0mm rise, 31.8mm | Bontrager Race X Lite, 0mm rise, 31.8mm | Bontrager Race, 0mm rise, 31.8mm | Bontrager Big Earl, 70mm rise, 31.8mm | Bontrager Big Earl, 70mm rise, 31.8mm |
| | Stem | Bontrager Race XXX Lite, 12 degree, 31.8mm | Bontrager Race Lite, 7 degree, 31.8mm | Bontrager Race, 7 degree, 31.8mm | Bontrager Earl, 10 degree, 31.8mm | Bontrager Earl, 10 degree, 31.8mm |
| | Headset | Cane Creek S-8 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Aheadset w/semi-cartridge bearings, Cro-Moly | Aheadset w/semi-cartridge bearings, Cro-Moly |
| | Brakeset | Shimano XTR, hydraulic disc, 6" front, 5" rear rotor | Avid Juicy 7, hydraulic disc w/carbon levers, 6" rotors | Avid Juicy 5, hydraulic disc, 6" rotors | Avid Juicy 5, hydraulic disc, 8" front, 6" rear | Hayes MX-2, mechanical disc, 8" front, 6" rear |

JACK

SINGLE SPEED

ALUMINUM HARDTAIL

| | Model | JACK 1 | 69ER | 8500 | 8000 | 6700 |
|---|---|---|---|---|---|---|
| FRAMESET | Sizes | 13, 15, 17" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" | 15.5, 17.5, 19.5, 21.5" |
| | Colors | Gloss Navy | Matte Root Beer | Matte Black | Matte Smooth Silver | Baja Blue/Platinum Silver |
| | Frame | Alpha Aluminum | ZR 9000 Alloy | ZR 9000 Alloy | ZR 9000 Alloy | Alpha SLR Aluminum |
| | Fork | RST Gila T7 w/preload, 100mm | Maverick Custom Double crown, 100mm (15.5" size: Single crown) | Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm | RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm | RockShox Tora 318 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 100mm |
| WHEELS | Wheels | Shimano M475 disc hubs; Bontrager Camino rims | Bontrager Race Lite Single Speed; 29" front, 26" rear | Bontrager Race | Bontrager Select | Shimano M525 disc hubs; Bontrager Ranger rims |
| | Tires | Bontrager Earl, 26x2.4", 27 tpi | Bontrager Jones ACX, 29x2.1 front, 26x2.1 rear; 120tpi, folding | Bontrager Jones ACX, 26x2.1", 120 tpi, folding | Bontrager Jones ACX, 26x2.1", 60 tpi, folding | Bontrager Jones ACX, 26x2.1", 60 tpi, folding |
| DRIVETRAIN | Shifters | Shimano EF50, 8 speed | n/a | Shimano Deore XT Dual Control, 9 speed | Shimano Deore LX Dual Control, 9 speed | SRAM X-7, 9 speed |
| | Front Derailleur | Shimano C050 | n/a | Shimano Deore XT | Shimano Deore LX | Shimano Deore |
| | Rear Derailleur | Shimano Acera | n/a | Shimano Deore XT | Shimano Deore XT | SRAM X-9 |
| | Crankset | Shimano M341 42/32/22 | Bontrager Single Speed 34T | Shimano Deore XT 44/32/22 | Shimano Deore LX 44/32/22 | Bontrager Race 44/32/22 |
| | Cassette | SRAM PG830 11-32, 8 speed | Bontrager 17T w/cog chainguide | SRAM PG970 11-34, 9 speed | SRAM PG970 11-34, 9 speed | SRAM PG950 11-34, 9 speed |
| | Pedals | Alloy platform | n/a | n/a | Shimano 505, clipless | Shimano 505, clipless |
| COMPONENTS | Saddle | Bontrager Earl Jump | Bontrager Race Lite | Bontrager Race | Bontrager Race | Bontrager Race Basic Lux |
| | Seatpost | Bontrager Sport | Bontrager Race Lite | Bontrager Race X Lite ACC carbon | Bontrager Race | Bontrager Select |
| | Handlebars | Bontrager Earl, 50mm rise, 31.8mm | Bontrager Big Sweep, 0mm rise, 31.8mm | Bontrager Race Lite, 0mm rise, 31.8mm | Bontrager Race, 0mm rise, 31.8mm | Bontrager Select, 25mm rise, 31.8mm |
| | Stem | Bontrager Earl, 10 degree, 31.8mm | Bontrager Race Lite, 7 degree, 31.8mm | Bontrager Race, 7 degree, 31.8mm | Bontrager Race, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm |
| | Headset | Aheadset w/semi-cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Cane Creek S-3 w/cartridge bearings, sealed | Aheadset Slimstak w/cartridge bearings, sealed, alloy |
| | Brakeset | Tektro V w/Shimano EF50 levers | Avid Juicy 7, hydraulic disc, 6" rotors | Shimano XT, hydraulic disc, 6" rotors | Shimano LX, hydraulic disc, 6" rotors | Avid Juicy 3, hydraulic disc, 6" rotors |

ALUMINUM HARDTAIL

| | Model | 6700 WSD | 6500 | 6500 WSD | 6000 | 4500 |
|---|---|---|---|---|---|---|
| FRAMESET | Sizes | Women's 14, 16, 18" | 15.5, 17.5, 19.5, 21.5" | Women's 14, 16, 18" | 15.5, 17.5, 19.5, 21.5" | 13, 16, 18, 19.5, 21, 22.5, 24" |
| | Colors | Aquamarine Duotone | Black Chrome or Race Yellow/Metallic Black | White Duotone | Brushed Aluminum or Metallic Orange/Metallic Black | Matte Black/Matte Candy Red or Steel Gray/Metallic Black |
| | Frame | Alpha SLR Aluminum | Alpha SLR Aluminum | Alpha SLR Aluminum | Alpha SLR Aluminum | Alpha SL Aluminum |
| | Fork | RockShox Tora 318 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 100mm | Manitou Slate Comp w/preload, lockout, 100mm | Manitou Slate Comp w/preload, lockout, 100mm | RockShox Dart 1 w/preload, 100mm | RockShox Dart 1 w/preload, 80mm |
| WHEELS | Wheels | Shimano M525 disc hubs; Bontrager Ranger rims | Shimano M525 disc hubs; Bontrager Ranger rims | Shimano M525 disc hubs; Bontrager Ranger rims | Shimano M475 disc hubs; Bontrager Ranger rims | Alloy front, Shimano RM60 rear hub; Bontrager Camino rims |
| | Tires | Bontrager Jones ACX, 26x2.1", 60 tpi, folding | Bontrager Jones ACX, 26x2.1", 27 tpi | Bontrager Jones ACX, 26x2.1", 27 tpi | Bontrager Jones ACX, 26x2.1", 27 tpi | Bontrager Jones ACX, 26x2.1", 27 tpi |
| DRIVETRAIN | Shifters | SRAM X-7, 9 speed | Shimano Deore, 9 speed | Shimano Deore, 9 speed | Shimano Deore, 9 speed | Shimano Alivio, 8 speed |
| | Front Derailleur | Shimano Deore | Shimano Deore | Shimano Deore | Shimano Deore | Shimano Acera |
| | Rear Derailleur | SRAM X-9 | Shimano Deore LX | Shimano Deore LX | Shimano Deore | Shimano Deore |
| | Crankset | Bontrager Race 44/32/22 | Shimano M442 Octalink 44/32/22 | Shimano M442 Octalink 44/32/22 | Shimano M442 44/32/22 | Shimano MC09 42/32/22 |
| | Cassette | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG950 11-34, 9 speed | SRAM PG830 11-32, 8 speed |
| | Pedals | Shimano 505, clipless | Shimano 505, clipless | Shimano 505, clipless | Alloy platform | Alloy platform |
| COMPONENTS | Saddle | Bontrager Select FIT Basic | Bontrager Race Basic Lux | Bontrager Select FIT Basic | Bontrager Select | Bontrager Select Basic |
| | Seatpost | Bontrager Select | Bontrager Sport | Bontrager Sport | Bontrager Sport | Bontrager Sport |
| | Handlebars | Bontrager Select, 25mm rise, 31.8mm | Bontrager Select, 25mm rise, 31.8mm | Bontrager Select, 25mm rise, 31.8mm | Bontrager Crowbar Sport, 25mm rise | Bontrager Crowbar Sport, 25mm rise |
| | Stem | Bontrager Select, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm | Bontrager Select, 7 degree, 31.8mm | Bontrager Sport, 10 degree | Bontrager Sport, 10 degree |
| | Headset | Aheadset Slimstak w/cartridge bearings, sealed, alloy | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Avid Juicy 3, hydraulic disc, 6" rotors | Hayes Sole XC, hydraulic disc, 6" rotors | Hayes Sole XC, short reach levers, 6" rotors | Avid BB-5, mechanical disc w/alloy levers | Avid SD-3 w/alloy levers |

ALUMINUM HARDTAIL

| | Model | 4500 WSD | 4300 DISC | 4300 | 4300 WSD | 3900 |
|---|---|---|---|---|---|---|
| FRAMESET | Sizes | Women's 14, 16, 18" | 13, 16, 18, 19.5, 21" | 13, 16, 18, 19.5, 21, 22.5" | Women's 14, 16, 18" | 13, 16, 18, 19.5, 21, 22.5" |
| | Colors | Mint | Matte Smoke Silver/Matte Smooth Silver | Matte Smoke Silver/Matte Smooth Silver or Pearl Yellow/Metallic Charcoal | Platinum Silver | Trans Blue or Matte Black/Matte Smooth Silver |
| | Frame | Alpha SL Aluminum | Alpha SL Aluminum | Alpha SL Aluminum | Alpha SL Aluminum | Alpha Aluminum |
| | Fork | RockShox Dart 1 w/preload, 80mm | RST Gila T7 w/preload, 80mm | RST Gila T7 w/preload, 80mm | RST Gila T7 w/preload, light spring, 80mm | InSync Grind 1 w/preload, 70mm |
| WHEELS | Wheels | Alloy front, Shimano RM60 rear hub; Bontrager Camino rims | Shimano M65 disc hubs; Bontrager Ranger rims | Alloy front, Shimano RM60 rear hub; Bontrager Camino rims | Alloy front, Shimano RM60 rear hub; Bontrager Camino rims | Alloy front, Shimano RM30 rear hub; Matrix 550 rims |
| | Tires | Bontrager Jones ACX, 26x2.1", 27 tpi | Bontrager Jones ACX, 26x2.1", 27 tpi | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" |
| DRIVETRAIN | Shifters | Shimano Alivio, 8 speed | Shimano EF50, 8 speed | Shimano EF50, 8 speed | Shimano EF50, 8 speed | Shimano EF50, 8 speed |
| | Front Derailleur | Shimano Acera | Shimano C050 | Shimano C050 | Shimano C050 | Shimano C050 |
| | Rear Derailleur | Shimano Deore | Shimano Alivio | Shimano Alivio | Shimano Alivio | Shimano Acera |
| | Crankset | Shimano MC09 42/32/22 | SR XCC-T102 42/34/24 | SR XCC-T102 42/34/24 | SR XCC-T102 42/34/24 | SR XCC-T102 42/34/24 |
| | Cassette | SRAM PG830 11-32, 8 speed | SRAM PG830 11-32, 8 speed | SRAM PG830 11-32, 8 speed | SRAM PG830 11-32, 8 speed | SRAM PG830 11-32, 8 speed |
| | Pedals | Alloy platform | Alloy platform | Alloy platform | Alloy platform | Nylon platform |
| COMPONENTS | Saddle | Bontrager Select Basic FIT | Bontrager Select Basic | Bontrager Select Basic | Bontrager Select Basic FIT | Bontrager Sport |
| | Seatpost | Bontrager Sport | Bontrager Sport | Bontrager Sport | Bontrager Sport | Bontrager Approved |
| | Handlebars | Bontrager Crowbar Sport, 25mm rise | Bontrager Crowbar Sport, 25mm rise | Bontrager Crowbar Sport, 25mm rise | Bontrager Crowbar Sport, 25mm rise | Bontrager Approved, 30mm rise |
| | Stem | Bontrager Sport, 25 degree | Bontrager Sport, 10 degree | Bontrager Sport, 25 degree | Bontrager Sport, 25 degree | Bontrager Approved, 25 degree |
| | Headset | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Avid SD-3 w/Tektro adjustable reach alloy levers | Shimano M465, mechanical disc w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers |

| | Model | 3900 WSD | 3700 | 3700 WSD | 820 | 820 WSD |
|---|---|---|---|---|---|---|
| | | ALUMINUM HARDTAIL | | | STEEL HARDTAIL | |
| FRAMESET | Sizes | Women's 13, 16, 19.5" | 13, 16, 18, 19.5, 21, 22.5" | Women's 13, 16, 19.5" | 13, 16, 18, 19.5, 21" | Women's 13, 16" |
| | Colors | Trans Blue or Pearl Green | Matte Red/Matte Dark Red or Matte Black/Lava Black | Crystal Blue | Hot Orange/Metallic Dark Silver or Matte Navy/Matte Bluegray | Pearl White/Metallic Silver |
| | Frame | Alpha Aluminum | Alpha Aluminum | Alpha Aluminum | High tensile steel w/Cro-Moly seat tube | High tensile steel w/Cro-Moly seat tube |
| | Fork | InSync Grind 1 w/preload, 70mm | RST 191 C7, 63mm | RST 191 C7, 63mm | RST 191 C7, 63mm | RST 191 C7, 63mm |
| WHEELS | Wheels | Alloy front, Shimano RM30 rear hub; Matrix 550 rims | Alloy hubs; Matrix 550 rims | Alloy hubs; Matrix 550 rims | Alloy hubs; Matrix 550 rims | Alloy hubs; Matrix 550 rims |
| | Tires | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" | Bontrager Connection Trail, 26x2.0" |
| DRIVETRAIN | Shifters | Shimano EF50, 8 speed | Shimano EF50, 7 speed | Shimano EF50, 7 speed | Shimano EF50, 7 speed | Shimano EF50, 7 speed |
| | Front Derailleur | Shimano C050 | Shimano C050 | Shimano C050 | Shimano C051 | Shimano C051 |
| | Rear Derailleur | Shimano Acera | Shimano Acera | Shimano Acera | Shimano Acera | Shimano Acera |
| | Crankset | SR XCC-T102 42/34/24 | SR XCC-T208 48/38/28 w/chainguard | SR XCC-T208 48/38/28 w/chainguard | SR XCC-T208 48/38/28 w/chainguard | SR XCC-T208 48/38/28 w/chainguard |
| | Cassette | SRAM PG830 11-32, 8 speed | Sunrace 13-34, 7 speed | Sunrace 13-34, 7 speed | Sunrace 13-34, 7 speed | Sunrace 13-34, 7 speed |
| | Pedals | Nylon platform | Nylon platform | Nylon platform | Nylon platform | Nylon platform |
| COMPONENTS | Saddle | Bontrager Sport FIT | Bontrager Sport | Bontrager Sport FIT | Bontrager Sport | Bontrager Sport FIT |
| | Seatpost | Bontrager Approved | Bontrager Approved | Bontrager Approved | Bontrager Approved | Bontrager Approved |
| | Handlebars | Bontrager Approved, 30mm rise | Bontrager Approved, 30mm rise | Bontrager Approved, 30mm rise | Bontrager Approved, 30mm rise | Bontrager Approved, 30mm rise |
| | Stem | Bontrager Approved, 40 degree | Bontrager Approved, 25 degree | Bontrager Approved, 40 degree | Bontrager Approved, 25 degree | Bontrager Approved, 40 degree |
| | Headset | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed | Aheadset Slimstak w/semi-cartridge bearings, sealed |
| | Brakeset | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers | Tektro V w/Shimano EF50 levers |






**Trek Limited Lifetime Warranty**

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Trek dealer. Trek Bicycle Corporation likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 18 inch frame size. Road bike weights based on 56cm frame size.


All Trek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame.

©2006 Trek Bicycle Corporation. All rights reserved. Trek, Bontrager and Wrench Force are registered trademarks of Trek Bicycle Corporation. Shimano, RockShox and Nike are registered trademarks of Shimano American Corporation, SRAM Corporation and Nike Inc., respectively. U.S. Pat. Nos. 5,624,519; 5,629,668; 5,685,553; 5,715,544; 5,734,142; 5,931,544; 6,045,470; 6,092,438; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042, 6,572,249; 6,637,244; 6,637,061; 6,749,212 and other pending.


**Contributing photographers: Phillippe Brown, John Gibson, John Laptad, Sterling Lorence, Michael Macedon, Steve Milanowski, Nathan Osterhaus, Bradley Rochford, Embry Rucker, Damian Strigens, Graham Watson, Geoff Waugh.**

# GEOMETRIES


TOP FUEL





FUEL EX





REMEDY





SESSION





ELITE





JACK




69ER




HARDTAIL




| | | virtual frame size | actual frame size | A. head angle | B. seat angle | C. effective top tube | D. chain stay | E. bottom bracket | F. offset | wheelbase | trail | stand over |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Top Fuel 9.5 | S | 15.5° | 37.7 / 14.8 | 70.0° | 72.5° | 55.3 / 21.8 | 42.7 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 104.7 / 41.2 | 7.3 / 2.9 | 70.9 / 27.9 |
| Top Fuel 9.9 | M | 17.5° | 40.2 / 15.8 | 70.0° | 72.5° | 59.1 / 23.3 | 42.7 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 108.6 / 42.8 | 7.3 / 2.9 | 72.5 / 28.5 |
| Top Fuel 9.8 | L | 19.5° | 45.3 / 18.9 | 70.0° | 72.5° | 62.8 / 24.7 | 42.7 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 112.4 / 44.2 | 7.3 / 2.9 | 76.8 / 29.8 |
| Top Fuel 8 | XL | 21.5° | 49.1 / 19.3 | 70.0° | 72.5° | 64.8 / 25.4 | 42.7 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 114.2 / 45.0 | 7.3 / 2.9 | 78.8 / 30.9 |
| Top Fuel 7 | | | | | | | | | | | | |
| Fuel EX 9.5 | S | 15.5° | 39.4 / 15.5 | 69.5° | 72.0° | 55.3 / 21.8 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 105.3 / 41.4 | 7.9 / 3.1 | 71.6 / 28.2 |
| Fuel EX 9.0 | M | 17.5° | 41.9 / 16.5 | 69.5° | 72.0° | 59.1 / 23.3 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 109.2 / 43.0 | 7.9 / 3.1 | 73.0 / 28.7 |
| Fuel EX 9 | L | 19.5° | 47.0 / 18.5 | 69.5° | 72.0° | 62.8 / 24.7 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 112.9 / 44.4 | 7.9 / 3.1 | 76.2 / 30.0 |
| Fuel EX 8 | XL | 21.5° | 50.8 / 20.0 | 69.5° | 72.0° | 64.8 / 25.4 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 114.8 / 45.2 | 7.9 / 3.1 | 78.6 / 31.1 |
| Fuel EX 7 | | | | | | | | | | | | |
| Fuel EX 7 WSD | S | 14° | 35.0 / 13.8 | 69.5° | 72.0° | 52.5 / 20.7 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 102.6 / 40.4 | 7.3 / 2.9 | 69.6 / 27.4 |
| Fuel EX 5 WSD | M | 16° | 39.5 / 15.5 | 69.5° | 72.0° | 54.5 / 21.4 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 104.5 / 41.4 | 7.3 / 2.9 | 71.8 / 28.3 |
| | L | 18° | 42.5 / 16.7 | 69.5° | 72.0° | 58.5 / 23.0 | 43.2 / 17.0 | 34.1 / 13.4 | 3.9 / 1.5 | 108.5 / 42.7 | 7.3 / 2.9 | 72.9 / 28.7 |
| Fuel EX 6 | S | 15.5° | 39.4 / 15.5 | 71.0° | 73.5° | 55.0 / 21.7 | 42.6 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 104.1 / 41.0 | 7.3 / 2.9 | 73.0 / 28.7 |
| Fuel EX 5 | M | 17.5° | 41.9 / 16.5 | 71.0° | 73.5° | 58.8 / 23.1 | 42.6 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 108.0 / 42.5 | 7.3 / 2.9 | 74.2 / 29.2 |
| | L | 19.5° | 47.0 / 18.5 | 71.0° | 73.5° | 62.5 / 24.6 | 42.6 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 111.7 / 44.0 | 7.3 / 2.9 | 77.3 / 30.4 |
| | XL | 21° | 50.8 / 20.0 | 71.0° | 73.5° | 64.2 / 25.3 | 42.6 / 16.8 | 32.7 / 12.9 | 3.9 / 1.5 | 113.5 / 44.7 | 7.3 / 2.9 | 80.0 / 31.5 |
| Remedy 66 | S | 15.5° | 39.4 / 15.5 | 68.2° | 71.2° | 55.4 / 21.8 | 43.4 / 17.1 | 35.6 / 14.0 | 3.7 / 1.5 | 107.3 / 42.2 | 8.9 / 3.5 | 73.6 / 29.0 |
| Remedy 6 | M | 17.5° | 45.0 / 17.7 | 68.4° | 71.3° | 59.1 / 23.3 | 43.4 / 17.1 | 35.7 / 14.0 | 3.7 / 1.5 | 111.2 / 43.8 | 8.9 / 3.5 | 74.2 / 29.2 |
| | L | 19.5° | 49.5 / 19.5 | 68.5° | 71.5° | 62.8 / 24.7 | 43.4 / 17.1 | 35.8 / 14.1 | 3.7 / 1.5 | 114.9 / 45.2 | 8.9 / 3.5 | 79.3 / 31.2 |
| | XL | 20.5° | 52.7 / 20.7 | 68.5° | 71.5° | 64.5 / 25.4 | 43.4 / 17.1 | 35.8 / 14.1 | 3.7 / 1.5 | 116.5 / 45.9 | 8.9 / 3.5 | 81.7 / 32.2 |
| Remedy 5 | S | 15.5° | 39.4 / 15.5 | 69.0° | 72.0° | 55.3 / 21.8 | 43.4 / 17.1 | 34.8 / 13.7 | 3.8 / 1.5 | 106.6 / 42.0 | 8.8 / 3.5 | 73.5 / 29.7 |
| | M | 17.5° | 45.0 / 17.7 | 69.0° | 72.0° | 59.1 / 23.3 | 43.4 / 17.1 | 34.8 / 13.7 | 3.8 / 1.5 | 110.4 / 43.5 | 8.8 / 3.5 | 75.7 / 29.8 |
| | L | 19.5° | 49.5 / 19.5 | 69.0° | 72.0° | 62.7 / 24.7 | 43.4 / 17.1 | 34.8 / 13.7 | 3.8 / 1.5 | 114.2 / 45.0 | 8.8 / 3.5 | 79.2 / 31.2 |
| | XL | 20.5° | 52.7 / 20.7 | 69.0° | 72.0° | 64.4 / 25.3 | 43.4 / 17.1 | 34.8 / 13.7 | 3.8 / 1.5 | 116.9 / 45.6 | 8.8 / 3.5 | 81.5 / 32.1 |
| Session 10 | S | 15.5° | 55.6 / 21.9 | 66.0° | 64.0° | 55.6 / 21.9 | 43.4 / 17.1 | 31.4 / 12.4 | 4.3 / 1.7 | 113.2 / 44.6 | 10.5 / 4.1 | 64.5 / 25.4 |
| | M | 17.5° | 57.9 / 22.8 | 66.0° | 64.0° | 57.9 / 22.8 | 43.4 / 17.1 | 31.4 / 12.4 | 4.3 / 1.7 | 114.9 / 45.2 | 10.5 / 4.1 | 64.5 / 25.4 |
| | L | 19° | 61.3 / 24.1 | 66.0° | 64.0° | 61.3 / 24.1 | 43.4 / 17.1 | 31.4 / 12.4 | 4.3 / 1.7 | 117.7 / 46.3 | 10.5 / 4.1 | 64.5 / 25.4 |
| Session 77 | S | 15.5° | 40.2 / 15.8 | 66.5° | 72.0° | 56.5 / 22.2 | 43.8 / 17.2 | 36.8 / 14.5 | 4.1 / 1.6 | 112.2 / 44.2 | 10.4 / 4.1 | 77.4 / 30.5 |
| Session 7 | M | 17.5° | 44.5 / 17.5 | 66.5° | 72.0° | 58.4 / 23.0 | 43.8 / 17.2 | 36.8 / 14.5 | 4.1 / 1.6 | 114.2 / 45.0 | 10.4 / 4.1 | 79.2 / 31.2 |
| | L | 19° | 48.3 / 19.0 | 66.5° | 72.0° | 61.0 / 24.0 | 43.8 / 17.2 | 36.8 / 14.5 | 4.1 / 1.6 | 117.0 / 46.1 | 10.4 / 4.1 | 81.5 / 32.1 |
| Elite 9.9 | S | 15.5° | 39.4 / 15.5 | 70.9° | 73.6° | 55.0 / 21.7 | 42.4 / 16.7 | 29.6 / 11.7 | 3.9 / 1.5 | 103.0 / 40.6 | 7.4 / 2.9 | 72.5 / 28.5 |
| Elite 9.8 | M | 17.5° | 41.9 / 16.5 | 70.9° | 73.1° | 58.8 / 23.1 | 42.4 / 16.7 | 29.6 / 11.7 | 3.9 / 1.5 | 106.3 / 41.9 | 7.4 / 2.9 | 73.9 / 29.1 |
| Elite 9.7 | L | 19.5° | 47.0 / 18.5 | 70.9° | 73.1° | 62.6 / 24.6 | 42.4 / 16.7 | 29.6 / 11.7 | 3.9 / 1.5 | 110.2 / 43.4 | 7.4 / 2.9 | 77.0 / 30.3 |
| | XL | 21.5° | 50.8 / 20.0 | 70.9° | 72.6° | 64.6 / 25.4 | 42.4 / 16.7 | 29.9 / 11.8 | 3.9 / 1.5 | 111.8 / 44.0 | 7.4 / 2.9 | 79.8 / 31.4 |
| Jack 3 | S | 13" | 33.0 / 13.0 | 68.3° | 71.0° | 55.9 / 22.0 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 103.1 / 40.6 | 8.0 / 3.1 | 66.9 / 26.3 |
| | M | 15" | 38.1 / 15.0 | 68.3° | 71.0° | 60.1 / 23.7 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 107.3 / 42.2 | 8.0 / 3.1 | 67.4 / 26.5 |
| | L | 17" | 43.2 / 17.0 | 68.3° | 71.0° | 61.4 / 24.2 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 110.1 / 43.3 | 8.0 / 3.1 | 69.7 / 27.4 |
| Jack 2 | S | 13" | 33.0 / 13.0 | 68.3° | 71.0° | 53.3 / 21.0 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 103.1 / 40.6 | 8.0 / 3.1 | 66.9 / 26.3 |
| Jack 1 | M | 15" | 38.1 / 15.0 | 68.3° | 71.0° | 59.7 / 22.0 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 107.3 / 42.2 | 8.0 / 3.1 | 67.4 / 26.5 |
| | L | 17" | 43.2 / 17.0 | 68.3° | 71.0° | 59.7 / 23.5 | 41.2 / 16.2 | 32.3 / 12.7 | 4.0 / 1.6 | 110.1 / 43.3 | 8.0 / 3.1 | 69.7 / 27.4 |
| 69er | S | 15.5° | 39.4 / 15.5 | 70.8° | 73.5° | 57.5 / 22.6 | 42.1 / 16.6 | 30.7 / 12.1 | 4.0 / 1.6 | 105.7 / 41.6 | 9.1 / 3.6 | 72.2 / 28.4 |
| | M | 17.5° | 44.4 / 17.5 | 69.0° | 73.0° | 58.8 / 23.1 | 42.1 / 16.6 | 30.7 / 12.1 | 4.7 / 1.9 | 108.5 / 42.7 | 8.9 / 3.5 | 75.6 / 29.8 |
| | L | 19.5° | 49.5 / 19.5 | 69.0° | 73.0° | 62.5 / 24.6 | 42.1 / 16.6 | 30.7 / 12.1 | 4.7 / 1.9 | 112.2 / 44.2 | 8.9 / 3.5 | 78.3 / 30.8 |
| | XL | 21.5° | 54.6 / 21.5 | 69.0° | 72.5° | 64.6 / 25.4 | 42.1 / 16.6 | 30.7 / 12.1 | 4.7 / 1.9 | 113.7 / 44.8 | 8.9 / 3.5 | 81.4 / 32.0 |
| 8500 | S | 15.5° | 39.4 / 15.5 | 71.0° | 73.5° | 55.0 / 21.7 | 42.4 / 16.7 | 29.7 / 11.7 | 4.0 / 1.6 | 102.9 / 40.5 | 7.2 / 2.8 | 71.3 / 28.1 |
| 8000 | M | 17.5° | 44.5 / 17.5 | 71.0° | 73.0° | 58.5 / 23.0 | 42.4 / 16.7 | 29.7 / 11.7 | 4.0 / 1.6 | 106.3 / 41.9 | 7.2 / 2.8 | 74.2 / 29.2 |
| 6700 | L | 19.5° | 49.5 / 19.5 | 71.0° | 73.0° | 62.5 / 24.6 | 42.4 / 16.7 | 29.7 / 11.7 | 4.0 / 1.6 | 110.0 / 43.3 | 7.2 / 2.8 | 77.4 / 30.6 |
| 6500 | XL | 21.5° | 54.6 / 21.5 | 71.0° | 72.5° | 64.1 / 25.2 | 42.4 / 16.7 | 30.0 / 11.8 | 4.0 / 1.6 | 111.3 / 43.8 | 7.2 / 2.8 | 81.1 / 31.9 |
| 6000 | | | | | | | | | | | | |
| 6700 WSD | S | 14" | 35.6 / 14.0 | 70.0° | 75.0° | 51.8 / 20.4 | 42.4 / 16.7 | 28.8 / 11.3 | 4.0 / 1.6 | 102.0 / 40.2 | 7.9 / 3.1 | 69.2 / 27.2 |
| 6500 WSD | M | 16" | 40.5 / 16.0 | 70.0° | 74.0° | 53.2 / 20.9 | 42.4 / 16.7 | 28.9 / 11.4 | 4.0 / 1.6 | 102.4 / 40.3 | 7.9 / 3.1 | 71.7 / 28.2 |
| | L | 18" | 45.7 / 18.0 | 70.0° | 73.5° | 56.3 / 22.2 | 42.4 / 16.7 | 29.3 / 11.5 | 4.0 / 1.6 | 105.3 / 41.4 | 7.9 / 3.1 | 75.0 / 29.6 |
| 4500 WSD | S | 14" | 35.6 / 14.0 | 70.0° | 75.0° | 51.8 / 20.4 | 42.4 / 16.7 | 28.9 / 11.4 | 4.0 / 1.6 | 101.9 / 40.1 | 7.9 / 3.1 | 67.6 / 26.6 |
| 4300 WSD | M | 16" | 40.6 / 16.0 | 70.0° | 74.0° | 53.2 / 20.9 | 42.4 / 16.7 | 28.9 / 11.4 | 4.0 / 1.6 | 102.3 / 40.3 | 7.9 / 3.1 | 70.8 / 27.9 |
| | L | 18" | 45.7 / 18.0 | 70.0° | 73.5° | 56.3 / 22.2 | 42.4 / 16.7 | 29.3 / 11.5 | 4.0 / 1.6 | 105.1 / 41.4 | 7.9 / 3.1 | 74.7 / 29.4 |
| 4500 | XS | 13" | 33.0 / 13.0 | 70.0° | 74.0° | 52.5 / 20.7 | 43.0 / 16.9 | 28.7 / 11.3 | 3.8 / 1.5 | 101.9 / 40.1 | 8.1 / 3.2 | 65.4 / 25.7 |
| 4300 Disc | S | 16" | 40.6 / 16.0 | 70.5° | 73.5° | 55.5 / 21.9 | 43.0 / 16.9 | 29.1 / 11.5 | 3.8 / 1.5 | 104.0 / 40.9 | 7.8 / 3.1 | 70.6 / 27.8 |
| 4500 | M | 18" | 45.7 / 18.0 | 70.5° | 73.5° | 57.0 / 22.4 | 43.0 / 16.9 | 29.3 / 11.5 | 3.8 / 1.5 | 105.7 / 41.6 | 7.8 / 3.1 | 74.6 / 29.4 |
| 3900 | M | 19.5° | 49.5 / 19.5 | 70.5° | 73.0° | 58.5 / 23.0 | 43.0 / 16.9 | 29.3 / 11.5 | 3.8 / 1.5 | 106.8 / 42.0 | 7.8 / 3.1 | 77.6 / 30.6 |
| 3700 | L | 21" | 53.3 / 21.0 | 70.5° | 73.0° | 59.5 / 23.4 | 43.0 / 16.9 | 29.3 / 11.5 | 3.8 / 1.5 | 107.9 / 42.5 | 7.8 / 3.1 | 80.7 / 31.8 |
| 820 | L | 22.5° | 57.2 / 22.5 | 70.5° | 72.5° | 60.5 / 23.8 | 43.0 / 16.9 | 29.5 / 11.6 | 3.8 / 1.5 | 108.4 / 42.7 | 7.8 / 3.1 | 83.9 / 33.0 |
| | XL | 24° | 61.0 / 24.0 | 70.5° | 72.0° | 61.5 / 24.2 | 43.0 / 16.9 | 29.7 / 11.7 | 3.8 / 1.5 | 108.9 / 42.9 | 7.8 / 3.1 | 87.0 / 34.3 |
| 3900 WSD | XS | 13" | 33.0 / 13.0 | 70.5° | 74.0° | 52.5 / 20.7 | 43.0 / 16.9 | 28.7 / 11.3 | 3.8 / 1.5 | 101.9 / 40.1 | 7.8 / 3.1 | 58.6 / 23.1 |
| 3700 WSD | S | 16" | 40.6 / 16.0 | 70.5° | 73.5° | 55.0 / 21.7 | 43.0 / 16.9 | 29.1 / 11.5 | 3.8 / 1.5 | 103.6 / 40.8 | 7.8 / 3.1 | 59.2 / 23.3 |
| 820 WSD | M | 19.5° | 49.5 / 19.5 | 70.5° | 73.0° | 58.0 / 22.8 | 43.0 / 16.9 | 29.3 / 11.5 | 3.8 / 1.5 | 106.3 / 41.9 | 7.8 / 3.1 | 59.6 / 23.5 |

All dimensions are in centimeters/inches unless otherwise stated.
Some models are not available in all sizes.

**EUROPEAN CENTRAL OFFICE** Bikeurope B.V. **Tel:** +31 (0) 33 45 09 060 **Fax:** +31 (0) 33 45 64 825 SUBSIDIARIES **Austria** Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 Fax: +43 (0) 820 820 141 **Benelux** Bikeurope B.V. Tel: +31 (0) 33 45 09 040 Fax: +31 (0) 33 45 65 363 **China** Trek Bicycle CorporationTel: +86 10 8459 5392 Fax: +86 10 8459 5394 **Denmark** Bikeurope B.V. / Trek Denmark Tel: +45 70 27 15 40 Fax: +45 70 27 15 45 **France** Bikeurope B.V. / Trek France Tel: +33 (0) 8 25 00 44 04 Fax: +33 (0) 8 25 00 05 32 **Germany** Bikeurope B.V. / Trek Deutschland Tel: +49 (0) 180 350 7010 Fax: +49 (0) 180 350 7015 **Japan** Trek Japan Corporation Tel: +81 (0) 78 413 6606 Fax: +81 (0) 78 413 6607 **Spain** Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 Fax: +34 (0) 91 843 51 71 **Switzerland** Trek Fahrrad GmbH Tel: +41 (0)1 824 85 00 Fax: +41 (0)1 824 85 55 **United Kingdom** Trek Bicycle Corporation Ltd. Tel: +44 (0)1 908 28 26 26 Fax: +44 (0) 1 908 28 06 90 TREK DISTRIBUTORS **Argentina** Bike Sports S.R.L Tel: 541147979433 Fax: 541147976562 **Aruba** Tri-Bike Aruba Tel: 297 5 852 734 Fax: 297 5 850 609 **Australia** Trek Bicycle Australia Tel: 61 29 299 7444 Fax: 61 29 290 3860 **Bahrain** Skate Shack Tel: 973 581142 Fax: 973 404 792 **Barbados** Taylor's Cycle Centre Ltd Tel: 246 426 3421 Fax: 246 4362142 **Belize** Bruce Cycling Club Bike Shop Tel: 501 22 37979 **Bermuda** Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 **Bolivia** Bicicar Tel: 591 2 241 2291 Fax: 591 2 241 6669 **Bonaire** ECO Experience N.V. Tel: 599 717 2227 Fax: 599 717 2227 **Brazil** International Sports do Brazil Ltda. Tel: 55 19 3886 7270 Fax: 55 19 3846 6133 **Brunei** Treknology Bikes 3 Tel: 65 6466 2673 Fax: 65 6466 7610 **Canary Islands** Adolfo Suanzes S.A. Tel: 349 28 22 68 12 Fax: 349 28 27 79 29 **Cayman Islands** H.H. McTaggart & Son Ltd Tel: 345 949 7601 Fax: 345 949 8055 **Chile** Sparta Deportes Limitada Tel: 56 2 560 4274 Fax: 56 2 5572850 **Colombia** Sport Bike Ltda Tel: 574 262 3223 Fax: 574 262 2880 **Costa Rica** Moto Pazos Tel: 506 291 1667 Fax: 506 291 1665 **Croatia** Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337 **Curacao** Vista Bike Tel: 5999 869 5582 Fax: 5999 465 9677 **Cyprus** Goodtones Ltd. Tel: 357 22 35 6673 Fax: 357 22 66 1027 **Czech Republic** Bretton Ltd Tel: 420 2 679 1 2679 Fax: 4202 72926464 **Dominican Republic** Planet Bike Dominica Tel: 809 535 2152 Fax: 809 535 2152 **Ecuador** Dide, S.A. Tel: 593 2 247 2168 Fax: 593 2 248 3914 **El Salvador** Mayor, S.A. DE C.V. 503 241 0410 **Estonia** Rademar Tel: 372 651 2910 Fax: 372 655 0120 **Fiji** Stinger Bicycles Limited Tel: 679 670 7301 Fax: 679 6707 301 **Finland** Oy Duell Bike Center Ab Tel: 358 6 322 7500 Fax: 358 6 322 2231 **French Polynesia** Tahiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336 **Greece** S. Gatsoulis Ltd. Tel: 30 210 253 0412 Fax: 30 210 253 3960 **Guam** MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 **Guatemala** Novasport Tel: 502 2 362 6516 Fax: 502 2474 2691 **Honduras** Comercial La Paz Tel: 504 238 5027 Fax: 504 238 5027 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602 **Hungary** Genomed Kereskedelmi KFT Tel: 36 1 331 3184 Fax: 36 1 473 1686 **Iceland** Orninn-Hjol ehf Tel: 354 588 9890 Fax: 354 588 9894 **India** Speedo Corporation 91 9319301115 **Indonesia** Treknology Bikes 3 Tel: 65 6466 2673 Fax: 65 6466 7610 **Ireland** Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463 **Israel** Cycle Trading Company Ltd Tel: 972 9 9513 010 Fax: 972 9 9509 783 **Italy** Comar Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747 **Korea** Spo-World Tel: 82 2 3444 9394 Fax: 82 2 3444 9414 **Kuwait** Sportz Unlimited LLC Tel: 9714 8817222 Fax: 9714 8817117 **Latvia** Velosports SIA Tel: 371 7817430 Fax: 371 7554143 **Lebanon** Blue Mountain Sarl Tel: 961 9 330121 Fax: 961 9 340035 **Lithuania** Eginda UAB Tel: 370 232 5 3080 Fax: 370 5 232 3080 **Malaysia** Treknology Bikes 3 Tel: 65 6466 2673 Fax: 65 6466 7610 **Malta** Magri Cycles & Spares Tel: 356 414399 Fax: 356 436377 **Mexico** Tekno Bike Tel: 52 81 8478 4560 Fax: 52 81 8 340 1275 **Nevis** Wheel World Cycle Shop Tel: 869 469 9682 Fax: 869 469 9682 **New Caledonia** Royal Motors SA Tel: 687 28 59 12 Fax: 687 28 63 20 **New Zealand** Cycle Sport NZ Ltd Tel: 64 6 348 8029 Fax: 64 6 348 4768 **Norway** Foss Sykler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Oman** Sportz Unlimited LLC Tel: 9714 8817222 Fax: 9714 8817222 **Peace Corp** USA / IPA Tel: 340 719 1990 Fax: 340 719 4087 **Panama** Motor Sport Panama, S.A. Tel: 507 236 0852 Fax: 507 236 6140 **Peru** Best Internacional S.A. Tel: 511 263 8129 Fax: 511 263 0188 **Philippines** 3T Techno Turbo Trading Tel: 632 951 4457 Fax: 632 431 1769 **Poland** S.S.C. Tel: 48 71 3431539 Fax: 48 71 3725448 **Portugal** Bicimax Artigos Desportivos LDA Tel: 351 244 553 276 Fax: 351 244 553 187 **Puerto Rico** Seamount Bicycle Distributors Tel: 787 763 4369 Fax: 787 765 6520 **Qatar** Skate Shack Tel: 974 4692532 Fax: 974 4692532 **Romania** S.C. Surmont Sport S.R.L. Tel: 407 225 44360 Fax: 402 13136981 **Russia** Sportex Tel: 7 926 206 43 56 Fax: 7 926 200 76 61 **St. Kitts** Free Wheelers Tel: 869 466 3912 Fax: 869 466 3912 **St. Maarten** Tri-Sport N.V. Tel: 59954 43462 Fax: 59954 43928 **Saudi Arabia** Skate Shack Tel: 973 581142 Fax: 973 717058 **Singapore** Treknology Bikes 3 Private Limited Tel: 65 6466 2673 Fax: 65 6466 7610 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 Fax: 421 46 549 1056 **Slovenia** Bess-Pro Market Tel: 386 61 274 135 Fax: 386 61 1256 1628 **South Africa** Cycology Wholesale Tel: 27 11-405-3300 Fax: 27 11-405-3361 **Sweden** Motorfirman Holger Duells AB Tel: 46 31 72 76 300 Fax: 46 8 36 26 40 **Tahiti** Tahiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 43 33 36 / 659 45 31 16 **Taiwan** Speed High Co. Ltd. Tel: 886 2 27252035 Fax: 886 2 23457475 **Thailand** Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078 **Tortola** Last Stop Sports Center Ltd. Tel: 284 494 0564 Fax: 284 494 0593 **Trinidad** Geronimo's Cycles Tel: 868 622 2453 Fax: 868 622 2453 **Turkey** Alatin Biciklet Tel: 90 212 244 47 15 Fax: 90 212 249 69 50 **United Arab Emirates** Sportz Unlimited LLC Tel: 9714 8817222 Fax: 9714 8817117 **U.S.V.I.** Endurance Sports Tel: 340 719 1990 Fax: 340 719 4087 **Uruguay** Bilper S.A. Tel: 598 2 708 2498 Fax: 598 2 401 2514 **Venezuela** Bike Pro / Bike Planet Tel: 58 212 993 6736 Fax: 58 212 992 8338

TREK
TRAVEL

# DISCOVER THE WORLD, ONE PEDAL STROKE AT A TIME

For every person who desires travel that's a little out-of-the-ordinary, a little more-than-expected and a lot like nothing they've experienced before, there is Trek Travel. From days spent cycling rolling hills or shopping for local artisan crafts, to relaxing nights at luxurious resorts, savoring decadent meals, Trek Travel has your vacation of a lifetime.

Whether you choose to ride one mile or 100 miles, in the States or abroad, our trips get you on the roads or trails in the most beautiful places on earth. And because we're born from the Trek Bikes family, we put you on the best bikes in the industry and employ the best guides in the world to help you discover places that many travelers would never find on their own.

To plan your vacation of a lifetime, visit us today at **www.trektravel.com** or call **1-866-GO4-TREK**.




**TREK BICYCLE CORPORATION**
USA: 801 WEST MADISON STREET. WATERLOO, WI 53594
$6.99 PART NO. 281566 ©2006 Trek Bicycle Corporation