
TREK
TREK
MOUNTAIN
08

2008 Trek Mountain Bikes



Fuel EX 9

The definitive all-day, all-conditions trail bike, with 120mm of rear wheel travel.



Remedy 19

When the mountain trails get steeper, faster and rockier, the Remedy is ready with 150mm of rear wheel travel.



69er 25

29" front wheel and 26" rear, in singlespeed, hardtail and full suspension.



Top Fuel Race 31

Cross country fully-suspended race bikes—efficient and light, with 90mm of rear wheel travel.



Elite Race 37

Cross country OCLV Carbon performance in the lightest possible package



Hardtail 39

Alpha Aluminum cross country hardtails—ready for any trail adventure.



Cyclocross 51

Pure-bred cyclocross racing bikes.



Gravity 55

From the 10"-travel Session downhill bike to the hardtail, dirt-jumping Jack.



WSD 61

The most complete line of women's specific mountain bikes available.



ABP places the rear pivot concentric to the rear axle.

Suspend Conventional Thought

Suspension Intelligence

For 2008, Trek has integrated a completely new line of technology on its Remedy and Fuel EX full suspension bikes. This technology is known as R1i.

R1i builds on the previous R1 system (rocker link, single pivot) by adding key feature technologies. From the superior braking characteristics of the patent-pending ABP, to the fully tuned Full Floater floating shock mount, to the category-leading stiffness enhancing technologies of EVO Link and E2 tapered head tube—these key technologies allow every bike equipped with R1i to offer more control in every trail condition.

ABP™ (Active Braking Pivot) - Why Skid?

Conventional designs place the rear suspension pivot either below or above the axle. Trek's new Active Braking Pivot (ABP) is a patent-pending technology that puts the rear suspension pivot concentric to the rear wheel axle. This new pivot location results in a bike with the most active suspension under braking.

Reduces Braking Forces on Suspension Braking forces cause most suspension systems to stiffen (commonly known as brake jack). When suspension stiffens, the rear wheel is not able to fully track bumps, resulting in wheel hop, increased skidding and decreased control.

Trek's new Active Braking Pivot (ABP) places the rear pivot concentric to the rear axle, which reduces the effect of braking on the suspension system. In fact, ABP creates the most active suspension under braking. Since ABP keeps suspension active, your shock doesn't "pack up" under high-frequency bumps, allowing your wheel to track every bump. The result—reduced skidding, more control, and better, more effective braking.

Perfect Suspension Balance, Front-to-Rear Since ABP allows the rear suspension to work efficiently in both braking and non-braking situations, the front and rear shocks can work together all the time. This harmony creates a perfect balance of suspension front-to-rear and adds up to better handling and more control in all situations.

It's Not More Travel - It's Smarter Travel

Full Floater™


Trek's highly successful R1 suspension system allowed our suspension designers to dial-in the rear suspension's leverage ratio (the amount a shock is compressed as a function of wheel travel) while maintaining a rigid, durable frame and swingarm structure.

The R1i system takes a huge step forward with the all-new Full Floater rear shock mounting technology.


Shock Floats on Two Moving Linkages

Fixed mount suspension designs attach the shock to one top moving link while the bottom mount is fixed to the frame. Full Floater technology connects the rear shock mounts to two moving linkages—the EVO Link on the top, and the extension of the swingarm at the bottom. The trajectory of these two attachment points adds a degree of freedom to the shock mounting system and creates a more complex leverage ratio, one that is optimized for use with an air shock.

The new system performs in a way its predecessors were not capable, providing a configuration that is active over the small stuff with good control of the mid stroke, and precise end-stroke compression.



Fixed Mount



Full Floater





E2 technology featured on the all-new Remedy

Taking Stiffness To New Levels

E2 Tapered Steerer

Faster descents necessitate longer travel and a stiffer front-end to handle the bigger hits and rougher terrain. To meet the demands of these conditions, Trek introduces E2, a tapered steerer tube and head tube system that uses a larger, stronger, and stiffer 1 1/2" lower diameter steerer that transitions to a standard 1 1/8" upper. By increasing the diameter of the lower steerer tube and head tube, E2 better distributes the loads and stresses encountered in all-mountain riding. By working closely with suspension manufacturers like Fox Racing Shox and RockShox, the benefits of this design don't stop at the frame—E2 is built right into the fork design itself.

1 1/8" Isn't Enough Aggressive riders learned a long time ago that longer travel bikes require stiffness unavailable from standard 1 1/8" head tubes. While downhill-style double crown forks offer superior stiffness, they come with a weight penalty and a reduced turning radius.

1 1/2" Is Too Much With 1 1/2" head tubes, the steerer tube is rigidly supported at both ends by the headset (with a good distance between the two bearings)—there's virtually no value to having a large diameter steerer tube for its entire length. The larger steerer tube adds weight higher up on the bike that's noticeable when throwing the bike from one turn to another.

E2 Is Just Right By placing a larger diameter steerer tube at the bottom and a smaller diameter tube at the top, frames equipped with E2 offer higher strength and stiffness values not achievable with other single crown designs. E2 also offers a superior turning radius over a double clamp fork, which facilitates tight switchbacks that are so common in all-mountain riding.

EVO Link™

No matter how stiff a full suspension frame's front or rear triangle might be, the complete bike can only be as stiff as the connection that joins the two. The evolution of Trek's Rocker Link design involves going beyond the three-piece plate and bolt-style rocker. The EVO Link is a one-piece forged design that is lighter, stiffer, and more compact.





Fuel EX

The all-new Fuel EX—redefining the capabilities of the trail bike, offering the comfort, versatility and control trail riders demand for all-day, all-conditions riding. With the most active suspension system under high speed braking, optimized for use with the custom-tuned Fox air shock, the Fuel EX may truly be the ultimate trail bike.

Fuel EX 9.5[SE]

FRAME OCLV Black Carbon w/RTi Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race X Lite

CRANK Shimano XTR 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available.

Fuel EX 9.5™

FRAME OCLV Black Carbon w/Rli Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race X Lite

CRANK Shimano XTR 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available.



Fuel EX 9.0™

FRAME OCLV Black Carbon w/Rli Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon



Fuel EX 9™

FRAME Alpha Red Aluminum w/Rli Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Pearl White/Metallic Black

Fuel EX 8™

FRAME Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss Black/Platinum Silver



Fuel EX 8™

FRAME Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Satin Khaki Green/White



Fuel EX 7™

FRAME Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Select

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Satin Silver/Satin Black



Fuel EX 6.5™

FRAME Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Shimano Deore disc hubs, Bontrager Ranger rims

CRANK Shimano MS21 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Deep Blue



Fuel EX 5.5™

FRAME Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

REAR SUSPENSION Fox Float R w/rebound, custom tuned

WHEELS Shimano M475 disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-7

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Metallic Black



Remedy

If you've been looking for a new ride in the All-Mountain category, the Remedy is your bike. With market-leading technology and a suspension platform that's as capable of going up the mountain as it is going down, the Remedy is truly the best of both worlds.

Remedy 8™

FRAME Alpha Red Aluminum w/RTi All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel

FRONT SUSPENSION RockShox Lyrik 2-Step w/E2 tapered steerer tube, 20mm thru axle maxle, 115-160mm travel

REAR SUSPENSION Fox RP23 XV

WHEELS Bontrager Rhythm Comp

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Matte Orange/Root Beer

Remedy 9™

FRAME Alpha Red Aluminum w/R1i
All-Mountain Tuned Suspension, ABP, Full Floater,
Aluminum EVO Link, E2 tapered head tube,
150mm rear wheel travel

FRONT SUSPENSION Fox 36 Float RC2
w/air pressure, E2 tapered steerer tube,
high speed and low speed compression, rebound,
20mm QR thru axle, 160mm travel

REAR SUSPENSION Fox RP23 XV

WHEELS Bontrager Rhythm Elite

CRANK Shimano Deore XT M770 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Black/Pearl White

Frame available.



Remedy 7™

FRAME Alpha Red Aluminum w/R1i
All-Mountain Tuned Suspension, ABP, Full Floater,
Aluminum EVO Link, E2 tapered head tube,
150mm rear wheel travel

FRONT SUSPENSION RockShox Lyrik IS Solo
Air w/E2 tapered steerer tube, 20mm thru axle
maxle, 160mm travel

REAR SUSPENSION Fox RP2 XV

WHEELS Bontrager Rhythm

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano
Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Platinum Silver/Metallic Black



69er

Why ride 69? Because a 29" front wheel gives rollover and cornering abilities that every mountain biker can appreciate. Yet, the 26" rear wheel keeps the wheelbase tight, giving a quick and maneuverable ride that's beneficial on every trail. 69er—it's trail bike confident, race bike fast, and it's how Travis Brown rolls.

69er Single Speed™

FRAME Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, asymmetric seat tube, forged horizontally adjustable disc dropouts

FRONT SUSPENSION Maverick Custom Double crown, 100mm

WHEELS Bontrager Race X Lite Single Speed; 29" front, 26" rear

CRANK Bontrager Race Lite Single Speed, 32T

REAR DERAILLEUR n/a

SIZES 17.5, 19.5, 21.5"

COLOR Matte Root Beer

Frame available in 15.5, 17.5, 19.5, 21.5" sizes.

Top Fuel 69er™

FRAME Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race; 29" front, 26" rear

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss Black



69er 3x9™

FRAME Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed top tube, bi-axial down tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

FRONT SUSPENSION Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset

WHEELS Bontrager Race; 29" front, 26" rear

CRANK Shimano Deore 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss White



Race

The members of the Trek/VW racing team demand the lightest weight possible with the most efficient platform. Ridden proudly by XC legends Chris Eatough, Jeremiah Bishop and Sue Haywood, the Top Fuel has rocket-fast, competition-crushing race perfomance with 90mm of rear wheel travel, based on the proven R1 suspension platform.

Top Fuel 9.9 SSL™

FRAME OCLV Red Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, remote lockout, carbon crown and steerer, 100mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race X Lite

CRANK Bontrager Race XXX Lite Carbon, 44/32/22

REAR DERAILLEUR Shimano XTR "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available in Pearl White/Chi Red.

Top Fuel 9.8™

FRAME OCLV Black Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon/Carrera Blue

Frame available.



Top Fuel 8™

FRAME Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Pearl White/ Chi Red



Top Fuel 7™

FRAME Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Select

CRANK Shimano M542 44/32/22

REAR DERAILLEUR SRAM X-9

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Metallic Black/ Metallic Silver



Elite 9.9 SSL™

FRAME OCLV Red Carbon

FRONT SUSPENSION RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, remote lockout, 85mm

WHEELS Bontrager Race X Lite

CRANK Bontrager Race XXX Lite Carbon 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available in Pearl White/Chi Red.



Elite 9.8™

FRAME OCLV Black Carbon

FRONT SUSPENSION Fox 32 F80 RL w/air pressure, rebound, lockout, alloy steerer, 80mm

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon/Pearl White



Elite 9.7™

FRAME OCLV Black Carbon

FRONT SUSPENSION RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm

WHEELS Bontrager Race

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon/Carrera Blue



Hardtail

Trek Aluminum hardtails are the perfect match for the privateer racer or singletrack enthusiast. A classic cross country fit with point-and-shoot handling and the highest performance parts mated to a hydroformed frame and a 100mm travel suspension fork.

8500™

FRAME Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

FRONT SUSPENSION Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx/Metallic Black



8000™

FRAME Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

FRONT SUSPENSION RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 100mm

WHEELS Bontrager Race

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Silver/ Satin Blue



6700™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M525 disc hubs; Bontrager Ranger rims

CRANK Shimano M521 Octalink 44/32/22

REAR DERAILLEUR SRAM X-9

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Pearl White/ Platinum Silver



6500™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

WHEELS Shimano Deore disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore LX

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Silver



6500™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

WHEELS Shimano Deore disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore LX

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Pearl White/ Metallic Black



6000™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

WHEELS Shimano M475 disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-5

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Black



6000™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

WHEELS Shimano M475 disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-5

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Trek Red/Pearl White



4500™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Matte Khaki Green/ Matte Black



4500™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Metallic Black/Silver



4300 Disc™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, 100mm

WHEELS Shimano M65 disc hubs; Bontrager Ranger rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Silver/Black Chrome



4300™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Orange/ Matte Warm Silver



4300™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Silver/Black Chrome



3900™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour XCT V2 w/preload, 80mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Matrix 550 rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Black/ Matte Smooth Silver



3900™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour XCT V2 w/preload, 80mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Matrix 550 rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Metallic Blue/Silver



3700™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Trek Red/Pearl White



3700™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Black/ Matte Lava Black



820™

FRAME High tensile steel w/Cro-Moly seat tube

FRONT SUSPENSION SR Suntour M-2025, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21"

COLOR Gloss Black/Gloss White



820™

FRAME High tensile steel w/Cro-Moly seat tube

FRONT SUSPENSION SR Suntour M-2025, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21"

COLOR Matte Navy/Matte Bluegray





Cyclocross

Cyclocross racers know that when the cow bells are ringing, nothing matters more than the bike's performance. That's why the XO is outfitted with a light and stiff Alpha Aluminum frame, cantilever brakes and plenty of mud clearance—all the right design elements to get you over the barriers and to the finish first.

XO2™

FRAME Alpha Black Aluminum

FORK Bontrager Satellite Plus, carbon

WHEELS Bontrager Race X Lite

CRANK Bontrager Race Lite CX 46/38

REAR DERAILLEUR SRAM Rival

SIZES 50, 52, 54, 56, 58, 60, 62cm

COLOR Pearl White

Frameset available.



XO1™

FRAME Alpha Black Aluminum

FORK Bontrager Satellite Plus, carbon

WHEELS Bontrager Race

CRANK Bontrager Race CX 46/38

REAR DERAILLEUR Shimano 105

SIZES 47, 50, 52, 54, 56, 58, 60, 62cm

COLOR Matte Onyx



Gravity

From World Cup downhill racing to the impromptu gathering at the dirt jumps, the Session and Jack are the perfect companions for those riders more bent on enjoying the benefits of gravity, and the purest act of defying it.

Session 10™

FRAME Alpha Red Aluminum w/R1 Gravity Tuned Suspension, oversized sealed bearings, CTE, 1.5" head tube, 150mm rear axle spacing, 241mm rear wheel travel

FRONT SUSPENSION Manitou Travis Triple Intrinsic w/rebound, compression, 203mm

REAR SUSPENSION Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression

WHEELS Bontrager King Earl w/150mm rear

CRANK Bontrager King Earl 38T w/e.13 SRS chainguide

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 19.5"

COLOR Gloss White

Frame available.

Jack 2™

FRAME Alpha White Aluminum

FRONT SUSPENSION Manitou Slate Comp FFD, 100mm

WHEELS Shimano M475 disc hubs; Sun Ditch Witch rims

CRANK Bontrager Big Earl 42/32/22

REAR DERAILLEUR Shimano Alivio

SIZES S, M, L

COLOR Gloss Orange



Jack 1™

FRAME Alpha White Aluminum

FRONT SUSPENSION RST Gila T7 w/preload, 100mm

WHEELS Shimano M475 disc hubs; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Acera

SIZES S, M, L

COLOR Gloss Navy



WSD

Trek Women's Specific Design (WSD) bikes feature a special frame geometry modified to complement a woman's anatomy. This balanced riding position eliminates lower back pain and reduces neck and shoulder stress, giving female cyclists more comfort, power, and control—key for cornering and maneuvering tight singletrack.

Fuel EX 8 WSD™

FRAME Alpha Red Aluminum w/RIi Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES Women's 14, 16, 18"

COLOR Pearl White/Iris Blue

WSD

Top Fuel 9.8 WSD™

FRAME OCLV Black Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES Women's 15.5, 17.5, 19.5"

COLOR Onyx Carbon/ Satin Silver



Fuel EX 5.5 WSD™

FRAME Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

REAR SUSPENSION Fox Float R w/rebound, custom tuned

WHEELS Shimano M475 disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-7

SIZES Women's 14, 16, 18"

COLOR Pearl White/ Metallic Black



6700 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M525 disc hubs; Bontrager Ranger rims

CRANK Shimano M521 Octalink 44/32/22

REAR DERAILLEUR SRAM X-9

SIZES Women's 14, 16, 18"

COLOR Sport Blue/Light Blue

WSD



6500 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

WHEELS Shimano Deore disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore LX

SIZES Women's 14, 16, 18"

COLOR White/Gray

WSD



4500 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, custom spring weight, alloy steerer, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES Women's 14, 16, 18"

COLOR Light Green/ Metallic Black

WSD



4300 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, custom spring weight, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES Women's 14, 16, 18"

COLOR Light Purple/Pearl White

WSD



3900 WSD™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour XCT V2 w/preload, custom spring weight, 80mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Matrix 550 rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Acera

SIZES Women's 13, 16"

COLOR Metallic Black/Grey



3700 WSD™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025, custom spring weight, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES Women's 13, 16, 19.5"

COLOR Pearl White/Green



820 WSD™

FRAME High tensile steel w/Cro-Moly seat tube

FRONT SUSPENSION SR Suntour M-2025, custom spring weight, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES Women's 13, 16"

COLOR Light Blue/Pearl White



FUEL EX

	Model	FUEL EX 9.5	FUEL EX 9.0	FUEL EX 9	FUEL EX 8	FUEL EX 8 WSD
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14, 16, 18"
	Colors	Onyx Carbon (frame available)	Onyx Carbon	Pearl White/Metallic Black	Gloss Black/Platinum Silver or Satin Khaki Green/White	Pearl White/Iris Blue
	Frame	OCLV Black Carbon w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	OCLV Black Carbon w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel
	Front Suspension	Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm
	Rear Suspension	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race
	Tires	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25", 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2 2/2.25"; 120 tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	SRAM X-9, 9 speed w/MatchMaker	Shimano Deore LX, 9 speed	Shimano Deore LX, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
	Crank	Shimano XTR 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore LX 44/32/22
	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	n/a	n/a	Shimano M520, clipless	Shimano M520, clipless
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lux FIT
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race
	Handlebars	Bontrager Race XXX Lite, 40mm rise, 31.8mm	Bontrager Race X Lite, 40mm rise, 31.8mm	Bontrager Race Lite, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm
	Stem	Bontrager Race XXX Lite, 12 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/cartridge bearings, sealed, alloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc, 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Shimano XT, hydraulic disc; 180mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 7, hydraulic disc; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 5, hydraulic disc; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 5, hydraulic disc; 160mm rotors

FUEL EX

	Model	FUEL EX 7	FUEL EX 6.5	FUEL EX 5.5	FUEL EX 5.5 WSD	69ER SINGLE SPEED
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	17.5, 19.5, 21.5"
	Colors	Satin Silver/Satin Black	Satin Deep Blue	Metallic Black	Pearl White/Metallic Black	Matte Root Beer (frame available in 15.5, 17.5, 19.5, 21.5" sizes)
	Frame	Alpha Red Aluminum w/R1i Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1i Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1i Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, asymmetric seat tube, forged horizontally adjustable disc dropouts
	Front Suspension	RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm	Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	Maverick Custom Double, crown, 100mm
	Rear Suspension	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float R w/rebound, custom tuned	Fox Float R w/rebound, custom tuned	n/a
WHEELS	Wheels	Bontrager Select	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Bontrager Race X Lite Single Speed; 29" front, 26" rear
	Tires	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 27 tpi	Bontrager Jones XR, 26x2.2/2.25"; 27 tpi	Bontrager Jones ACX, 29x2.2" front, 26x2.2" rear, 120tpi, folding
DRIVETRAIN	Shifters	Shimano Deore, 9 speed	Shimano Deore, 9 speed	SRAM X-5, 9 speed	SRAM X-5, 9 speed	n/a
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	n/a
	Rear Derailleur	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-7	SRAM X-7	n/a
	Crank	Shimano M542 44/32/22	Shimano M521 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Bontrager Race Lite Single Speed, 32T
	Cassette	SRAM PG950 11-32, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	Bontrager M/T w/cog chainguide
	Pedals	Shimano M505, clipless	Shimano M505, clipless	Alloy platform w/clips and straps	Alloy platform w/clips and straps	n/a
COMPONENTS	Saddle	Bontrager Race	Bontrager Race Basic	Bontrager Race Basic	Bontrager Select FIT	Bontrager Race Lite
	Seatpost	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Race Lite
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Race Lite Big Sweep, 0mm rise, 31.8mm
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Maverick DUC 32, 25 degree, 31.8mm
	Headset	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/semi-cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed
	Brakeset	Avid Juicy 3, hydraulic disc; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 3, hydraulic disc; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid BB-5, mechanical disc w/alloy levers; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid BB-5, mechanical disc w/alloy levers; 160mm rotors	Avid Juicy 7, hydraulic disc; 160mm rotors

REMEDY

69ER

	Model	REMEDY 9	REMEDY 8	REMEDY 7	TOP FUEL 69ER	69ER 3X9
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Black/Pearl White	Matte Orange/Root Beer	Platinum Silver/Metallic Black	Gloss Black	Gloss White
	Frome	Alpha Red Aluminum w/R1i All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel	Alpha Red Aluminum w/R1i All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel	Alpha Red Aluminum w/R1i All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed top tube, bi-axial down tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts
	Front Suspension	Fox 36 Float RC2 w/air pressure, E2 tapered steerer tube, high speed and low speed compression, rebound, 20mm QR thru axle, 160mm travel	RockShox Lyrik 2-Step w/E2 tapered steerer tube, 20mm thru axle maxle, 115-160mm travel	RockShox Lyrik IS Solo Air w/E2 tapered steerer tube, 20mm thru axle maxle, 160mm travel	Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset	Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset
	Rear Suspension	Fox RP23 XV	Fox RP23 XV	Fox RP2 XV	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	n/a
WHEELS	Wheels	Bontrager Rhythm Elite	Bontrager Rhythm Comp	Bontrager Rhythm	Bontrager Race, 29" front, 26" rear	Bontrager Race; 29" front, 26" rear
	Tires	Bontrager Jones ACX, 26x2.35"; 120 tpi, folding	Bontrager Jones ACX, 26x2.35"; 120 tpi, folding	Bontrager Jones ACX, 26x2.35"; 120 tpi, folding	Bontrager Jones XR, 29x2.25" front, 26x2.2" rear, 120tpi, folding	Bontrager Jones XR, 29x2.25" front, 26x2.2" rear, 120tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	SRAM X-7, 9 speed	Shimano Deore LX, 9 speed
	Front Derailleur	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-0	Shimano Deore XT "Shadow"
	Crank	Shimano Deore XT M770 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore 44/32/22
	Cassette	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Rhythm Pro	Bontrager Rhythm	Bontrager Rhythm Basic	Bontrager Race	Bontrager Race
	Seatpost	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite	Bontrager Race Lite
	Handlebars	Bontrager Race Lite, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm
	Stem	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
	Headset	Custom Cane Creek E2 Light Edition; 1.125" top, 1.5" bottom	Custom Cane Creek E2 Light Edition; 1.125" top, 1.5" bottom	Custom Cane Creek E2 Light Edition, 1.125" top, 1.5" bottom	Cane Creek ZS-2 w/cartridge bearings, sealed	Cane Creek ZS-2 w/cartridge bearings, sealed
	Brakeset	Avid Juicy Carbon, hydraulic disc, 203mm front, 185mm rear rotor	Shimano Deore XT, hydraulic disc, 203mm front, 180mm rear rotor	Avid Juicy 3, hydraulic disc, 203mm front, 185mm rear rotor	Avid Juicy 5, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor

TOP FUEL

	Model	TOP FUEL 9.9 SSL	TOP FUEL 9.8	TOP FUEL 9.8 WSD	TOP FUEL 8	TOP FUEL 7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	Women's 15.5, 17.5, 19.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Onyx Carbon or Pearl White/Chi Red (frame only)	Onyx Carbon/Carrera Blue (frame available)	Onyx Carbon/Satin Silver	Pearl White/Chi Red	Metallic Black/Metallic Silver
	Frame	OCLV Red Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel
	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, remote lockout, carbon crown and steerer, 100mm	Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm
	Rear Suspension	Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Select
	Tires	Bontrager Dry X 26x2.1"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding
DRIVETRAIN	Shifters	Shimano XTR, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	SRAM X-7, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
	Rear Derailleur	Shimano XTR "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-9
	Cronk	Bontrager Race XXX Lite Carbon, 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano M542 44/32/22
	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race Lite FIT	Bontrager Race	Bontrager Race
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Select
	Handlebars	Bontrager Race XXX Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
	Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/cartridge bearings, sealed
	Brakeset	Shimano XTR, hydraulic disc; 180mm front, 160mm rear rotor	Shimano XT, hydraulic disc; 180mm front, 160mm rear rotor	Shimano XT, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor	Avid Juicy 3, hydraulic disc; 185mm front, 160mm rear rotor

9 SERIES

	Model	ELITE 9.9 SSL	ELITE 9.8	ELITE 9.7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Onyx Carbon or Pearl White/Chi Red (frame only)	Onyx Carbon/Pearl White	Onyx Carbon/Carrera Blue
	Frame	OCLV Red Carbon	OCLV Black Carbon	OCLV Black Carbon
	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, remote lockout, 85mm	Fox 32 F80 RL w/air pressure, rebound, lockout, alloy steerer, 80mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race
	Tires	Bontrager Race Dry X 26x2.1"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2 2/2.25"; 60 tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore LX
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
	Crank	Bontrager Race XXX Lite Carbon 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22
	Cassette	Shimano PG990 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite
	Handlebars	Bontrager Race XXX Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
	Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc; 160mm front, 140mm rear rotor	Shimano XT, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc; 160mm rotors

8 SERIES

Model	8500	8000
Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
Colors	Onyx/Metallic Black	Satin Silver/Satin Blue
Frame	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts
Front Suspension	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 100mm
Wheels	Bontrager Race Lite	Bontrager Race
Tires	Bontrager Jones XR, 26x2 2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2 2/2.25"; 60 tpi, folding
Shifters	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed
Front Derailleur	Shimano Deore XT	Shimano Deore LX
Rear Derailleur	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
Crank	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22
Cassette	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
Pedals	n/a	n/a
Saddle	Bontrager Race Lite	Bontrager Race
Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race Lite
Handlebars	Bontrager Race Lite, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
Headset	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy
Brakeset	Shimano XT, hydraulic disc; 180mm front, 160mm rear rotor	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor

6 SERIES

	Model	6700	6700 WSD	6500
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"
	Colors	Pearl White/Platinum Silver	Sport Blue/Light Blue	Satin Silver or Pearl White/Metallic Black
	Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts
	Front Suspension	RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm
WHEELS	Wheels	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano Deore disc hubs; Bontrager Ranger rims
	Tires	Bontrager Jones ACX, 26x2.1"; 60 tpi, folding	Bontrager Jones ACX, 26x2.1"; 60 tpi, folding	Bontrager Jones ACX, 26x2.1"; 27 tpi
DRIVETRAIN	Shifters	SRAM X-7, 9 speed	SRAM X-7, 9 speed	Shimano Deore, 9 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore
	Rear Derailleur	SRAM X-9	SRAM X-9	Shimano Deore LX
	Crank	Shimano M521 Octalink 44/32/22	Shimano M521 Octalink 44/32/22	Shimano M442 Octalink 44/32/22
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed
	Pedals	Shimano 505, clipless	Alloy platform	Alloy platform
COMPONENTS	Saddle	Bontrager Race Basic	Bontrager Select FIT Basic	Bontrager Race Basic
	Seatpost	Bontrager Select	Bontrager Select	Bontrager Sport
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid Juicy 3, hydraulic disc; 160mm rotors	Avid Juicy 3, hydraulic disc; 160mm rotors	Shimano M485, hydraulic disc; 160mm rotors

6 SERIES

Model	6500 WSD	6000
Sizes	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"
Colors	White/Gray	Satin Black or Trek Red/Pearl White
Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts
Front Suspension	RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm	RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm
Wheels	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs, Bontrager Ranger rims
Tires	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi
Shifters	Shimano Deore, 9 speed	SRAM X-5, 9 speed
Front Derailleur	Shimano Deore	SRAM X-5
Rear Derailleur	Shimano Deore LX	SRAM X-5
Crank	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22
Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed
Pedals	Alloy platform	Alloy platform
Saddle	Bontrager Select FIT Basic	Bontrager Race Basic
Seatpost	Bontrager Sport	Bontrager Sport
Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise
Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree
Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
Brakeset	Shimano M485, hydraulic disc; 160mm rotors	Avid BR-5, mechanical disc w/alloy levers

4 SERIES

	Model	4500	4500 WSD	4300 DISC
FRAMESET	Sizes	13, 16, 18, 19.5, 21, 22.5, 24"	Women's 14, 16, 18"	13, 16, 18, 19.5, 21, 22.5"
	Colors	Metallic Black/Silver or Matte Khaki Green/Matte Black	Light Green/Metallic Black	Silver/Black Chrome
	Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts
	Front Suspension	RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm	RockShox Dart 3 w/preload, lockout, custom spring weight, alloy steerer, 100mm	RST Gila TR w/preload, 100mm
WHEELS	Wheels	Alloy front hub, Shimano RM30 rear hub, Bontrager Camino rims	Alloy front hub, Shimano RM30 rear hub, Bontrager Camino rims	Shimano M65 disc hubs; Bontrager Ranger rims
	Tires	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi
DRIVETRAIN	Shifters	Shimano Alivio, 8 speed	Shimano Alivio, 8 speed	Shimano EF50, 8 speed
	Front Derailleur	Shimano Acera	Shimano Acera	Shimano C050
	Rear Derailleur	Shimano Deore	Shimano Deore	Shimano Alivio
	Crank	Shimano M341 42/32/22	Shimano M341 42/32/22	SR Suntour XCC-T102 42/34/24
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed
	Pedals	Alloy platform	Alloy platform	Alloy platform
COMPONENTS	Saddle	Bontrager Select Basic	Bontrager Select FIT Basic	Bontrager Select Basic
	Seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport
	Handlebars	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise
	Stem	Bontrager Sport, 10 degree	Bontrager Sport, 25 degree	Bontrager Sport, 10 degree
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid SD-3 w/alloy levers	Avid SD-3 w/Tektro adjustable reach alloy levers	Shimano M486, mechanical disc w/Shimano EF50 levers

4 SERIES

Model	4300	4300 WSD
Sizes	13, 16, 18, 19.5, 21, 22.5"	Women's 14, 16, 18"
Colors	Silver/Black Chrome	Light Purple/Pearl White
Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts
Front Suspension	RST Gila TR w/preload, 100mm	RST Gila TR w/preload, 100mm
Wheels	Alloy front hub, Shimano RM30 rear hub, Bontrager Camino rims	Alloy front hub, Shimano RM30 rear hub, Bontrager Camino rims
Tires	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"; 27 tpi
Shifters	Shimano EF50, 8 speed	Shimano EF50, 8 speed
Front Derailleur	Shimano C050	Shimano C050
Rear Derailleur	Shimano Alivio	Shimano Alivio
Crank	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T102 42/34/24
Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed
Pedals	Alloy platform	Alloy platform
Saddle	Bontrager Select Basic	Bontrager Select FIT Basic
Seatpost	Bontrager Sport	Bontrager Sport
Handlebars	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise
Stem	Bontrager Sport, 25 degree	Bontrager Sport, 25 degree
Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

3 SERIES

	Model	3900	3900 WSD	3700
FRAMESET	Sizes	13, 16, 18, 19.5, 21, 22.5"	Women's 13, 16"	13, 16, 18, 19.5, 21, 22.5"
	Colors	Matte Black/Matte Smooth Silver or Metallic Blue/Silver	Metallic Black/Grey	Trek Red/Pearl White or Matte Black/Matte Lava Black
	Frame	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts
	Front Suspension	SR Suntour XCT V2 w/preload, 80mm	SR Suntour XCT V2 w/preload, custom spring weight, 80mm	SR Suntour M-2025, 63mm
WHEELS	Wheels	Alloy front hub, Shimano RM30 rear hub, Matrix 550 rims	Alloy front hub, Shimano RM30 rear hub, Matrix 550 rims	Alloy hubs, Matrix 550 rims
	Tires	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"
DRIVETRAIN	Shifters	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 7 speed
	Front Derailleur	Shimano C050	Shimano C050	Shimano C051
	Rear Derailleur	Shimano Acera	Shimano Acera	Shimano Acera
	Crank	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T208 48/38/28
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	Sunrace 13-34, 7 speed
	Pedals	Nylon platform	Nylon platform	Nylon platform
COMPONENTS	Saddle	Bontrager Approved	Bontrager Approved FIT	Bontrager Approved
	Seatpost	Bontrager Approved	Bontrager Approved	Bontrager Approved
	Handlebars	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise
	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Approved, 25 degree
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

3 SERIES

Model	3700 WSD
Sizes	Women's 13, 16, 19.5"
Colors	Pearl White/Green
Frame	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts
Front Suspension	SR Suntour M-2025, custom spring weight, 63mm
Wheels	Alloy hubs, Matrix 550 rims
Tires	Bontrager Connection Trail, 26x2.0"
Shifters	Shimano EF50, 7 speed
Front Derailleur	Shimano C051
Rear Derailleur	Shimano Acera
Crank	SR Suntour XCC-T208 48/38/28
Cassette	Sunrace 13-34, 7 speed
Pedals	Nylon platform
Saddle	Bontrager Approved FIT
Seatpost	Bontrager Approved
Handlebars	Bontrager Approved, 30mm rise
Stem	Bontrager Approved, 40 degree
Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed
Brakeset	Tektro V w/Shimano EF50 levers

820 — CYCLOCROSS


	Model	820	820 WSD	XO 2	XO 1	
FRAMESET	Sizes	13, 16, 18, 19.5, 21"	Women's 13, 16"	50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm	
	Colors	Matte Navy/Matte Bluegray or Gloss Black/Gloss White	Light Blue/Pearl White	Pearl White	Matte Onyx	
	Frame	High tensile steel w/Cro-Moly seat tube	High tensile steel w/Cro-Moly seat tube	Alpha Black Aluminum	Alpha Black Aluminum	
	Front Suspension	SR Suntour M-2025, 63mm	SR Suntour M-2025, custom spring weight, 63mm	Bontrager Satellite Plus, carbon	Bontrager Satellite Plus, carbon	
WHEELS	Wheels	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Bontrager Race X Lite	Bontrager Race	
	Tires	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"	Bontrager Jones CXR, 700x34c, folding	Bontrager Jones CXR, 700x34c, folding	
DRIVETRAIN	Shifters	Shimano EF50, 7 speed	Shimano EF50, 7 speed	SRAM Rival, 10 speed	Shimano 105 STI, 10 speed	
	Front Derailleur	Shimano C051	Shimano C051	SRAM Rival	Shimano 105	
	Rear Derailleur	Shimano Acera	Shimano Acera	SRAM Rival	Shimano 105	
	Crank	SR Suntour XCC-T208 48/38/28	SR Suntour XCC-T208 48/38/28	Bontrager Race Lite CX 46/38	Bontrager Race CX 46/38	
	Cassette	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	SRAM OpenGlide 1070, 12-26	Shimano 105 12-27, 10 speed	
	Pedals	Nylon platform	Nylon platform	n/a	Shimano 505, clipless	
COMPONENTS	Saddle	Bontrager Approved	Bontrager Approved FIT	Bontrager Race Lite	Bontrager Race Basic	
	Seatpost	Bontrager Approved	Bontrager Approved	Bontrager Race X Lite ACC carbon	Bontrager Carbon	
	Handlebars	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Race Lite VR, 31.8mm	Bontrager Select VR, 31.8mm	
	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/cartridge bearings, integrated, sealed, alloy	
	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Avid Shorty 4 cantilevers w/SRAM Rival levers	Avid Shorty 4 cantilevers w/Shimano 105 STI levers	

SESSION — JACK


	Model	SESSION 10	JACK 2	JACK 1		
FRAMESET	Sizes	15.5, 17.5, 19.5"	S, M, L	S, M, L		
	Colors	White (frame available)	Gloss Orange	Gloss Navy		
	Frame	Alpha Red Aluminum w/RT Gravity Tuned Suspension, oversized sealed bearings, CTE, 1.5" head tube, 150mm rear axle spacing, 241mm rear wheel travel	Alpha White Aluminum	Alpha White Aluminum		
	Front Suspension	Manitou Travis Triple Intrinsic w/rebound, compression, 203mm	Manitou Slate Comp FFD, 100mm	RST Gila T2 w/preload, 100mm		
	Rear Suspension	Manitou Revox ISX coil w/preload, intrinsic pressure, volume, rebound, compression	n/a	n/a		
WHEELS	Wheels	Bontrager King Earl w/150mm rear	Shimano M475 disc hubs; Sun Ditch Witch rims	Shimano M475 disc hubs; Bontrager Camino rims		
	Tires	Bontrager Big Earl, 26x2.6"; 60 tpi	Bontrager Earl, 26x2.4"; 27 tpi	Bontrager Earl, 26x2.4"; 27 tpi		
DRIVETRAIN	Shifters	SRAM X-0, 9 speed	Shimano Alivio, 8 speed	Shimano EF50, 8 speed		
	Front Derailleur	e.13 SRS Chain Retention System	Shimano Alivio	Shimano C050		
	Rear Derailleur	SRAM X-0	Shimano Alivio	Shimano Acera		
	Crank	Bontrager King Earl 38T w/e.13 SRS chainguide	Bontrager Big Earl 42/32/22	Shimano M341 42/32/22		
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed		
	Pedals	Bontrager King Earl platform	Alloy platform	Alloy platform		
COMPONENTS	Saddle	Bontrager Big Earl	Bontrager Big Earl Jump	Bontrager Earl Jump Basic		
	Seatpost	Bontrager King Earl	Bontrager Sport	Bontrager Sport		
	Handlebars	Bontrager King Earl, 50mm rise, 31.8mm	Bontrager Big Earl, 50mm rise, 31.8mm	Bontrager Earl, 25mm rise, 31.8mm		
	Stem	Manitou IS2 integrated stem, 31.8mm	Bontrager Earl, 10 degree, 31.8mm	Bontrager Earl, 10 degree, 31.8mm		
	Headset	Cane Creek Double XC w/cartridge bearings, 1.5" top, 1.125" bottom	Aheadset w/semi-cartridge bearings, Cro-Moly	Aheadset w/semi-cartridge bearings, sealed		
	Brakeset	Avid Juicy 7, hydraulic disc, 203mm rotors	Hayes MX-2, mechanical disc, 8" front, 6" rear rotor	Tektro V w/Shimano EF50 levers		

Geometries


FUEL EX




REMEDY




69ER




TOP FUEL




ELITE




HARDTAIL




XO 2, XO 1



SESSION



JACK



		virtual frame size	actual frame size	A. head angle	B. seat angle	C. effective top tube	D. chain stay	E. bottom bracket	F. offset	G. wheel base	trail	stand over
Fuel EX 9.5	S	15.5"	39.4 / 15.5	69.0°	73.5°	55.3 / 21.7	43.0 / 16.9	33.5 / 13.2	40 / 1.6	105.7 / 41.6	8.5 / 3.4	71.0 / 28.0
Fuel EX 9.9	M	17.5"	44.5 / 17.5	69.0°	73.5°	59.1 / 23.3	43.0 / 16.9	33.5 / 13.2	40 / 1.6	109.6 / 43.1	8.5 / 3.4	72.0 / 28.3
Fuel EX 9	M	18.5"	44.5 / 17.5	69.0°	73.5°	61.0 / 24.0	43.0 / 16.9	33.5 / 13.2	40 / 1.6	111.5 / 43.9	8.5 / 3.4	72.7 / 28.6
Fuel EX 7	L	19.5"	47.0 / 18.5	69.0°	73.5°	62.8 / 24.7	43.0 / 16.9	33.5 / 13.2	40 / 1.6	113.4 / 44.6	8.5 / 3.4	73.3 / 28.9
Fuel EX 6	XL	21.5"	50.8 / 20.0	69.0°	73.5°	64.5 / 25.4	43.0 / 16.9	33.5 / 13.2	40 / 1.6	115.1 / 45.3	8.5 / 3.4	75.2 / 29.6
Fuel EX 5	S	14"	35.6 / 14.0	69.0°	73.5°	52.5 / 20.7	43.0 / 16.9	33.5 / 13.2	40 / 1.6	102.9 / 40.5	8.5 / 3.4	70.8 / 27.9
Fuel EX 8 WSD	M	16"	40.6 / 16.0	69.0°	73.5°	54.5 / 21.5	43.0 / 16.9	33.5 / 13.2	40 / 1.6	104.9 / 41.3	8.5 / 3.4	72.8 / 28.7
Fuel EX 5 WSD	L	18"	43.2 / 17.0	69.0°	73.5°	58.5 / 23.0	43.0 / 16.9	33.5 / 13.2	40 / 1.6	108.9 / 42.8	8.5 / 3.4	72.8 / 28.7
Remedy 9	S	15.5"	40.5 / 15.9	67.0°	72.0°	55.5 / 21.9	43.2 / 17.0	35.5 / 14.0	40 / 1.6	109.5 / 43.1	9.8 / 3.9	74.0 / 29.1
Remedy 8	M	17.5"	44.3 / 17.3	67.0°	72.0°	59.3 / 23.3	43.2 / 17.0	35.5 / 14.0	40 / 1.6	113.2 / 44.6	9.8 / 3.9	74.5 / 29.3
Remedy 7	L	19.5"	47.0 / 18.5	67.0°	72.0°	61.5 / 24.2	43.2 / 17.0	35.5 / 14.0	40 / 1.6	115.7 / 45.6	9.8 / 3.9	76.0 / 29.9
	XL	21.5"	50.8 / 20.0	67.0°	72.0°	64.4 / 25.4	43.2 / 17.0	35.5 / 14.0	40 / 1.6	118.8 / 46.8	9.8 / 3.9	78.0 / 30.7
69er 3x9	S	15.5"	39.4 / 15.5	69.0°	72.0°	56.7 / 22.3	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	106.1 / 41.8	8.6 / 3.4	72.8 / 28.7
	M	17.5"	44.5 / 17.5	69.0°	72.0°	58.0 / 22.8	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	107.5 / 42.3	8.6 / 3.4	76.0 / 29.9
	L	19.5"	49.8 / 19.6	69.0°	72.0°	61.8 / 24.3	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	111.3 / 43.8	8.6 / 3.4	78.7 / 31.0
	XL	21.5"	54.6 / 21.5	69.0°	72.0°	63.8 / 25.1	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	113.3 / 44.6	8.6 / 3.4	81.6 / 32.2
69er Single Speed*	S	15.5"	39.4 / 15.5	70.0°	73.5°	57.5 / 22.6	42.1 / 16.6	30.7 / 12.1	3.9 / 1.5	105.6 / 41.5	9.0 / 3.5	75.6 / 29.8
	M	17.5"	44.4 / 17.5	69.0°	73.0°	58.8 / 23.1	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	108.5 / 42.7	8.9 / 3.5	75.6 / 29.8
	L	19.5"	49.5 / 19.5	69.0°	73.0°	62.5 / 24.6	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	112.2 / 44.2	8.9 / 3.5	78.3 / 30.8
	XL	21.5"	54.6 / 21.5	69.0°	72.5°	64.6 / 25.4	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	113.7 / 44.8	8.9 / 3.5	81.4 / 32.0
Top Fuel 69er	S	15.5"	37.7 / 14.8	69.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	105.8 / 41.7	8.7 / 3.4	73.2 / 28.8
	M	17.5"	40.2 / 15.8	69.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	109.6 / 43.2	8.7 / 3.4	74.1 / 29.2
	L	19.5"	45.3 / 17.8	69.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	113.4 / 44.7	8.7 / 3.4	77.1 / 30.4
	XL	21.5"	49.1 / 19.3	69.0°	72.5°	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	115.2 / 45.4	8.7 / 3.4	79.6 / 31.3
Top Fuel 9.9 SSL	S	15.5"	37.7 / 14.8	70.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
Top Fuel 9.8	M	17.5"	40.2 / 15.8	70.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	108.6 / 42.8	7.3 / 2.9	72.5 / 28.5
Top Fuel 8	L	19.5"	45.3 / 17.8	70.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	112.4 / 44.2	7.3 / 2.9	75.8 / 29.8
Top Fuel 7	XL	21.5"	49.1 / 19.3	70.0°	72.5°	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	114.2 / 45.0	7.3 / 2.9	78.5 / 30.9
Top Fuel 9.8 WSD	S	15.5"	37.7 / 14.8	70.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
	M	17.5"	40.2 / 15.8	70.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	108.6 / 42.8	7.3 / 2.9	72.5 / 28.5
	L	19.5"	57.9 / 22.8	70.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	112.4 / 44.3	7.3 / 2.9	75.8 / 29.8
Elite 9.9 SSL	S	15.5"	39.4 / 15.5	70.9°	73.6°	55.0 / 21.7	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	103.0 / 40.6	7.4 / 2.9	72.5 / 28.5
Elite 9.8	M	17.5"	41.9 / 16.5	70.9°	73.1°	58.8 / 23.1	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	106.3 / 41.9	7.4 / 2.9	73.9 / 29.1
Elite 9.7	L	19.5"	47.0 / 18.5	70.9°	73.1°	62.6 / 24.6	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	110.2 / 43.4	7.4 / 2.9	77.0 / 30.3
	XL	21.5"	50.8 / 20.0	70.9°	72.6°	64.8 / 25.4	42.4 / 16.7	29.9 / 11.8	3.9 / 1.5	111.8 / 44.0	7.4 / 2.9	79.8 / 31.4
8500	S	15.5"	39.4 / 15.5	71.0°	73.6°	55.0 / 21.7	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	102.9 / 40.5	7.2 / 2.8	71.3 / 28.1
8000	M	17.5"	44.5 / 17.5	71.0°	73.0°	58.5 / 23.0	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	106.3 / 41.9	7.2 / 2.8	74.2 / 29.2
6700	L	19.5"	49.5 / 19.5	71.0°	73.0°	62.5 / 24.6	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	110.0 / 43.3	7.2 / 2.8	77.4 / 30.6
6500	XL	21.5"	54.6 / 21.5	71.0°	72.6°	64.1 / 25.2	42.4 / 16.7	30.0 / 11.8	4.0 / 1.6	111.3 / 43.8	7.2 / 2.8	81.1 / 31.9
6000												
6700 WSD	S	14"	35.6 / 14.0	70.0°	75.0°	51.8 / 20.4	42.4 / 16.7	28.8 / 11.3	4.0 / 1.6	102.0 / 40.2	7.9 / 3.1	69.2 / 27.2
6500 WSD	M	16"	40.5 / 16.0	70.0°	74.0°	53.2 / 20.9	42.4 / 16.7	28.9 / 11.4	4.0 / 1.6	102.4 / 40.3	7.9 / 3.1	71.7 / 28.2
	L	18"	45.7 / 18.0	70.0°	73.5°	56.3 / 22.2	42.4 / 16.7	29.3 / 11.5	4.0 / 1.6	105.3 / 41.4	7.9 / 3.1	75.0 / 29.5
4500	XS	13"	33.0 / 13.0	70.0°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	102.1 / 40.2	8.1 / 3.2	69.5 / 27.4
4300 Disc	S	16"	40.6 / 16.0	70.5°	73.5°	55.5 / 21.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.2 / 41.0	7.8 / 3.1	73.9 / 29.1
4300	M	18"	45.7 / 18.0	70.5°	73.5°	57.0 / 22.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	105.9 / 41.7	7.8 / 3.1	77.5 / 30.5
	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.5 / 23.0	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.9 / 42.1	7.8 / 3.1	80.3 / 31.6
	L	21"	53.3 / 21.0	70.5°	73.0°	59.5 / 23.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	108.0 / 42.5	7.8 / 3.1	83.1 / 32.7
	L	22.5"	57.2 / 22.5	70.5°	72.5°	60.5 / 23.8	43.0 / 16.9	29.5 / 11.6	3.8 / 1.5	108.6 / 42.7	7.8 / 3.1	86.0 / 33.9
	XL	24"	61.0 / 24.0	70.5°	72.0°	61.5 / 24.2	43.0 / 16.9	29.7 / 11.7	3.8 / 1.5	109.1 / 42.9	7.8 / 3.1	89.0 / 35.0
4500 WSD	S	14"	35.6 / 14.0	70.0°	75.0°	51.8 / 20.4	42.4 / 16.7	28.9 / 11.4	3.8 / 1.5	102.3 / 40.3	7.8 / 3.1	70.7 / 27.8
4300 WSD	M	16"	40.7 / 16.0	70.0°	74.0°	53.2 / 21.0	43.0 / 16.9	28.9 / 11.4	3.8 / 1.5	102.7 / 40.4	7.8 / 3.1	73.4 / 28.9
	L	18"	45.7 / 18.0	70.0°	73.5°	56.3 / 22.2	43.0 / 16.9	29.3 / 11.6	3.8 / 1.5	105.6 / 41.5	7.8 / 3.1	76.7 / 30.2
3900	XS	13"	33.0 / 13.0	70.0°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	8.1 / 3.2	69.4 / 27.3
3700	S	16"	40.6 / 16.0	70.5°	73.5°	55.5 / 21.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.0 / 40.9	7.8 / 3.1	70.6 / 27.8
820	M	18"	45.7 / 18.0	70.5°	73.5°	57.0 / 22.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	105.7 / 41.6	7.8 / 3.1	74.6 / 29.4
	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.5 / 23.0	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.8 / 42.0	7.8 / 3.1	77.4 / 30.6
	L	21"	53.3 / 21.0	70.5°	73.0°	59.5 / 23.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	108.0 / 42.5	7.8 / 3.1	80.7 / 31.8
	L	22.5"	57.2 / 22.5	70.5°	72.5°	60.5 / 23.8	43.0 / 16.9	29.5 / 11.6	3.8 / 1.5	108.4 / 42.7	7.8 / 3.1	83.9 / 33.0
	XL	24"	61.0 / 24.0	70.5°	72.0°	61.5 / 24.2	43.0 / 16.9	29.7 / 11.7	3.8 / 1.5	108.9 / 42.9	7.8 / 3.1	87.0 / 34.3
3900 WSD	XS	13"	33.0 / 13.0	70.5°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	7.8 / 3.1	68.6 / 27.1
3700 WSD	S	16"	40.6 / 16.0	70.5°	73.5°	55.0 / 21.7	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	103.6 / 40.8	7.8 / 3.1	59.2 / 23.3
820 WSD	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.0 / 22.8	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.3 / 41.9	7.8 / 3.1	59.6 / 23.5
XO 2	XS	47cm	44.0 / 18.1	71.5°	76.5°	54.3 / 20.3	43.0 / 16.9	27.6 / 10.8	4.5 / 1.8	99.6 / 39.2	6.8 / 2.7	74.1 / 29.2
XO 1	XS	50cm	48.2 / 19.0	72.0°	75.5°	51.7 / 20.3	43.0 / 16.9	27.6 / 10.8	4.5 / 1.8	99.6 / 39.2	6.5 / 2.6	75.7 / 29.8
	S	52cm	49.6 / 19.5	72.1°	74.7°	52.8 / 20.8	43.0 / 16.9	27.6 / 10.8	4.5 / 1.8	100.3 / 39.5	6.5 / 2.6	76.7 / 30.2
	S	54cm	50.9 / 20.0	72.2°	74.2°	53.9 / 21.2	43.0 / 16.9	27.6 / 10.8	4.5 / 1.8	100.9 / 39.7	6.4 / 2.5	77.7 / 30.6
	M	56cm	53.4 / 21.0	72.3°	73.6°	55.8 / 22.0	43.0 / 16.9	27.6 / 10.9	4.5 / 1.8	102.3 / 40.3	6.4 / 2.5	80.1 / 31.5
	L	58cm	55.9 / 22.0	72.3°	73.1°	57.8 / 22.8	43.0 / 16.9	27.6 / 10.9	4.5 / 1.8	103.6 / 40.8	6.3 / 2.5	82.1 / 32.3
	L	60cm	58.2 / 22.9	72.4°	72.8°	59.5 / 23.4	43.0 / 16.9	27.6 / 10.9	4.5 / 1.8	104.8 / 41.3	6.3 / 2.5	84.1 / 33.1
	XL	62cm	60.8 / 23.9	72.5°	72.5°	61.2 / 24.1	43.0 / 16.9	27.6 / 10.9	4.5 / 1.8	105.1 / 41.8	6.2 / 2.4	86.2 / 33.9
Session 10	S	15.5"	39.4 / 15.5	66.0°	74.0°	55.6 / 21.9	43.4 / 17.1	37.2 / 14.7	4.3 / 1.7	113.2 / 44.6	10.5 / 4.1	64.5 / 25.4
	M	17.5"	44.5 / 17.5	66.0°	73.0°	58.5 / 23.0	43.4 / 17.1	37.2 / 14.7	4.3 / 1.7	114.9 / 45.2	10.5 / 4.1	64.5 / 25.4
	L	19.5"	49.5 / 19.5	66.0°	72.5°	61.5 / 24.2	43.4 / 17.1	37.2 / 14.7	4.3 / 1.7	117.7 / 46.3	10.5 / 4.1	64.5 / 25.4
Jack 2	S	13"	33.0 / 13.0	68.3°	71.0°	53.3 / 21.0	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	103.1 / 40.6	8.0 / 3.1	66.9 / 26.3
Jack 1	M	15"	38.1 / 15.0	68.3°	71.0°	55.9 / 22.0	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	107.3 / 42.2	8.0 / 3.1	67.4 / 26.5
	L	17"	43.2 / 17.0	68.3°	71.0°	59.7 / 23.5	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	110.5 / 43.5	8.0 / 3.1	69.7 / 27.4

All dimensions are in centimeters/inches unless otherwise stated.
Some models are not available in all sizes.
*15.5" size available as frame only.

Trek Limited Lifetime Warranty

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Trek dealer. Trek Bicycle Corporation likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 18 inch frame size. Road bike weights based on 56cm frame size

All Trek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame.

©2007 Trek Bicycle Corporation. All rights reserved. Trek/Bontrager are registered trademarks of Trek Bicycle Corporation. Shimano, RockShox and Nike are registered trademarks of Shimano American Corporation, SRAM Corporation and Nike Inc., respectively. U.S. Pat. Nos. 5,624,519; 5,629,668; 5,685,553; 5,715,544, 5,734,142; 5,931,544; 6,045,470; 6,092,438; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042, 6,572,249; 6,637,244; 6,637,061; 6,749,212 and others pending.

Designed by Hanson Dodge Creative. Contributing photographers: Paul Johnson, John Laptad, Sterling Lorence, John Norris, Nathan Osterhaus, Bradley Rochford, Mark Shimahara/ BikeZen.com, Graham Watson, Geoff Waugh.

EUROPEAN CENTRAL OFFICE Bikeurope B.V. Basicweg 12 3821 BR Amersfoort The Netherlands SUBSIDIARIES **Austria** Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 Fax: +43 (0) 820 820 141 **Benelux** Bikeurope B.V. Tel: +31 (0) 33 45 09 040 Fax: +31 (0) 33 45 66 363 **China** Trek Bicycle Corporation Tel: 86-10-8459-5392 Fax: 86-10-8459-5394 **Denmark** Bikeurope B.V. / Trek Denmark Tel: +45 70 27 15 40 Fax: +45 70 27 15 45 **France** Bikeurope B.V. / Trek France Tel: +33 (0) 8 25 00 44 04 Fax: +33 (0) 8 25 00 05 32 **Germany** Bikeurope B.V./Trek Deutschland Tel: +49 (0) 180 350 7010 Fax: +49 (0) 180 350 7015 **Japan** Trek Japan Corporation Tel: +81 (0) 78 413 6606 Fax: +81 (0) 78 413 6607 **Spain** Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 Fax: +34 (0) 91 843 51 71 **Switzerland** Trek Fahrrad GmbH Tel: +41 (0) 44 824 85 00 Fax: +41 (0) 44 824 85 55 **United Kingdom** Trek Bicycle Corporation Ltd. Tel: +44 (0)1 908 28 26 26 Fax: +44 (0)1 908 28 06 90 TREK DISTRIBUTORS **Argentina** Bike Sports S.R.L Tel: 5411 4797 6562 Fax: 541147976562 **Aruba** Tri-Bike Aruba Tel: 297 5 852 734 Fax: 297 5 850 609 **Australia** Trek Bicycles Australia Pty. Ltd. Tel: 61 2 8832 6900 Fax: 61 2 8832 6901 **Bahrain** Skate Shack Tel: 973 17 697176 Fax: 973 17 404792 **Barbados** Taylor's Cycle Centre Ltd Tel: 246 426 3421 Fax: 246 4362142 **Belarus** Velocenter Tel: 375 172 270 187 **Belize** Bruce Cycling Club Bike Shop Tel: 501 22 37979 **Bermuda** Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 **Bolivia** Bicicor Tel: 591 2 241 2291 Fax: 591 2 241 6669 **Bonaire** ECO Experience N.V. Tel: 599 717 2227 Fax: 599 717 2227 **Brazil** International Sports do Brazil Ltda. Tel: 55 19 3886 7270 Fax: 55 19 3846 6133 **Brunei** Treknology Bikes 3 Tel: 65 6275467 Fax: 65 62754676 **Bulgaria** Velomania Ltd. Tel: 359 2 812 7060 Fax: 359 2 812 7061 **Canary Islands** Adolfo Suonzes S.A. Tel: 34 928 483050 Fax: 34 928 483777 **Cayman Islands** Uncle Bill's Home Improvement Centre Tel: 345 949 7601 Fax: 345 949 8055 **Chile** Sparta Deportes Limitado Tel: 56 2 560 4274 Fax: 56 2 5572850 **Colombia** Bike House Tel: 574 262 3223 Fax: 574 262 2880 **Costa Rica** Motas Pazos Tel: 506 291 1667 Fax: 506 291 1665 **Croatia** Rog Jomo Tel: 385 1 2304 331 Fax: 385 1 233 9337 **Curacao** Vista Bike Tel: 5999 869 5582 Fax: 5999 465 9677 **Cyprus** Gaadlones Ltd. Tel: 357 22 35 6673 Fax: 357 22 66 1027 **Czech Republic** Bretton Ltd Tel: 420 2 679 1 2679 Fax: 4202 72926464 **Dominican Republic** Planet Bike Tel: 809 535 2152 Fax: 809 535 2152 **Ecuador** Dide. S.A. Tel: 593 2 247 2168 Fax: 593 2 248 3914 **El Salvador** Moyor, S.A. DE C.V. Tel: 503 241 0410 Fax: 503 2265 7888 **Estonia** Rademor Tel: 372 651 2910 Fax: 372 655 0120 **Fiji** Slinger Bicycles Limited Tel: 679 670 7301 Fax: 679 6707 301 **Finland** Oy Duell Bike Center Ab Tel: 358 6 322 7500 Fax: 358 6 322 2231 **French Polynesia** Tohiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336 **Greece** Active Zone Network Tel: 30 210 9612929 Fax: 30 210 9612520 **Grenada** Rhell Dopwell Tel: 473 440 5473 Fax: 473 444 4818 **Guam** MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 **Guatemala** Novosport Tel: 502 24 74 26 89 Fax: 502 2474 2691 **Honduras** Comercial Lo Poz Tel: 504 238 5027 Fax: 504 238 5027 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602 **Hungary** Genomed Kereskedelmi KFT Tel: 36 1 331 3184 Fax: 36 1 473 1686 **Iceland** Ormin-Hjol ehf Tel: 354 588 9890 Fax: 354 588 9894 **India** Firefox Bikes Pvt. Ltd. Tel: 91 120 4357301 Fax: 91 120 4357303 **Indonesia** Treknology Bikes 3 Tel: 65 6275467 Fax: 65 62754676 **Ireland** Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463 **Israel** Cycle Trading Company Ltd Tel: 972 9 9513 010 Fax: 972 9 9509 783 **Italy** Camor Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747 **Kazakhstan** Intelli Sports Ltd. Tel: 7 3272 937 277 Fax: 7 3272 921 333 **Kenya** The Rift Valley Adventure Group Tel: 254 733 745518 **Korea** Spo-World Tel: 82 2 3444 9394 Fax: 82 2 3444 9414 **Kuwait** Extreme Sports Co., L.L.C. Tel: 965 5755898 Fax: 965 2542666 **Latvia** Velosports SIA Tel: 371 729 3517 Fax: 371 729 3518 **Lebanon** Blue Mountain Sarl Tel: 961 9 627144 Fax: 961 9 637144 **Lithuania** Egmindo UAB Tel: 370 232 5 30810 Fax: 370 5 232 3080 **Macedania** Crossmok Dooel Tel: 389 47232068 Fax: 389 47232068 **Malaysia** Treknology Bikes 3 Tel: 65 6275467 Fax: 65 62754676 **Malta** Mogri Cycles & Spares Tel: 256 21 414399 Fax: 256 21 436377 **Mexico** Power Distribution SA de CV Tel: 52 81 8478 4560 Fax: 52 81 8 340 1275 **Nevis** Wheel World Cycle Shop Tel: 869 469 9682 Fax: 869 469 9682 **New Caledonia** Royal Motors SA Tel: 687 28 59 12 Fax: 687 28 63 20 **New Zealand** Cycle Sport NZ Ltd Tel: 64 6 348 8029 Fax: 64 6 348 4768 **Norway** Foss Sykler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Panama** Motorsports Ponomo, S.A. Tel: 507 236 0852 Fax: 507 236 6140 **Paraguay** Everbike S.A. **Peru** Best Bikes & Fitness Tel: 51 1 411 4411 Fax: 51 1 421 1205 **Philippines** 3T Techno Turbo Trading Tel: 632 951 4457 Fax: 632 431 1769 **Poland** S.S.C. Arlykuly Sportowe SP.ZO.O Tel: 48 71 3431539 Fax: 48 71 3725448 **Portugal** Bicimox Artigos Desportivos LDA Tel: 351 244 553 276 Fax: 351 244 553 187 **Puerto Rico** Seamount Bicycle Distributors Tel: 787 763 4369 Fax: 787 765 6520 **Qatar** Skate Shack Tel: 943 17 697176 Fax: 973 17 404792 **Romania** S.C. Surmont Sport S.R.L. Tel: 407 882 66530 Fax: 407 131 36981 **Russia** Sportex Tel: 7 926 206 43 56 Fax: 7 926 200 76 61 **Senegal** Bamthi Sports Tel: 221 822 55 67 Fax: 221 822 13 72 **St. Kitts** Free Wheelers Tel: 869 466 3912 Fax: 869 466 3912 **St. Maarten** Tri-Sport N.V. Tel: 59954 43462 Fax: 59954 43928 **St. Vincent** Sailor's Cycle Centre Tel: 784 457 1712 Fax: 784 456 2821 **Saudi Arabia** Skate Shack Tel: 973 17 697176 Fax: 973 17 404792 **Singapore** Treknology Bikes 3 Tel: 65 6275467 Fax: 65 62754676 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 Fax: 421 46 549 1056 **Slovenia** Bess-Pro Market Tel: 386 61 274 135 Fax: 386 61 1256 1628 **South Africa** Just Fun Cycling Tel: 27 11-405-3300 Fax: 27 11-405-3361 **Sweden** Motorfirmon Holger Dahlls AB Tel: 46 31 72 76 300 Fax: 46 8 36 26 40 **Tahiti** Tohiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336 **Taiwan** Speed High Co. Ltd. Tel: 886 2 27252035 Fax: 886 2 23457475 **Tanzania** Adventure Sport & Leisure Tel: 255 27 250 9706 Fax: 255 27 250 9706 **Thailand** Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078 **Tortola** Lost Slop Sports Center Ltd. Tel: 284 494 0564 Fax: 284 494 0593 **Trinidad** Geronimo's Cycles Tel: 868 622 2453 Fax: 868 622 2453 **Turkey** Alolin Bicikler Tel: 90 212 244 47 15 Fax: 90 212 249 69 50 **Ukraine** Velolux Company Tel: 380443 325090 Fax: 380 444 557123 **United Arab Emirates** Direct Trading Esl. Tel: 971 4 4076641 **U.S.V.I.** Stamino Sports Tel: 340 719 6749 Fax: 340 773 7400 **Uruguay** Bilper S.A. Tel: 598 2 708 2498 Fax: 598 2 401 2514 **Venezuela** Bike Pro Com C.A. Tel: 58 212 991 4744 Fax: 58 212 991 4356 **Vietnam** Starbikes Co., Ltd. Tel: 84 42130302 Fax: 84 47225040

Mixed Sources
Product group from well-managed forests, controlled sources and recycled wood or fiber
www.fsc.org Cert no. SW-COC-002500
© 1996 Forest Stewardship Council
FSC
30%

WE PRINT OUR CATALOGS ON ONLY FOREST STEWARDSHIP COUNCIL (FSC) CERTIFIED PAPER

FSC certification ensures that the paper in our catalogs contains fiber from well-managed and responsibly harvested forests. The goal is to shift the market to eliminate habitat destruction, water pollution, and displacement of indigenous peoples. This catalog meets FSC's strict environmental standards.

