

7/31/08 8:19:46 AM

2009 Trek Road Bikes



Madone 7

No compromises—just legendary handling, incredible efficiency and unbeatable comfort in a lightweight, truly balanced ride.



2/1 Series 21

Built with the same geometry as the Madone for serious performance at an unbeatable value.



TT/TRI 29

Taking bike aerodynamics beyond the wind tunnel to create a machine that's as powerful and predictable as it is fast and efficient.



Cyclocross 41

No-holds-barred racing bikes bred for the demanding conditions of the cyclocross course.



WSD 43

Helping women become the riders they want to be by placing them in a more natural and comfortable riding position.



Commuting 55

Legendary touring or commuting bikes built all-weather tough for long-haul expeditions or the urban jungle.

It's All in the Details

Project One 3

Get the bike of your dreams delivered faster than you ever thought possible.

Accessories 39

Upgrade your bike with Bontrager components and get the most out of each and every ride.

Specifications 63

All the details you need, from frame reach and bottom bracket height to derailleurs, brakesets and color choices.




BODY_63179_Trek.indd 6 7/31/08 2:07:06 AM



MADONE

Ride Madone, and you forget everything you thought you knew about what a performance road bike should be. We started with a blank slate—no constraints and no compromises—then refined the finished product to the last detail. Creating a bike with the superior ride and superior performance that pros expect, and everyone else desires.





NO COMPROMISES

"Madone has something for everyone. It's lightweight, handles great, and is super-efficient. It gives me everything I need from a performance standpoint. If it's a climbing stage, Madone is quick and responsive. On a fast descent, Madone is still predictable. And when I'm in the middle of a sprint, Madone matches my power output. There's nothing missing."

CHRIS HORNER Professional Cyclist, Team Astana

Uniquely inspired.
The aggressiveness and speed of the mako shark. The technical edge of a Lamborghini. The converging lines on an endless highway. All represented in Madone's fast, organic shapes.

A feel for victory.
Race-proven geometry is the soul of the Madone, delivering the predictable, confidence-inspiring handling that has helped deliver wins at the Giro d'Italia, Vuelta a España, and eight Tours de France.

You've got choices.
Madone comes in three distinct fits to match how and why you ride: the classic race Pro Fit, the slightly more natural Performance Fit and WSD—giving women riders the high performance options they want in the fit they need.

BODY_63179_Trek.indd 8 7/31/08 2:16:27 AM



In tune.
The truly revolutionary no-cut seat mast, combined with OCLV® Carbon's vibration damping qualities, keeps you feeling good in the saddle, while providing just the right amount of road feedback.

Fast forward.
The wider bottom bracket, down tube and box-section chainstay bridge create a solid, stable platform that makes each pedal stroke more powerful and efficient.

Simply better.
Eliminating material redundancies, over-building, and the metal inserts used in traditional carbon fiber frames delivers a lighter, stronger frameset.

Chris has had plenty of success throughout his cycling career—but ask him what stands out, and he'll tell you it's simply being able to ride every day. In fact, next to spending time with his girlfriend and kids, there's nothing Chris enjoys more than a day in the saddle. **Photo:** Madone 6.5 Red



No90/E2 Fork With standard 1⅛" steer tubes, fork designers are forced to create abrupt, 90 degree bends where the fork crown transitions to the steer tube. To compensate for these naturally weaker bends, forks must then be overbuilt for strength. This process adds weight. The Madone's fork is different. It uses an oversized E2™ 1.5" lower steer tube that, when combined with our No90™ construction method, effectively removes these typical bends by allowing the carbon fibers to run straighter and continuously through the entire fork. Thanks to E2's larger diameter, No90 construction utilizes carbon's inherent straight-line strength to create forks that are significantly lighter (up to 120 grams lighter) than previous forks.

No-Cut Seat Mast Traditional seatpost systems place the clamping mechanism at a very high stress point on the frame, requiring the seat tube to be overbuilt to withstand the rocking forces of the post. The Madone's seat mast design solves this problem by eliminating the post entirely and moving the clamping mechanism above the stress zone. This design not only achieves a 25% weight reduction compared to a standard carbon seatpost, but also allows the seat tube to flex in a more natural way, improving vertical compliance by 39%.

BODY_63179_Trek.indd 10 7/31/08 2:18:14 AM

THE SECRET BEHIND TURNING SCIENCE INTO 11 GRAND TOURS.

OCLV is the precise combination of heat, pressure, materials and experience that produces a vibration damping, lightweight, wickedly strong composite that's ideal for bicycle construction.

Trek offers three different OCLV® Carbon frames, each designed to give riders the right balance of performance and value. All are handmade in the USA using our patented OCLV Carbon process.

OCLV Red Trek's highest-performance carbon fiber, OCLV Red™ uses a significant percentage of high modulus carbon fiber arranged according to our most complex lay-up schedules.

OCLV Black Trek's high-performance carbon fiber, OCLV Black™ employs intermediate modulus carbon fiber and our time-tested lay-up schedules.

OCLV White Trek's value-oriented performance carbon fiber, OCLV White™ uses predominantly standard modulus carbon fiber for outstanding value.





90mm Bottom Bracket Nearly all other frame designs on the road are restricted by the need to stay within the industry standard 68mm bottom bracket shell width. Not so with Madone, which uses Net Molding carbon technology and Precision Fit Sockets™ to place the bottom bracket bearings directly in the frame itself. The result is an exclusive 90mm wide bottom bracket that provides a 48% increase in lateral down tube stiffness at the bottom bracket. Designed to accept most two-piece crank designs from Shimano, Bontrager, SRAM, FSA® and Campagnolo® without affecting your natural pedal stroke, the integrated bottom bracket design saves 40 grams compared to traditional designs.

Integrated Speed Sensor An industry first. Our new SpeedTrap™ technology allows you to put a 2.4 GHz wireless sensor directly into the fork leg itself. The result is a clean look that preserves aerodynamics and a sensor that installs in seconds. Say goodbye to the zip ties. SpeedTrap technology is built into Bontrager's Madone-specific Race and Race Lite forks, and is found on Trek road models 1.5 though Madone 5.5.

Learn more about the science behind OCLV Carbon at trekbikes.com

11,16,30_63179_Trek.indd 11 8/1/08 5:28:33 PM



Madone 6.9 Pro™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Aeolus 5.0, carbon Astana Edition
CRANK Shimano Dura-Ace 7900 53/39
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR White/Trans Blue
Frameset available.

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™


TREK
BONTRA
HED.
Hadlos

Madone 6.9 Pro Red™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Aeolus 5.0, carbon Astana Edition
CRANK SRAM Red 53/39
REAR DERAILLEUR SRAM Red
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR White/Trans Blue

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 6.5 Pro™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race X Lite
CRANK Shimano Dura-Ace 7900 53/39
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White/Chi Red

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 5.5 Pro™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK SRAM Force 53/39
REAR DERAILLEUR SRAM Force
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Bright Silver/Carrera Blue

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 6.5 Pro™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race X Lite
CRANK Shimano Dura-Ace 7900 53/39
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White/Chi Red

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 5.5 Pro™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK SRAM Force 53/39
REAR DERAILLEUR SRAM Force
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Bright Silver/Carrera Blue

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 5.2 Pro™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK Shimano Ultegra SL 53/39
REAR DERAILLEUR Shimano Ultegra SL
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Platinum/Gloss Black
Frameset available.

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 6.9™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race XXX Lite, carbon
CRANK Shimano Dura-Ace 7900 50/34
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White/Red
Frameset available.

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 6.9 Red™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race XXX Lite, carbon
CRANK SRAM Red 50/34
REAR DERAILLEUR SRAM Red
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White/Red

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 6.5™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race X Lite
CRANK Shimano Dura-Ace 7900 50/34
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Bright Silver/White

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™



Madone 5.5™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK SRAM Force 50/34
REAR DERAILLEUR SRAM Force
SIZES 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Chi Red/White

CUSTOMIZE YOUR RIDE
PROJECTONE™



Madone 5.2™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK Shimano Ultegra SL 50/34 or 52/39/30
REAR DERAILLEUR Shimano Ultegra SL
SIZES 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Pearl White/Platinum
Frameset available.

CUSTOMIZE YOUR RIDE
PROJECTONE™



Madone 4.7™

FRAME TCT Carbon
FORK Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible
WHEELS Bontrager Race
CRANK Shimano Ultegra SL 50/34 or 52/39/30
REAR DERAILLEUR Shimano Ultegra SL
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White/Metallic Black



Madone 4.5™

FRAME TCT Carbon
FORK Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible
WHEELS Bontrager Race
CRANK Shimano 105 50/34 or 50/39/30
REAR DERAILLEUR Shimano Ultegra
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Carrera Blue/Pearl White




TREK





2/1 SERIES

Built using the same predictable, confidence-inspiring geometry as the flagship Madone, the 2- and 1-Series combine serious performance details with unbeatable value. Both feature the excellent stiffness-to-weight ratio of Trek Alpha Aluminum, with the 2-Series adding the vibration damping qualities of TCT Carbon, for a ride that offers the best of both worlds.



THE BEST OF ALL WORLDS

Experiencing the best road bikes out there doesn't have to leave you with an empty wallet. The 2- and 1-Series prove that. We take the best thinking from Madone and transfer it to an Alpha Aluminum frame, spec high-grade componentry, and deliver a line of bikes that's fast and light, fun to ride and ready to race.



Taking a page from the pros.
You enjoy the same confidence-inspiring geometry and natural riding position as the Performance Fit Madone.

More than a great value.
2/1 Series bikes are fast, predictable and comfortable—a great choice if you're a weekend warrior, an aspiring racer or a seasoned pro who simply prefers how aluminum rides.

Shaping a great ride.
Hydroformed tubing—highly shaped with greatly varied wall thicknesses to create strength where you need it, and less weight overall—helps deliver optimal ride efficiency while maintaining a balanced ride quality.

BODY_63179_Trek.indd 22 7/31/08 2:27:38 AM



Energy efficient.
Asymmetric chainstays deliver more efficient energy transfer by maintaining vertical compliance on the driveside stay, and resisting the twist forces that occur on the non-driveside stay.

Power plus comfort.
The 3D frame of the 2-Series combines an Alpha Aluminum mainframe that's light and stiff, so you get more forward motion from each pedal stroke, with a TCT Carbon fork and seat stays to soak up road vibration and keep you fresh over a long ride.

Strength where it matters.
The bi-oval downtube adds stiffness at both the head tube and bottom bracket for responsive performance without adding weight or sacrificing ride quality.



2.3™

FRAME Alpha Black Aluminum w/TCT Carbon stays
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager Race
CRANK Shimano 105 50/34 or 50/39/30
REAR DERAILLEUR Shimano Ultegra
SIZES 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Chi Red/Gloss Black

BODY_63179_Trek.indd 24 7/31/08 2:28:30 AM


TREK
BONTRAGER

2.1™

FRAME Alpha Black Aluminum w/TCT Carbon stays
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager SSR (43cm: Alloy hubs w/650c Alex rim)
CRANK FSA Gossamer 50/34 or 50/39/30
REAR DERAILLEUR Shimano 105
SIZES 43, 50, 52, 54, 56, 58, 60, 62cm
COLOR White/Apple Seed Blue Fade



1.5™

FRAME Alpha Black Aluminum
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager SSR
CRANK FSA Vero 50/34 or 50/39/30
REAR DERAILLEUR Shimano Tiagra GS
SIZES 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Pearl White/Metallic Lime



1.5™

FRAME Alpha Black Aluminum
FORK Bontrager Race, carbon;
SpeedTrap compatible
WHEELS Bontrager SSR
CRANK FSA Vero 50/34 or 50/39/30
REAR DERAILLEUR Shimano Tiagra GS
SIZES 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Metallic Black/Pearl White



1.2™

FRAME Alpha White Aluminum
FORK Bontrager Approved, carbon
WHEELS Alloy hubs;
Bontrager Approved alloy rims
CRANK FSA Vero T 50/39/30
REAR DERAILLEUR Shimano Sora GS, 9 speed
SIZES 43, 50, 52, 54, 56, 58, 60, 62cm
COLOR Carrera Blue



1.2™

FRAME Alpha White Aluminum
FORK Bontrager Approved, carbon
WHEELS Alloy hubs;
Bontrager Approved alloy rims
CRANK FSA Vero T 50/39/30
REAR DERAILLEUR Shimano Sora GS, 9 speed
SIZES 43, 50, 52, 54, 56, 58, 60, 62cm
COLOR Pearl White




K-SWISS
TREK
BONTRAGER
BONTRAGER



TT/TRI

You have one rival. It's not heat, a cross breeze or the rider behind you. It's time. But you have a secret weapon. Equinox TTX uses advanced engineering and a solid pedigree to not only beat the clock, but pound it into submission.





FAST THINKING

"I truly believe this bike has furthered my career. It's incredibly aero, tracks smooth, transfers power very efficiently, and really handles like a road bike, without being too tipsy or sensitive. It's why I spent two years seeking out Trek as a sponsor. And it's a big reason why I can claim so many bike time records."

CHRIS LIETO Professional triathlete, 3x Ironman champion

The science of speed.
Wind tunnel testing is only part of the equation. Pioneering work in fields like bicycle fluid dynamics ensures that Equinox TTX stays off the front.

Fuel efficient.
Less wind resistance means you can achieve higher speeds as you save your energy for the last kilometer, or the next 179.

Beyond aesthetics.
Looking fast is one thing, being fast is another. By focusing on the areas that impact aerodynamic performance instead of over-designing the areas that don't, Trek engineers give you a bike that performs as good as it looks.

11,16,30_63179_Trek.indd 30 8/1/08 5:29:11 PM



Positioned to win.
The reversible aero seat mast and infinitely adjustable saddle tilt keep you comfortable as you power through the course.

Clean aero design.
Optimized tube shapes, mated surfaces and internal cable routing create smooth, continuous surfaces that eliminate drag and increase speed.

Race worthy.
Increased stiffness at the head tube, bottom bracket and rear wheel adds crisp, road bike handling to the aerodynamic benefits.

Good thing Chris is so fast on the bike—it gives him more time to pursue his other passions. Playtime with his son. Cruising around in a biodiesel/solar-powered van to help the Green Athlete Program. Or swimming just inches from a pod of dolphins whenever he trains in Kona Bay. **Photo:** Equinox TTX 9.9 SSL



Fork Width The fork blades of the Equinox TTX are spaced relatively far apart to permit the air pulled along by the tire, rim and spokes to pass freely through the fork. This wide spacing reduces aerodynamic drag by a tenth of a pound compared to narrower forks. The extra room for the churning air is evident in the wide fork crown and in the fork ends, where the dropouts are designed to carry the fork blades slightly behind the hub end of the spokes.

Clean Frontal Area Internal cable routing, hourglass head tube shape and integrated headset give a clean presentation to the wind.

Front-Center Dimension Triathlon-specific geometry and a longer front-center dimension provide better handling while riding in an aero position.

BODY_63179_Trek.indd 32 7/31/08 2:32:41 AM

THE KEYS TO FAST.

Top Tube Shape The uniquely-shaped top tube of the Equinox TTX is critical to the frame's performance and handling. In designing the Equinox TTX, Trek's engineers took a hard look at the top tube, using Computational Fluid Dynamics to find a way to make the top tube shape wider (for improved stiffness) without incurring an aerodynamic drag penalty or weight gain. The distinctive "grooved" top tube of the Equinox TTX is the result of that design challenge, giving the top tube the extra width needed to improve stiffness.

Lowered Down Tube Another frame detail important to the aero efficiency of the Equinox TTX is the lowered down tube, which reduces the gap to the front wheel. When the ACG group started designing the first Equinox TTX frame for Lance, this gap became a subject of interest for engineers, and Computational Fluid Dynamics revealed that a smaller gap achieves less drag. The result is a virtually continuous surface from the front wheel to down tube, and a marked improvement in aerodynamics.

Section shape matters; Too many of our competitors claim to have aero shaped tubes when, in fact, their tubes, and therefore frames, are merely aesthetically interesting. Trek's engineers have done their homework and can confidently state we employ the best shapes in the right places on every part of the Equinox TTX platform.

Continuous Surface The shoulders of the Equinox TTX fork crown are designed to flow seamlessly into the frame's down tube, reducing aero drag and delivering increased speed. The benefits of this design were discovered in the wind tunnel while designing Lance Armstrong's Equinox TTX frame. Using modeling clay, Trek engineers changed the shape of various parts of the frame and fork, measuring changes in aero drag along the way. The benefits of the current Equinox TTX fork crown design were confirmed in back-to-back runs in the wind tunnel.





Angle of Attack Cross-sections of the fork blades taken at waterlines have an angle of attack relative to the central plane of the bike. In other words, they're slightly toed-out. This angle of attack is tuned to reduce the drag of the bike with a spinning wheel. The drag savings of this design were predicted using Computational Fluid Dynamics and verified in the San Diego Wind Tunnel.

Accommodating Angles Reversible aero seat mast gives a virtual seat tube angle of 73 or 79 degrees. It's also removable, so you can pack the Equinox TTX into a standard bike box or travel case as you ship it to your next event.

Learn more about the science of speed at trekbikes.com

Equinox TTX 9.9 SSL™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite TT, carbon
WHEELS Bontrager Aeolus 5.0 carbon, Timex Edition
CRANK SRAM Red 53/39
REAR DERAILLEUR SRAM Red
SIZES S, M, L
COLOR Catalyst Orange
Frameset available.

CUSTOMIZE YOUR RIDE
PROJECT**ONE**™




Equinox TTX
TREK
BONTRAGER
HED.
HEDS

Equinox TTX 9.9™


FRAME OCLV Black Carbon
FORK Bontrager Race XXX Lite TT, carbon
WHEELS Bontrager Race Lite Aero
CRANK SRAM Force 53/39
REAR DERAILLEUR SRAM Force
SIZES S, M, L
COLOR Gloss Black



Equinox TTX 9.5™

FRAME OCLV Black Carbon
FORK Bontrager Race Lite TT, carbon
WHEELS Bontrager Race Lite Aero
CRANK Shimano Ultegra SL 53/39
REAR DERAILLEUR Shimano Ultegra SL
SIZES S, M, L, XL
COLOR Catalyst Green







CYCLOCROSS

These no-holds-barred racing bikes are bred to deliver victories when facing the kinds of demanding conditions you'll only find on the cyclocross course.

The right tool for the job.
This latest version of the XO makes no bones about it—it's a dedicated cyclocross racing machine, designed for hard riding in nasty conditions and on fast-paced cross circuits.

Plenty of clearance.
Redesigned asymmetrical chainstays and a brace-less seatstay design provide massive tire and mud clearance.

A stronger position.
The XO geometry features a slightly higher hand placement and lower bottom bracket for improved cornering and easier mounting and dismounting.

Shift forward.
Updated for '09, SRAM Rival shifters feature reach-adjustable carbon levers and Zero-Loss shifting technology to help you stay focused on what's ahead.

Find your fit.
The XO Series is available in eight frame sizes—from 47 to 62cm—to ensure that you find the frame that fits you best.

Ready for race day.
We designed the Alpha Black Aluminum frame to give the best lateral stiffness so it's more efficient, more responsive and weighs less. It's stylish, too.

Equinox TTX 9.0™

FRAME OCLV White Carbon
FORK Bontrager Race Lite TT, carbon
WHEELS Bontrager Select Aero
CRANK Shimano 105 53/39
REAR DERAILLEUR Shimano 105
SIZES S, M, L
COLOR Bright Silver



Equinox 7™

FRAME Alpha Red Aluminum
FORK Bontrager Race Lite TT, carbon
WHEELS Bontrager Select Aero
CRANK Shimano 105 53/39
REAR DERAILLEUR Shimano 105
SIZES 50, 52, 54, 56, 58, 60cm
COLOR Chi Red




UPGRADE YOUR RIDE

Whether you spend your saddle time on the pro circuit or a daily commute, Bontrager components and gear help make every ride better. Get to your nearest dealer to see the complete line of Bontrager performance upgrades.

OUT_ACSgate_63179_Trek.indd 1
8/2/08 12:22:09 AM





1. RXL Road Shoe (previous page)
The RXL Road shoe takes an uncompromising approach to performance and comfort. The RXL sports premium-grade uppers, mated to our best Gold-level carbon outsoles, impressively lightweight, extremely efficient. They are also fully adjustable for unbeatable, all-day comfort—exactly what you'd expect from the crown jewel of Bontrager's road shoe line-up.

2. RXL Hilo Tri Shoe
The triathlon-specific RXL Hilo is designed to excel in the harshest Ironman conditions. Wicked light. Super ventilated. Ultra-fast in transition. Comfortable from mile one to mile 112. The RXL Hilo gives triathletes the performance advantage they need to set their personal best.

3.4. RL Road/RL Road WSD Shoe
With top-quality uppers and a lightweight, efficient Silver-series carbon outsole, the RL packs the performance punch of the RXL, but with an affordable price tag. And since we use the same overall construction techniques as found on the RXL, the RL brings an unprecedented level of comfort to this category of shoe.

5.6. Race Road/Race Road WSD Shoe
The Race Road might be Bontrager's entry-level road shoe, but thanks to trickle-down technology it still has an unbelievably comfortable fit and class-leading performance. Packed with features and plush with comfort, the only thing entry-level about the Race is its price tag.

Bontrager Wheels- The Quickest Way to Higher Performance.
After your frameset, wheels have the greatest impact on your bike's performance. If you're looking to upgrade, start with wheels. It's the most effective path to going faster and climbing better. And don't forget: Project One can build your new Madone or TTX with the Bontrager wheels of your choice—even some with color-matched decals.

7. Race Lite Wheels
Modeled after the Race X Lite, the redesigned Race Lite is packed with features like paired-spoke technology, smooth-rolling sealed-cartridge bearings, forged hub shells, bladed spokes and alloy spoke nipples. The judicious use of technology and materials results in a faster, more durable wheelset with a great balance of performance and value.

8. Race X Lite Wheels
The new Race X Lite wheelset is stronger and more durable than ever. Featuring forged hub shells and a new single-cross lacing pattern that nearly doubles the number of pulling spokes in the rear wheel, X Lite wheels continue to beat the competition with best-in-class weight and lateral stiffness. Available in clincher and tubular.

9. Race XXX Lite Wheels
The ultimate climbing wheelset, the Race XXX Lite pairs feathery OCLV® Carbon rims with svelte Swiss-made flangeless carbon hubs to create a wheelset that is not only one of the lightest on the market, but also strong, stiff, aerodynamic and durable enough for all-around riding. Initially designed for Lance Armstrong, XXX Lite wheels are now standard equipment for some of the world's best pros. Available in clincher and tubular.

10. Aeolus Wheels
Aeolus wheels use a tunnel-developed wind-cheating design and top-quality materials. An aerodynamic section shape makes the Aeolus perfect for maintaining high average speeds and the all-carbon construction keeps their weight to a minimum. Aeolus are the everyday wheels of Team Astana and pro cycling's elite. Available in clincher and tubular.

InForm Saddles- Get a Customized Fit.
Visit your Bontrager dealer to get specifically sized to one of three different saddle widths based on your custom fit analysis.

11. InForm RXL Saddle
Bontrager's top-of-the-line performance road saddle is based on findings from the revolutionary InForm Saddle Study conducted with a major university. Three widths are available, each with a Custom Curvature so you can find the perfect match to your sit bones. A Custom Tuned Shell, combined with Zone Density™ foam, adds support and compliance where it's needed, and hollow titanium rails ensure a lightweight, smooth ride. Backed by Bontrager's Unconditional Comfort Guarantee.

12. 13. Bontrager InForm RL/InForm RL WSD Saddle
Available in three widths and Custom Curvatures, with a Custom Tuned Shell and Zone Density™ foam for an incredibly comfortable ride. The InForm RL and RL WSD saddle features the Contour Relief Zone™ to eliminate the concentrated pressure hotspots created by a saddle cut-out. Backed by Bontrager's Unconditional Comfort Guarantee.

14. 15. Bontrager InForm Race/InForm Race WSD Saddle
The InForm Race and Race WSD saddles give you all the features and benefits of the InForm RL and RL WSD, plus 20% more foam for a plusher ride. Backed by Bontrager's Unconditional Comfort Guarantee.

IN_ACSgate_63179_Trek.indd 1 8/2/08 6:31:15 PM

XO 2™

FRAME Alpha Black Aluminum
FORK Bontrager Satellite Plus, carbon
WHEELS Bontrager Race X Lite
CRANK Bontrager Race Lite CX 46/38
REAR DERAILLEUR SRAM Rival
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Chi Red



XO 1™

FRAME Alpha Black Aluminum
FORK Bontrager Satellite Plus, carbon
WHEELS Bontrager Race
CRANK Bontrager Race CX 46/38
REAR DERAILLEUR Shimano 105
SIZES 47, 50, 52, 54, 56, 58, 60, 62cm
COLOR Matte Onyx







WSD

With a unique geometry just for women, WSD frames balance a woman's weight more evenly between hips and hands, putting her in a more natural and comfortable riding position. Add a selection of tailored components, and the result is more comfort, more control, more confidence, more performance and a whole lot more fun.





JUST FOR WOMEN

No matter if you're a seasoned cyclist or just getting started, you'll be amazed at how much WSD improves your ride. No more settling for a fit that's close, or good enough. WSD feels right, from your hand position to your pedal stroke. So you can enjoy rides that get you farther faster, or simply feed your need to beat the boys up the hill.



More confidence.
The WSD® steering package provides improved control and confidence-inspiring handling for safer rides.

Something for everyone.
The WSD road line is part of the industry's most complete line-up of women's specific bikes, so everyone—from the aggressive racer to the casual rider—can find a perfect fit.

Performance standard.
WSD bikes—including WSD Madones—incorporate the same tech advancements and race-proven innovations as all Trek bikes.

BODY_63179_Trek.indd 44 7/31/08 2:43:04 AM



A powerful position.
A seat tube angle that maximizes efficiency and creates exceptionally powerful pedal strokes.

Better balance.
A shorter top tube evenly redistributes weight between hips and hands to eliminate lower back pain, and reduce neck and shoulder stress.

Beyond the frame.
WSD bikes include narrower handlebars to place your hands in a more natural position for greater control and reduced shoulder strain, while shorter-reach levers are sized to fit a woman's needs.

Join the Trek Women Who Ride Club—An exclusive women-only community of cyclists who love to ride, share stories and enjoy supporting a good cause. Learn more about it at trekbikes.com/women. **Photo:** Madone 4.7 WSD

Madone 6.5 WSD™

FRAME OCLV Red Carbon
FORK Bontrager Race XXX Lite w/E2 full carbon steerer
WHEELS Bontrager Race X Lite
CRANK Shimano Dura-Ace 7900 50/34
REAR DERAILLEUR Shimano Dura-Ace 7900
SIZES Women's 47, 50, 52, 54, 56, 58cm
COLOR Pearl White/Red




TREK
BONTRAGER
BONTRAGER

Madone 5.5 WSD™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK SRAM Force 50/34
REAR DERAILLEUR SRAM Force
SIZES Women's 47, 50, 52, 54, 56, 58cm
COLOR Titanite Black/Pearl White/Silver



BODY_63179_Trek.indd 48 7/31/08 2:44:46 AM

Madone 5.2 WSD™

FRAME OCLV Black Carbon
FORK Bontrager Race X Lite w/E2
aluminum steerer, carbon crown and legs
WHEELS Bontrager Race Lite
CRANK Shimano Ultegra SL 50/34 or 52/39/30
REAR DERAILLEUR Shimano Ultegra SL
SIZES Women's 47, 50, 52, 54, 56, 58cm
COLOR Titanite Black/Pearl White/Sapphire



Madone 4.7 WSD™

FRAME TCT Carbon
FORK Bontrager Race Lite, carbon w/E2
aluminum steerer; SpeedTrap compatible
WHEELS Bontrager Race
CRANK Shimano Ultegra SL 50/34 or 52/39/30
REAR DERAILLEUR Shimano Ultegra SL
SIZES Women's 47, 50, 52, 54, 56cm
COLOR Metallic Silver/Pearl White



Madone 4.5 WSD™

FRAME TCT Carbon
FORK Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible
WHEELS Bontrager Race
CRANK Shimano 105 50/39/30
REAR DERAILLEUR Shimano Ultegra
SIZES Women's 47, 50, 52, 54, 56cm
COLOR Electric Blue/Pearl White



2.3 WSD™

FRAME Alpha Black Aluminum w/TCT Carbon stays
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager Race (43cm: 650c)
CRANK Shimano 105 50/34 or 50/39/30
REAR DERAILLEUR Shimano Ultegra
SIZES Women's 47, 50, 52, 54, 56, 58cm
COLOR Spearmint/Pearl White



2.1 WSD™

FRAME Alpha Black Aluminum w/TCT Carbon stays
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager SSR (43cm: Alloy hubs w/650c Alex rim)
CRANK FSA Gossamer 50/34 or 50/39/30
REAR DERAILLEUR Shimano 105
SIZES Women's 43, 47, 50, 52, 54, 56cm
COLOR Pearl White/Metallic Black



2.1 WSD™

FRAME Alpha Black Aluminum w/TCT Carbon stays
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager SSR (43cm: Alloy hubs w/650c Alex rim)
CRANK FSA Gossamer 50/34 or 50/39/30
REAR DERAILLEUR Shimano 105
SIZES Women's 43, 47, 50, 52, 54, 56cm
COLOR Cream/Orange



1.5 WSD™

FRAME Alpha Black Aluminum
FORK Bontrager Race, carbon; SpeedTrap compatible
WHEELS Bontrager SSR
CRANK FSA Vero T 50/39/30
REAR DERAILLEUR Shimano Tiagra GS
SIZES Women's 50, 52, 54, 56, 58, 60, 62, 64cm
COLOR Powder Blue/Indigo



1.2 WSD™

FRAME Alpha White Aluminum
FORK Bontrager Approved, carbon
WHEELS Alloy hubs; Bontrager Approved alloy rims
CRANK FSA Vero T 50/39/30
REAR DERAILLEUR Shimano Sora GS, 9 speed
SIZES Women's 43, 47, 50, 52, 54, 56cm
COLOR Pearl White/Metallic Silver



Equinox 7 WSD™

FRAME Alpha Red Aluminum
FORK Bontrager Race Lite TT, carbon
WHEELS Bontrager Select Aero
CRANK Shimano 105 50/34
REAR DERAILLEUR Shimano 105
SIZES Women's 47, 51, 54cm
COLOR Titanite Black/Radium Blue







COMMUTING

Whether you're headed across town or across the country, our rugged and versatile commuter bikes are designed all-weather tough, so you'll be ready for whatever Mother Nature or the urban jungle dishes out.





READY TO GO TO WORK

If you love cycling enough to make it your primary mode of transportation, you'll love this bike. The frame's sturdy and efficient. The low cockpit lets you ride around high and comfortable. The drivetrain offers a gear ratio that's made for hauling across town. And the disc brakes work great in wet weather. In short, it's got everything you need to ditch the car and go by bike.



Born to commute.
Don't let the all-weather durability fool you—the lightweight Alpha Black Aluminum frame, vibration-damping carbon fork and proven road bike pedigree make Portland a high-speed commuter's dream come true.

Contact options.
The frame and fork accommodate up to 32c road tires to let you grip more of the pavement, and accept full coverage fenders without the use of special hardware.

Share the load.
Portland includes pannier mounts and rear rack eyelets so you don't have to put all your gear over your shoulder.

BODY_63179_Trek.indd 56 7/31/08 2:51:06 AM



Keep it clean.
Detachable front and rear fenders keep you and your cargo looking pristine when conditions are anything but.

Rapid transit.
From the natural, performance-oriented fit to the Bontrager Select Road wheelset, Portland has everything you need to get from here to there in no time.

Rain or shine.
Avid disc brakes give you plenty of stopping power through all four seasons.

Portland™

FRAME Alpha Black Aluminum
FORK Bontrager Satellite Elite, carbon
WHEELS Bontrager Select Road Disc
CRANK FSA Gossamer Triple 50/39/30
REAR DERAILLEUR Shimano 105
SIZES 50, 52, 54, 56, 58, 60, 63cm
COLOR Dark Mocha



BODY_63179_Trek.indd 58 7/31/08 2:53:49 AM



BODY_63179_Trek.indd 59 7/31/08 2:55:01 AM

520™

FRAME Trek butted Cro-Moly
FORK Cro-Moly Touring
WHEELS Shimano Deore LX hubs; Bontrager Camino rims
CRANK Shimano Trekking M453 48/36/26
REAR DERAILLEUR Shimano Deore LX
SIZES 48, 51, 54, 57, 60cm
COLOR Metallic Root Beer



BODY_63179_Trek.indd 60 7/31/08 2:57:14 AM

T1™

FRAME Trek ZR 9000 Alloy
FORK Bontrager Approved Track, carbon
WHEELS Bontrager Select Track
CRANK Bontrager Race 49T
REAR DERAILLEUR n/a
SIZES 50, 52, 54, 56, 58, 60, 62cm
COLOR Chi Red



MADONE

	Model	MADONE 6.9 PRO	MADONE 6.9 PRO RED	MADONE 6.5 PRO	MADONE 5.5 PRO	MADONE 5.2 PRO
FRAMESET	Sizes	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm
	Colors	White/Trans Blue	White/Trans Blue	Pearl White/Chi Red	Bright Silver/Carrera Blue	Platinum/Gloss Black
	Frame	OCLV Red Carbon	OCLV Red Carbon	OCLV Red Carbon	OCLV Black Carbon	OCLV Black Carbon
	Fork	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS	Wheels	Bontrager Aeolus 5.0, carbon Astana Edition	Bontrager Aeolus 5.0, carbon Astana Edition	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite
	Tires	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite, 700x23c, folding
DRIVETRAIN	Shifters	Shimano Dura-Ace 7900 STI, 10 speed	SRAM Red	Shimano Dura-Ace 7900 STI, 10 speed	SRAM Force, 10 speed	Shimano Ultegra SL STI, 10 speed
	Front Derailleur	Shimano Dura-Ace 7900	SRAM Red	Shimano Dura-Ace 7900	SRAM Force	Shimano Ultegra SL
	Rear Derailleur	Shimano Dura-Ace 7900	SRAM Red	Shimano Dura-Ace 7900	SRAM Force	Shimano Ultegra SL
	Crank	Shimano Dura-Ace 7900 53/39	SRAM Red 53/39	Shimano Dura-Ace 7900 53/39	SRAM Force 53/39	Shimano Ultegra SL 53/39
	Cassette	Shimano Dura-Ace 7900 11-25, 10 speed	SRAM OpenGlide 1090 11-26, 10 speed	Shimano Dura-Ace 7900 11-25, 10 speed	SRAM OpenGlide 1070 11-26, 10 speed	Shimano 105 11-25, 10 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race X Lite	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite
	Seatpost	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap
	Handlebars	Bontrager Race XXX Lite VR, 31.8mm	Bontrager Race XXX Lite VR, 31.8mm	Bontrager Race X Lite Blade Carbon, 31.8mm	Bontrager Race Lite VR, 31.8mm	Bontrager Race Lite VR, 31.8mm
	Stem	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm
	Headset	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom
	Brakeset	Shimano Dura-Ace w/Shimano Dura-Ace STI levers	SRAM Red	Shimano Dura-Ace w/Shimano Dura-Ace STI levers	Bontrager Speed Limit	Shimano Ultegra SL w/Shimano Ultegra SL STI levers

MADONE

	Model	MADONE 6.9	MADONE 6.9 RED	MADONE 6.5	MADONE 6.5 WSD	MADONE 5.5
FRAMESET	Sizes	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm	Women's 47, 50, 52, 54, 56, 58cm	50, 52, 54, 56, 58, 60, 62, 64cm
	Colors	Pearl White/Red	Pearl White/Red	Bright Silver/White	Pearl White/Red	Chi Red/White
	Frame	OCLV Red Carbon	OCLV Red Carbon	OCLV Red Carbon	OCLV Red Carbon	OCLV Black Carbon
	Fork	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race XXX Lite w/E2 full carbon steerer	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs
WHEELS	Wheels	Bontrager Race XXX Lite, carbon	Bontrager Race XXX Lite, carbon	Bontrager Race X Lite	Bontrager Race X Lite	Bontrager Race Lite
	Tires	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite AC, 700x23c, folding
DRIVETRAIN	Shifters	Shimano Dura-Ace 7900 STI, 10 speed	SRAM Red	Shimano Dura-Ace 7900 STI, 10 speed	Shimano Dura-Ace 7900 STI, 10 speed	SRAM Force, 10 speed
	Front Derailleur	Shimano Dura-Ace 7900	SRAM Red	Shimano Dura-Ace 7900	Shimano Dura-Ace 7900	SRAM Force
	Rear Derailleur	Shimano Dura-Ace 7900	SRAM Red	Shimano Dura-Ace 7900	Shimano Dura-Ace 7900	SRAM Force
	Crank	Shimano Dura-Ace 7900 50/34	SRAM Red 50/34	Shimano Dura-Ace 7900 50/34	Shimano Dura-Ace 7900 50/34	SRAM Force 50/34
	Cassette	Shimano Dura-Ace 7900 11-28, 10 speed	SRAM OpenGlide 1090 11-26, 10 speed	Shimano Dura-Ace 7900 11-28, 10 speed	Shimano Dura-Ace 7900 11-28, 10 speed	SRAM OpenGlide 1070 11-28, 10 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race X Lite	Bontrager Race X Lite	Bontrager Race Lite FIT	Bontrager Race Lite
	Seatpost	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap
	Handlebars	Bontrager Race XXX Lite VR, 31.8mm	Bontrager Race XXX Lite VR, 31.8mm	Bontrager Race X Lite Blade Carbon, 31.8mm	Bontrager Race X Lite Blade Carbon, 31.8mm	Bontrager Race Lite VR, 31.8mm
	Stem	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race XXX Lite Carbon, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm
	Headset	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-8 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom
	Brakeset	Shimano Dura-Ace w/Shimano Dura-Ace STI levers	SRAM Red	Shimano Dura-Ace w/Shimano Dura-Ace STI levers	Shimano Dura-Ace w/adjustable reach STI levers	Bontrager Speed Limit

MADONE

	Model	MADONE 5.5 WSD	MADONE 5.2	MADONE 5.2 WSD	MADONE 4.7	MADONE 4.7 WSD
FRAMESET	Sizes	Women's 47, 50, 52, 54, 56, 58cm	50, 52, 54, 56, 58, 60, 62, 64cm	Women's 47, 50, 52, 54, 56, 58cm	50, 52, 54, 56, 58, 60, 62cm	Women's 47, 50, 52, 54, 56cm
	Colors	Titanite Black/Pearl White/Silver	Pearl White/Platinum	Titanite Black/Pearl White/Sapphire	Pearl White/Metallic Black	Metallic Silver/Pearl White
	Frame	OCLV Black Carbon	OCLV Black Carbon	OCLV Black Carbon	TCT Carbon	TCT Carbon
	Fork	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs	Bontrager Race X Lite w/E2 aluminum steerer, carbon crown and legs	Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible	Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible
WHEELS	Wheels	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race
	Tires	Bontrager Race X Lite AC, 700x23c, folding	Bontrager Race X Lite, 700x23c, folding	Bontrager Race X Lite, 700x23c, folding	Bontrager Race X Lite, 700x23c, folding	Bontrager Race X Lite, 700x23c, folding
DRIVETRAIN	Shifters	SRAM Force, 10 speed	Shimano Ultegra SL STI, 10 speed	Shimano Ultegra SL STI, 10 speed	Shimano Ultegra SL STI, 10 speed	Shimano Ultegra SL STI, 10 speed
	Front Derailleur	SRAM Force	Shimano Ultegra SL	Shimano Ultegra SL	Shimano Ultegra SL	Shimano Ultegra SL
	Rear Derailleur	SRAM Force	Shimano Ultegra SL	Shimano Ultegra SL	Shimano Ultegra SL	Shimano Ultegra SL
	Crank	SRAM Force 50/34	Shimano Ultegra SL 50/34 or 52/39/30	Shimano Ultegra SL 50/34 or 52/39/30	Shimano Ultegra SL 50/34 or 52/39/30	Shimano Ultegra SL 50/34 or 52/39/30
	Cassette	SRAM OpenGlide 1070 11-28, 10 speed	Shimano 105 12-25 or 12-27 (triple), 10 speed	Shimano 105 12-25 or 12-27 (triple), 10 speed	Shimano 105 11-25 or 12-27 (triple), 10 speed	Shimano 105 11-25 or 12-27 (triple), 10 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race Lite FIT	Bontrager Race Lite	Bontrager Race Lite FIT	Bontrager Race	Bontrager Race FIT
	Seatpost	Carbon seat mast cap	Carbon seat mast cap	Carbon seat mast cap	Bontrager Carbon	Bontrager Carbon
	Handlebars	Bontrager FIT VR, 31.8mm	Bontrager Race Lite VR, 31.8mm	Bontrager FIT VR, 31.8mm	Bontrager Race VR, 31.8mm	Bontrager FIT VR, 31.8mm
	Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm
	Headset	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy; 1.125" top, 1.5" bottom	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/cartridge bearings, integrated, sealed, alloy
	Brakeset	Bontrager Speed Limit	Shimano Ultegra SL w/Shimano Ultegra SL STI levers	Shimano Ultegra SL w/Shimano Ultegra SL STI levers	Shimano Ultegra SL w/Shimano Ultegra SL STI levers	Shimano Ultegra SL w/Shimano Ultegra SL STI levers

MADONE

2 SERIES

	Model	MADONE 4.5	MADONE 4.5 WSD	2.3	2.3 WSD	2.1
FRAMESET	Sizes	50, 52, 54, 56, 58, 60, 62cm	Women's 47, 50, 52, 54, 56cm	50, 52, 54, 56, 58, 60, 62, 64cm	Women's 47, 50, 52, 54, 56, 58cm	43, 50, 52, 54, 56, 58, 60, 62cm
	Colors	Carrera Blue/Pearl White	Electric Blue/Pearl White	Chi Red/Gloss Black	Spearmint/Pearl White	White/Apple Seed Blue Fade
	Frame	TCT Carbon	TCT Carbon	Alpha Black Aluminum w/TCT Carbon stays	Alpha Black Aluminum w/TCT Carbon stays	Alpha Black Aluminum w/TCT Carbon stays
	Fork	Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible	Bontrager Race Lite, carbon w/E2 aluminum steerer; SpeedTrap compatible	Bontrager Race, carbon; SpeedTrap compatible	Bontrager Race, carbon; SpeedTrap compatible	Bontrager Race, carbon; SpeedTrap compatible
WHEELS	Wheels	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race (43cm: 650c)	Bontrager SSR (43cm: Alloy hubs w/650c Alex rim)
	Tires	Bontrager Race Lite, 700x23c	Bontrager Race Lite, 700x23c	Bontrager Race Lite, 700x23c	Bontrager Race Lite, 700x23c	Bontrager Race Lite, 700x23c (43cm: 650x25c)
DRIVETRAIN	Shifters	Shimano 105 STI, 10 speed	Shimano 105 STI, 10 speed w/Bontrager FIT reach adjust	Shimano 105 STI, 10 speed	Shimano 105 STI, 10 speed w/Bontrager FIT reach adjust	Shimano Tiagra STI, 9 speed
	Front Derailleur	Shimano 105	Shimano 105	Shimano 105	Shimano 105	Shimano Tiagra
	Rear Derailleur	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105
	Crank	Shimano 105 50/34 or 50/39/30	Shimano 105 50/39/30	Shimano 105 50/34 or 50/39/30	Shimano 105 50/34 or 50/39/30	FSA Gossamer 50/34 or 50/39/30
	Cassette	Shimano 105 11-25 or 12-27 (triple), 10 speed	Shimano 105 12-27, 10 speed	Shimano 105 11-25 or 12-27 (triple), 10 speed	Shimano 105 11-25 or 12-27 (triple), 10 speed	SRAM PG950 11-26
	Pedals	n/a	n/a	n/a	n/a	Alloy/nylon
COMPONENTS	Saddle	Bontrager Race	Bontrager Race FIT	Bontrager Race Basic	Bontrager Race Basic FIT	Bontrager Race Basic
	Seatpost	Bontrager Carbon	Bontrager Carbon	Bontrager Carbon	Bontrager Carbon	Bontrager Carbon
	Handlebars	Bontrager Race VR, 31.8mm	Bontrager FIT VR, 31.8mm	Bontrager Race VR, 31.8mm	Bontrager FIT VR, 31.8mm	Bontrager Race
	Stem	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm
	Headset	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy
	Brakeset	Alloy dual pivot w/Shimano 105 STI levers	Alloy dual pivot w/short reach Shimano 105 STI levers	Alloy dual pivot w/Shimano 105 STI levers	Alloy dual pivot w/Shimano 105 STI levers	Alloy dual pivot w/Shimano Tiagra STI levers

		2 SERIES	1 SERIES			
	Model	2.1 WSD	1.5	1.5 WSD	1.2	1.2 WSD
FRAMESET	Sizes	Women's 43, 47, 50, 52, 54, 56cm	50, 52, 54, 56, 58, 60, 62, 64cm	Women's 50, 52, 54, 56, 58, 60, 62, 64cm	43, 50, 52, 54, 56, 58, 60, 62cm	Women's 43, 47, 50, 52, 54, 56cm
	Colors	Pearl White/Metallic Black or Cream/Orange	Pearl White/Metallic Lime or Metallic Black/Pearl White	Powder Blue/Indigo	Carrera Blue or Pearl White	Pearl White/Metallic Silver
	Frame	Alpha Black Aluminum w/TCT Carbon stays	Alpha Black Aluminum	Alpha Black Aluminum	Alpha White Aluminum	Alpha White Aluminum
	Fork	Bontrager Race, carbon; SpeedTrap compatible	Bontrager Race, carbon; SpeedTrap compatible	Bontrager Race, carbon; SpeedTrap compatible	Bontrager Approved, carbon	Bontrager Approved, carbon
WHEELS	Wheels	Bontrager SSR (43cm: Alloy hubs w/650c Alex rims)	Bontrager SSR	Bontrager SSR	Alloy hubs; Bontrager Approved alloy rims	Alloy hubs; Bontrager Approved alloy rims
	Tires	Bontrager Race Lite, 700x23c (43cm: 650x25c)	Bontrager Select, 700x25c	Bontrager Select, 700x25c	Bontrager Select, 700x25c (43cm: 650x25c)	Bontrager Select, 700x25c (43cm: 650x25c)
DRIVETRAIN	Shifters	Shimano Tiagra STI, 9 speed	Shimano Sora STI, 9 speed	Shimano Sora STI, 9 speed	Shimano Sora STI, 9 speed	Shimano Sora STI, 9 speed
	Front Derailleur	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano Sora, triple	Shimano Sora, triple
	Rear Derailleur	Shimano 105	Shimano Tiagra GS	Shimano Tiagra GS	Shimano Sora GS, 9 speed	Shimano Sora GS, 9 speed
	Crank	FSA Gossamer 50/34 or 50/39/30	FSA Vero 50/34 or 50/39/30	FSA Vero T 50/39/30	FSA Vero T 50/39/30	FSA Vero T 50/39/30
	Cassette	SRAM PG950 11-26	SRAM PG950 11-26, 9 speed	SRAM PG950 11-26, 9 speed	SRAM PG950 11-26, 9 speed	SRAM PG950 11-26, 9 speed
	Pedals	Alloy/nylon	Nylon body w/alloy cage	Nylon body w/alloy cage; clips and straps	Nylon body w/alloy cage	Nylon body w/alloy cage
COMPONENTS	Saddle	Bontrager Race Basic FIT	Bontrager Race Basic	Bontrager Race Basic FIT	Bontrager Race Basic	Bontrager Race Basic FIT
	Seatpost	Bontrager Carbon	Bontrager Carbon	Bontrager Carbon	Bontrager Alloy	Bontrager Alloy
	Handlebars	Bontrager FIT VR OS, 31.8mm	Bontrager SSR VR Bend OS, 31.8mm	Bontrager FIT VR Bend OS, 31.8mm	Bontrager SSR VR Bend OS, 31.8mm	Bontrager FIT VR Bend OS, 31.8mm
	Stem	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager SSR OS, 10 degree, 31.8mm	Bontrager SSR OS, 10 degree, 31.8mm
	Headset	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy	Aheadset w/semi-cartridge bearings, integrated, sealed, alloy	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Alloy dual pivot w/Shimano Tiagra STI levers	Alloy dual pivot w/Shimano Sora STI levers	Alloy dual pivot w/Shimano Sora STI levers	Alloy dual pivot w/Shimano Sora STI levers	Alloy dual pivot w/Shimano Sora STI levers


		TRIATHLON				
	Model	EQUINOX TTX 9.9 SSL	EQUINOX TTX 9.9	EQUINOX TTX 9.5	EQUINOX TTX 9.0	EQUINOX 7
FRAMESET	Sizes	S, M, L	S, M, L	S, M, L, XL	S, M, L	50, 52, 54, 56, 58, 60cm
	Colors	Catalyst Orange	Gloss Black	Catalyst Green	Bright Silver	Chi Red
	Frame	OCLV Red Carbon	OCLV Black Carbon	OCLV Black Carbon	OCLV White Carbon	Alpha Red Aluminum
	Fork	Bontrager Race XXX Lite TT, carbon	Bontrager Race XXX Lite TT, carbon	Bontrager Race Lite TT, carbon	Bontrager Race Lite TT, carbon	Bontrager Race Lite TT, carbon
WHEELS	Wheels	Bontrager Aeolus 5.0 carbon, Timex Edition	Bontrager Race Lite Aero	Bontrager Race Lite Aero	Bontrager Select Aero	Bontrager Select Aero
	Tires	Bontrager Race X Lite TT, 700x23c, folding	Bontrager Race X Lite TT, 700x23c, folding	Bontrager Race X Lite TT, 700x23c, folding	Bontrager Race Lite 700x23c	Bontrager Race Lite 700x23c
DRIVETRAIN	Shifters	SRAM TT Carbon	SRAM TT Aluminum	Shimano Dura-Ace, bar end control, 10 speed	Shimano Dura-Ace, bar end control, 10 speed	Shimano Dura-Ace, bar end control, 10 speed
	Front Derailleur	SRAM Red	SRAM Force	Shimano Ultegra SL	Shimano 105	Shimano 105
	Rear Derailleur	SRAM Red	SRAM Force	Shimano Ultegra SL	Shimano 105	Shimano 105
	Crank	SRAM Red 53/39	SRAM Force 53/39	Shimano Ultegra SL 53/39	Shimano 105 53/39	Shimano 105 53/39
	Cassette	SRAM 1090 11-23, 10 speed	SRAM 1070 11-23, 10 speed	Shimano 105 11-25, 10 speed	Shimano 105 11-25, 10 speed	Shimano 105 11-25, 10 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race Lite TT	Bontrager Race Lite TT	Bontrager Race Lite TT	Bontrager Race Lite TT	Bontrager Race Lite TT
	Seatpost	Bontrager Race XXX Lite TTX, carbon	Bontrager Race XXX Lite TTX, carbon	Bontrager Race Lite TTX	Bontrager Race Lite TTX	Bontrager Race Lite TTX
	Handlebars	Bontrager Race XXX Lite Carbon Aerobar	Bontrager Race X Lite Aero Carbon Bullhorn w/Bontrager Race Lite carbon clip-ons	Bontrager Race Bullhorn w/Race Lite clip-ons	Bontrager Race Bullhorn w/Race Lite clip-ons	Bontrager Race Bullhorn w/Race Lite clip-ons
	Stem	Bontrager Race XXX Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm
	Headset	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy
	Brakeset	Bontrager Speed Limit w/Bontrager XXX Lite Aero levers	Bontrager Speed Limit w/Bontrager Race XXX Lite Aero levers	Shimano Ultegra SL w/Bontrager Race Lite Aero levers	Alloy dual pivot w/Bontrager Race Lite Aero levers	Alloy dual pivot w/Bontrager Race Lite Aero levers

		TRIATHLON	COMMUTING		TRACK	CYCLOCROSS
	Model	EQUINOX 7 WSD	PORTLAND	520	T1	XO 2
FRAMESET	Sizes	Women's 47, 51, 54cm	50, 52, 54, 56, 58, 60, 63cm	48, 51, 54, 57, 60cm	50, 52, 54, 56, 58, 60, 62cm	50, 52, 54, 56, 58, 60, 62cm
	Colors	Titanite Black/Radium Blue	Dark Mocha	Metallic Root Beer	Chi Red	Chi Red
	Frame	Alpha Red Aluminum	Alpha Black Aluminum	Trek butted Cro-Moly	Trek ZR 9000 Alloy	Alpha Black Aluminum
	Fork	Bontrager Race Lite TT, carbon	Bontrager Satellite Elite, carbon	Cro-Moly Touring	Bontrager Approved Track, carbon	Bontrager Satellite Plus, carbon
WHEELS	Wheels	Bontrager Select Aero	Bontrager Select Road Disc	Shimano Deore LX hubs; Bontrager Camino rims	Bontrager Select Track	Bontrager Race X Lite
	Tires	Bontrager Race Lite 700x23c	Bontrager Race Lite Hardcase, 700x28c; 60 tpi	Bontrager Race Lite Hardcase, 700x32c	Bontrager Race Lite, 700x23c	Bontrager Jones CXR, 700x34c, folding
DRIVETRAIN	Shifters	Shimano Dura-Ace, bar end control, 10 speed	Shimano Tiagra STI, 9 speed	Shimano Dura-Ace, bar end control, 9 speed	n/a	SRAM Rival, 10 speed
	Front Derailleur	Shimano 105	Shimano Tiagra	Shimano Deore LX	n/a	SRAM Rival
	Rear Derailleur	Shimano 105	Shimano 105	Shimano Deore LX	n/a	SRAM Rival
	Crank	Shimano 105 50/34	FSA Gossamer Triple 50/39/30	Shimano Trekking M453 48/36/26	Bontrager Race 49T	Bontrager Race Lite CX 46/38
	Cassette	Shimano 105 11-25, 10 speed	SRAM PG950 11-26, 9 speed	Shimano HG50 11-32, 9 speed	Shimano Dura-Ace Track, 15T	SRAM OpenGlide 1070, 12-28
	Pedals	n/a	Shimano 520, clipless	Shimano M520, clipless	n/a	n/a
COMPONENTS	Saddle	Bontrager Race FIT TT	Bontrager Race Basic	Bontrager Select City	Bontrager Race Basic	Bontrager Race Lite
	Seatpost	Bontrager Race Lite TTX	Bontrager Race	Bontrager Alloy	Bontrager Select	Bontrager Race X Lite ACC, carbon
	Handlebars	Bontrager Race Bullhorn w/Race Lite clip-ons	Bontrager Race, 31.8mm	Bontrager Race VR OS	Bontrager Select OS, 31.8mm	Bontrager Race Lite VR, 31.8mm
	Stem	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite OS, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm
	Headset	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Aheadset Slimstak w/cartridge bearings, sealed, alloy	VP aheadset	Cane Creek IS-2 Integrated w/cartridge bearings, sealed, alloy	Aheadset w/cartridge bearings, integrated, sealed, alloy
	Brakeset	Alloy dual pivot w/Bontrager Race Lite Aero levers	Shimano R505, mechanical disc	Avid SD-5 w/Dia-Compe 287 Aero levers	Cane Creek 3 w/Shimano R400 levers	Avid Shorty 4 cantilevers w/SRAM Rival levers


		CYCLOCROSS
	Model	XO 1
FRAMESET	Sizes	47, 50, 52, 54, 56, 58, 60, 62cm
	Colors	Matte Onyx
	Frame	Alpha Black Aluminum
	Fork	Bontrager Satellite Plus, carbon
WHEELS	Wheels	Bontrager Race
	Tires	Bontrager Jones CXR, 700x34c, folding
DRIVETRAIN	Shifters	Shimano 105 STI, 10 speed
	Front Derailleur	Shimano 105
	Rear Derailleur	Shimano 105
	Crank	Bontrager Race CX 46/38
	Cassette	Shimano 105 12-27, 10 speed
	Pedals	Shimano 505, clipless
COMPONENTS	Saddle	Bontrager Race Basic
	Seatpost	Bontrager Carbon
	Handlebars	Bontrager Race VR, 31.8mm
	Stem	Bontrager Race Lite, 7 degree, 31.8mm
	Headset	Aheadset w/cartridge bearings, integrated, sealed, alloy
	Brakeset	Avid Shorty 4 cantilevers w/Shimano 105 STI levers

Geometries


MADONE




2 SERIES, 1 SERIES




PORTLAND




520




T1



XO 2, XO 1



EQUINOX



	frame size	A. head angle	B. seat angle	C. effective top tube	D. chain stay	E. bottom bracket	F. offset	wheelbase	trail	stand over	seat tube	head tube	frame reach	frame stack	seat height minimum	seat height maximum
Madone 6.9 Pro Madone 6.9 Pro Red Madone 6.5 Pro Madone 5.5 Pro Madone 5.2 Pro	XS 50cm	72.1°	75.1°	51.8	40.8	26.4	4.5	97.2	6.1	69.7	n/a	10.0	38.3	50.5	61.5	71.5
	S 52cm	72.8°	74.7°	53.0	40.9	26.4	4.5	97.6	5.7	72.0	n/a	11.0	38.8	51.7	64.5	74.5
	S 54cm	73.0°	74.2°	53.9	40.9	26.6	4.5	98.0	5.6	73.2	n/a	12.0	39.0	52.5	66.5	76.5
	M 56cm	73.5°	73.6°	55.7	41.0	26.6	4.0	98.3	5.8	75.7	n/a	14.0	39.6	54.8	69.5	79.5
	M 58cm	73.8°	73.1°	57.2	41.1	26.8	4.0	99.2	5.6	78.2	n/a	16.0	40.0	56.6	71.5	81.5
	L 60cm	73.9°	72.8°	58.6	41.1	26.8	4.0	100.1	5.6	80.0	n/a	18.0	40.4	58.5	73.5	83.5
	XL 62cm	73.9°	72.5°	59.7	41.2	26.8	4.0	101.0	5.5	81.8	n/a	20.0	40.7	60.5	75.5	85.5
Madone 6.9 Madone 6.9 Red Madone 6.5 Madone 5.5 Madone 5.2 Madone 4.7 Madone 4.5 2.3 2.1 1.5 1.2	XS 50cm	72.1°	75.1°	51.6	40.8	26.4	4.5	97.2	6.1	70.7	47.6	13.0	37.4	53.4	61.5	71.5
	XS 52cm	72.8°	74.7°	52.9	40.9	26.4	4.5	97.6	5.7	72.9	49.3	14.0	37.9	54.6	64.5	74.5
	S 54cm	73.0°	74.2°	53.8	40.9	26.6	4.5	98.0	5.6	74.2	50.6	15.0	38.2	55.4	66.5	76.5
	S 56cm	73.5°	73.6°	55.7	41.0	26.6	4.0	98.3	5.8	76.6	53.5	17.0	38.7	57.6	69.5	79.5
	M 58cm	73.8°	73.1°	57.2	41.1	26.8	4.0	99.2	5.6	78.5	55.3	19.0	39.2	59.5	71.5	81.5
	M 60cm	73.9°	72.8°	58.6	41.1	26.8	4.0	100.1	5.6	80.3	57.3	21.0	39.6	61.4	73.5	83.5
	L 62cm	73.9°	72.5°	59.8	41.2	26.8	4.0	101.0	5.5	82.1	59.3	23.0	39.9	63.3	75.5	85.5
	XL 64cm	74.0°	72.3°	61.0	41.3	26.8	4.0	101.8	5.5	84.0	61.3	25.0	40.2	65.3	78.5	88.5
Madone 6.5 WSD Madone 5.5 WSD Madone 5.2 WSD Madone 4.7 WSD Madone 4.5 WSD 2.3 WSD 2.1 WSD 1.5 WSD 1.2 WSD	XS 43cm	70.0°	75.5°	48.0	40.8	26.4	4.0	96.0	8.8	64.4	38.1	13.0	35.5	48.4	n/a	n/a
	XS 47cm	70.2°	75.5°	49.4	40.8	26.4	5.0	97.5	6.8	69.2	42.5	11.5	36.2	51.1	58.5	68.5
	S 50cm	71.7°	75.0°	51.1	40.8	26.4	5.0	97.6	5.9	71.2	45.6	13.5	36.8	53.6	61.5	71.5
	S 52cm	72.1°	74.7°	52.1	40.8	26.6	4.5	97.4	6.1	73.1	47.2	14.5	37.1	54.8	64.5	74.5
	M 54cm	72.1°	74.2°	53.0	40.9	26.8	4.5	98.0	6.0	74.0	48.4	15.5	37.3	55.6	66.5	76.5
	L 56cm	73.0°	73.6°	54.7	41.0	26.7	4.0	97.9	6.0	76.6	50.9	17.0	37.8	57.5	69.5	79.5
Portland	XS 50cm	71.0°	74.5°	52.5	43.0	27.9	4.5	100.8	7.3	74.1	50.0	10.4	n/a	n/a		
	S 52cm	71.0°	74.0°	53.5	43.0	27.9	4.5	101.3	7.3	75.6	52.0	11.4	n/a	n/a		
	S 54cm	71.5°	73.5°	55.0	43.0	27.9	4.5	101.9	7.0	77.3	54.0	12.9	n/a	n/a		
	M 56cm	72.0°	73.0°	56.5	43.0	27.9	4.5	102.4	6.7	78.8	56.0	13.9	n/a	n/a		
	M 58cm	72.5°	73.0°	57.5	43.0	27.9	4.5	103.0	6.4	80.8	58.0	15.4	n/a	n/a		
	L 60cm	72.5°	72.5°	58.5	43.0	27.9	4.5	103.4	6.4	82.6	60.0	17.4	n/a	n/a		
	XL 63cm	72.5°	72.0°	59.5	43.0	27.9	4.5	103.8	6.4	85.0	63.0	19.4	n/a	n/a		
520	S 48cm	69.5°	74.3°	52.2	45.0	27.2	5.2	104.1	7.4	71.5	44.0	9.5	37.2	53.0		
	M 51cm	70.0°	74.0°	53.3	45.0	27.2	5.2	104.5	7.1	73.6	48.2	10.5	37.7	54.1		
	M 54cm	71.0°	73.8°	54.4	45.0	27.7	5.2	104.8	6.5	76.3	51.2	12.0	38.2	55.4		
	L 57cm	71.8°	73.5°	55.8	45.0	27.7	5.2	105.2	5.9	78.9	54.3	14.0	38.7	57.6		
	XL 60cm	71.8°	73.0°	58.4	45.0	27.7	5.2	107.4	5.9	82.0	57.5	18.0	39.6	61.4		
T1	XS 50cm	74.0°	75.5°	51.5	38.5	28.6	3.5	93.6	6.0	74.3	50.0	10.0	n/a	n/a		
	S 52cm	74.0°	75.0°	52.5	38.6	28.6	3.5	93.9	6.0	76.1	52.0	11.6	n/a	n/a		
	S 54cm	74.0°	75.0°	53.6	38.6	28.6	3.5	95.1	6.0	78.2	54.0	14.1	n/a	n/a		
	M 56cm	74.0°	74.5°	54.3	38.7	28.6	3.5	96.1	6.0	80.0	56.0	15.8	n/a	n/a		
	M 58cm	74.5°	74.5°	55.4	38.7	28.6	3.5	96.6	5.7	81.7	58.0	17.1	n/a	n/a		
	L 60cm	74.5°	74.0°	56.8	38.8	28.6	3.5	97.7	5.7	83.6	60.0	19.1	n/a	n/a		
	XL 62cm	75.0°	74.0°	57.8	38.8	28.6	3.5	98.7	5.4	85.5	63.0	21.0	n/a	n/a		
XO 2 XO 1	XS 47cm	71.5°	75.1°	51.2	43.0	27.4	4.5	99.6	6.8	74.1	46.0	9.6	37.0	53.4	55.0	63.0
	XS 50cm	72.0°	75.1°	51.7	43.0	27.4	4.5	99.6	6.5	75.7	48.2	9.6	37.4	53.6	57.5	73.5
	S 52cm	72.1°	74.7°	52.8	43.0	27.4	4.5	100.3	6.5	76.7	49.6	10.5	37.9	54.4	58.5	74.5
	S 54cm	72.2°	74.2°	53.9	43.0	27.4	4.5	100.9	6.4	77.7	50.9	11.5	38.2	55.4	60.0	76.0
	M 56cm	72.3°	73.6°	55.8	43.0	27.6	4.5	102.3	6.4	80.1	53.4	14.0	38.9	57.6	62.5	78.5
	L 58cm	72.3°	73.1°	57.8	43.0	27.6	4.5	103.6	6.3	82.1	55.9	16.0	39.7	59.6	65.0	81.0
	L 60cm	72.4°	72.8°	59.5	43.0	27.6	4.5	104.8	6.3	84.1	58.2	18.0	40.4	61.5	67.0	83.0
	XL 62cm	72.5°	72.5°	61.2	43.0	27.6	4.5	106.1	6.2	86.2	60.8	20.0	41.2	63.4	70.0	86.0
Equinox TTX 9.9 SSL Equinox TTX 9.9 Equinox TTX 9.0	S 54cm	73.0°	76.0°	52.0	40.0	26.6	4.0	96.3	6.1	77.6	56.9	10.5	39.1	51.5	66.0	80.5
	M 56cm	73.0°	76.0°	55.0	40.0	26.6	4.0	99.4	6.1	77.7	57.9	11.5	41.9	52.4	67.0	82.0
	L 58cm	73.0°	76.0°	57.0	40.0	26.6	4.0	101.5	6.1	81.6	61.9	15.5	42.9	56.4	71.0	86.0
Equinox TTX 9.5	S 54cm	73.0°	76.0°	52.0	40.0	26.6	4.0	96.3	6.1	77.6	56.9	10.5	39.1	51.5	66.0	80.5
	M 56cm	73.0°	76.0°	55.0	40.0	26.6	4.0	99.4	6.1	77.7	57.9	11.5	41.9	52.4	67.0	82.0
	L 58cm	73.0°	76.0°	57.0	40.0	26.6	4.0	101.5	6.1	81.6	61.9	15.5	42.9	56.4	71.0	86.0
	XL 60cm	73.0°	76.0°	61.0	40.0	26.6	4.0	105.8	6.1	84.5	64.9	18.5	46.3	59.2	74.0	89.0
Equinox 7	XS 50cm	72.0°	76.0°	51.0	40.0	26.6	4.0	96.0	6.7	72.0	53.0	7.8	38.9	48.5	62.0	77.0
	S 52cm	72.5°	76.0°	52.5	40.0	26.6	4.0	97.2	6.4	74.0	56.0	9.7	40.0	50.5	65.0	80.0
	S 54cm	73.0°	76.0°	54.5	40.0	26.6	4.0	98.9	6.1	76.0	59.0	11.6	41.4	52.6	68.0	83.0
	M 56cm	73.0°	76.0°	55.5	40.0	26.6	4.0	100.0	6.1	78.0	62.0	13.6	42.0	54.4	71.0	86.0
	L 58cm	73.0°	76.0°	57.5	40.0	26.6	4.0	102.1	6.1	80.0	65.0	15.6	43.5	56.4	74.0	89.0
	XL 60cm	73.0°	76.0°	60.0	40.0	26.6	4.0	104.7	6.1	82.7	69.5	18.6	44.8	59.1	78.5	93.5
Equinox 7 WSD	XS 47cm	72.0°	76.0°	50.0	40.0	26.6	4.0	95.0	6.7	70.0	49.5	7.8	38.0	48.5	58.5	73.5
	S 51cm	72.0°	76.0°	51.0	40.0	26.6	4.0	96.2	6.7	72.6	54.5	11.3	38.1	51.8	63.5	78.5
	M 54cm	73.0°	76.0°	52.5	40.0	26.6	4.0	97.0	6.1	75.3	59.0	14.1	38.8	54.8	68.0	83.0

OCLV Madone frame size is measured from center of bottom bracket to virtual size mark on seat mast.
Seat tube dimension applies to non-seatmast frames only and is measured from center of bottom bracket to top of seat collar.
Head tube length for 1.2 includes external headset cups.

All dimensions are in centimeters unless otherwise stated.
Some models are not available in all sizes.

BODY_63179_Trek.indd 66 7/31/08 3:13:28 AM

Trek Limited Lifetime Warranty

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork, except the fork and Session model, when purchased from an authorized Trek dealer. Rigid forks and all Bontrager components and accessories, except consumables such as tires and inner tubes, are warranted for 5 years. Trek Bicycle Corporation likewise warrants all other original parts on the bicycle, excluding Shimano parts, suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 18 inch frame size. Road bike weights based on 56cm frame size.

All Trek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame.

©2008 Trek Bicycle Corporation. All rights reserved. Trek and Bontrager are registered trademarks of Trek Bicycle Corporation. Shimano and RockShox are registered trademarks of Shimano American Corporation, and SRAM Corporation, respectively. U.S. Pat. Nos. 5,624,519; 5,629,668; 5,685,553; 5,715,544; 5,734,142; 5,931,544; 6,045,470; 6,092,438; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042, 6,572,249; 6,637,244; 6,637,061; 6,749,212 and others pending.

Designed by Hanson Dodge Creative. Contributing photographers: Zack Jones, John Laptad, John Norris, NSYNC Studio, Bradley Rochford, Embry Rucker, Jeff Salzer, Graham Watson, Geoff Waugh, Caroline Yang.

EUROPEAN CENTRAL OFFICE Bikeurope B.V. Basicweg 12 3821 BR Amersfoort The Netherlands **SUBSIDIARIES** **Austria** Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 **Benelux** Bikeurope B.V. Tel: +31 (0) 33 45 09 040 **China** Trek Bicycle Corporation Tel: 86-10-8459-5392 **Denmark** Bikeurope B.V. / Trek Denmark Tel: +45 70 27 15 40 **France** Bikeurope B.V. / Trek France Tel: +33 (0) 8 25 00 44 04 **Germany** Bikeurope B.V./Trek Deutschland Tel: +49 (0) 180 350 7010 **Japan** Trek Japan Corporation Tel: +81 (0) 78 413 6606 **Spain** Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 **Switzerland** Trek Fahrrad GmbH Tel: +41 (0) 44 824 85 00 **United Kingdom** Trek Bicycle Corporation Ltd. Tel: +44 (0)1 908 28 26 26 **TREK DISTRIBUTORS** **Argentina** Bike Sports S.R.L Tel: 5411 4797 6562 **Aruba** Tri-Bike Aruba Tel: 297 5 852 734 **Australia** Trek Bicycles Australia Pty. Ltd. Tel: 61 2 8832 6900 **Bahrain** Skate Shack Tel: 973 17 697176 **Barbados** Taylor's Cycle Centre Ltd Tel: 246 426 3421 **Belarus** DiscoverySport Tel: 375 172 270 187 **Belize** Bruce Cycling Club Bike Shop Tel: 501 22 37979 **Bermuda** Winner's Edge Tel: 441 295 6012 **Bolivia** Bicicar Tel: 591 2 241 2291 **Bonaire** ECO Experience N.V. Tel: 599 717 2227 **Brazil** International Sports do Brazil Ltda. Tel: 55 19 3886 7270 **Brunei** Treknology Bikes 3 Pte Ltd. Tel: 65 62754675 **Bulgaria** Velomania Ltd. Tel: 359 2 812 7060 **Canary Islands, Spain** Adolfo Suanzes S.A. Tel: 34 928 483050 **Cayman Islands** H.H. McTaggart & Son Ltd Tel: 345 949 7601 **Chile** Sparta Deportes Limitada Tel: 56 2 560 4214 **Colombia** Bike House Tel: 574 262 3223 **Costa Rica** Motos Pazos Tel: 506 2 291 1667 **Croatia** Rog Joma Tel: 385 1 2304 331 **Curacao, NA** Vista Bike N.V. Tel: 5999 465 9577 **Cyprus** Goodtones Ltd. Tel: 357 22 35 6673 **Czech Republic** Bretton Ltd Tel: 420 2 679 1 2679 **Dominican Republic** Rpoueriet & Cia.C. Por A Tel: 809 535 2152 **Ecuador** My Bike Tel: 593 22 463 503 **El Salvador** Mayor, S.A. DE C.V. Tel: 503 241 0410 **Estonia** Rademar Tel: 372 651 2910 **Fiji** Stinger Bicycles Limited Tel: 679 6283 771 **Finland** Oy Duell Bike Center Ab Tel: 358 6 322 7500 **French Polynesia** Tahiti Sport - Yet Sing Tel: 689 425 352 **Greece** Active Zone Network Tel: 30 210 9612929 **Grenada** Rhett Dopwell Tel: 473 440 5473 **Guam** MTB Outfitters Tel: 671 477 2453 **Guatemala** Novasport Tel: 502 24 74 26 89 **Honduras** Comercial La Paz Tel: 504 238 5027 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 **Hungary** Genomed Kereskedelmi KFT Tel: 36 1 331 3184 **Iceland** Orninn-Hjol ehf Tel: 354 588 9890 **India** Firefox Bikes Pvt. Ltd. Tel: 91 120 4357301 **Indonesia** Treknology Bikes 3 Pte Ltd Tel: 65 62754675 **Ireland** Centro Limited Tel: 353 1 456 7516 **Israel** Cycle Trading Company Ltd Tel: 972 9 9513 010 **Italy** Comar Italia SRL Tel: 39 035 302 502 **Kazakhstan** Intelli Sports Ltd. Tel: 7 727 2935870 **Kenya** Sustainable Ecosystems Ltd. Tel: 254 733 745518 **Korea** Spo-World Tel: 82 2 3444 9394 **Kuwait** Extreme Sports Co., L.L.C. Tel: 965 5755898 **Latvia** Velosports SIA Tel: 371 729 3517 **Lebanon** Blue Mountain Sarl Tel: 961 9 637144 **Lithuania** Eginda UAB Tel: 370 232 5 3080 **Macedonia** Crossmak Dooel Tel: 389 47232068 **Malaysia** Treknology Bikes 3 Pte Ltd Tel: 65 62754675 **Malta** Magri Cycles & Spares Tel: 356 21 414399 **Mexico** Power Distribution SA de CV Tel: 52 81 8478 4560 **Nevis** Wheel World Cycle Shop Tel: 869 469 9682 **New Caledonia** Royal Motors SA Tel: 687 28 59 12 **New Zealand** Cycle Sport NZ Ltd Tel: 64 6 348 8029 **Norway** Foss Sykler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Panama** Motorsports Panama S.A. Tel: 507 236 0852 Fax: 507 236 6140 **Paraguay** Enerbike S.A. Tel: 595 21 610652 **Peru** Best Bikes & Fitness Tel: 51 1 411 4411 **Philippines** 3T Techno Turbo Trading Tel: 632 951 4457 **Poland** S.S.C. Artykuly Sportowe SP.ZO.O Tel: 48 71 3431539 **Portugal** Bicimax Artigos Desportivos LDA Tel: 351 244 553 276 **Puerto Rico** OTP Corp. Tel: 787 649 0450 **Qatar** Skate Shack Tel: 974 4692532 **Romania** S.C. Surmont Sport S.R.L. Tel: 407 225 44360 **Russia** Sportex Tel: 7 926 206 43 56 **St. Kitts** Free Wheelers Tel: 869 466 3912 **St. Maarten, NA** Tri-Sport N.V. Tel: 59954 43462 **St. Vincent** Sailor's Cycle Centre Tel: 784 457 1712 **Saudi Arabia** Skate Shack Tel: 973 17 697176 **Senegal** Bomthi Sports Tel: 221 822 55 67 **Serbia** Idako D.O.O. Tel: 381 21 400 606 **Singapore** Treknology Bikes 3 Pte Ltd Tel: 65 62754675 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 **Slovenia** Bess-Pro Market Tel: 386 61 274 135 **South Africa** Just Fun Sports Tel: 27 11 405 3300 **Sweden** Motorfirman Holger Duells AB Tel: 46 31 72 76 300 **Tahiti** Tahiti Sport - Yet Sing Tel: 689 425 352 **Taiwan** Speed High Co. Ltd. Tel: 886 2 27252035 **Tanzania** Adventure Sport & Leisure Tel: 255 27 2509706 **Thailand** Probike Co., Ltd. Tel: 662 254 1077 **Tortola, BVI** Last Stop Sports Center Ltd. Tel: 284 494 0564 **Trinidad** Geronimo's Cycles Tel: 868 622 2453 **Turkey** Alatin Bisiklet Tel: 90 212 244 47 15 **Ukraine** Velolux Company Tel: 380 443 325090 **United Arab Emirates** Direct Trading Est. Tel: 971 4 33 288 01 **U.S.V.I.** Associates of V.I. Athletes Inc Tel: 340 719 6749 **Uruguay** Bilper S.A. Tel: 298 2 708 86 31 **Uruguay** Ricolur S.A. Tel: 598 2 708 2498 **Venezuela** Bike Pro Com C.A. Tel: 58 212 991 4744 **Vietnam** Starbikes Co., Ltd. Tel: 84 4 2130302




WE PRINT OUR CATALOGS ON ONLY FOREST STEWARDSHIP COUNCIL (FSC) CERTIFIED PAPER

FSC certification ensures that the paper in our catalogs contains fiber from well-managed and responsibly-harvested forests. The goal is to shift the market to eliminate habitat destruction, water pollution, and displacement of indigenous peoples. This catalog meets FSC's strict environmental standards.



CYCLING VACATIONS OF A LIFETIME









TREK TRAVEL LLC

Trek Travel is the ultimate way to experience the world's great destinations on the world's best bikes. Explore as much as you like, at your pace. Our highly-experienced guides make sure you don't miss a thing.

Whether you prefer long rides or a leisurely pace, luxury or laid-back, there's a Trek Travel trip to fit your taste.

To learn more about your trip options, or to reserve your spot on the vacation of a lifetime, call **866 464 8735** or visit **www.trektravel.com**.





TREK

ROAD

Part No. 412192

TREKBIKES.COM

COVER_63179_Trek.indd 1