



The Road to Success

HANDLEBAR BENDS



The **VENTOUX** handlebar is a deep square pattern bend with a long decorative engraved bulged centre section which has a special reinforcing liner for added strength. Price: **19/6**

VENTOUX

G.B. ALLOY HANDLEBARS are made from high tensile aluminium alloy tube, in a special condition, which ensures great strength whilst giving freedom from all possibility of breakage. Supplied in 15/16" diameter with 1" centre.
Dropped bends, with engraved reinforcing ferrule **17/-**
Dropped bends, with bulged centre **16/-**
Flat bends with bulged centres only **12/6**

G.B. STEEL HANDLEBARS are made from mild steel, heavily chrome plated and polished, in the **MAES** and **OLYMPIC** patterns only. The diameter is 15/16" with centre bulged to 1". "Tops" have special decorative engraving. Price: **10/-**

★ *ALSO MADE IN STEEL*

TYPE	DROP	WIDTH	REACH
Capoberta	4⅞"	16"	1¾"
★ Maes	5⅛"	15"	3½"
★ Olympic	5⅛"	14½"	4⅝"
Ventoux	6⅛"	15"	4"
Road Champion	6¼"	15½"	2⅝"
Touring	4"	15½" & 17½"	4"
FLAT BENDS			
All Rounder	1¾"	23"	1¾"
Comfort	1½"	19⅜"	3"

SOLID FORGED LIGHT ALLOY STEMS



G.B. Alloy Stems are made from solid one piece alloy forgings and machined to fine tolerances. (See illustration of section). Highly polished and fitted with expander and clamp bolt. Proved in Tour de France and Tour of Britain, these stems are the finest in the world for strength and reliability. They are light but perfectly suited for their purpose of fitment to all types of machines. Total sales have exceeded three quarters of a million. The range comprises five popular lengths.

STEM SIZES ALLOY

Extension (A)	Column (B)	Price
1"	5½"	16/-
2"	5½"	17/6
3"	5½"	18/-
3"	5½"	19/9
4"	5½"	21/-



Sectional drawing of Alloy Stem showing the method of machining which provides additional strength exactly where it is needed.

SPARES for STEMS


701	Expander bolt medium (Alloy Stems)	1/3	708	Handlebar Clamp Bolt Nut	5d.
702	Expander bolt long (Steel stems)	1/3	709	Ferrule to adapt ½" bar centre to 1" (Alloy Stem)	5d.
703	Washer for all expander bolts	1d.	710	Ferrule to adapt ⅞" bar centre to 1" (Alloy Stem)	5d.
704	Cone for Alloy Stems	5d.	711	Ferrule to adapt ⅞" bar centre to 1" (Steel Stem)	5d.
705	Cone for Steel Stems	5d.			
706	Handlebar Clamp Bolt	7d.			
707	Handle Clamp Bolt (Monogram hd.)	10d.			

LIGHT ALLOY Hubs

G.B. racing hubs are precision machined from a solid one piece alloy forging. The precision ground ball-cups are packed with "Molykote" grease and sealed with a nylon dust cap to make them virtually impervious to all weather conditions.

The hubs are available in large flange only with Quick Release action.

Price: **95/-** per pair.



SPARES FOR HUBS


720	Q. R. Hollow Spindle front	5/6
721	Q. R. Hollow Spindle rear	6/-
722	Q. R. Skewer rear	4/-
723	Q. R. Skewer front	3/6
724	Q. R. lever with nut and spring washer	4/-
725	Q. R. lever cam holder	2/6
726	Conical lugged adjusting nut	3/6
730	Taper springs	4d.
740	Steel hub cup	3/6
742	Nylon dust cap	6d.
743	Front cone	2/6
744	Rear Cone	2/6
746	Lipped washer	3d.
747	Rear locknut, serrated	1/3
749	Front locknut	6d.
750	Spacing washer for gear side	8d.

KROMO STEEL STEMS

STEM SIZES

Extension (A)	Column (B)	Price
2½"	6½"	27/-
3"	"	27/-
3½"	"	27/-
4"	"	28/6
4½"	"	28/6
5"	"	30/6

The finest steel handlebar stems available. Handmade from lapped solid drawn KROMO tubes. Attractively finished, polished and heavily chrome plated. In six popular lengths complete with expander and clamp bolt. The stem for the specialist rider.





RUBBER ACCESSORIES

The G.B. range includes an attractive variety of white rubber brake accessories designed to fit perfectly. There are three types of lever hoods, a lever sleeve and a cable clamp buffer.

503	Superhood full rubbers—suitable for Superhood Plus and adaptable to Rapide levers	4/6 per pair
506	Stirrup cable clamp buffers	1/6 per pair
507	Arret rubbers (with built in adjusters). Suitable for "Mk. 3" and "Sprite" levers	5/6 per pair
508	Superhood half rubbers—suitable for Superhood Rapide and Superhood Plus levers	4/6 per pair
509	Lever sleeves—for all G.B. levers	2/- per pair



WINGNUTS



G.B. WINGNUTS are made to the exclusive thumb and lever design, from solid 'Hidurminium' forgings. Suitable for English threads, front (¼"), rear (⅜") and special rear wingnuts are made, with toggle bush, for Sturmey Archer hubs (13/32"). Front or rear, per pair **5/6**, Sturmey Archer, per pair **6/6**.

TOE CLIPS

G.B. Toeclips are made from the finest quality stainless steel. They cannot rust, and it is virtually impossible to break them. The clip is well designed to fit the shape of the shoe, and there are no rivets to work loose. The securing screws are fitted with shake proof nuts.

Strong, reliable and well finished the "type Professionnel" toeclip is available in LONG and MEDIUM lengths.

Price **7/6** per pair.



CARDED COMPONENTS



36P BLOCKS & SHOES COMPLETE



CABLE CLAMP BUFFERS



561 BLOCKS



RUBBERS FOR 'PLUS' and RAPIDE LEVERS



BRAKE LEVER SLEEVES



RUBBERS FOR SUPERHOOD LEVERS

Boost your Counter Sales

A large variety of G.B. components and replacement spares are produced and packed for the retailer as "carded display goods".

G.B. products carded but not all illustrated include :—

Spanners	550/1
Wingnuts	
Cable Clips	6630
Hoods	503, 507, 508
Sleeves	509
Buffers	506
Brake Blocks	561, 34P, 6621
Brake Blocks and Shoes	562, 36P, 6622

Warranty

We stand by all goods of our manufacture. All usual and reasonable precautions have been taken by us to ensure excellence of materials and workmanship, and in the event of any defect in any "G.B." product which is not caused by wear and tear, misuse, accident, or negligence, being disclosed within six months of its being put into use, we will either supply new parts or components in exchange for those defective, or repair such defective parts or components, free of charge. This undertaking shall be deemed to exclude any and every other obligation whatsoever, and all liability for any loss or damage, howsoever or whensoever caused or arising, except the cost of replacement or repair in accordance with this undertaking.

G.B. CYCLE COMPONENTS LTD · HANWORTH TRADING ESTATE · FELTHAM · MIDDX.
Telephone Feltham 4871

GREENAWAY · LONDON

GB Catalogue-COMPONENTS-SPARES-PRICES


MADE BY LATEST PRODUCTION TECHNIQUES IN A MODERN FACTORY AT FELTHAM FOR ENTHUSIASTS BY ENTHUSIASTS WHO KEEP AHEAD IN DESIGN THROUGH CONTINUED INTEREST AND PARTICIPATION IN ALL CYCLE SPORT

GB Coureur "66"



This shows the details of the nylon mechanism of the Rapide Cable Release.

SYMMETRIC ACTION BRAKE



Coureur '66' Spares

6601	Back plate, deep	7/-	6617	Front cable hanger	3/6
6602	Coureur 66 left stirrup	5/-	6618	Front seating pad	6d.
6604	Coureur 66 right stirrup	5/-	6619	Rear seating pad	6d.
6605	Stirrup cable bridge	1/-	6621	66 Brake blocks Pr	10d.
6606	Front brake fixing bolt	10d.	6622	66 Brake blocks & shoes, complete Pr	2/2
6607	Rear Brake fixing bolt	8d.	6303	Superhood Rapide lever only	4/3
6608	Nylon bush for stirrup arch	6d.	6302	Superhood Rapide lever complete	6/3
6609	Stirrup cable	1/6	560	Cable adjuster screw	7d.
6610	Stirrup pivot screw	7d.	601	Cable adjuster wheel	1d.
6611	Cable clamp compl.	1/-	600	Lever fixing screw and nut	6d.
6612	Ball-ended ferrule	6d.	531	Handlebar clip 1"	8d.
6613	Back plate, shallow	7/-	532	Handlebar clip (5/16"	8d.
6614	Stirrup spring, shallow	10d.	598	Lever pivot, rod	10d.
6615	Stirrup spring, deep	10d.	599	Lever pivot Nylon bush	1d.
6616a	Rear cable hanger, standard 1"	2/6	542	Brake fixing nut	6d.
6616b	Rear cable hanger, standard 1½"	2/6	544	Domed nut	4d.
545	Washer for clamp bolt and brake shoe	1d.	546	Brake shoe	4d.
547	Brake shoe screw	3d.	602	Stepped ferrule for	3d.
642	front cable hanger		563	Translucent outer-cable, front	1/3
564	Translucent outer-cable, rear	1/3	566	Translucent outer-cable, Tandem	3/-
567	Inner wire, front	1/-	568	Inner wire, rear	1/2
570	Inner wire, Tandem	3/-	571	Cables complete Pr	5/2
6300	Superhood Rapide lever complete	12/6	6650	66 Front Stirrup only (specify A & B (medium) depth)	18/-
6655	66 Rear Stirrup only A (short) & B (medium) depth	17/-			

Coureur 66 Brake

The first SYMMETRIC ACTION cycle brake with all bearings enclosed and nylon bushed. Introduced in time to be put to the most exacting test of the Tour de France and Tour of Britain, now universally available—the proved most efficient cycle brake ever.

Special features are :

1. The '66' Symmetric stirrup action—light but rigid—through totally enclosed nylon bushed bearings.
2. The superior styled 'Superhood Rapide' lever embodying the unique 'Rapide' cable-quick-release. (See illustration).
3. The light but sturdy cable hangers which eliminate loss of braking power.
4. Entirely new design brake block for best stopping under all weather conditions, and many other refinements to make this the finest brake available. Made from finest macerated high strength aluminium alloy forgings and pressings. High tensile steel fixing bolts etc.

Boxed in pairs—shallow front stirrup. Medium rear stirrup.

Supplied as Standard with Superhood Rapide lever ... ... Price 60/- per pair.
Also available with Superhood Plus lever ... ... Price 57/- per pair.
Also available with Sport Mk. 3 levers ... ... Price 54/- per pair.



'66' Cable Clip

Attractive top-tube fitting cable clip. High quality chromium plated finish.
In sets of three 2/6

GB Coureur PLUS




Coureur "Plus" Brake

The most popular and up to date of all side-pull brakes. Used with success in countless races, it has always emerged with flying colours. The brake design incorporates many refinements—nylon bushed action throughout: extra strength cables: Wetgrip brake blocks: efficient cable quick release: GB. monogrammed dome nuts, and bolts: stirrup and the super styled Superhood Plus lever have an attractive highly polished finish.

Natural polished finish: ... ... Price: 42/- per pair.
Colour anodised red or blue ... ... Price: 45/- per pair.


The 575 Touring lever combines well with the Coureur Plus stirrup to effect a perfect brake on touring or sports machines.



Coureur Plus & Mk. 3 Spares

531	Handlebar clip 1"	8d.	563	Outer cable, front	1/3
532	Handlebar clip 1"	8d.	564	Outer cable, rear	1/3
533	Handlebar clip 23.5 mm.	8d.	565	Outer cable, Lady's, rear	1/8
535	Pivot bolt, front	1/6	566	Outer cable, Tandem, rear	3/-
536	Pivot bolt, front (compl. with nuts and washers)	2/8	567	Inner wire, front	1/-
537	Pivot bolt, rear	1/3	568	Inner wire, rear	1/2
538	Pivot bolt rear, (compl. with nuts and washers)	2/5	569	Inner wire, Lady's	1/-
540	Seating pad, front	3d.	570	Inner wire, Tandem	3/-
541	Seating pad, rear	3d.	571	Gent's cables complete pair	5/2
542	Brake fixing nut	6d.	572	Lady's cables, complete pair	5/6
543	Locknut	3d.	576	Touring lever, front	3/6
544	Domed nut	4d.	577	Touring lever, rear	3/6
545	Washer (for pivot bolt & brake shoe	1d.	578	Touring lever, block	2/6
546	Brake shoe	4d.	579	Touring lever pivot screw	3d.
547	Brake shoe fixing bolt	3d.	580	Touring lever pivot bush	1d.
548	Cable Clamp bolt	4d.	582	Touring lever fixing screw & nut complete	8d.
549	Cable clamp bolt complete	6d.	590	Touring lever cable adjusting screw	7d.
550	Brake spanner 440	6d.	591	Touring lever cable adjusting screw	6d.
551	Brake spanner .387"	6d.	592	Coureur Plus left stirrup (A & B depth)	3/-
552	Plastic cable end sheath	6d.	593	Coureur Plus right stirrup (A & B depth)	3/-
553	Nylon bush for pivot bolt	6d.	594	Coureur Plus monogrammed dome nut	6d.
554	Stirrup spring (A & B depth stirrup)	7d.	595	Quick release cam	6d.
555	Quick release cam	6d.	596	Superhood Plus lever compl.	10/6
556	Cam pin and nut	3d.	597	Superhood Plus lever body	4/3
557	Cable clip	3d.	598	Superhood Plus lever block	3/6
558	Cable socket set	2d.	599	Superhood Plus lever pivot red	10d.
559	Ferrule for outer cable	2d.	599	Superhood Plus lever pivot nylon bush	4d.
560	Cable adjusting screw	7d.	600	Superhood Plus lever fixing screw and nut complete	8d.
561	Brake blocks ("Wetgrip" pattern) ... pair	2/-			
562	Brake blocks & shoes ("Wetgrip") ... pair	2/2			

GB Sport MK3



Sport MK. 3 Brake

Designed specially to cater for those persons requiring a high class brake at a very reasonable price. This brake assembly is simple in design and effective in action. The lever, short in reach and very stylish, embodies a novel optic monogram. The stirrup retains the traditional G.B. form, and is available in A or B depth. Domed nuts and studded brake blocks are standard.

Price: 38/- per pair.

The 126a Touring lever converts the Sport Mk. 3 into an attractive brake for fitment to Touring and Sports machines.


G.B. Sprite

The "Sprite" brake is intended as the junior of the G.B. range, and as such it provides a simple, but effective, brake at a low cost.

The hooded lever has a short reach, and the stirrup is available in one depth only.

The 126a Touring lever is available as an alternative.

Price: 34/- per pair.




SPARES FOR G.B. SPRITE

No.		Retail	No.		Retail
102	R. H. Stirrup	8	180	Hooded Lever complete	7 6
103	L. H. Stirrup	8	175	Lever only	3 6
104	Front Pivot Bolt complete	1 6	176	Lever Block	1 6
104/1	Front Pivot Bolt only	1 6	656	Fibre Washer	1
105	Spring	7	657	Lever Insert Ferrule	1
106	Domed Nut	4	651	Lever fixing Screw and Nut	8
108	Alloy Washer	4	176	Cross Pin	16
110	Fibre Washer	1	653	7/8" Lever fixing Clip	6
111	Lock Nut	3	654	15/16" Lever fixing Clip	8
112	Brake Fixing Nut	4	645	Brake Shoe Washer	4
140	Front Seating Pad	3	646	Brake Shoe	4
141	Rear Seating Pad	3	613	Open Nut for Brake Shoe	4
122	Rear Pivot Bolt complete	2 5	614	Brake Blocks (Black)—pair	10
122/1	Rear Pivot Bolt only	1 9	627	Inner Wire Front	9
118	Cable clamp Bolt complete	10	628	Inner Wire Rear	9
113	Stirrup Fixing Cable Adjuster complete	1	635	Inner Wire Front (Barrel Nipple)	10
126	Touring Lever complete	7 6	636	Inner Wire Rear (Barrel Nipple)	10
126/1	Lever and Block ...	5 6	658	Front Cable complete	2 9
127	Lever Clip	6	659	Rear Cable complete	2 9
129	Lever fixing Screw and Nut	8	660	Front Cable complete (Barrel Nipple)	2 9
166	Cross Plate	10	661	Rear Cable complete (Barrel Nipple)	2 9
662	Stepped Ferrule	1	641	Ferrule for cable end	2

IceniCAM
Information Service

The Iceni CAM Magazine
Cyclemotor Autocycle C Moped



www.icenicam.org.uk