NO.11

NITTO

TOKYO

NO.11

NITTO

TOKYO

NITTO HANDLE WORKS, CO., LTD.
4-41-2 ARAKAWA ARAKAWA-KU TOKYO 116 JAPAN

1989.9. Printed in Japan


Light Weight
Heavy Duty

90°

CR-52 DB
Cr-Mo
TIG
EX.120mm
310g

CR-52 BB
Cr-Mo
TIG
EX.120mm
310g

DYNAMIC-2
ALUMINUM ALLOY
EX.100mm
320g



Stem



NITTO
TOKYO

CONTENTS

90° STEM 1・2P
MOUNTAIN BIKE 3・4・5P
AERODYNAMICS 6P
TRACK RACING 7・8P
ROAD RACING 9~12P
FLAT or UP BAR 13・14P
Postem 15P
TANDEM 16P
SEAT PILLAR 17P
BMX 18P
TRIATHLON 19・20P
TOURING 20P
ZAO 21P
CYCLE STAND 22P
CAMPEE 22P

NITTO HANDLE WORKS, CO., LTD.
4-41-2 ARAKAWA ARAKAWA-KU
TOKYO 116 JAPAN.
TEL.03-802-4521. FAX.03-891-0210

MOUNTAIN BIKE

MT-100



MODEL	EXTENSION		COLUMN	WEIGHT
	A	B		
MT-100	130mm	125mm	125mm	310g

TITANIUM
ANGLE 15° UP
CLAMP DIAMETER 25.4mm

MT-54



MODEL	EXTENSION		COLUMN	WEIGHT
	A	B		
MT-54-100	103mm	100mm	135mm	410g
MT-54-120	124mm	120mm		425g
MT-54-140	145mm	140mm		440g

Cr. Mo.
ANGEL 15° UP
CLAMP DIAMETER 25.4mm

MT-55





MODEL	EXTENSION		COLUMN	WEIGHT
	A	B		
MT-55-130	135mm	130mm	135mm	450g
MT-55-145	150mm	145mm		460g
MT-55-160	166mm	160mm		490g

Cr. Mo.
FILLFT
ANGLE 15° UP
CLAMP DIAMETER 25.4mm

MT-59





MODEL	EXTENSION		COLUMN	WEIGHT
	A	B		
MT-59-15° UP-100	100mm	97mm	130mm	340g
MT-59-15° UP-120	120mm	116mm		360g
MT-59-15° UP-140	140mm	135mm		375g
MT-59-30° UP- 80	80mm	69mm		325g

Cr. Mo.
ANGLE 15° or 30° UP
CLAMP DIAMETER 25.4mm


MT-60





MODEL	EXTENSION		COLUMN	WEIGHT
	A	B		
MT-60-120	124mm	120mm	135mm	400g
MT-60-135	140mm	135mm		410g
MT-60-145	150mm	145mm		420g
MT-60-160	166mm	160mm		430g


Cr.Mo.
ANGLE 15° UP
CLAMP DIAMETER 25.4mm or 22.2mm



The "BLACK-BRIGHT" is black electroplate coated over normal chromiun plating.
The surface is hard, absolutely rustless and beatiufully glossy.
The "BLACK-BRIGHT" is introduced in the market as sister product of our "DULL-BRIGHT".

MT-2





MODEL	EXTENSION	COLUMN	WEIGHT
MT-2	100mm	115mm	365g

FORGED DURALUMIN
SEPARATE TYPE
CLAMP DIAMETER 25.4mm

MT-5



MODEL	EXTENSION	COLUMN	WEIGHT
MT-5-110	110mm	122mm	350g
MT-5-130	130mm		360g

FORGED DURDLUMIN
CLAMP DIAMETER 25.4mm

MT-6



MODEL	EXTENSION	COLUMN	WEIGHT
MT-6-100	100mm	126mm	355g
MT-6-110	110mm		360g

ALUMINUM ALLOY
CLAMP DIAMETER 25.4mm

MT-10



MODEL	EXTENSION	COLUMN	WEIGHT
MT-10- 80	80m	160mm	325g
MT-10-100	100m	190,230mm	330g

(190mm)


FORGED DURALUMIN
CLAMP DIAMETER 25.4mm

MT-11




MODEL	EXTENSION	COLUMN	WEIGHT
MT-11-15° UP-100	100mm	140mm	345g
MT-11-10° UP-120	120mm		375g

ALUMINUM ALLOY
POST DIAMETER 25.4mm
CLAMP DIAMETER 25.4mm



MOUNTAIN BIKE

MTB850-LT



Light and Tough 65

Light and Tough 65 Butted Tube ALUMINUM ALLOY NITTO TOKYO

MODEL	WIDTH	RAISE	WEIGHT
MTB850-LT	610mm	0mm	290g

ALUMINUM ALLOY BUTTED TUBE

B816-CARBON



MODEL	WIDTH	RAISE	WEIGHT
B816 CARBON	610mm	0mm	250g

CARBON
CENTER DIAMETER 25.4mm


B819-TITANIUM



MODEL	WIDTH	RAISE	WEIGHT
B819 TITANIUM	610mm	0mm	320g

TITANIUM
CENTER DIAMETER 25.4mm

B819



MODEL	WIDTH	RAISE	WEIGHT
B819AA	610mm	0mm	330g
B819 Cr.Mo.	610mm		425g

ALUMINUM ALLOY
CENTER DIAMETER 25.4mm

B811 AAF



MODEL	WIDTH	RAISE	WEIGHT
B811AAF	610mm	0mm	325g

ALUMINUM ALLOY
CENTER DIAMETER 25.4mm


B902



MODEL	WIDTH	RAISE	WEIGHT
B902 Cr.Mo.	700mm	102mm	880g
B902AA	660mm		620g

Cr.Mo. or ALUMINUM ALLOY

RM-013-14S



MODEL	WIDTH	DROP	WEIGHT
RM-013-14S	420mm	140mm	410g

HEAT TREATED DURALUMIN


RM-013-56S



MODEL	WIDTH	DROP	WEIGHT
RM-013-56S	420mm	140mm	350g

ALUMINUM ALLOY

AERODYNAMICS




TSUBASA-1



MODEL	WIDTH	DROP	REACH	WEIGHT
TSUBASA-1	400mm	76mm	205-255mm	910g

HEAT TREATED ALUMINUM ALLOY


TSUBASA-3



MODEL	WIDTH	DROP	REACH	WEIGHT
TSUBASA-3	400mm	125mm	175mm	590g

HEAT TREATED ALUMINUM ALLOY


RB002AA



MODEL	WIDTH	RAISE	REACH	WEIGHT
RB002AA-380	380mm	115mm	170mm	290g
RB002AA-400	400mm			300g

HEAT TREATED DURALUMIN
CENTER DIAMETER 26.0mm

RB003AA



MODEL	WIDTH	RAISE	REACH	WEIGHT
RB003AA	380mm	150mm	120mm	365g

HEAT TREAETD DURALUMIN
CENTER DIAMETER 26.0mm


RB008AA-H



MODEL	WIDTH	RAISE	REACH	WEIGHT
RB008AA-H	400mm	92mm	120mm	360g

HEAT TREATED DURALUMIN
CENTER DIAMETER 26.0mm
WITH HOLES FOR BRAKE WIRES


RB009AA



MODEL	WIDTH	RAISE	REACH	WEIGHT
RB009AA	400mm	144mm	150mm	315g

ALUMINUM ALLOY
CENTER DIAMETER 26.0mm

RB009AA-H



MODEL	WIDTH	RAISE	REACH	WEIGHT
RB009AA-H	400mm	144mm	150mm	390g

HEAT TREATED DURALUMIN
CENTER DIAMETER 26.0mm or 25.4mm
WITH HOLES FOR BRAKE WIRES

CRAFT



B123 STEEL



MODEL	WIDTH	DROP	REACH	WEIGHT
B123-340	340mm	170mm	108mm	700g
B123-350	350mm			710g
B123-360	360mm			720g
B123-370	370mm			730g
B123-380	380mm			740g
B123-390	390mm			750g
B123-400	400mm			760g

STEEL
CENTER DIAMETER 25.4mm

B123AA



MODEL	WIDTH	DROP	REACH	WEIGHT
B123AA-350	350mm	175mm	95mm	325g
B123AA-365	365mm			332g
B123AA-380	380mm			340g
B123AA-390	390mm			345g
B123AA-400	400mm			350g

HEAT TREATED DURALUMIN
CENTER DIAMETER 25.4mm

B123Cr.Mo.



MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-340	340mm	170mm	108mm	665g
B123CrMo-350	350mm			675g
B123CrMo-360	360mm			680g
B123CrMo-370	370mm			690g
B123CrMo-380	380mm			695g
B123CrMo-390	390mm			700g
B123CrMo-400	400mm			710g

Cr.Mo.
CENTER DIAMETER 25.4mm

B123Cr.Mo.-BT






MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-BT-340	340mm	175mm	95mm	645g
B123CrMo-BT-350	350mm			655g
B123CrMo-BT-360	360mm			665g
B123CrMo-BT-370	370mm			675g
B123CrMo-BT-380	380mm			685g
B123CrMo-BT-390	390mm			695g
B123CrMo-BT-400	400mm			705g

Cr.Mo. BUTTED TUBE
CENTER DIAMETER 25.4mm

NITTO JAGUAR PROFESSIONAL

N.J.PRO.





MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO. 80	80mm	125mm	470g
N.J.PRO. 85	85mm		478g
N.J.PRO. 90	90mm		485g
N.J.PRO. 95	95mm		493g
N.J.PRO.100	100mm		500g
N.J.PRO.105	105mm		508g
N.J.PRO.110	110mm		515g
N.J.PRO.115	115mm		523g
N.J.PRO.120	120mm		530g
N.J.PRO.125	125mm		538g
N.J.PRO.130	130mm		545g
N.J.PRO.140	140mm		560g

FORGED STEEL
CLAMP DIAMETER 25.4mm
ANGLE 58° or 65°

N.J.PRO.AA



MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO.AA 80	80mm	125mm	280g
N.J.PRO.AA 90	90mm		290g
N.J.PRO.AA100	100mm		300g
N.J.PRO.AA110	110mm		310g
N.J.PRO.AA120	120mm		320g

FORGED DURALUMIN
CLAMP DIAMETER 25.4mm
ANGLE 58°

B125 STEEL



MODEL	WIDTH	DROP	REACH	WEIGHT
B125-360	360mm	152mm	92mm	650g
B125-370	370mm			660g
B125-380	380mm			670g
B125-390	390mm			680g
B125-400	400mm			690g

STEEL
CENTER DIAMETER 25.4mm


B125AA



MODEL	WIDTH	DROP	REACH	WEIGHT
B125AA-360	360mm	150mm	88mm	310g
B125AA-370	370mm			315g
B125AA-380	380mm			320g
B125AA-390	390mm			325g
B125AA-400	400mm			330g

HEAT TREATED DURALUMIN
CENTER DIAMETER 25.4mm

ROAD RACING



B65LL



Light and Light

MODEL	WIDTH	DROP	REACH	WEIGHT
B65LL-380	380mm	135mm	95mm	270g
B65LL-390	390mm			273g
B65LL-400	400mm			276g
B65LL-410	410mm			279g
B65LL-420	420mm			282g

HEAT TREATED SUPER DURALUMIN
CENTER DIAMETER 26.0mm or 25.4mm

Mod.55



MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.55-370	370mm	135mm	95mm	310g
Mod.55-380	380mm			315g
Mod.55-390	390mm			320g
Mod.55-400	400mm			325g
Mod.55-410	410mm			330g
Mod.55-420	420mm			335g

ALUMINUM ALLOY
CENTER DIAMETER 26.0mm


Mod.155



MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.155-370	370mm	150mm	88mm	300g
Mod.155-380	380mm			305g
Mod.155-390	390mm			310g
Mod.155-400	400mm			315g
Mod.155-410	410mm			320g
Mod.155-420	420mm			325g

ALUMINUM ALLOY
CENTER DIAMETER 26.0mm

Mod.185



MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.185-370	370mm	140mm	82mm	325g
Mod.185-380	380mm			330g
Mod.185-390	390mm			335g
Mod.185-400	400mm			340g
Mod.185-410	410mm			345g
Mod.185-420	420mm			350g

ALUMINUM ALLOY
CENTER DIAMETER 26.0mm

Mod.185-H



MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.185-H-370	370mm	140mm	87mm	315g
Mod.185-H-380	380mm			320g
Mod.185-H-390	390mm			325g
Mod.185-H-400	400mm			330g
Mod.185-H-410	410mm			335g
Mod.185-H-420	420mm			340g

HEAT TREATED DURALUMIN
WITH HOLES FOR BRAKE WIRES
CENTER DIAMETER 26.0mm

B88-H



MODEL	WIDTH	DROP	REACH	WEIGHT
B88-H-380	380mm	140mm	100mm	335g
B88-H-390	390mm			340g
B88-H-400	400mm			355g

ALUMINUM ALLOY
WITH HOLES FOR BRAKE WIRES
CENTER DIAMETER 25.4mm


B105



MODEL	WIDTH	DROP	REACH	WEIGHT
B105-370	370mm	135mm	95mm	300g
B105-380	380mm			305g
B105-390	390mm			310g
B105-400	400mm			315g
B105-410	410mm			320g
B105-420	420mm			325g

ALUMINUM ALLOY
CENTER DIAMETER 25.4mm

B105-RD



MODEL	WIDTH	DROP	REACH	WEIGHT
B105-RD-370	370mm	140mm	65mm	300g
B105-RD-380	380mm			305g
B105-RD-390	390mm			310g
B105-RD-400	400mm			315g
B105-RD-410	410mm			320g
B105-RD-420	420mm			325g

ALUMINUM ALLOY
CENTER DIAMETER 25.4mm

B105-LD



MODEL	WIDTH	DROP	REACH	WEIGHT
B105-LD-360	360mm	140mm	65mm	285g
B105-LD-370	370mm			290g
B105-LD-380	380mm			295g

ALUMINUM ALLOY
CENTER DIAMETER 25.4mm
for LADIES

B110AA



MODEL	WIDTH	DROP	REACH	WEIGHT
B110AA	340mm	128mm	65mm	265g

ALUMINUM ALLOY
TUBE DIAMETER 22.2mm
CENTER DIAMETER 25.4mm
for JUNIOR

B112



MODEL	WIDTH	DROP	REACH	WEIGHT
B112-370	370mm	140mm	100mm	670g
B112-390	390mm			690g
B112-420	420mm			710g

STEEL
CENTER DIAMETER 25.4mm

B115



MODEL	WIDTH	DROP	REACH	WEIGHT
B115-370	370mm	140mm	100mm	315g
B115-380	380mm			320g
B115-390	390mm			325g
B115-400	400mm			330g
B115-410	410mm			335g
B115-420	420mm			340g
B115-450	450mm			355g

ALUMINUM ALLOY

CRYSTAL STEM



(N65)

MODEL	EXTENSION	COLUMN	WEIGHT
N65- 70	70mm	150mm	260g
N65- 80	80mm		270g
N65- 90	90mm		280g
N65-100	100mm		290g
N65-110	110mm		300g
N65-120	120mm		310g

FORGED DURALUMIN
CLAMP DIAMETER 26.0mm or 25.4mm

CRYSTEM BLUE




MODEL	EXTENSION	COLUMN	WEIGHT
CRYSTEMBLUE 70	70mm	150mm	305g
CRYSTEMBLUE 80	80mm		320g
CRYSTEMBLUE 90	90mm		335g
CRYSTEMBLUE 100	100mm		350g

FORGED DURALUMIN
CLAMP DIAMETER 26.0mm
SEPARATE CLAMP TYPE

PEARL





MODEL	EXTENSION	COLUMN	WEIGHT
PEARL 6	60mm	150mm	275g
PEARL 7	70mm		290g
PEARL 8	80mm		305g
PEARL 9	90mm		320g
PEARL 10	100mm		335g
PEARL 11	110mm		350g
PEARL 12	120mm		365g
PEARL 13	130mm		380g
PEARL 14	140mm		395g

FORGED DURALUMIN
CLAMP DIAMETER 26.0mm or 25.4mm

TECHNOMIC-A



(NTC-A)

MODEL	EXTENSION	COLUMN	WEIGHT
NTC-A 60	60mm	140mm	270g
NTC-A 70	70mm		285g
NTC-A 80	80mm		300g
NTC-A 90	90mm		315g
NTC-A 100	100mm		330g
NTC-A 110	110mm		345g
NTC-A 120	120mm		360g
NTC-A 130	130mm		375g
NTC-A 140	140mm		390g

FORGED DURALUMIN
CLAMP DIAMETER 26.0mm or 25.4mm

TECHNOMIC



(NTC)

TECHNOMIC-280



(NTC-280)

TECHNOMIC-225



(NTC-225)

MODEL	EXTENSION	COLUMN	WEIGHT
NTC 50	50mm	150mm	280g
NTC 60	60mm		290g
NTC 70	70mm		300g
NTC 80	80mm		310g
NTC 90	90mm		320g
NTC 100	100mm		330g
NTC 110	110mm		340g
NTC 120	120mm		350g
NTC 130	130mm		360g

NTC 50-225	50mm	225mm	345g
NTC 60-225	60mm		355g
NTC 70-225	70mm		365g
NTC 80-225	80mm		375g
NTC 90-225	90mm		385g
NTC 100-225	100mm		395g
NTC 110-225	110mm		405g
NTC 120-225	120mm		415g

NTC- 60-280	60mm	280mm	385g
NTC- 70-280	70mm		395g
NTC- 80-280	80mm		405g

FORGED DURAULUMIN
CLAMP DIAMETER 25.4mm

YOUNG



YOUNG-III



YOUNG-II



MODEL	EXTENSION	COLUMN	WEIGHT
YOUNG 50-150	50mm	150mm	290g
YOUNG 50-190		190mm	320g
YOUNG 70	70mm	160mm	300g
YOUNG 90	90mm		330g
YOUNG100	100mm		340g
YOUNG110	110mm		350g

ALUMINUM ALLOY
CLAMP DIAMETER 25.4mm

MODEL	EXTENSION	COLUMN	WEIGHT
YONG II	60mm	180mm	350g

ALUMINUM ALLOY
CLAMP DIAMETER 25.4mm

MODEL	EXTENSION	COLUMN	WEIGHT
YOUNGIII 60	60mm	160mm	285g
YOUNGIII 70	70mm		300g
YOUNGIII 80	80mm		315g
YOUNGIII 90	90mm		330g
YOUNGIII 100	100mm		345g
YOUNGIII 110	110mm		360g
YOUNGIII 120	120mm		375g

ALUMINUM ALLOY
CLAMP DIAMETER 25.4mm

ALL ROUNDER

B200



MODEL	WIDTH	RAISE	WEIGHT
B200 AA	500mm	0mm	160g
B200 STEEL			360g
B200 CARBON			125g

ALUMINUM ALLOY, STEEL or CARBON

B201



MODEL	WIDTH	RAISE	WEIGHT
B201 AA	500mm	0mm	180g
B201 STEEL			370g

ALUMINUM ALLOY or STEEL

B206AA



MODEL	WIDTH	RAISE	WEIGHT
B206 AA	525mm	15mm	185g

ALUMINUM ALLOY

B223



MODEL	WIDTH	RAISE	WEIGHT
B223 AA	525mm	55mm	190g

ALUMINUM ALLOY

B225



MODEL	WIDTH	RAISE	WEIGHT
B225 AA	495mm	0mm	165g

ALUMINUM ALLOY

B229



MODEL	WIDTH	RAISE	WEIGHT
B229	510mm	20mm	190g

ALUMINUM ALLOY

B233



MODEL	WIDTH	RAISE	WEIGHT
B233	525mm	15mm	390g

STEEL

B302



MODEL	WIDTH	RAISE	WEIGHT
B302 AA	485mm	65mm	250g
B302 STEEL			540g

ALUMINUM ALLOY or STEEL


B307



MODEL	WIDTH	DROP	WEIGHT
B307 AA	435mm	50mm	255g
B307 STEEL			550g

ALUMINUM ALLOY or STEEL

PROMENADE



MODEL	WIDTH	RAISE	WEIGHT
B601	450mm	0mm	250g

ALUMINUM ALLOY
TUBE DIAMETER 23.8mm



MODEL	WIDTH	RAISE	WEIGHT
B602	480mm	68mm	260g

ALUMINUM ALLOY



MODEL	WIDTH	RAISE	WEIGHT
B602H	475mm	68mm	730g

STEEL
WITH HOLES FOR BRAKE WIRES



MODEL	WIDTH	RAI	WEIGHT
B603	480mm	62mm	260g

ALUMINUM ALLOY



MODEL	WIDTH	RAISE	WEIGHT
B409 AA	510mm	98mm	250g
B409 STEEL			540g
B409 SL			470g

ALUMINUM ALLOY, STEEL
or 18-8 STAINLESS STEEL



MODEL	WIDTH	RAISE	WEIGHT
B417	510mm	160mm	585g

STEEL



MODEL	WIDTH	RAISE	WEIGHT
B418	500mm	252mm	695g

STEEL



MODEL	WIDTH	RAISE	WEIGHT
B470	515mm	188mm	590g

STEEL

Postem

CLAMP DIAMETER 25.4mm
POST DIAMETER 22.2mm

Postem 35



MODEL	EXTENSION	COLUMN	WEIGHT
Postem 35-165	36mm	165mm	360g
Postem 35-190		190mm	380g
Postem 35-230		230mm	415g

STEEL or 18-8STAINLESS STEEL

Postem 50



MODEL	EXTENSION	COLUMN	WEIGHT
Postem 50-165	50mm	165mm	375g
Postem 50-190		190mm	395g
Postem 50-230		230mm	430g

STEEL

Postem 60



MODEL	EXTENSION	COLUMN	WEIGHT
Postem 60-165	60mm	165mm	410g
Postem 60-190		190mm	430g
Postem 60-230		230mm	465g

STEEL

Postem 70



MODEL	EXTENSION	COLUMN	WEIGHT
Postem 70-165	70mm	165mm	415g
Postem 70-190		190mm	435g
Postem 70-230		230mm	470g

STEEL

Postem U



MODEL	EXTENSION	COLUMN	WEIGHT
Postem U-165	50mm	165mm	375g
Postem U-190		190mm	395g
Postem U-230		230mm	430g

STEEL

Minitem



MODEL	EXTENSION	COLUMN	WEIGHT
Minitem	36mm	230mm	480g

STEEL
QUICK RELEASE

Postem LUG

L35



L50



L60



L70



L-U



KU50



MODEL	EXTENSION	COLUMN	WEIGHT
KU50-205	50mm	205mm	370g
KU50-225		225mm	390g

head : ALUMINUM ALLOY
shaft : 18-8 STAINLESS STEEL CLAD or STEEL

KU40



MODEL	EXTENSION	COLUMN	WEIGHT
KU40-225	40mm	225mm	420g
KU40-260		260mm	455g

head : ALUMINUM ALLOY
shaft : STEEL

K30



MODEL	EXTENSION	COLUMN	WEIGHT
K30	30mm	230mm	370g

head : ALUMINUM ALLOY
shaft : 18-8 STAINLESS STEEL CLAD

S30



MODEL	EXTENSION	COLUMN	WEIGHT
S30-150	30mm	150mm	320g
S30-190		190mm	365g
S30-230		230mm	410g

STEEL

TANDEM

REAR HANDLE STEM FOR TANDEM

TANDEM AA



TANDEM 1



TANDEM TRACK



CRYSTAL PILLAR

S65



MODEL	DIAMETER	LENGTH	WEIGHT
S65-25.0	25.0mm	210mm	212g
S65-25.8	25.8mm		213g
S65-26.4	26.4mm		214g
S65-26.8	26.8mm		215g
S65-27.0	27.0mm		216g
S65-27.2	27.2mm		217g

FORGED DURALUMIN

S65-300



MODEL	DIAMETER	LENGTH	WEIGHT
S65-300-25.0	25.0mm	300mm	260g
S65-300-25.8	25.8mm		262g
S65-300-26.4	26.4mm		264g
S65-300-26.8	26.8mm		265g
S65-300-27.0	27.0mm		268g
S65-300-27.2	27.2mm		270g

FORGED DURALUMIN
for MTB



EXPANDER BOLT
DURALUMIN WEDGE


ϕ21.0mm or ϕ22.0mm



HANDLE TOOL



MX-2



MODEL	EXTENSION	COLUMN	WEIGHT	COLOR	MATERIAL
MX-2	40mm	125mm	460g	GOLD, SILVER BLACK, BLUE WHITE, RED	head: DURALUMIN shaft: CrMo t3.0mm wedge: DURALUMIN

CLAMP DIAMETER 22.2mm

MX-2 PRO



MODEL	EXTENSION	COLUMN	WEIGHT	COLOR	MATERIAL
MX-2 PRO	40mm	125mm	460g	GOLD, SILVER BLACK, BLUE WHITE, RED	head: DURALUMIN shaft: CrMo t3.0mm wedge: DURALUMIN

CLAMP DIAMETER 22.2mm
for free style, drilled expander bolt

B708



MODEL	WIDTH	RAISE	WEIGHT
B708	690mm	208mm	810g

Cr.Mo.
CENTER DIAMETER 22.2mm

B726



MODEL	WIDTH	RAISE	WEIGHT
B726	560mm	170mm	720g

STEEL

SP-6




MODEL	DIAMETER	LENGTH	WEIGHT
SP-6	22.2mm 22.4mm 22.6mm	370mm	310g

Cr.Mo.

TRIATHLON

DH BAR






MODEL	WIDTH	DROP	WEIGHT
DH-400	400mm	125mm	500g
DH-420	420mm		510g
DH-440	440mm		520g

HEAT TREATED SUPER DURALUMIN
CENTER DIAMETER 26.0mm
with SCOTT ELBOW PADS



DH BAR CONNECTOR





Reduces risk of injury
Increases rigidity thereby giving greater control over steering & balance.
Increased overall strength of handlebars.
Improved aerodynamic factor.

CLIP ON BAR



MODEL	LENGTH	WIDTH	WEIGHT
CLIP ON BAR	280mm	155mm	375g

ALUMINUM ALLOY







S66





MODEL	DIAMETER	LENGTH	WEIGHT
S66-25.0	25.0mm	230mm or 300mm	270g
S66-25.8	25.8mm		276g
S66-26.4	26.4mm		282g
S66-26.8	26.8mm		283g
S66-27.0	27.0mm		284g
S66-27.2	27.2mm		285g

FORGED DURALUMIN (230mm)

NTR55



NITTO TRIATHLON BAR

MODEL	WIDTH	DROP	REACH	WEIGHT
NTR55-380	380mm	135mm	95mm	315g
NTR55-400	400mm			325g
NTR55-420	420mm			335g

ALUMINUM ALLOY
GUN METALLIC ANODIZED
WITH TRIATHLON MARK

NTR



NITTO TRIATHLON STEM


MODEL	EXTENSION	COLUMN	WEIGHT
NTR 60	60mm	160mm	300g
NTR 70	70mm		315g
NTR 80	80mm	190mm	350g
NTR 90	90mm		365g
NTR 100	100mm		380g

FORGED DURALUMIN
CLAMP DIAMETER 26.0mm
BLACK ANODIZED
ENGRAVED
NITTO TRIATHLON MARK

TOURING

RANDONNEUR

B132



MODEL	WIDTH	DROP	REACH	WEIGHT
B132-390	390mm	110mm	122mm	290g
B132-410	410mm			300g

ALUMINUM ALLOY
TUBE DIAMETER 23.8mm
CENTER DIAMETER 25.4mm

B135




MODEL	WIDTH	DROP	REACH	WEIGHT
B135-390	390mm	120mm	105mm	300g
B135-420	420mm			315g

ALUMINUM ALLOY
TUBE DIAMETER 23.8mm
CENTER DIAMETER 25.4mm

ZAO





BAG

MODEL	SIZE	WEIGHT
ZAO-I	150×240×180mm	650g

RED, BLUE, YELLOW, BLACK, BEIGE

RACK

MODEL	EXTENSION	WEIGHT
ZL-I ❶	60mm	130g
ZL-III ❷	95mm	150g

Cr.Mo. TUBE CONSTRUCTION
DULL BRIGHT


CYCLE STAND

CYCLE STAND A



CYCYE STAND E





CYCYE STAND B



CAMPEE

camping carrier
steel tube construction

REAR



1,100g

FRONT



1,080g