No.30

2016


NITTO

Track Racing

approved by "KEIRIN"
Professional Races in Japan
本品はＪＫＡの競走車部品
適合認定品です

B123 Steel






■ MATERIAL／STEEL TUBE
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B123-34	340	170	108	700ｇ
B123-35	350			710ｇ
B123-36	360			720ｇ
B123-37	370			730ｇ
B123-38	380			740ｇ
B123-39	390			750ｇ
B123-40	400			760ｇ

B123AA






■ MATERIAL／HEAT TREATED ALUMINUM
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B123AA-35	350	175	95	325ｇ
B123AA-36	360			330ｇ
B123AA-37	370			335ｇ
B123AA-38	380			340ｇ
B123AA-39	390			345ｇ
B123AA-40	400			350ｇ

B123Cr.Mo.






■ MATERIAL／CrMo STEEL TUBE
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-34	340	170	108	665ｇ
B123CrMo-35	350			675ｇ
B123CrMo-36	360			685ｇ
B123CrMo-37	370			695ｇ
B123CrMo-38	380			705ｇ
B123CrMo-39	390			715ｇ
B123CrMo-40	400			725ｇ
B123CrMo-41	410			735ｇ
B123CrMo-42	420			745ｇ

B125 Steel






■ MATERIAL／STEEL TUBE
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B125-36	360	152	92	660ｇ
B125-37	370			670ｇ
B125-38	380			680ｇ
B125-39	390			690ｇ
B125-40	400			700ｇ
B125-41	410			710ｇ
B125-42	420			720ｇ

B125AA






■ MATERIAL／HEAT TREATED ALUMINUM
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B125AA-35	350	150	88	305ｇ
B125AA-36	360			310ｇ
B125AA-37	370			315ｇ
B125AA-38	380			320ｇ
B125AA-39	390			325ｇ
B125AA-40	400			330ｇ

N.J.PRO AA






- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- COLOR／SILVER ANODIZED

MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO AA 80	80	125	280g
N.J.PRO AA 90	90		290g
N.J.PRO AA 100	100		300g
N.J.PRO AA 110	110		310g
N.J.PRO AA 120	120		320g

N.J.PRO58°,65°






- MATERIAL／FORGED STEEL
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- COLOR／SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO 70	70	125	365g
N.J.PRO 75	75		373g
N.J.PRO 80	80		380g
N.J.PRO 85	85		388g
N.J.PRO 90	90		395g
N.J.PRO 95	95		402g
N.J.PRO 100	100		410g
N.J.PRO 105	105		418g
N.J.PRO 110	110		426g
N.J.PRO 115	115		434g
N.J.PRO 120	120		442g
N.J.PRO 125	125		450g
N.J.PRO 130	130		458g
N.J.PRO 135	135		467g
N.J.PRO 140	140		475g

NPⅡ





※モデル名をＰｅａｒｌⅡよりＮＰⅡに変更いたします。
ＮＪＳマーク入りの旧 Ｐｅａｒｌ及びＰｅａｒｌⅡを、
お持ちの方は今まで通り、競輪で使用できます。

MODEL	EXTENSION	COLUMN	WEIGHT
NPⅡ 8	80	150	300g
NPⅡ 9	90		315g
NPⅡ 10	100		330g
NPⅡ 11	110		345g
NPⅡ 12	120		360g

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- COLOR／SILVER ANODIZED

NJ-89EX



NJS girls keirin stem

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ25.4mm
- POST CLAMP／φ28.6mm
- ANGLE／73°
- COLOR／SILVER ANODIZED

MODEL	EXTENSION	WEIGHT
NJ-89 60	60	140g
NJ-89 70	70	144g
NJ-89 80	80	148g
NJ-89 90	90	152g
NJ-89 100	100	156g
NJ-89 110	110	160g
NJ-89 120	120	164g

※ 適用ハンドルバー Ｂ１２３ＡＡ、Ｂ１２５ＡＡ

トラックレース用 シートピラー
２本のボルトで下から締める構造

NJ・SP72



NJ・SP72-W44

- MATERIAL／FORGED ALUMINUM
- POST DIAM／φ27.2
  ／φ27.0
  ／φ26.8
- LENGTH／210, 250mm
- SADDLE RAIL WIDTH／44mm
- OFFSET／22mm
- WEIGHT／270, 290g
- COLOR／SILVER ANODIZED




NJ・SP72-W30

- MATERIAL／FORGED ALUMINUM
- POST DIAM／φ27.2
  ／φ27.0
  ／φ26.8
- LENGTH／210, 250mm
- SADDLE RAIL WIDTH／30mm
- OFFSET／22mm
- WEIGHT／245, 265g
- COLOR／SILVER ANODIZED

B123CrMo-SSB






■ MATERIAL／CrMo STEEL TUBE
■ CENTER DIA／φ31.8
■ BAR DIA／φ23.8
■ COLOR／SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-SSB 370	370	170	108	560 g
B123CrMo-SSB 380	380			570 g
B123CrMo-SSB 390	390			580 g
B123CrMo-SSB 400	400			590 g

B123AA-SSB






■ MATERIAL／HEAT TREATED ALUMINUM
■ CENTER DIA／φ31.8
■ BAR DIA／φ23.8
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B123AA-SSB 370	370	175	95	340 g
B123AA-SSB 380	380			345 g
B123AA-SSB 390	390			350 g
B123AA-SSB 400	400			355 g

Clamp On UI-12






■ MATERIAL／CrMo
■ BAR CLAMP／φ31.8
■ POST CLAMP／φ28.6
■ COLOR／SILVER

MODEL	EXTENSION	WEIGHT
Clamp On UI-12 - 70	70	195 g
Clamp On UI-12 - 80	80	205 g
Clamp On UI-12 - 90	90	215 g
Clamp On UI-12 -100	100	225 g
Clamp On UI-12 -110	110	235 g
Clamp On UI-12 -120	120	245 g

UI-12





■ MATERIAL／CrMo
■ BAR CLAMP／φ31.8
■ POST DIAM／φ22.2
■ COLOR／SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
UI-12 - 80	80	140	325 g
UI-12 - 90	90		335 g
UI-12 -100	100		345 g
UI-12 -110	110		355 g
UI-12 -120	120		365 g


Road Racing


M106 NAS



■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ26.0
■BAR DIAM／φ24.0
■COLOR／SILVER／BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M106NAS-380	380	128	78	300ｇ
M106NAS-400	400			310ｇ
M106NAS-420	420			320ｇ







M186 STI



■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ26.0
■BAR DIAM／φ24.0
■COLOR／SILVER／BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M186STI-380	380	122	80	300ｇ
M186STI-400	400			305ｇ
M186STI-420	420			310ｇ






M190Euro80




■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ26.0
■BAR DIAM／φ24.0
■COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M190Euro80-380	380	131	80	310ｇ
M190Euro80-400	400			315ｇ
M190Euro80-420	420			320ｇ



With double cable grooves　前後ワイヤ溝付





Neat Mod.104



■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ26.0
■BAR DIAM／φ24.0
■COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
Neat Mod.104-380	380	140	65	290ｇ
Neat Mod.104-400	400			300ｇ
Neat Mod.104-420	420			310ｇ






Mod.90 SSB (31.8)

CARBON DROPBAR



■MATERIAL／CARBON FIBER
■CENTER DIAM／φ31.8
■BAR DIAM／φ24.0
■COLOR／BLACK

MODEEL	WIDTH	A	DROP	REACH	WEIGHT
Mod.90 SSB W380	380	128	128	78	238ｇ
Mod.90 SSB W400	400	148			243ｇ
Mod.90 SSB W420	420	168			248ｇ




B123CB (31.8)


CARBON DROPBAR



■MATERIAL／CARBON FIBER
■CENTER DIAM／φ31.8
■BAR DIAM／φ23.8
■COLOR／BLACK ／BLUE

MODEEL	WIDTH	A	DROP	REACH	WEIGHT
B123CB W370	370	112	170	108	242ｇ
B123CB W380	380	122			247ｇ
B123CB W390	390	132			252ｇ
B123CB W400	400	142			257ｇ





RB-036-SSB(31.8)

■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ31.8
■BAR DIAM／φ24.0
■COLOR／BLACK ANODIZED

参考図




MODEL	WIDTH	DROP	REACH	WEIGHT
RB-036 SSB-400	400	0	133	275ｇ
RB-036 SSB-420	420			285ｇ

w/holes for internal cable routing



RB-021-SSB(31.8)


■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ31.8
■BAR DIAM／φ24.0
■COLOR／SILVER ANODIZED



MODEL	WIDTH	DROP	REACH	WEIGHT
RB-021AA-SSB-380	380	60	167	275ｇ
RB-021AA-SSB-400	400			280ｇ
RB-021AA-SSB-420	420			285ｇ


M106 SSB(31.8)






■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ31.8
■BAR DIAM／φ24.0
■COLOR／SILVER／BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M106SSB-380	380	128	78	275g
M106SSB-400	400			285g
M106SSB-420	420			295g




Neat Mod.185






■ MATERIAL／ALUMINUM
■ CENTER DIAM／φ26.0
■ BAR DIAM／φ24.0
■ COLOR／SILVER ANODIZED




MODEL	WIDTH	DROP	REACH	WEIGHT
Neat Mod.185-380	380	140	82	330g
Neat Mod.185-400	400			340g
Neat Mod.185-420	420			350g

B105AA






■ MATERIAL／ALUMINUM
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED



MODEL	WIDTH	DROP	REACH	WEIGHT
B105-370	370	135	95	300g
B105-380	380			305g
B105-390	390			310g
B105-400	400			315g
B105-410	410			320g
B105-420	420			325g


RM-3






■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ25.4
■BAR DIAM／φ23.8
■COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RM-3-520	520	120	65	325g
RM-3-580	580			360g



RM-3 SSB(31.8)






■MATERIAL／HEAT TREATED ALUMINUM
■CENTER DIAM／φ31.8
■BAR DIAM／φ23.8
■COLOR／SILVER／BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RM-3 SSB-520	520	120	65	285g
RM-3 SSB-540	540			305g
RM-3 SSB-580	580			325g

RB-018






■ MATERIAL／HEAT TREATED ALUMINUM
■ CENTER DIAM／φ26.0
■ BAR DIAM／φ23.8
■ COLOR／LIGHT GRAY ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RB-018-380	380	0	154	260g
RB-018-390	390			265g
RB-018-400	400			270g
RB-018-420	420			275g

RB-021






■ MATERIAL／ALUMINUM
■ CENTER DIAM／φ25.4/φ26.0
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RB-021-380	380	60	167	265g
RB-021-400	400			270g
RB-021-420	420			275g

RB-010






■ MATERIAL／ALUMINUM
■ CENTER DIAM／φ25.4
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RB-010	400	27	152	295g

RM-016






■ MATERIAL／HEAT TREATED ALUMINUM
■ CENTER DIAM／φ25.4/φ26.0
■ BAR DIAM／φ23.8
■ COLOR／SILVER ANODIZED


MODEL	WIDTH	DROP	REACH	WEIGHT
RM-016-26.0	515	50	95	370g
RM-016-25.4				

Touring



B132AAF







- MATERIAL／ALUMINUM
- CENTER DIAM／φ25.4
- BAR DIAM／φ23.8
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B132AAF-390	390	110	122	307g
B132AAF-410	410			313g



B135AA-25







- MATERIAL／ALUMINUM
- CENTER DIAM／φ25.4
- BAR DIAM／φ23.8
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B135AA-25-390	390	120	105	300g
B135AA-25-420	420			315g
B135AA-25-450	450			375g



B135AA-SSB







- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ31.8
- BAR DIAM／φ23.8
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B135AA-SSB-390	390	120	105	300g
B135AA-SSB-420	420			315g
B135AA-SSB-450	450			375g



B136AA







- MATERIAL／ALUMINUM
- CENTER DIAM／φ25.4
- BAR DIAM／φ23.8
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B136AA-400	400	128	100	315g
B136AA-420	420			320g



Mod.177





- MATERIAL／ALUMINUM
- CENTER DIAM／φ26.0
- BAR DIAM／φ24.0
- COLOR／SILVER ANODIZED


MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.177-400	400	140	95	330g
Mod.177-420	420			340g
Mod.177-440	440			350g


- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ26.0
- BAR DIAM／φ23.8
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.177-460	460	140	95	375g
Mod.177-480	480			385g

B260AAF









■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B260AAF	480	35	58	210ｇ

B220AAF










■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B220AAF	480	38	58	265ｇ

B221AA-HT










■ MATERIAL／HEAT TREATED ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B221AA-HT	470	45	52	275ｇ

B230AAF








■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B230AAF	580	22	68	310ｇ

※ シマノ グリップシフター ＳＬ-３５４装着可

RB-006








■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
RB-006-380	380	12	137	280ｇ
RB-006-400	400			290ｇ
RB-006-420	420			330ｇ

B267AA-SSB






- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ31.8 mm
- BAR DIAM／φ22.2 mm
- BEND ANGLE ／ 18°
- COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B267AA－SSB	520	38	57	215ｇ

B2501AA-SSB






- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ31.8 mm
- BAR DIAM／φ22.2 mm
- BEND ANGLE ／ 0°
- COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2501AA－SSB	500	0	0	205ｇ

B2521AA-SSB






- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ31.8 mm
- BAR DIAM／φ22.2 mm
- BEND ANGLE ／ 5°
- COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2521AA-SSB	520	0	(16)	215ｇ

B2522AA-26






- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ26.0mm
- BAR DIAM／φ22.2 mm
- BEND ANGLE ／45°
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B2522AA-26	570	0	20	255ｇ

B2522AA-SSB






- MATERIAL／HEAT TREATED ALUMINUM
- CENTER DIAM／φ31.8mm
- BAR DIAM／φ22.2mm
- BEND ANGLE ／45°
- COLOR／SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B2522AA-SSB	570	0	20	250ｇ

Standard Urban Cycle Handlebar



B201AA







■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B201AA	500	0	35	210 g



B206AA






■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B206AA	525	15	34	225 g



B245AA






■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B245AA	545	22	14	270 g



B2500AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2500AA	500	0	0	210 g



B2520AA 25
B2520AA 26






■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2520AA 25	520	0	18	225 g
B2520AA 26				



B2525AA 25
B2525AA 26






■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2525AA 25	580	0	54	255 g
B2525AA 26				




B302AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B302AA	490	65	48	360ｇ






B307AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B307AA	435	50	80	315ｇ






B483AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B483AA	510	95	20	365ｇ






B602AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B602AA	490	68	192	380ｇ






B603AA




■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B603AA	480	56	174	365ｇ






B617AA



■ MATERIAL／ALUMINUM
■ COLOR／SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B617AA	450	0	235	380ｇ



Road Racing

UI-21

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ31.8 mm
- POST CLAMP／φ28.6 mm

MODEL	EXTENSION	WEIGHT
UI-21- 60	60	140g
UI-21- 70	70	145g
UI-21- 80	80	150g
UI-21- 90	90	155g
UI-21-100	100	160g
UI-21-110	110	165g
UI-21-120	120	170g


UI-21EX（SILVER）



UI-21BX（BLACK）



φ31.8



UI-22

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ31.8 mm
- POST CLAMP／φ28.6 mm

MODEL	EXTENSION	WEIGHT
UI-22- 70	70	155g
UI-22- 80	80	160g
UI-22- 90	90	165g
UI-22-100	100	170g
UI-22-110	110	175g
UI-22-120	120	180g


UI-22BX（BLACK）





UI-22EX（SILVER）

φ31.8



UI-85

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ26.0 mm
- POST CLAMP／φ28.6 mm
  φ25.4mm Shim Attachment


MODEL	EXTENSION	WEIGHT
UI-85- 60	60	145g
UI-85- 70	70	150g
UI-85- 80	80	145g
UI-85- 90	90	150g
UI-85-100	100	155g
UI-85-110	110	160g
UI-85-120	120	165g

UI-85EX（SILVER）



UI-85BX
（SHINY BLACK）





UI-86

- MATERIAL／FORGED ALUMINUM
- BAR CLAMP／φ26.0 mm
- POST CLAMP／φ28.6 mm
  φ25.4mm Shim Attachment


MODEL	EXTENSION	WEIGHT
UI-86- 70	70	150g
UI-86- 80	80	155g
UI-86- 90	90	160g
UI-86-100	100	165g
UI-86-110	110	170g
UI-86-120	120	175g

UI-86BX（SHINY BLACK）





UI-86EX（SILVER）



ＵＩ－２５ＥＸ（ＣＮＣ）

ＣＮＣシステム切削加工
《computer numerical control》



ＥＸ（ＳＩＬＶＥＲ）

ＢＡＲ ＣＬＡＭＰ
φ３１．８

ＵＩ－２５ＢＸ（ＣＮＣ）



ＢＸ
（SHINY BLACK）

- MATERIAL／HEAT TREATED ALUMINUM
- EXTENSION／60～120 mm every 10 mm
- BAR CLAMP／φ31.8 mm
- POST CLAMP／φ28.6 mm
- ANGLE／ 85°
- WEIGHT／118～154ｇ
- COLOR／SILVER(EX) ／BLACK(BX) ANODIZED

ＵＩ－８７ＢＸ（ＣＮＣ）

ＣＮＣシステム切削加工
《computer numerical control》



ＢＸ
（SHINY BLACK）

ＢＡＲ ＣＬＡＭＰ
φ２６．０

ＵＩ－８７ＥＸ（ＣＮＣ）

ＥＸ（ＳＩＬＶＥＲ）


- MATERIAL／HEAT TREATED ALUMINUM
- EXTENSION／80～110 mm every 10 mm
- BAR CLAMP／φ26.0 mm
- POST CLAMP／φ28.6 mm
- ANGLE／ 85°
- WEIGHT／128～148ｇ
- COLOR／SILVER(EX) ／BLACK(BX) ANODIZED

ＣＴ－１



φ２６．０
ＢＡＲ ＣＬＡＭＰ

- MATERIAL／CrMo
- EXTENSHION／80～120 mm every 10 mm
- BAR CLAMP／φ26.0 mm
- POST DIAM／φ22.2 mm
- POST LENGTH／140mm
- ANGLE／ 72°
- WEIGHT／365～385g
- COLOR／SILVER（めっき）



ＣＴ－２




φ２５．４
ＢＡＲ ＣＬＡＭＰ

- MATERIAL／CrMo
- EXTENSHION／80～120 mm every 10 mm
- BAR CLAMP／φ25.4 mm
- POST DIAM／φ22.2 mm
- POST LENGTH／140mm
- ANGLE／ 72°
- WEIGHT／370～390g
- COLOR／SILVER（めっき）




ＵＩ－２



- MATERIAL／CrMo
- EXTENSHION／60～120 mm every 10 mm
- BAR CLAMP／φ26.0 mm
- POST DIAM／φ22.2 mm
- POST LENGTH／ E 60－P115 mm
  E 70～E 80－P125 mm
  E 90～E120－P137 mm
  E＝EXTENSION P＝POST LENGTH
- ANGLE／ 71°
- WEIGHT／370～390g
- COLOR／SILVER（ダルめっき）




Ｃｌａｍｐ ｏｎ ＵＩ－２



- MATERIAL／CrMo
- EXTENSHION／60～120 mm every 10 mm
- BAR CLAMP／φ26.0 mm
- POST CLAMP／φ28.6 mm
- ANGLE／ 72°
- WEIGHT／168～208g
- COLOR／SILVER（ダルめっき）

Road Racing






NP-60 (60~70)

- MATERIAL／FORGED ALUMINUM
- EXTENSION／60・70mm
- ANGLE／71°
- BAR CLAMP／φ25.4/φ26.0mm
- POST DIAM／φ22.2mm
- POST LENGTH／150mm
- WEIGHT／280～290g
- COLOR／SILVER ANODIZED





NP-80 (80~120)

- MATERIAL／FORGED ALUMINUM
- EXTENSION／80～120mm / every 10mm
- ANGLE／71°
- BAR CLAMP／φ25.4/φ26.0mm
- POST DIAM／φ22.2mm
- POST LENGTH／150mm
- WEIGHT／300～360g
- COLOR／SILVER ANODIZED




NTC-(50~130)-150

- MATERIAL／FORGED ALUMINUM
- EXTENSION／50～130mm every 10mm
- ANGLE／71°
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／150mm
- WEIGHT／280～360ｇ
- COLOR／SILVER

NTC-(50~130)-225

- MATERIAL／FORGED ALUMINUM
- EXTENSION／50～130mm / every 10mm
- ANGLE／71°
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／225mm
- WEIGHT／345～475ｇ
- COLOR／SILVER






NTC-(50~100)-280

- MATERIAL／FORGED ALUMINUM
- EXTENSION／50～130mm / every 10mm
- ANGLE／71°
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／280mm
- WEIGHT／375～425ｇ
- COLOR／SILVER






NA-80 (80~130)

- MATERIAL／FORGED ALUMINUM
- EXTENSION／80～130mm /every 10mm
- ANGLE／72°
- BAR CLAMP／φ25.4 or φ26.0mm
- POST DIAM／φ22.2mm
- POST LENGTH／145mm
- WEIGHT／300～375ｇ
- COLOR／SILVER ANODIZED





NY3-70 (70~100)

- MATERIAL／ALUMINUM
- EXTENSION／70～100mm /every 10mm
- ANGLE／72°
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／160mm
- WEIGHT／300～360ｇ
- COLOR／SILVER



MT-10DX-80

- MATERIAL／FORGED ALUMINUM
- EXTENSION／80mm
- ANGLE／35° UP
- BAR CLAMP／φ26.0mm
- POST DIAM／φ22.2mm
- POST LENGTH／190mm
- WEIGHT／340ｇ
- COLOR／SILVER ANODIZED



MT-10DX-100


- MATERIAL／FORGED ALUMINUM
- EXTENSION／100mm
- ANGLE／35° UP
- BAR CLAMP／φ26.0mm
- POST DIAM／φ22.2mm
- POST LENGTH／190mm
- WEIGHT／360ｇ
- COLOR／SILVER ANODIZED

MT-10-E80-25

- MATERIAL／FORGED ALUMINUM
- EXTENSION／80mm
- ANGLE／35° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／160mm
- WEIGHT／325ｇ
- COLOR／SILVER

MT-10-E100-25

- MATERIAL／FORGED ALUMINUM
- EXTENSION／100mm
- ANGLE／35° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／160mm
- WEIGHT／345ｇ
- COLOR／SILVER



FU-82DX-190



- MATERIAL／FORGED ALUMINUM
- EXTENSION／80mm
- ANGLE／30° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／190mm
- WEIGHT／330ｇ
- COLOR／SILVER ANODIZED


FU-82-260



- MATERIAL／FORGED ALUMINUM
- EXTENSION／80mm
- ANGLE／30° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／260mm
- WEIGHT／375ｇ
- COLOR／SILVER


MTC-012





- MATERIAL／ALUMINUM
- UPPER／φ28.6mm
- LOWER／φ22.2mm
- LENGTH／150mm
- WEIGHT／210ｇ
- COLOR／SILVER ANODIZED

MTC-01
MTC-02
MTC-03
MTC-04
MTC-04-225



	UPPER	LOWER	POST LENGTH	WEIGHT
MTC-01	25.4mm	22.2mm	130mm	170ｇ
MTC-02	28.6mm	25.4mm	130mm	180ｇ
MTC-03	28.6mm	28.6mm	130mm	175ｇ
MTC-04	28.6mm	22.2mm	130mm	180ｇ
MTC-04-225	(28.6-22.2)		225mm	250ｇ

- MATERIAL／ALUMINUM
- COLOR／SILVER ANODIZED

Seat Post



S65

- MATERIAL／FORGED ALUMINUM
- POST DIAM／27.2, 27.0, 26.8mm
- OFFSET／24mm
- LENGTH／250, 300mm
- WEIGHT／215, 270ｇ
- COLOR／SILVER ANODIZED
- ／BLACK ANODIZED(φ27.2)



S84

- MATERIAL／
  BODY Cr.Mo.
  CLAMP FORGED ALUMINUM
- POST DIAM／27.2mm
- OFFSET／37mm
- LENGTH／250mm
- WEIGHT／345ｇ
- COLOR／SILVER



S83

- MATERIAL／
  FORGED ALUMINUM
- POST DIAM／27.2mm
- OFFSET／23mm
- LENGTH／250, 300mm
- WEIGHT／275, 300ｇ
- COLOR／SILVER ANODIZED

Cycle Stand

CYCLE STAND EX

for 27” Wheels



- MATERIAL／STEEL TUBE
- WEIGHT／700ｇ
- COLOR／SILVER

Attachment for EX



Standard
（for SHIMANO）



Option Attachment
（for CAMPAGNOLO）

CYCLE STAND EX-20



for 20” Wheels

CYCLE STAND EX-29




for 29” Wheels

B853AA



- MATERIAL／HEAT TREATED ALUMINUM
- WIDTH／560, 580mm
- DROP／0mm
- CENTER DIAM／φ25.4mm
- BAR DIAM／φ22.2mm
- BACK SWEEP／5°
- WEIGHT／190, 195ｇ
- COLOR／SILVER ANODIZED

B809AA



- MATERIAL／HEAT TREATED ALUMINUM
- WIDTH／600, 635mm
- DROP／22mm
- CENTER DIAM／φ25.4mm
- BAR DIAM／φ22.2mm
- BACK SWEEP／10°
- WEIGHT／295, 305ｇ
- COLOR／SILVER ANODIZED

MT-11



- MATERIAL／ALUMINUM
- EXTENSION／100mm　120mm
- ANGLE／15° UP　10° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ25.4mm
- POST LENGTH／140mm
- WEIGHT／330ｇ　370ｇ
- COLOR／SILVER

MT-12



- MATERIAL／ALUMINUM
- EXTENSION／120mm
- ANGLE／15° UP
- BAR CLAMP／φ25.4mm
- POST DIAM／φ22.2mm
- POST LENGTH／130mm
- WEIGHT／360ｇ
- COLOR／SILVER

B801AA-SSB



- MATERIAL／HEAT TREATED ALUMINUM
- WIDTH／730mm
- DROP／48mm
- CENTER DIAM／φ31.8mm
- BAR DIAM／φ22.2mm
- BACK SWEEP／15°
- WEIGHT／395ｇ
- COLOR／SILVER/BLACK ANODIZED

B809AA-SSB



- MATERIAL／HEAT TREATED ALUMINUM
- WIDTH／730mm
- DROP／32mm
- CENTER DIAM／φ31.8mm
- BAR DIAM／φ22.2mm
- BACK SWEEP／8°
- WEIGHT／385ｇ
- COLOR／SILVER/BLACK ANODIZED

Campee

camping carrier
steel tube construction



Campee-REAR

for 26" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／1,200ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１６kg



Campee-FRONT

for 26" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／1,185ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１６kg




Campee-27 -REAR

for 27" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／1,215ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１６kg

ステー交換部品付属
Comes with two kinds of stays



Campee-27 -FRONT

for 27" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／1,055ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１６kg



MT-Campee REAR-R20

for 26" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／780ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１７kg

ステー交換部品付属
Comes with two kinds of stays



MT-Campee FRONT-F20

for 26" Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／1,040ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／１７kg

Carrier

FRONT-M12



for 26” or 27” Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／255ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／5kg

With Double Threaded Bolt


FRONT-M18

for 26” or 27” Wheels



- MATERIAL／CrMo STEEL TUBE
- WEIGHT／350ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／5kg

FRONT-F16




- For NP･NTC Stem
- MATERIAL／STAINLESS STEEL TUBE φ６mm
- WEIGHT／130g
- COLOR／SILVER

推奨 フロントバック
オーストリッチ
Ｆ－１０４
Ｆ－１０６
Ｆ－５１６
Ｆ－５３０
Ｆ－７０２



Rear Bag Supporter R10



for 26” or 27” Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／390ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／10kg

Rear Bag Supporter R12





- MATERIAL／STEEL
- WEIGHT／178ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／1.2kg

Rear Bag Supporter R15



for 26” or 27” Wheels

- MATERIAL／STEEL TUBE
- WEIGHT／790ｇ
- COLOR／SILVER
- MAXIMUM PAYLOAD／10kg



Wire Guard

Protect For Saddle Bag

- MATERIAL／STAINLESS STEEL
- WEIGHT／30g

製品全体がスプリングになっています。
シート･ステーに簡単に取付けることが出来て、しっかり固定します。
外観もスッキリ楽しいツーリングをお楽しみいただけます。
　サビにくいステンレス素材を使用しています。



Accessories

Lamp Holder 3

- MATERIAL／STAINLESS STEEL TUBE
- SCREW／ M６
- WEIGHT／55g



Front Carrier M１２




Lamp Holder 4

- MATERIAL／STAINLESS STEEL TUBE
- SCREW／ M５
- WEIGHT／55g








Outer Cable Stopper

AS－1

for TOURING



- Stopper／ STEEL
  Adjustment Screw／ ALUMINUM
- WEIGHT／ 7g



AS－2

- Stopper／ STEEL
- Ｌ／45mm
- Ｂ／13mm
- WEIGHT／ 7g

AS－3

- Stopper／ STEEL
- Ｌ／35mm
- Ｂ／11mm
- WEIGHT／ 6g

Lamp Holder 6 L
Lamp Holder 6 R



FOR M18 FRONT CARRIER

- MATERIAL／STAINLESS STEEL／STEEL

6 L

- Riding Right side of the road (e.g. U.S.A.)



6 R

- Riding Left side of the road (e.g.Japan,U.K.)
- 左側通行



Bar End Cap
EC-01
(Bar Diam φ24)



- WEIGHT／25g×2
- Inside Diameter of Bar φ20～22mm



EC-01 Black

EC-01 Blue



EC-01 Silver

EC-01 Gold






EC-01 Red

Bar End Cap
EC-02 (Bar Diam φ22.2)

Two sizes of rubber bush included

1.MAX φ19～17

2.MAX φ17～15



EC-02 Blue

EC-02 Red

EC-02 Silver



EC-02 Gold

EC-02 Black



Bottle Cage 80

■ MATERIAL／STAINLESS STEEL TUBE
■ WEIGHT／48.5g



Bottle Cage T

■ MATERIAL／STAINLESS STEEL
■ WEIGHT／55g



Bottle Cage R

■ MATERIAL／STAINLESS STEEL
■ WEIGHT／53g



Bottle Cage 500

■ MATERIAL／STAINLESS STEEL
■ WEIGHT／55g

Lamp Holder 31.8

■BODY／FORGED ALUMINUM
■BAR CLAMP／φ31.8mm
■SHORT BAR DIAM／φ23.8mm
LENGTH／50、90mm
■WEIGHT／80g(BAR50mm)

φ31.8



φ23.8



φ26.0



φ23.8

Lamp Holder 70



■BODY／FORGED ALUMINUM
■BAR CLAMP／φ26.0mm
■SHORT BAR DIAM／φ23.8mm
LENGTH／50、90mm
■WEIGHT／92g(BAR50mm)

φ26.0



φ22.2

Lamp Holder2-70




■BODY／FORGED ALUMINUM
■BAR CLAMP／φ26.0mm
■SHORT BAR DIAM／φ22.2mm
LENGTH／200mm
■WEIGHT／235g

Stainless Shim

■ MATERIAL／STAINLESS STEEL
■ WEIGHT／8g





Wool Jersey



American size
XS, S

T Shirt





American size
S, M, L

Racing Cap



made in U.S.A.

NITTO Co.,Ltd
Since 1923

3－23－7 Minami Hatogaya
Kawaguchi Saitama 334-0013 Japan
ＴＥＬ：８１－４８－２８６－７７７１
ＦＡＸ：８１－４８－２８６－７７７０
E-mail:nitto@violin.ocn.ne.jp
http://nitto-tokyo.sakura.ne.jp

Ｎｏ：３０－２０１６

株式会社 日東

東京事務所：〒334-0013
埼玉県川口市南鳩ヶ谷３－２３－７
ＴＥＬ：０４８-２８６-７７７１㈹
ＦＡＸ：０４８-２８６-７７７０
E-mail:nitto@violin.ocn.ne.jp
http://nitto-tokyo.sakura.ne.jp

本　　社：東京都荒川区西日暮里１－１５－５
福島工場：〒964-0938
福島県二本松市安達ヶ原６－１５１－１