ANSWER PRODUCTS
2005





CEDRIC GRACIA | SCOTLAND WORLD CUP

© GIBSON PICTURES

manitou

LA MESA DEL CONTENIDO

MANITOU SUSPENSION FORKS	
DORADO	0004
SHERMAN	0006
STANCE	0008
NIXON	0010
MINUTE	0012
SKAREB	0014
BLACK	0016
SPLICE	0018
AXEL	0018
SIX	0018
SOUTH	0020
LUXE	0020
MANITOU SHOCKS	0021
SWINGER AIR SHOCKS	0022
SWINGER COIL SHOCKS	0023
METEL COIL SHOCKS	0024
RADIUM AIR SHOCKS	0024
SUSPENSION TECHNOLOGY	0026
ACCESSORIES AND CLOTHING	0028
ANSWER BARS AND STEMS	0030
ANSWER SHOES	0032
ANSWER GLOVES	0034
ANSWER BMX	
FORKS	0035
WHEELS AND CRANKS	0036
BARS	0037
EDGE AND TEAM III CLOTHING	0038
ACCESSORIES	0040
KB	0042
DRIVE	0044
MOTOREX	0046

for a complete list of international distributors, please visit www.answerproducts.com



© STERLING LORENCE

DORADO

Exemplifying Manitou's drive to innovate, the new Dorado boasts added stiffness and lower weight via increased stanchion diameter, clamping surface area and overall fork optimization. With features such as varying diameter butted carbon fiber legs, Hex Lock Thru-axle, oversized hollow lower crown, and integrated handlebar clamp, Dorado is the most technologically advanced suspension fork ever created.



Dorado MRD X-Works ➤

Weight	7.6 lbs
Travel	200 mm
Damping	TPC+
Adjustments	Compression, Rebound
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Outers	Upside Down Carbon Legs
Stanchions	32 mm Aluminum
Steerer	Aluminum
Crown	MRD Integrated Triple Clamp Stem Combo Polished Black Aluminum Hollow Lower Crown
Axle	20mm Hex Lock Thru-axle

85-22372	DORADO MRD X-WORKS SMALL
85-22373	DORADO MRD X-WORKS LARGE
85-22370	DORADO MRD X-WORKS SMALL; 31.8 MM HB CLAMP
85-22371	DORADO MRD X-WORKS LARGE; 31.8 MM HB CLAMP



Dorado DH

Weight	7.5 lbs
Travel	180 mm
Damping	TPC+
Adjustments	Compression, Rebound
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Outers	Upside Down Carbon Legs
Stanchions	32 mm Aluminum
Steerer	Aluminum
Crown	Polished Black Aluminum; Hollow Lower Crown
Axle	20mm Hex Lock Thru-axle

85-22345	DORADO DH SMALL
85-22346	DORADO DH LARGE

"SMALL" DUAL CROWNS ACCOMMODATE STACK HEIGHTS BETWEEN 145MM AND 175MM

"LARGE" DUAL CROWNS ACCOMMODATE STACK HEIGHTS BETWEEN 175MM AND 200MM

SHERMAN

New for 2005, all Sherman forks have at least 150mm of travel controlled either by our Twin Piston Chamber (TPC) or the new SPV Evolve damping system. With other features like Hex Lock Axle, Evil Genius seals and Semi-Bath lubrication, and a burly, long travel specific RA casting, Sherman forks provide a level of performance that is unsurpassed.



Sherman Breakout Plus ➤

Weight	5.8 lbs
Travel	130/170 mm Rapid Travel II
Damping	SPV Evolve
Adjustments	Rebound, SPV Platform Pressure, SPV Volume, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	32 mm aluminum
Steerer	Butted onepointfive Aluminum*
Crown	Hollow Forged Black Aluminum
Axle	Hex Lock Thru-axle

*FOR MORE INFORMATION VISIT WWW.ONEPOINTFIVESTANDARD.COM
SEE THE NEW ONEPOINTFIVE STEMLOCK! PAGE 30

85-21130	SHERMAN BREAKOUT PLUS TA	TEXTURED BLACK
85-21131	SHERMAN BREAKOUT PLUS TA	URBAN CAMO



Sherman Slider Plus

Weight	6.8 lbs
Travel	170 mm
Damping	SPV Evolve
Adjustments	Rebound, SPV Platform Pressure, SPV Volume
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	32 mm aluminum
Steerer	Aluminum
Crown	Triple Clamp Aluminum
Axle	Hex Lock Thru-axle

85-21132	SHERMAN SLIDER PLUS TA	SMALL	TEXTURED BLACK
85-21134	SHERMAN SLIDER PLUS TA	SMALL	URBAN CAMO
85-21133	SHERMAN SLIDER PLUS TA	LARGE	TEXTURED BLACK
85-21135	SHERMAN SLIDER PLUS TA	LARGE	URBAN CAMO



"Small" dual crowns accommodate stack heights between 145mm and 175mm | "Large" dual crowns accommodate stack heights between 175mm and 200mm

© SPOMER



© STERLING LORENCE

Sherman Firefly Plus

Weight	5.0 lbs
Travel	110/150mm Rapid Travel II
Damping	SPV Evolve
Adjustments	Rebound, SPV Platform Pressure, SPV Volume, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Ti Coil
Casting	Magnesium RA
Stanchions	32 mm aluminum
Steerer	Steel
Crown	Hollow Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21128	SHERMAN FIREFLY PLUS STD	TEXTURED BLACK
85-21129	SHERMAN FIREFLY PLUS TA	TEXTURED BLACK

Sherman Flick Plus

Weight	5.4 lbs
Travel	110/150 mm Rapid Travel II
Damping	TPC
Adjustments	Rebound, Compression, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	32 mm aluminum
Steerer	Steel
Crown	Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21126	SHERMAN FLICK PLUS STD	TEXTURED GRAY
85-21127	SHERMAN FLICK PLUS TA	TEXTURED GRAY



STANCE

When we set out to create a budget priced alternative to our Sherman line, we knew that the fork must be the ultimate blend of performance and value. So we packed it full of high-end features. Common to all of our new Stance freeride, street, and dirt jump forks is a remarkably stiff and durable structure consisting of 32mm black nitride steel stanchions, solid forged aluminum crowns, and an all new Reverse Arch magnesium casting that is available in either a standard or a hex lock thru axle option.

COMFORT
TRAILKING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL

Stance Kingpin

Weight	7.2 lbs
Travel	170 mm
Damping	TPC +
Adjustments	Rebound, Air assist
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil with air assist
Casting	Magnesium RA
Stanchions	32 mm black nitride cromo
Steerer	Aluminum
Crown	Triple Clamp Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21124	STANCE KINGPIN STD	SMALL	BLACK
85-21125	STANCE KINGPIN TA	SMALL	BLACK
85-21136	STANCE KINGPIN STD	LARGE	BLACK
85-21137	STANCE KINGPIN TA	LARGE	BLACK

"SMALL" DUAL CROWNS ACCOMMODATE STACK HEIGHTS BETWEEN 145MM AND 175MM
"LARGE" DUAL CROWNS ACCOMMODATE STACK HEIGHTS BETWEEN 175MM AND 200MM

Stance Flow

Weight	6.2 lbs
Travel	120/150mm RTWD
Damping	FFD
Adjustments	Rebound, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	32 mm black nitride cromo
Steerer	Steel
Crown	Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21122	STANCE FLOW STD	CHARCOAL
85-21123	STANCE FLOW TA	CHARCOAL

Stance Static ➤

Weight	5.8 lbs
Travel	80mm or 100mm (preset travel)
Damping	FFD
Adjustments	Rebound
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil with Air Assist
Casting	Magnesium RA
Stanchions	32 mm black nitride cromo
Steerer	Steel
Crown	Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21118	STANCE STATIC 80	STD	BLACK
85-21119	STANCE STATIC 80	TA	BLACK
85-21120	STANCE STATIC 100	STD	BLACK
85-21121	STANCE STATIC 100	TA	BLACK





© STERLING LORENCE



Nixon Elite

Weight	4.6 lbs
Travel	115/145mm RTWD
Damping	TPC
Adjustments	Rebound, Compression, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	32 mm butted Aluminum
Steerer	Butted Aluminum
Crown	Hollow Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21110	NIXON ELITE STD	MATTE BLACK
85-21111	NIXON SUPER TA	MATTE BLACK

Nixon Super ➤

Weight	4.2 lbs
Travel	145mm Infinite Travel (IT) adjust
Damping	TPC
Adjustments	Air spring pressure, Rebound, Compression, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Handlebar-mounted IT Air
Casting	Magnesium RA
Stanchions	32 mm butted Aluminum
Steerer	Butted Aluminum
Crown	Hollow Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21112	NIXON SUPER STD	MATTE BLACK
85-21113	NIXON SUPER TA	MATTE BLACK

NIXON

The most hotly anticipated suspension fork for 2005, what the Nixon [and an accompanying long travel Swinger Air rear shock] has spawned is an entirely new breed of long travel trail bikes: light by any standard, efficient enough to be pedaled all day, and with enough capable suspension to be ridden aggressively on the roughest terrain. Nixon uses a combination of proprietary technologies to achieve exceptional stiffness at extremely low weights. Also utilized in the Nixon line is our Infinite Travel (IT) handlebar-mounted travel adjust system, the lightest, most user-friendly travel adjust system ever.

COMFORT
TOURING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL



Nixon Platinum ➤

Weight	4.4 lbs
Travel	145mm Infinite Travel (IT) adjust
Damping	SPV Evolve
Adjustments	Air spring pressure, Rebound, Travel, SPV Volume, SPV pressure
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Handlebar-mounted IT Air
Casting	Magnesium RA
Stanchions	32 mm butted Aluminum
Steerer	Butted Aluminum
Crown	Hollow Forged Black Aluminum
Axle	Standard Quick Release
Optional	Hex Lock Thru-axle

85-21114	NIXON PLATINUM STD	MATTE BLACK
85-21116	NIXON PLATINUM TA	MATTE BLACK
85-21115	NIXON PLATINUM STD	MATTE SILVER
85-21117	NIXON PLATINUM TA	MATTE SILVER



MINUTE

The Minute family features a host of improvements including an upgrade to SPV Evolve damping and the addition of the IT travel adjust system on the Minute 3:00. Minute combines 30mm aluminum stanchions and a devastatingly handsome reverse arch casting for push-through-rock-strewn-corner stiffness in a package that's still light enough to be raced.



Minute 3:00 ➤

Weight	4.0 lbs
Travel	130mm Infinite Travel (IT) adjust
Damping	SPV Evolve
Adjustments	Air Spring Pressure, Rebound, SPV Platform Pressure, SPV Volume Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Handlebar-mounted IT air
Casting	Magnesium RA with integrated graphics
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Hollow Forged Black Aluminum

PART NUMBER

85-21108	MINUTE THREE	INTEGRATED BLACK
85-21109	MINUTE THREE NB (NO BOSS)	INTEGRATED BLACK



© STERLING LORENCE

Minute 1:00

Weight	4.0 lbs
Travel	100-130mm Rapid Travel Wind Down (RTWD)
Damping	SPV Evolve
Adjustments	Rebound, SPV Platform Pressure, SPV Volume, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA with integrated graphics
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Hollow Forged Black Aluminum

85-21102	MINUTE ONE	INTEGRATED BLACK
85-21103	MINUTE ONE NB	INTEGRATED BLACK

Minute 2:00

Weight	3.4 or 3.6 lbs
Travel	100mm or 130mm (preset travel)
Damping	SPV Evolve
Adjustments	Air Spring Pressure, Rebound, SPV Platform Pressure, SPV Volume
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Air
Casting	Magnesium RA with integrated graphics
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Hollow Forged Black Aluminum

85-21104	MINUTE TWO 100MM	INTEGRATED BLACK
85-21105	MINUTE TWO 100MM NB	INTEGRATED BLACK
85-21106	MINUTE TWO 130MM	INTEGRATED BLACK
85-21107	MINUTE TWO 130MM NB	INTEGRATED BLACK



SKAREB

The lightest weight 100mm-travel fork available, the World Cup-winning Skareb forks are packed with performance features for 2005. This year we've brought SPV Evolve damping and IT travel adjust to the Skareb Platinum to create a lightweight XC race fork that can be set anywhere in the travel on flats and climbs then extended, on the fly, to 100mm of travel for aggressive XC descending.

Skareb Super ➤

Weight	3.2lbs or 3.3lbs
Travel	80mm or 100mm (preset)
Damping	TPC Remote Lockout
Adjustments	Air, Rebound, Compression, Lockout
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Air/Coil
Casting	Magnesium RA
Stanchions	28.6 mm aluminum
Steerer	Black Anodized Aluminum
Crown	Hollow Forged Aluminum

85-21094	SKAREB SUPER 80	BLACK
85-21095	SKAREB SUPER 80 NB	BLACK
85-21096	SKAREB SUPER 100	BLACK
85-21097	SKAREB SUPER 100 NB	BLACK

Skareb Elite ➤

Weight	3lbs or 3.1lbs
Travel	80mm or 100mm (preset)
Damping	Fluid Flow
Adjustments	Air, Rebound
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Air/Coil
Casting	Magnesium RA
Stanchions	28.6 mm aluminum
Steerer	Black Anodized Aluminum
Crown	Hollow Forged Aluminum

85-21092	SKAREB ELITE 80	BLACK
85-21093	SKAREB ELITE 100	BLACK

© STERLING LORENCE



Skareb Platinum ➤

Weight	3.4 lbs
Travel	100mm Infinite Travel (IT) adjust
Damping	SPV Evolve
Adjustments	Air, Rebound, SPV Platform Pressure, SPV Volume, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Handlebar-mounted IT air
Casting	Magnesium RA
Stanchions	28.6 mm aluminum
Steerer	Black Anodized Aluminum
Crown	Hollow Forged Aluminum

85-21098	SKAREB PLATINUM	CANDY RED
85-21100	SKAREB PLATINUM NB	CANDY RED
85-21099	SKAREB PLATINUM	BLACK
85-21101	SKAREB PLATINUM NB	BLACK

COMFORT
TREKKING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL

BLACK

Back and better than ever, all of this year's Blacks feature our TPC Lockout damping system, and the Super Air 80 is also available with SPV Evolve. The fork that introduced the world to Reverse Arch technology, Black now uses a 4th generation RA casting that is lighter and stiffer than its predecessors; a great all around trail fork packed with value.



COURTESY OF PROCEED



Black Super

Weight	4.4 lbs
Travel	90mm to 120mm RTWD
Damping	TPC Lockout
Adjustments	Air, Rebound, Compression, Lockout
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Coil
Casting	Magnesium RA
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Forged Aluminum with Satin Black Finish

85-21080	BLACK SUPER 90-120	BLACK
85-21081	BLACK SUPER 90-120 NB	BLACK

Black Super Air ➤

Weight	3.4 lbs, 3.5lbs, 3.6lbs
Travel	80mm, 100mm, or 120mm
Damping	TPC Lockout with remote lockout (SPV Evolve Option available on the 80mm version)
Adjustments	Air, Rebound, Compression, Lockout
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Air
Casting	Magnesium RA
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Forged Aluminum with Satin Black Finish

85-21082	BLACK SUPER AIR 80	(REMOTE LO)	BLACK
85-21083	BLACK SUPER AIR 80 NB	(REMOTE LO)	BLACK
85-21138	BLACK SUPER AIR 80	SPV EVOLVE	BLACK
85-21139	BLACK SUPER AIR 80 NB	SPV EVOLVE	BLACK
85-21084	BLACK SUPER AIR 100	(REMOTE LO)	BLACK
85-21085	BLACK SUPER AIR 100 NB	(REMOTE LO)	BLACK
85-21086	BLACK SUPER AIR 120	(REMOTE LO)	BLACK
85-21087	BLACK SUPER AIR 120 NB	(REMOTE LO)	BLACK



Black Platinum ➤

Weight	3.5 lbs
Travel	120mm Infinite Travel (IT) adjust
Damping	TPC Lockout
Adjustments	Rebound, Compression, Lockout, Travel
Lubrication	Semi-Bath with Evil Genius Seals
Spring	Handlebar Mounted IT air
Casting	Magnesium RA
Stanchions	30 mm aluminum
Steerer	Aluminum
Crown	Forged Aluminum with Satin Black Finish

85-21088	BLACK PLATINUM	CANDY RED
85-21090	BLACK PLATINUM NB	CANDY RED
85-21089	BLACK PLATINUM	BLACK
85-21091	BLACK PLATINUM NB	BLACK



SPLICE

All new for 2005, Splice forks were created from the ground up as a high performance trail fork at a great price. The 130mm maximum travel Splice uses 30mm black nitride cromo stanchions, a new RA casting, and a wing shaped cathedral crown for lateral stiffness that is unrivaled in its class.

Splice Super ➤

Weight	4.5 lbs
Travel	100mm to 130mm RTWD
Damping	TPC Lockout
Adjustments	Rebound, Compression, Lockout, Travel
Lubrication	Grease
Spring	Coil
Casting	Magnesium RA
Stanchions	30 mm black nitride cromo
Steerer	Aluminum
Crown	All new wing shaped cathedral crown

85-21077	SPLICE SUPER 100-130	BLACK
85-21079	SPLICE SUPER 100-130 NB	BLACK
85-21076	SPLICE SUPER 100-130	SILVER
85-21078	SPLICE SUPER 100-130 NB	SILVER



AXEL

Completely redesigned for 2005, this year's Axel is packed with features that are virtually unfathomable at this price, including 28.6mm black nitride steel stanchions, TPC hydraulic damping with lockout, Rapid Travel Wind Down travel adjust and an all new Reverse Arch magnesium casting for ultimate stiffness without extra weight.

Axel Super ➤

Weight	4.3 lbs
Travel	70-100 mm Rapid Travel Wind Down (RTWD)
Damping	TPC Lockout
Adjustments	Rebound, Travel, Compression, Lockout
Lubrication	Grease
Spring	Coil
Casting	Magnesium RA Casting
Stanchions	28.6 mm black nitride cromo
Steerer	Aluminum
Crown	Forged Aluminum with Satin Black Finish

85-21073	AXEL SUPER	BLACK
85-21075	AXEL SUPER NB	BLACK
85-21072	AXEL SUPER	SILVER
85-21074	AXEL SUPER NB	SILVER



Axel Elite

Weight	4.3 lbs
Travel	80mm
Damping	Fluid Flow
Adjustments	Rebound
Lubrication	Grease
Spring	Coil
Casting	Magnesium RA Casting
Stanchions	28.6 mm black nitride cromo
Steerer	Aluminum
Crown	Forged Aluminum with Satin Black Finish

85-21070	AXEL ELITE	BLACK

SIX

The Six is designed for the entry-level rider who doesn't want to sacrifice performance. Key features include 28.6 mm stanchions, convertible travel from 80 mm to 100 mm and an aluminum Reverse Arch casting.

Six (OEM Only)

Weight	4.4 lbs
Travel	80 or 100 mm Internally Convertible
Damping	N/A
Adjustments	Preload
Lubrication	Microlube
Spring	Coil/MCU
Casting	Aluminum RA
Stanchions	28.6 mm steel
Steerer	1 1/8" Steel Threadless



SOUTH

Black nitride steel stanchions help make the South look better than ever. Available in a 26" or a 700c version, the South is the Escalade of the trekking world, offering premium features in a robust and highly stylized package.

South Super (OEM Only)

Weight	3.9 lbs
Travel	60 or 75 mm Internally Convertible
Damping	Fluid Flow with TPC Lockout
Adjustments	External Preload, Lockout
Lubrication	Microlube
Spring	Coil/MCU
Casting	Magnesium RA
Stanchions	28.6 mm black nitride cromo
Steerer	Black Anodized Aluminum

South Elite (OEM Only)

Weight	3.8 lbs
Travel	60 or 75 mm Internally Convertible
Adjustments	External Preload
Lubrication	Microlube
Spring	Coil
Casting	Magnesium RA
Stanchions	28.6 mm black nitride cromo
Steerer	Black Anodized Aluminum

South Comp (OEM Only)

Weight	4.0 lbs
Travel	60 or 75 mm Internally Convertible
Adjustments	External Preload
Lubrication	Microlube
Spring	Coil
Casting	Magnesium RA
Stanchions	28.6 mm black nitride cromo
Steerer	Steel Threadless

LUXE

Luxe is our offered in either 26" or 700c versions. Equipped with International Standard disc brake and Dynamo (light generator) mounts adorning a magnesium Reverse Arch casting, Luxe boasts high end features that are virtually unheard of in this type of fork.

Luxe Super (OEM Only)

Weight	3.5 lbs
Travel	50 or 75 mm Internally Convertible
Damping	N/A
Adjustments	Preload
Lubrication	Grease
Spring	Coil/MCU
Casting	RA Magnesium
Stanchions	25.4 mm cromo
Steerer	Black anodized aluminum

Luxe Elite (OEM Only)

Weight	3.8 lbs
Travel	50 mm travel
Damping	N/A
Adjustments	Preload
Lubrication	Grease
Spring	Coil/MCU
Casting	RA Magnesium
Stanchions	25.4 mm cromo
Steerer	1 1/8" Steel Threadless



MANITOU REAR SUSPENSION

With the introduction of Swinger rear shocks and SPV damping in 2002, Manitou became a complete suspension company, offering the very best suspension suite money can buy. For 2005 we've greatly expanded our shock line with the introduction of the Metel and Radium families; shocks that are extremely durable and loaded with high performance technologies such as our new Platform Plus damping system at a fraction of the cost of a Swinger. What you get with Metel and Radium is a durable shock, with exceptional suspension capabilities, that pedals efficiently, on an affordable bike.

SWINGER SPV SHOCKS

SPV damping technology offers varying degrees of tuneability, but all Swinger shocks allow the rider to set up the exact pedaling platform threshold for their needs, externally, via an air shock. SPV's platform allows the bike to sag into a point, settle there, and then from that point resist movement due to low resonance forces such as pedaling until a bump is encountered. The SPV valve opens immediately, without spiking, to react to terrain until pressures in the shock equalize again. This is in stark contrast to lockout systems (with or without adjustable blowoff threshold), which do not react to terrain and return to a topped out state when locked out. Still more, simpler systems achieve a "platform" effect through overdamping, which leads to spiking on impact. Accept no substitutes, the best riders in the world demand SPV.

SWINGER SPV AIR SHOCKS

Our revolutionary Swinger air shocks have gotten even better in 2005 through calculated refinements to the body as well as the internals. Our new Swingers have more frame clearance, a larger air can and domed top cap for more of a big-travel linear feel, and they're 30g lighter. We're also making longer stroke air shocks, up to 222mm x 70mm (8.75 x 2.75 inch) because, well, we're enamored with the idea of riding lightweight, long travel bikes that pedal efficiently. We think that after riding a Swinger, you will be too.



COMFORT
TREKKING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL

Swinger Air 3-Way

Weight	250 grams
Damping	SPV 3-Way
Configurations	152 x 32mm (6.0" x 1.25") 165 x 38mm (6.5" x 1.5") 190 x 50mm (7.5" x 2") 200 x 50mm (7.875" x 2") 200 x 57mm (7.875" x 2.25") 210 x 50mm (8.25" x 2") 216 x 63mm (8.5" x 2.5")
Adjustments	Air SPV Platform Pressure Rebound
Damper shaft	Steel
Bushings	Steel/Teflon
Negative spring	MCU
Air canister	3D forged & CNC'd
Package	Inline

Swinger Air 4-Way

Weight	375 grams
Damping	SPV 4-Way
Configurations	165 x 38mm (6.5" x 1.5") 190 x 50mm (7.5" x 2") 200 x 50mm (7.875" x 2") 210 x 50mm (8.25" x 2") 216 x 63mm (8.5" x 2.5") 222 x 70mm (8.75 x 2.75")
Adjustments	Air Rebound SPV Platform Pressure SPV Volume
Damper shaft	Steel
Bushings	Steel/Teflon
Negative spring	MCU
Air canister	Piggy Back 3D forged & CNC'd
Package	Piggy Back reservoir

SWINGER SPV COIL SHOCKS

Piggyback versions of the Swinger allow the rider to adjust how progressive the damping rate is so that their bike doesn't blow through its travel or bottom. And for the impossibly discerning, the Swinger Coil 6-Way throws in additional high and low speed compression adjustments.





© STERLING LORENCE

Swinger Coil 3-Way

Weight	350 grams
Damping	SPV 3-Way
Configurations	190 x 50mm (7.5" x 2") 200 x 50mm (7.875" x 2") 215 x 63mm (8.5" x 2.5") 222 x 70mm (8.75 x 2.75") 230 x 70mm (9" x 2.75") 240 x 76mm (9.5 x 3.0")
Adjustments	Preload Rebound SPV Platform Pressure
Damper shaft	Steel
Bushings	Steel/Teflon
Package	Inline reservoir

Swinger Coil 4-Way

Weight	445 grams
Damping	SPV 4-Way
Configurations	190 x 50mm (7.5" x 2") 200 x 50mm (7.875" x 2") 200 x 57mm (7.875" x 2.25") 215 x 63mm (8.5" x 2.5") 222 x 70mm (8.75 x 2.75") 230 x 70mm (9" x 2.75") 240 x 76mm (9.5 x 3.0")
Adjustments	Preload Rebound SPV Platform Pressure SPV Volume
Damper shaft	Steel
Bushings	Steel/Teflon
Package	Piggy Back

Swinger Coil 6-Way

Weight	500 grams
Damping	SPV 6-Way
Configurations	190 x 50mm (7.5" x 2") 200 x 50mm (7.875" x 2") 215 x 63mm (8.5" x 2.5") 222 x 70mm (8.75 x 2.75") 230 x 70mm (9" x 2.75") 240 x 76mm (9.5 x 3.0")
Adjustments	Preload Rebound SPV Platform Pressure SPV Volume Low Speed Compression High Speed Compression
Damper shaft	Steel
Bushings	Steel/Teflon
Package	Piggy Back

ALL SHOCK WEIGHTS ARE WITHOUT SPRINGS IN THE SMALLEST AVAILABLE SIZE.
FOR SHOCK PART NUMBERS, COMPATIBILITY, SPRING AND MOUNTING HARDWARE INFORMATION,
PLEASE CALL MANITOU AT 661/257-4411 OR VISIT WWW.ANSWERPRODUCTS.COM

Titanium Springs

Available for shocks 222 X 70mm (8.75" X 2.75") and longer

Almost half the weight of a comparable steel spring

Limited spring rates available, please see website for more details.



radium

RADIUM AIR SHOCKS

Based on the same overall structure as our high end Swinger air shocks, the all new Radium line of air shocks is designed with performance, durability, weight, and cost in mind. The Radium and Radium R introduce Platform Plus Damping, a more cost effective alternative to SPV that offers platform damping for improved efficiency and bump control. The Radium RL comes equipped with a lockout.







COMFORT
TREKKING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL

Radium (OEM Only)

Weight	250 grams
Damping	Platform Plus
Configurations	152 x 32mm (6.0” x 1.25”) 165 x 38mm (6.5” x 1.5”) 190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”)
Adjustments	Air
Damper shaft	steel
Bushings	steel / Teflon
Negative spring	MCU
Air canister	3D forged & CNC’d

Radium R (OEM Only)

Weight	260 grams
Damping	Platform Plus
Configurations	152 x 32mm (6.0” x 1.25”) 165 x 38mm (6.5” x 1.5”) 190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”)
Adjustments	Air Rebound
Damper shaft	steel
Bushings	steel / Teflon
Negative spring	MCU
Air canister	3D forged & CNC’d

Radium RL

Weight	270 grams
Damping	Lockout
Configurations	152 x 32mm (6.0” x 1.25”) 165 x 38mm (6.5” x 1.5”) 190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”)
Adjustments	Air Lockout Rebound
Damper shaft	steel
Bushings	steel / Teflon
Negative spring	MCU
Air canister	3D forged & CNC’d



METEL

METEL COIL SHOCKS

With Metel, we’ve set out to prove that freeride and downhill components don’t have to be stripped of features or lacking durability to be affordable. Metel uses the same oversized body and steel damper shaft as our Swinger coil shocks. Building on that solid foundation of durability, we’ve added the performance and adjustability of our new Platform Plus damping system.







COMFORT
TREKKING
FITNESS
X-COUNTRY/RACING
X-COUNTRY/TRAIL
TRAIL/ENDURO
FREERIDE/STREET
DOWNHILL

Metel (OEM Only)

Weight	350 grams
Damping	Platform Plus
Configurations	190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”) 216 x 63mm (8.5” x 2.5”) 222 x 70mm (8.75 x 2.75”) 230 x 70mm (9” x 2.75”) 240 x 76mm (9.5 x 3.0”)
Adjustments	Preload
Damper shaft	Steel
Bushings	Steel / Teflon
Package	Inline

Metel R (OEM Only)

Weight	445 grams
Damping	Platform Plus
Configurations	190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”) 216 x 63mm (8.5” x 2.5”) 222 x 70mm (8.75 x 2.75”) 230 x 70mm (9” x 2.75”) 240 x 76mm (9.5 x 3.0”)
Adjustments	Preload, Rebound
Damper shaft	Steel
Bushings	Steel / Teflon
Package	Inline

Metel RP

Weight	500 grams
Damping	Platform Plus
Configurations	190 x 50mm (7.5” x 2”) 200 x 50mm (7.875” x 2”) 216 x 63mm (8.5” x 2.5”) 222 x 70mm (8.75 x 2.75”) 230 x 70mm (9” x 2.75”) 240 x 76mm (9.5 x 3.0”)
Adjustments	Preload, Rebound, Platform
Damper shaft	Steel
Bushings	Steel / Teflon
Package	Piggy Back

ALL SHOCK WEIGHTS ARE WITHOUT SPRINGS IN THE SMALLEST AVAILABLE SIZE.
FOR SHOCK PART NUMBERS, COMPATIBILITY, SPRING AND MOUNTING HARDWARE INFORMATION, PLEASE CALL MANITOU AT 661/257-4411 OR VISIT WWW.ANSWERPRODUCTS.COM

TECHNOLOGY



SPV Evolve Damping

FEATURED ON SHERMAN, NIXON, MINUTE, BLACK AND SKAREB FORKS

SPV Evolve is a latest refinement of our revolutionary Stable Platform Valve damping system. New SPV Evolve is more responsive to smaller impacts and has increased tunability, all while delivering platform for improved climbing efficiency and more controlled cornering. Where lesser systems suffer compression spikes trying to provide pedaling efficiency, SPV Evolve is the only damping system that improves your bike's climbing and descending capabilities.

SPV (Stable Platform Valve) Damping

FEATURED ON SWINGER SHOCKS

The technology that started the platform damping revolution, SPV features include externally adjustable pedaling platform, adjustable damping progressiveness, and a unique stabilizing valve for enhanced bump control. SPV damping eliminates unwanted suspension movement and improves a bike's bump eating performance by eliminating compression spikes. With SPV you can pre-set your bike's pedaling efficiency quickly and easily with a standard air pump.

TPC+ Position Activated Damping

FEATURED ON DORADO AND STANCE FORK MODELS

TPC+ damping automatically changes to correspond to the fork's position in its travel, providing initial low-resistance-enhancing bump sensitivity and then adding damping to resist bottoming. The three piston design features independent damping pistons for rebound and compression, while our low pressure, high volume system is designed to eliminate cavitation and heat-related problems.

TPC (Twin Piston Chamber) Lockout

FEATURED ON AXEL, SPLICE, BLACK, AND SKAREB MODELS

TPC Damping features twin independent damping pistons: one optimized for rebound, the other for compression/lockout. With our new Quick Range damping adjustment, TPC allows minimum to maximum damping in a half-turn of the knob, and then it's a quick nudge to lockout. TPC is a low pressure, high volume system designed to eliminate cavitation and heat-related problems.

TPC (Twin Piston Chamber) Damping

FEATURED ON NIXON AND SHERMAN MODELS

The original low pressure, high oil volume damping system for bicycles, Manitou's TPC damping system features independent damping pistons: one optimized for rebound, the other for compression, each with independent adjustability. No other damping system has won as many world cup races.

TPC Remote Lockout

Our all-new remote lockout features unique push lever actuation with single movement release. Compatible with all TPC lockout systems, the upgrade assembly includes the lever, cable, and damper. Available for right or left hand mounting.

Fluid Flow Damping

FEATURED ON AXEL, SKAREB AND STANCE MODELS

FFD is a TPC-derived hydraulic damping system with separate compression and rebound damping pistons. Many of the same benefits as TPC damping come from FFD's low pressure, high volume system, eliminating cavitation and heat-related problems. FFD uses a piston and ring design for improved function, and has adjustable rebound on most models.

Platform Plus Damping

FEATURED ON RADIUM AND METEL SHOCKS

New for 2005, Platform Plus damping is a unique valve system designed to keep rear shocks reactive to trail input without compression spikes or harshness while improving pedaling efficiency. The Metal RP offers externally adjustable Platform Plus threshold.

Semi-Bath with Evil Genius Seals

FEATURED ON ALL BLACK, SKAREB, MINUTE, NIXON, SHERMAN, DORADO, AND AFTERMARKET STANCE MODELS

Semi-Bath lubrication and Evil Genius seals have proven to dramatically increase the durability and service life of our forks. High quality Evil Genius seals, originally developed for motorcycle suspension, decrease stiction and retain our semi-bath lubricant inside the legs.

RA (Reverse Arch) Casting

FEATURED ON ALL MANITOU FORKS OTHER THAN DORADO

Reverse arch technology provides greater torsional stiffness due to increased arch wrap in key areas and allows for an arch that is shorter and stiffer than traditional designs. We've optimized our arch size, cross section and design, maximizing stiffness for dramatically improved steering accuracy

onepointfive

FEATURED ON SHERMAN BREAKOUT PLUS

The increased onepointfive inch interface standard for headset, cups, stem, and steerer tube diameter improves strength, control, steering precision and durability. With onepointfive, designs are possible that are 44% stronger and 138% stiffer at a similar weight to 1 1/8" designs. The onepointfive system allows for lightweight single crown forks with up to 170mm of travel that are targeted for hard core and extreme riding.

For more information, please visit www.onepointfivestandard.com

Infinite Travel (IT) Adjust

FEATURED ON BLACK, SKAREB, MINUTE, AND NIXON FORKS

IT (our lightest-ever air spring system) works by transferring air between the positive and negative air chambers when the handlebar-mounted travel adjust lever is depressed. This allows the fork to be set anywhere in its travel range with no spring rate change.

Rapid Travel Wind Down

FEATURED ON AXEL, SPLICE, BLACK, MINUTE, NIXON AND STANCE FORKS

This top-mounted coil spring travel adjust feature allows the rider to change the fork's travel, externally, without spring rate change. The travel indicator features improved functionality over current systems and 30mm of travel adjustment on each fork model.

Rapid Travel II

MANITOU EXCLUSIVE FEATURED ON SHERMAN MODELS

A top-mounted travel adjust feature, Rapid Travel II allows riders to change their fork's travel at the flip of a switch, lowering the front end and stiffening the fork to improve climbing. Flip the switch back for plush descending at full travel. Travel change is 40mm.

Hex-Lock Thru Axle

MANITOU EXCLUSIVE FEATURED ON NIXON, STANCE, SHERMAN, AND DORADO MODELS

Proprietary hex axle locks lower legs in place, eliminating rotation around the axle. This provides unsurpassed stiffness with standard hubs and parts. Additionally, our replaceable Sherman screw inserts eliminate the possibility of damaging the casting.





Manitou Air Pumps

Manitou air pumps include a micro-pressure release control, free spinning valve coupler and high strength aluminum barrel and shaft. The standard version is for use with high-pressure air spring forks and shocks, while the SPV Pump only goes to 175psi for precision low-pressure fork/shock platform adjustments.

PART NUMBER

85-4162 MANITOU AIR PUMP

85-4163 MANITOU SPV FORK AND SHOCK AIR PUMP

16mm SPV Volume Adjust Tool

Use it to adjust the linear or progressive feel of your SPV fork and shock.

PART NUMBER

85-3007 SPV VOLUME ADJUSTMENT TOOL

Manitou Hoodie Sweatshirt

78-0365 MANITOU SWEATSHIRT SMALL

78-0366 MANITOU SWEATSHIRT MEDIUM

78-0367 MANITOU SWEATSHIRT LARGE

78-0368 MANITOU SWEATSHIRT XL

Answer Black Tee

78-0357 ANSWER BLACK T – SMALL

78-0358 ANSWER BLACK T - M

78-0359 ANSWER BLACK T - L

78-0360 ANSWER BLACK T - XL

Answer Yellow Tee

78-0353 ANSWER YELLOW T – SMALL

78-0354 ANSWER YELLOW T - M

78-0355 ANSWER YELLOW T - L

78-0356 ANSWER YELLOW T - XL

Manitou Nixon Tee

78-0349 MANITOU NIXON T - SMALL

78-0350 MANITOU NIXON T - MEDIUM

78-0351 MANITOU NIXON T - LARGE

78-0352 MANITOU NIXON T - XL

Manitou SPV Evolve Tee

78-0369 MANITOU SPV T-SHIRT SMALL

79-1046 MANITOU SPV T-SHIRT MEDIUM

79-1047 MANITOU SPV T-SHIRT LARGE

79-0372 MANITOU SPV T-SHIRT XL

Manitou Racing Jersey

01-8574 MANITOU RACING JERSEY SMALL

01-8575 MANITOU RACING JERSEY MEDIUM

01-8576 MANITOU RACING JERSEY LARGE

01-8577 MANITOU RACING JERSEY XL

Manitou Freeride Jersey

See website for exciting details

01-8581 MANITOU FR JERSEY SMALL

01-8582 MANITOU FR JERSEY MEDIUM

01-8583 MANITOU FR JERSEY LARGE

01-8584 MANITOU FR JERSEY XL

Manitou Socks

78-9795 MANITOU SOCKS MD

78-9796 MANITOU SOCKS LG

Answer Socks

79-1002 ANSWER SOCKS S-MD

79-1003 ANSWER SOCKS LG-XL



© MARTIN BISSIG



BARS

ProTaper OS Carbon

Compatible with oversized 31.8mm clamp diameters, the Protaper OS Carbon has an unsurpassed stiffness to weight ratio.

. 165 grams/645mm length
. 1-inch rise
. Race proven 8° x 4° bend
. Answer proprietary Advanced Carbon Composite (ACC) material
. Compatible with 31.8mm Stem ONLY

78-5049 PROTAPER OS CARBON

ProTaper XC Carbon

The ultimate riser bar has been taken to a new weight dimension with the 160 gram ProTaper Carbon XC.

. 160 grams/645mm length
. Proven 8-degree rear by 4-degree up bend
. Increased and reinforced clamp surface area for additional stiffness
. Moto-inspired permanent graphics

78-5045 PROTAPER XC CARBON BARS

Hyperlite Carbon

The Hyperlite Carbon drops an amazing 20 grams off the standard aluminum bar.

. 125 grams/580 mm length
. 3 degree bend
. Damage tolerant lay up-no catastrophic failures
. Moto-inspired permanent graphics

78-5047 HYPERLITE CARBON BARS

ProTaper

The standard by which all riser bars are measured, the ProTaper is the ultimate in lightweight and stiffness.

. 1 in. rise/620 mm width at 210 grams
. 2 in. rise/660 mm width at 250 grams
. 8 degree by 4 degree compound bend
. 7075 aluminum
. Available in black, gold, and satin titanium

78-5000 PROTAPER BARS 2" BLACK
78-5001 PROTAPER BARS 2" GOLD
78-5002 PROTAPER BARS 2" TITANIUM SATIN
78-5006 PROTAPER BARS 1" BLACK
78-5007 PROTAPER BARS 1" GOLD
78-5008 PROTAPER BARS 1" TITANIUM SATIN

ProTaper OS

Oversized and even stiffer than our World Championship winning ProTaper 7075 aluminum handlebar.

. Durable, laser etched graphics
. 2-inch rise
. Race proven 8° x 4° bend
. Unsurpassed strength to weight ratio
. Width: 690mm Weight: 270g
. Compatible with 31.8mm Stem ONLY

78-5048 PROTAPER OS BLACK

Alumilite 2" Riser

. All the strength of a ProTaper bar at a lower price.
. 685 mm width at 325g
. 6061 aluminum
. Race proven 8° x 4° bend

78-5042 ALUMILITE 2" BAR BLACK

STEMS

ATAC Pro

. 180 to 195 grams
. Oversized 31.8mm handlebar clamping diameter
. 6061 T-6 aluminum
. 3D forged and welded construction
. onepointfive or 1 1/8" steerer compatible
. 60, 75, 90, 105, and 120mm lengths available in multiple rises
. Colors: Black with silver stem clamp

ATAC XC Lite

. 150 to 170 grams
. 6061 T-6 aluminum
. Cold forged construction
. 90, 105, and 120mm lengths in either 0 or 10-degree rises
. Black with silver stem clamp

85-2126	60MM/0 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2128	60MM/10 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2130	60MM/15 DEGREE, 1 1/8 STEERER BORE/31.8 BAR
85-2134	75MM/10 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2136	90MM/0 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2138	90MM/10 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2140	105MM/0 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2142	105MM/10 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2144	120MM/0 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2146	120MM/10 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2132	75MM/0 DEGREE, 1 1/8 STEERER/31.8 BAR
85-2125	60MM/0 DEGREE, 1.5 STEERER/31.8 BAR
85-2127	60MM/10 DEGREE, 1.5 STEERER/31.8 BAR
85-2129	60MM/15 DEGREE, 1.5 STEERER/31.8 BAR
85-2131	75MM/0 DEGREE, 1.5 STEERER/31.8 BAR
85-2133	75MM/10 DEGREE, 1.5 STEERER/31.8 BAR
85-2135	90MM/0 DEGREE, 1.5 STEERER/31.8 BAR
85-2137	90MM/10 DEGREE, 1.5 STEERER/31.8 BAR
85-2139	105MM/0 DEGREE, 1.5 STEERER/31.8 BAR
85-2141	105MM/10 DEGREE, 1.5 STEERER/31.8 BAR
85-2143	120MM/0 DEGREE, 1.5 STEERER/31.8 BAR
85-2145	120MM/10 DEGREE, 1.5 STEERER/31.8 BAR
85-2148	90MM/10 DEGREE, 1 1/8 STEERER/25.4 BAR
85-2150	105MM/10 DEGREE, 1 1/8 STEERER/25.4 BAR
85-2152	120MM/10 DEGREE, 1 1/8 STEERER/25.4 BAR
05-0005	STEM-LOC 1.5"







Answer onepointfive Stem-Loc

. Machined alloy stem lock replaces star fangled nut for onepointfive steerer tubes
. Completely adjustable with standard tools





© STERLING LORENCE

SHOES

The expansion of Answer's shoe program continues this year with a completely new line of road shoes, a brand spanking new winter boot and the redesigned Palisade. Focused on value and performance, each new shoe provides features at price points that are far lower than the competition. Add these to an already value-packed mountain bike line and you have one of the strongest shoe programs in the business.

XCR



Tantric



SLK



XC-1



Impact



Speeder



Palisade



Kashmir



ALL NEW! ROAD SHOES

XCR

. Ultrastiff and lightweight contoured carbon fiber sole
. Lightweight synthetic leather
. Two straps and Microlock buckle closure
. Molded heel cup and perforated insole
. Look, SPD and SPD R compatibility
. 3M reflective heel
. Shoe bag included

Tantric

. Stiff vented polycarbonate sole
. Three strap Velcro closure system
. Lightweight PU coated natural leather
. Molded heel cup and perforated insole
. 3M reflective heel
. Look, SPD and SPD R compatibility

SLK

. Stiff vented polycarbonate sole
. Two strap Velcro closure system
. Lightweight PU coated natural leather
. 3M reflective heel
. Perforated insole
. Look, SPD and SPD R compatibility



MTB SHOES

XC-1

. Three strap closure system
. Superlight dual compound sole with superstiff hard sole
. Breathable mesh upper
. Vented mesh insole for increased breathability
. Full cleat compatibility
. Anatomic heel cup to resist heel slip
. Replaceable toe spikes, wrench, and shoe bag included

Impact

. Three-strap closure system with laces
. Hi-Traction rubber compound sole with stiff hard sole
. Breathable mesh upper
. Full cleat compatibility
. Metal spikes and spike wrench included
. Inside heel material catch to eliminate heel slip
. Anatomic plastic heel cup to resist heel slip

Speeder

. Two strap closure system with laces
. Hi-Traction rubber compound sole with stiff hard sole
. Breathable mesh upper
. Full cleat compatibility
. New anatomic plastic heel cup to resist heel slip

Palisade

. New design for 2004
. Value and performance mountain bike shoe
. Two strap closure system
. High traction real rubber sole
. Lateral heel strap to keep heal from slipping

Kashmir Winter Shoe

. Three strap closure system with laces
. Adjustable Neoprene ankle closure to protect against cold
. Inner Neoprene ankle closure to keep the outside out
. Anatomic heel cup to resist heel slip
. Heel pull strap

Road Shoes

79-0435	XCR 39
79-0436	XCR 40
79-0437	XCR 41
79-0438	XCR 42
79-0439	XCR 43
79-0440	XCR 44
79-0441	XCR 45
79-0442	XCR 46
79-0445	TANTRIC 39
79-0446	TANTRIC 40
79-0447	TANTRIC 41
79-0448	TANTRIC 42
79-0449	TANTRIC 43
79-0450	TANTRIC 44
79-0451	TANTRIC 45
79-0452	TANTRIC 46
79-0455	SLK 39
79-0456	SLK 40
79-0457	SLK 41
79-0458	SLK 42
79-0459	SLK 43
79-0460	SLK 44
79-0461	SLK 45
79-0462	SLK 46

Mountain Shoes

79-0360	XC1 39
79-0361	XC1 40
79-0362	XC1 41
79-0363	XC1 42
79-0364	XC1 43
79-0365	XC1 44
79-0366	XC1 45
79-0367	XC1 46
79-0340	IMPACT 36
79-0341	IMPACT 37
79-0342	IMPACT 38
79-0343	IMPACT 39
79-0344	IMPACT 40
79-0345	IMPACT 41
79-0346	IMPACT 42
79-0347	IMPACT 43
79-0348	IMPACT 44
79-0349	IMPACT 45
79-0350	IMPACT 46
79-0351	IMPACT 47
79-0352	IMPACT 48
79-0325	SPEEDER 33
79-0326	SPEEDER 34
79-0327	SPEEDER 35
79-0305	SPEEDER 36
79-0306	SPEEDER 37
79-0307	SPEEDER 38
79-0308	SPEEDER 39
79-0309	SPEEDER 40
79-0310	SPEEDER 41
79-0311	SPEEDER 42
79-0312	SPEEDER 42.5
79-0313	SPEEDER 43
79-0314	SPEEDER 43.5
79-0315	SPEEDER 44
79-0316	SPEEDER 44.5
79-0317	SPEEDER 45
79-0318	SPEEDER 45.5
79-0319	SPEEDER 46
79-0320	SPEEDER 46.5
79-0321	SPEEDER 47
79-0322	SPEEDER 48
79-0478	PALISADE 33
79-0479	PALISADE 34
79-0480	PALISADE 35
79-0481	PALISADE 36
79-0482	PALISADE 37
79-0483	PALISADE 38
79-0484	PALISADE 39
79-0485	PALISADE 40
79-0486	PALISADE 41
79-0487	PALISADE 42
79-0488	PALISADE 43
79-0489	PALISADE 44
79-0490	PALISADE 45
79-0491	PALISADE 46
79-0492	PALISADE 47
79-0493	PALISADE 48
79-0465	KASHMIR 38
79-0466	KASHMIR 39
79-0467	KASHMIR 40
79-0468	KASHMIR 41
79-0469	KASHMIR 42
79-0470	KASHMIR 43
79-0471	KASHMIR 44
79-0472	KASHMIR 45
79-0473	KASHMIR 46
79-0474	KASHMIR 47
79-0475	KASHMIR 48

MTB GLOVES



Accelerator Gloves ▲

. Soft and supple Clarino palm
. 4-way stretch Expandex on hands and fingers
. Silicon logo fingertips for max grip
. Terry patch thumb, breathable mesh and sewn in knuckle pad
. Short and long finger available
. Red, Gray and Black

01-4750 ACCELERATOR LONG FINGER GRAY XS
01-4751 ACCELERATOR LONG FINGER GRAY S
01-4752 ACCELERATOR LONG FINGER GRAY M
01-4753 ACCELERATOR LONG FINGER GRAY L
01-4754 ACCELERATOR LONG FINGER GRAY XL
01-4745 ACCELERATOR LONG FINGER BLACK XS
01-4746 ACCELERATOR LONG FINGER BLACK S
01-4747 ACCELERATOR LONG FINGER BLACK M
01-4748 ACCELERATOR LONG FINGER BLACK L
01-4749 ACCELERATOR LONG FINGER BLACK XL
01-4740 ACCELERATOR LONG FINGER RED XS
01-4741 ACCELERATOR LONG FINGER RED S
01-4742 ACCELERATOR LONG FINGER RED M
01-4743 ACCELERATOR LONG FINGER RED L
01-4744 ACCELERATOR LONG FINGER RED XL

Impact Gloves ▼

. Breathable Expandex mesh top with Nash palm
. Terry patch thumb for sweat removal
. Thin palm padding for added tacticity
. Short and long finger available
. Red and Black

01-4755 IMPACT LONG FINGER BLACK XS
01-4756 IMPACT LONG FINGER BLACK S
01-4757 IMPACT LONG FINGER BLACK M
01-4758 IMPACT LONG FINGER BLACK L
01-4759 IMPACT LONG FINGER BLACK XL
01-4765 IMPACT LONG FINGER RED XS
01-4766 IMPACT LONG FINGER RED S
01-4767 IMPACT LONG FINGER RED M
01-4768 IMPACT LONG FINGER RED L
01-4769 IMPACT LONG FINGER RED XL

01-4760 IMPACT SHORT FINGER BLACK XS
01-4761 IMPACT SHORT FINGER BLACK S
01-4762 IMPACT SHORT FINGER BLACK M
01-4763 IMPACT SHORT FINGER BLACK L
01-4764 IMPACT SHORT FINGER BLACK XL
01-4770 IMPACT SHORT FINGER RED XS
01-4771 IMPACT SHORT FINGER RED S
01-4772 IMPACT SHORT FINGER RED M
01-4773 IMPACT SHORT FINGER RED L
01-4774 IMPACT SHORT FINGER RED XL

Vapor Cold Weather Glove ➤

. The ultimate full-performance winter glove
. Gore-Tex™ Windstopper outer shell
. Wrist strap closure
. Long wrist with elastic cuff
. Gray and black

78-0300 VAPOR COLD WEATHER SMALL
78-0301 VAPOR COLD WEATHER MEDIUM
78-0302 VAPOR COLD WEATHER LARGE
78-0303 VAPOR COLD WEATHER XL







BMX FORKS

Answer Scythe Pro BMX Fork

. Available in 20" and 24"
. Molded hi-density carbon legs
. Forged aluminum dropouts
. Completely integrated crown with molded legs
. 1 1/8" 7075 aluminum steerer tube
. Integrated stem locking mechanism
. Weight: 1.64 lbs, Cruiser 1.70 lbs.

Answer Scythe Mini BMX Fork

. Available in 20" and 24"
. Molded hi-density carbon legs
. Increased tire clearance from last year's version
. Forged aluminum dropouts
. Completely integrated crown with molded legs
. 1-inch 7075 aluminum steerer tube
. Integrated stem locking mechanism
. 100 pound weight limit
. Weight: .91 lbs | Cruiser .94 lbs.

Answer Carbon Expert BMX Fork


. 1" carbon legs
. CNC'd 6061 aluminum dropouts
. Forged aluminum crown with pressed legs
. 1" aluminum steerer tube
. Bonded CNC'd 6061 leg caps
. Weight: 1.32 lbs | Cruiser 1.38 lbs

Answer Alumilite Warlock Signature Series BMX Fork

. 1 1/8" aluminum legs
. Forged aluminum dropouts
. Forged aluminum crown with bolted legs
. 1 1/8" 7000 Series Aluminum Steerer tube
. CNC'd Aluminum Thread-In Leg Caps
. Endorsed by UCI World-Champion Warwick Stevenson
. Weight: 2.04 lbs | Cruiser 2.17 lbs

85-5620 ANSWER SCYTHE PRO
85-5625 ANSWER SCYTHE PRO CRUISER
85-5611 SCYTHE MINI
85-5616 SCYTHE MINI CRUISER
85-5671 ANSWER CARBO EXPERT
85-5674 ANSWER CARBO EXPERT CRUISER
85-5630 ALUMILITE WARLOCK SIGNATURE SERIES
85-5631 ALUMILITE WARLOCK SIGNATURE SERIES CRUISER





WHEELSETS & CRANKS

Hubs

Titanium cassette driver with micro catch pawls for precise pedal positioning
7075 CNC'd aluminum body, axle, 16T aluminum cog, and chain tensioners
13-18T Cogs available | Chain Tensioners included. Also available separately

Alumilite Ti Wheelset

The best mini racing wheels on the market. Answer's 28 spoke wheels are stronger than other leading brand's 36 spoke wheelsets. Our proprietary rims are hand laced with titanium spokes in the USA to our all-new Micro Cassette hubs. The strength and finish of these rebuildable wheels is second to none. Note: Rider Weight Limit - 100lbs. Weight: 2.6 lbs complete (20")

Rims

Alloyed with manganese for added stiffness and overall strength.
Sizes available: 20 x 1 1/8" | 24 x 1 1/8" | 20" x 1 1/2"

Spokes

Marwi Titanium Spokes with Alloy nipples

Alumilite SX Mini Cranks

. Precision machined from 7075 aluminum
. Replaceable spider
. Highest strength-to-weight ratio of any mini crank on the market
. Lengths: 140mm to 170mm in 5mm increments.
. Made in the USA

P85-8000	MINI CRANKS	140MM
85-8001	MINI CRANKS	145MM
85-8002	MINI CRANKS	150MM
85-8003	MINI CRANKS	155MM
85-8004	MINI CRANKS	160MM
85-8005	MINI CRANKS	165MM
85-8006	MINI CRANKS	170MM
85-8010	REPLACEABLE SPIDER/BOLT SET FOR MINI CRANKS	
85-8070	ALUMILITE TI MINI WHEEL 20" SET (20 x 1 1/8")	
85-8080	ALUMILITE TI MINI WHEEL 24" SET (24 x 1 1/8")	
85-8090	ALUMILITE TI EXPERT WHEEL 20" SET (20 x 1.5")	
85-8051	ALUMILITE MINI RIMS 20 X 1 1/8"	
85-8052	ALUMILITE MINI RIMS 24 X 1 1/8"	
85-8082	ALUMILITE EXPERT RIMS 20 X 1.5"	
85-8053	TITANIUM SPOKES - GOLD MINI 20"- 56PCS	
85-8054	TITANIUM SPOKES - GOLD MINI 24"- 56PCS	
85-8083	TITANIUM SPOKES - SILVER EXPERT 20"- 56PCS	
85-8055	ALLOY NIPPLES, BLACK -56 PCS	
85-8050	ALUMILITE TI MINI CASSETTE HUBS	
85-8091	ALUMILITE TI EXPERT CASSETTE HUBS	
85-8056	13T COG - 7075	
85-8057	14T COG - 7075	
85-8058	15T COG - 7075	
85-8059	16T COG - 7075	
85-8060	17T COG - 7075	
85-8061	18T COG - 7075	
85-8084	13T COG - CROMO	
85-8085	14T COG - CROMO	
85-8086	15T COG - CROMO	
85-8087	16T COG - CROMO	
85-8088	17T COG - CROMO	
85-8089	18T COG - CROMO	
85-8065	CHAIN TENSIONERS - PRO	
85-8063	MINI HUBS CRO-MO AXLE SET	
85-8064	MINI HUBS CRO-MO DRIVER	







Answer Carbon Bars

Answer Carbon Mini Bar

. Ultra-lightweight and stiff
. 11 degree sweep with 89 mm rise
. Damage tolerant lay up
. Moto-inspired permanent graphics
. 100 pound weight limit

03-5070 CARBON MINI HANDLE BAR

Carbon Expert Bar

. Multi-directional Carbon Construction
. One-piece molded design
. Damage tolerant lay up
. 9-degree sweep with 148mm rise
. Textured No-Slip stem clamping area
. 135 lb Rider Weight

03-5071 CARBON EXPERT BAR

Answer Alumilite Bars

Mini

. 2014 T6 Alloy
. 11-degree sweep with 98mm rise
. 610 mm width
. Matte Black Finish

03-5060 ALUMILITE HANDLE BAR MINI

Junior

. 2014 T6 Alloy
. 11-degree sweep with 136mm rise
. 610 mm width
. Matte Black Finish

03-5061 ALUMILITE HANDLE BAR JUNIOR

Expert

. 2014 T6 Alloy
. 9-degree sweep with 162mm rise
. 660 mm width
. Matte Black Finish

03-5062 ALUMILITE HANDLE BAR EXPERT

Answer Cro-Mo Bars

. Built from beefy 4130 cromo tubing
. Oval 4130 cromo crossbar for added rigidity
. Knurled stem clamp surface
. Pro- 7.35" Rise; Cruiser- 5.5" Rise
. 28" Width

03-5008 CRO-MO BARS PRO CLEAR
03-5007 CRO-MO BARS PRO CRUISER CLEAR



ANSWER EDGE JERSEY

01-5140	04 EDGE BMX JERSEY YTH SM RED
01-5141	04 EDGE BMX JERSEY YTH MD RED
01-5142	04 EDGE BMX JERSEY YTH LG RED
01-5143	04 EDGE BMX JERSEY ADL XS RED
01-5144	04 EDGE BMX JERSEY ADL SM RED
01-5145	04 EDGE BMX JERSEY ADL MD RED
01-5146	04 EDGE BMX JERSEY ADL LG RED
01-5147	04 EDGE BMX JERSEY ADL XL RED
01-5149	04 EDGE BMX JERSEY YTH SM BLUE
01-5150	04 EDGE BMX JERSEY YTH MD BLUE
01-5151	04 EDGE BMX JERSEY YTH LG BLUE
01-5152	04 EDGE BMX JERSEY ADL XS BLUE
01-5153	04 EDGE BMX JERSEY ADL SM BLUE
01-5154	04 EDGE BMX JERSEY ADL MD BLUE
01-5155	04 EDGE BMX JERSEY ADL LG BLUE
01-5156	04 EDGE BMX JERSEY ADL XL BLUE
01-5158	04 EDGE BMX JERSEY YTH SM BLACK
01-5159	04 EDGE BMX JERSEY YTH MD BLACK
01-5160	04 EDGE BMX JERSEY YTH LG BLACK
01-5161	04 EDGE BMX JERSEY ADL XS BLACK
01-5162	04 EDGE BMX JERSEY ADL SM BLACK
01-5163	04 EDGE BMX JERSEY ADL MD BLACK
01-5164	04 EDGE BMX JERSEY ADL LG BLACK
01-5165	04 EDGE BMX JERSEY ADL XL BLACK

ANSWER EDGE PANT

01-5101	04 EDGE BMX PANT 18 RED
01-5102	04 EDGE BMX PANT 20 RED
01-5103	04 EDGE BMX PANT 22 RED
01-5104	04 EDGE BMX PANT 24 RED
01-5105	04 EDGE BMX PANT 26 RED
01-5106	04 EDGE BMX PANT 27 RED
01-5107	04 EDGE BMX PANT 28 RED
01-5108	04 EDGE BMX PANT 30 RED
01-5109	04 EDGE BMX PANT 32 RED
01-5110	04 EDGE BMX PANT 34 RED
01-5111	04 EDGE BMX PANT 36 RED
01-5112	04 EDGE BMX PANT 38 RED
01-5113	04 EDGE BMX PANT 18 BLUE
01-5114	04 EDGE BMX PANT 20 BLUE
01-5115	04 EDGE BMX PANT 22 BLUE
01-5116	04 EDGE BMX PANT 24 BLUE
01-5117	04 EDGE BMX PANT 26 BLUE
01-5118	04 EDGE BMX PANT 27 BLUE
01-5119	04 EDGE BMX PANT 28 BLUE
01-5120	04 EDGE BMX PANT 30 BLUE
01-5121	04 EDGE BMX PANT 32 BLUE
01-5122	04 EDGE BMX PANT 34 BLUE
01-5123	04 EDGE BMX PANT 36 BLUE
01-5124	04 EDGE BMX PANT 38 BLUE
01-5125	04 EDGE BMX PANT 18 BLACK
01-5126	04 EDGE BMX PANT 20 BLACK
01-5127	04 EDGE BMX PANT 22 BLACK
01-5128	04 EDGE BMX PANT 24 BLACK
01-5129	04 EDGE BMX PANT 26 BLACK
01-5130	04 EDGE BMX PANT 27 BLACK
01-5131	04 EDGE BMX PANT 28 BLACK
01-5132	04 EDGE BMX PANT 30 BLACK
01-5133	04 EDGE BMX PANT 32 BLACK
01-5134	04 EDGE BMX PANT 34 BLACK
01-5135	04 EDGE BMX PANT 36 BLACK
01-5136	04 EDGE BMX PANT 38 BLACK

ANSWER EDGE GLOVE

01-5170	04 EDGE BMX GLOVE YTH XS RED
01-5171	04 EDGE BMX GLOVE YTH SM RED
01-5172	04 EDGE BMX GLOVE YTH MD RED
01-5173	04 EDGE BMX GLOVE YTH LG RED
01-5174	04 EDGE BMX GLOVE ADL XS RED
01-5175	04 EDGE BMX GLOVE ADL SMRED
01-5176	04 EDGE BMX GLOVE ADL MD RED
01-5177	04 EDGE BMX GLOVE ADL LG RED
01-5178	04 EDGE BMX GLOVE ADL XL RED
01-5179	04 EDGE BMX GLOVE YTH XS BLUE
01-5180	04 EDGE BMX GLOVE YTH SM BLUE
01-5181	04 EDGE BMX GLOVE YTH MD BLUE
01-5182	04 EDGE BMX GLOVE YTH LG BLUE
01-5183	04 EDGE BMX GLOVE ADL XS BLUE
01-5184	04 EDGE BMX GLOVE ADL SM BLUE
01-5185	04 EDGE BMX GLOVE ADL MD BLUE
01-5186	04 EDGE BMX GLOVE ADL LG BLUE
01-5187	04 EDGE BMX GLOVE ADL XL BLUE
01-5188	04 EDGE BMX GLOVE YTH XS BLACK
01-5189	04 EDGE BMX GLOVE YTH SM BLACK
01-5190	04 EDGE BMX GLOVE YTH MD BLACK
01-5191	04 EDGE BMX GLOVE YTH LG BLACK
01-5192	04 EDGE BMX GLOVE ADL XS BLACK
01-5193	04 EDGE BMX GLOVE ADL SM BLACK
01-5194	04 EDGE BMX GLOVE ADL MD BLACK
01-5195	04 EDGE BMX GLOVE ADL LG BLACK
	04 EDGE BMX GLOVE ADL XL BLACK



TEAM 3 JERSEY

01-5240	04 TEAM-3 BMX JERSEY YTH SM RED
01-5241	04 TEAM-3 BMX JERSEY YTH MD RED
01-5242	04 TEAM-3 BMX JERSEY YTH LG RED
01-5243	04 TEAM-3 BMX JERSEY ADL XS RED
01-5244	04 TEAM-3 BMX JERSEY ADL SM RED
01-5245	04 TEAM-3 BMX JERSEY ADL MD RED
01-5246	04 TEAM-3 BMX JERSEY ADL LG RED
01-5247	04 TEAM-3 BMX JERSEY ADL XL RED
01-5249	04 TEAM-3 BMX JERSEY YTH SM BLUE
01-5250	04 TEAM-3 BMX JERSEY YTH MD BLUE
01-5251	04 TEAM-3 BMX JERSEY YTH LG BLUE
01-5252	04 TEAM-3 BMX JERSEY ADL XS BLUE
01-5253	04 TEAM-3 BMX JERSEY ADL SM BLUE
01-5254	04 TEAM-3 BMX JERSEY ADL MD BLUE
01-5255	04 TEAM-3 BMX JERSEY ADL LG BLUE
01-5256	04 TEAM-3 BMX JERSEY ADL XL BLUE
01-5258	04 TEAM-3 BMX JERSEY YTH SM BLACK
01-5259	04 TEAM-3 BMX JERSEY YTH MD BLACK
01-5260	04 TEAM-3 BMX JERSEY YTH LG BLACK
01-5261	04 TEAM-3 BMX JERSEY ADL XS BLACK
01-5262	04 TEAM-3 BMX JERSEY ADL SM BLACK
01-5263	04 TEAM-3 BMX JERSEY ADL MD BLACK
01-5264	04 TEAM-3 BMX JERSEY ADL LG BLACK
01-5265	04 TEAM-3 BMX JERSEY ADL XL BLACK

TEAM 3 PANT

01-5200	04 TEAM-3 BMX PANT 18 RED
01-5201	04 TEAM-3 BMX PANT 20 RED
01-5202	04 TEAM-3 BMX PANT 22 RED
01-5203	04 TEAM-3 BMX PANT 24 RED
01-5204	04 TEAM-3 BMX PANT 26 RED
01-5205	04 TEAM-3 BMX PANT 27 RED
01-5206	04 TEAM-3 BMX PANT 28 RED
01-5207	04 TEAM-3 BMX PANT 30 RED
01-5208	04 TEAM-3 BMX PANT 32 RED
01-5209	04 TEAM-3 BMX PANT 34 RED
01-5210	04 TEAM-3 BMX PANT 36 RED
01-5211	04 TEAM-3 BMX PANT 38 RED
01-5212	04 TEAM-3 BMX PANT 18 BLUE
01-5213	04 TEAM-3 BMX PANT 20 BLUE
01-5214	04 TEAM-3 BMX PANT 22 BLUE
01-5215	04 TEAM-3 BMX PANT 24 BLUE
01-5216	04 TEAM-3 BMX PANT 26 BLUE
01-5217	04 TEAM-3 BMX PANT 27 BLUE
01-5218	04 TEAM-3 BMX PANT 28 BLUE
01-5219	04 TEAM-3 BMX PANT 30 BLUE
01-5220	04 TEAM-3 BMX PANT 32 BLUE
01-5221	04 TEAM-3 BMX PANT 34 BLUE
01-5222	04 TEAM-3 BMX PANT 36 BLUE
01-5223	04 TEAM-3 BMX PANT 38 BLUE
01-5224	04 TEAM-3 BMX PANT 18 BLACK
01-5225	04 TEAM-3 BMX PANT 20 BLACK
01-5226	04 TEAM-3 BMX PANT 22 BLACK
01-5227	04 TEAM-3 BMX PANT 24 BLACK
01-5228	04 TEAM-3 BMX PANT 26 BLACK
01-5229	04 TEAM-3 BMX PANT 27 BLACK
01-5230	04 TEAM-3 BMX PANT 28 BLACK
01-5231	04 TEAM-3 BMX PANT 30 BLACK
01-5232	04 TEAM-3 BMX PANT 32 BLACK
01-5233	04 TEAM-3 BMX PANT 34 BLACK
01-5234	04 TEAM-3 BMX PANT 36 BLACK
	04 TEAM-3 BMX PANT 38 BLACK

TEAM 3 GLOVE

01-5269	04 TEAM-3 BMX GLOVE YTH XXS RED
01-5270	04 TEAM-3 BMX GLOVE YTH XS RED
01-5271	04 TEAM-3 BMX GLOVE YTH SM RED
01-5272	04 TEAM-3 BMX GLOVE YTH MD RED
01-5273	04 TEAM-3 BMX GLOVE YTH LG RED
01-5274	04 TEAM-3 BMX GLOVE ADL XS RED
01-5275	04 TEAM-3 BMX GLOVE ADL SMRED
01-5276	04 TEAM-3 BMX GLOVE ADL MD RED
01-5277	04 TEAM-3 BMX GLOVE ADL LG RED
01-5278	04 TEAM-3 BMX GLOVE ADL XL RED
01-5279	04 TEAM-3 BMX GLOVE YTH XXS BLUE
01-5280	04 TEAM-3 BMX GLOVE YTH XS BLUE
01-5281	04 TEAM-3 BMX GLOVE YTH SM BLUE
01-5282	04 TEAM-3 BMX GLOVE YTH MD BLUE
01-5283	04 TEAM-3 BMX GLOVE YTH LG BLUE
01-5284	04 TEAM-3 BMX GLOVE ADL XS BLUE
01-5285	04 TEAM-3 BMX GLOVE ADL SM BLUE
01-5286	04 TEAM-3 BMX GLOVE ADL MD BLUE
01-5287	04 TEAM-3 BMX GLOVE ADL LG BLUE
01-5288	04 TEAM-3 BMX GLOVE ADL XL BLUE
01-5289	04 TEAM-3 BMX GLOVE YTH XXS BLACK
01-5290	04 TEAM-3 BMX GLOVE YTH XS BLACK
01-5291	04 TEAM-3 BMX GLOVE YTH SM BLACK
01-5292	04 TEAM-3 BMX GLOVE YTH MD BLACK
01-5293	04 TEAM-3 BMX GLOVE YTH LG BLACK
01-5294	04 TEAM-3 BMX GLOVE ADL XS BLACK
01-5295	04 TEAM-3 BMX GLOVE ADL SM BLACK
01-5296	04 TEAM-3 BMX GLOVE ADL MD BLACK
01-5297	04 TEAM-3 BMX GLOVE ADL LG BLACK
01-5298	04 TEAM-3 BMX GLOVE ADL XL BLACK
01-5299	04 TEAM-3 BMX GLOVE ADL XXL BLACK







BMX CLOTHING

Edge Jersey

- Continuously Vented Side Panels and Sleeves
- 100% Polyester fabric jersey construction
- Fade resistant graphics are printed using a dye-sublimation process
- Stain and fade resistant fabric
- Non-restrictive full cut pattern with padded elbows
- Available in Blue, Black, and Red

Edge Pants

- All New Fit and Cut
- Vented Lower Legs
- Zip off Removable Legs with Slip-In Shin Guard
- Internal Pocketing
- Molded BioFoam Rear Yoke
- 840 Denier Diamond Oxford and 1000 Denier Korda Nylon construction
- Ratchet buckle closure system
- Available in Blue, Black, and Red

Edge Gloves

- Padded foam mesh top
- Internally stitched fingers
- Lycra finger gussets
- Terrycloth thumb
- Rubber patching and Velcro wrist closure
- Available in Blue, Black, and Red

Team 3 Jersey

- 100% Polyester fabric jersey construction
- Fade resistant graphics are printed using a dye-sublimation process
- Stain and fade resistant fabric
- Non-restrictive full cut pattern
- Available in Blue, Black, and Red

Team 3 Pants

- All New Fit and Cut
- Sewn-in shin pads
- 840 Denier Diamond Oxford and 1000 Denier Korda Nylon construction
- Velcro belt closure system
- Available in Blue, Black, and Red

Team 3 Gloves

- Thermaweld patching with embossed mesh top
- Internally stitched fingers
- Lycra finger gussets
- Velcro wrist closure
- Available in Blue, Black, and Red









© MOONEY



BMX ACCESSORIES

ACF Bicycle Helmet

- Complete carbon fiber shell
- Side vents and vented mouth piece
- Snap removable washable inner liner and fit pads
- No tool adjustable visor
- Available in Red, Blue, and new Black!

size recommendations:

52	54	56	58	60	62
XXS	XS	SM	MD	LG	XL

03-0940 ACF HELMET RED XXS
03-0930 ACF HELMET RED XS
03-0931 ACF HELMET RED SM
03-0932 ACF HELMET RED MD
03-0933 ACF HELMET RED LG
03-0934 ACF HELMET RED XL
03-0941 ACF HELMET BLUE XXS
03-0935 ACF HELMET BLUE XS
03-0936 ACF HELMET BLUE SM
03-0937 ACF HELMET BLUE MD
03-0938 ACF HELMET BLUE LG
03-0939 ACF HELMET BLUE XL
03-0945 ACF HELMET BLACK XXS
03-0946 ACF HELMET BLACK XS
03-0947 ACF HELMET BLACK SM
03-0948 ACF HELMET BLACK MD
03-0949 ACF HELMET BLACK LG
03-0950 ACF HELMET BLACK XL

ACF REPLACEMENT VISORS
03-0951 ACF VISOR ACF HELMET RED
03-0952 ACF VISOR ACF HELMET BLU
03-0953 ACF VISOR ACF HELMET BLK

Number Plates

- Uses simple to install Velcro fasteners
- Available in Pro & Mini sizes
- In Red, Blue and Black

77-4770 ANSWER NUMBER PLATE - PRO RED
77-4771 ANSWER NUMBER PLATE - PRO BLUE
77-4772 ANSWER NUMBER PLATE - PRO BLACK
77-4773 ANSWER NUMBER PLATE - MINI RED
77-4774 ANSWER NUMBER PLATE - MINI BLUE
77-4775 ANSWER NUMBER PLATE - MINI BLACK

BMX Numbers

Five-Packs

77-4750 BMX NUMBERS #0
77-4751 BMX NUMBERS #1
77-4752 BMX NUMBERS #2
77-4753 BMX NUMBERS #3
77-4754 BMX NUMBERS #4
77-4755 BMX NUMBERS #5
77-4756 BMX NUMBERS #6
77-4757 BMX NUMBERS #7
77-4758 BMX NUMBERS #8
77-4759 BMX NUMBERS #9

Stubbie-2 Stem

- CNC machined from solid 6061 billet aluminum
- Four bolt removable face offers easy adjustability with unsurpassed strength
- Available in 1 1/8" only

85-2550 STUBBIE 2 STEM PRO XL
85-2551 STUBBIE 2 STEM PRO XXL

Answer Stem-Loc

- Machined alloy stem lock
- Replaces star fangled nut
- Completely adjustable with standard tools
- Available 1" and 1 1/8"

85-4700 BMX STEM-LOC 1 1/8"
85-4701 BMX STEM-LOC 1"

Answer BMX Padsets

- Uses simple-to-install Velcro fasteners
- Fits standard and oversize frames and stems
- Monocoque style now available
- Available in Red, Blue, Black and Yellow

83-6050 BMX PAD SET - RED
83-6051 BMX PAD SET - BLUE
83-6052 BMX PAD SET - BLACK
83-6053 BMX PAD SET - YELLOW
83-6054 BMX MONOCOQUE PAD - BLACK

Alumilite Sprocket

- CNC machined 6061 aluminum
- Special adjustable bolt attachment for long life
- Available in 39T - 42T

77-4797 ALUMILITE SPROCKET 39T
77-4798 ALUMILITE SPROCKET 40T
77-4799 ALUMILITE SPROCKET 41T
77-4800 ALUMILITE SPROCKET 42T

Answer Logo Grips

- Manufactured from high quality
- Kraton rubber
- Thin profile for superior control
- Available in Blue, Black, and Red

82-1500 LOGO GRIPS BLACK
82-1501 LOGO GRIPS BLUE
82-1502 LOGO GRIPS RED

Racing Slicks Grips

- Extremely tacky, soft rubber body
- Thin profile for superior control
- Available in Black, Blue, Red, and Yellow

82-1510 RACING SLICKS BMX GRIPS BLACK
82-1511 RACING SLICKS BMX GRIPS BLUE
82-1512 RACING SLICKS BMX GRIPS RED
82-1514 RACING SLICKS BMX GRIPS YELLOW

KB STUFF

KB Moto Pro Gloves

- Ultra-thin Clarino palm for increased tacticity at the bar
- Taper cut lycra finger gussets
- Terrycloth thumb
- Rubber patches used throughout
- Rubber GrabTab wrist node
- Colors: Red, Black, Blue
- Sizes: YM, YL, SM, MD, LG, XL

KB Maiden Tee

- 100% cotton

KB Jumper Pro Helmet

- All new fit with re-designed outer and inner shells
- Endorsed by top pro riders
- CPSC, ASTM F1447, ANSI Z90.4 and CE bicycle safety certified
- Two shell sizes & 3 fit pad size combinations
- Injection molded ABS shell with EPS foam liner
- Sizes: SM/MD, LG/XL
- Colors: Black, White, Red, Silver, Blue, Gray

KB Knee & Elbow Pads

- All new cut and fit
- Thicker, softer foam for more comfort and coverage
- Split knee back facilitates quick changes
- Ballistic nylon outer shell
- Injection molded ABS caps
- Ventilated airprene and neoprene
- Colors: Gray/Black
- Sizes: SM/MD, LG/XL

KB Jumper Shin Guards

- Anatomically molded
- ABS plastic shin protector
- Inserts & Vented Airprene backing with 4 Velcro straps
- Colors: Black
- Sizes: SM/MD, LG/XL

KBG Grips

- Thinnest possible outer diameter for better grip
- Patented knurl pattern with flange
- Super tacky Kraton rubber construction
- Colors: Red, Blue, Gray, Black

KB Jumper Grips

- Bigger grip with wider grab target
- Low-profile flanges with larger padded diameter
- Kraton rubber compound

KB Prospec Padsets

- Unique tapered shape for easy fit
- Low profile design
- Colors: Blue, Red, Gray
- KB Logo Tee
- 100% cotton

802-200	KB JUMPR PRO HLMT BLK	SM/MD
802-201	KB JUMPR PRO HLMT BLK	LG/XL
802-202	KB JUMPR PRO HLMT WHT	SM/MD
802-203	KB JUMPR PRO HLMT WHT	LG/XL
802-204	KB JUMPR PRO HLMT RED	SM/MD
802-205	KB JUMPR PRO HLMT RED	LG/XL
802-206	KB JUMPR PRO HLMT SLV	SM/MD
802-207	KB JUMPR PRO HLMT SLV	LG/MXL
802-208	KB JUMPR PRO HLMT BLU	SM/MD
802-209	KB JUMPR PRO HLMT BLU	LG/XL
802-210	KBJUMPR PRO HLMT GRY	SM/MD
802-211	KBJUMPR PRO HLMT GRY	LG/XL
193-001	JUMPER KNEE PAD	SM/MD
193-002	JUMPER KNEE PAD	LG/XL
193-011	JUMPER ELBOW PAD	SM/MD
193-012	JUMPER ELBOW PAD	LG/XL
193-021	JUMPER SHIN GUARD	SM/MD
193-022	JUMPER SHIN GUARD	LG/XL
172-050	KB 04 MOTO PRO GLV BLK	YTH SM
172-051	KB 04 MOTO PRO GLV BLK	YTH MD
172-052	KB 04 MOTO PRO GLV BLK	YTH LG
172-053	KB 04 MOTO PRO GLV BLK	ADL SM
172-054	KB 04 MOTO PRO GLV BLK	ADL MD
172-055	KB 04 MOTO PRO GLV BLK	ADL LG
172-056	KB 04 MOTO PRO GLV BLK	ADL XL
172-057	KB 04 MOTO PRO GLV RED	YTH SM
172-058	KB 04 MOTO PRO GLV RED	YTH MD
172-059	KB 04 MOTO PRO GLV RED	YTH LG
172-060	KB 04 MOTO PRO GLV RED	ADL SM
172-061	KB 04 MOTO PRO GLV RED	ADL MD
172-062	KB 04 MOTO PRO GLV RED	ADL LG
172-063	KB 04 MOTO PRO GLV RED	ADL XL
172-064	KB 04 MOTO PRO GLV BLU	YTH SM
172-065	KB 04 MOTO PRO GLV BLU	YTH MD
172-066	KB 04 MOTO PRO GLV BLU	YTH LG
172-067	KB 04 MOTO PRO GLV BLU	ADL SM
172-068	KB 04 MOTO PRO GLV BLU	ADL MD
172-069	KB 04 MOTO PRO GLV BLU	ADL LG
172-070	KB 04 MOTO PRO GLV BLU	ADL XL
301-001	KBG GRIPS	BLACK
301-002	KBG GRIPS	RED
301-003	KBG GRIPS	BLUE
301-004	KBG GRIPS	GRAY
301-005	JUMPER GRIPS	GRAY/SOFT
301-006	JUMPER GRIPS	BLACK/MEDIUM
901-130	KB MAIDEN T- BLACK	SM
901-131	KB MAIDEN T- BLACK	MD
901-132	KB MAIDEN T- BLACK	LG
901-133	KB MAIDEN T- BLACK	XL
901-134	KB MAIDEN T- BLACK	XXL
401-011	PROSPEC PADSET	RED
401-012	PROSPEC PADSET	BLUE
401-014	PROSPEC PADSET	GRAY





DRIVE STUFF



Drive Handlebar

. 8- deg Sweep
. 180mm, Width 635mm
. 100 % Cromoly Construction

192-110 DRIVE CROMOLY HANDLEBAR

Drive Stem

. CNC'd 6061 al
. Removable Cable Stops
. Invert-able stem
. Heavy duty Hardware

192-120 DRIVE STEM



Drive Saddle Sore

. Oversized replaceable Cromoly rails
. Rubberized Thighgripper nose and sides
. Ballistic nylon back and side corners

192-204 SADDLE SORE - BLACK/GREY



Drive Seatpost

. 2014 aluminum alloy construction
. Forged head
. Super light, but not too light
. Durable black anodized finish
. Laser etched logos

192-200 DRIVE SEATPOST - 25.4
192-201 DRIVE SEATPOST - 26.8
192-202 DRIVE SEATPOST - 27.0
192-203 DRIVE SEATPOST - 27.2



Drive Pedals

. Available in Mag (440g) and Al (560g)
. Removable/replaceable pins
. Chromoly Spindle
. Loose ball bearing design for easy rolling and maintenance

192-101 DRIVE MAGNESIUM PEDALS
192-100 DRIVE ALUMINUM PEDALS



Drive Cromoly Frame

. 100% Cromolly tubing
. CNC'd headtube with extra thick cup area
. CNC'd euro bottom bracket shell
. Wrap around gusseting on chainstay/bottom bracket/downtube area
. Top Tube Length – 20.5"
. Requires 990 brakes
. Requires 25.4 seat post
. 5 pounds 8 ounces / 2495 grams

192-210 DRIVE CROMOLY FRAME



Drive Cromoly Fork

. 100 % heat treated 4130 cromoly
. CNC'd drop outs
. Extra thick steerer tube
. Angle cut leg for extra peg clearance
. 2 pounds 7 1/2 ounces (1125 grams)

192-215 DRIVE CROMOLY FORK

Drive Cursive-Tee

78-0361 DRIVE CURSIVE T - SM
78-0362 DRIVE CURSIVE T - M
78-0363 DRIVE CURSIVE T - L
78-0364 DRIVE CURSIVE T - XL

DRIVE TIRES

Lock

. New lightweight casing
. All new softer compound for extra grip
. All around performance tread design
. Round knobs and even spacing for excellent traction

Icon

. New lightweight casing
. All new softer compound for extra grip
. Specifically designed for BMX track use
. Hexagon shaped knobs for maximum traction

Load

. New lightweight casing
. All new softer compound for extra grip
. Fast rolling design
. Provides maximum traction & durability
. For street, ramp, park and hard track
. Rated 9 out of 10 by Transworld BMX

Rip Mini/Roar Junior

. New lightweight casing
. All new softer compound for extra grip
. Fast, lightweight and durable mini & junior tire
. Same fast-rolling tread pattern as the Load

©CHRIS HERRON PHOTOGRAPHY

191-041 LOCK 20" X 1.85"
191-042 LOCK 20" X 2.25"
191-050 LOAD 20" X 1.85"
191-051 LOAD 20" X 2.0"
191-052 LOAD 20" X 2.25"
191-060 ICON 20" X 1.65"
191-061 ICON 20" X 1.85"
191-062 ICON 20" X 2.25"
191-011 RIP 20" X 1 1/8"
191-021 ROAR 20" X 1 3/8"

Motorex

For more than 80 years, Motorex lubricants have been made in Switzerland to the most exhaustive standards. Each lubricant has been specifically designed to be long lasting, easy on the environment and provide maximum performance for your bicycle.

Motorex Dry Chain Lube

. For use in dry, dusty conditions
. Biodegradable
. Dirt and dust repellent properties
. Available in 3.5oz squeeze bottle and 11oz Aerosol

85-0027 DRY CHAIN LUBE 11oz AEROSOL
85-0028 DRY CHAIN LUBE 3.5oz SQUEEZE

Motorex Wet Chain Lube

. For extreme wet and muddy conditions
. Biodegradable
. Strong water-repellent properties
. Available in 3.5oz squeeze bottle and 11oz Aerosol

85-0021 WET CHAIN LUBE 3.5OZ SQUEEZE
85-0032 WET CHAIN LUBE 11OZ AEROSOL

Bike Grease 2000

. State of the art grease with high durability
. Water repellent properties and prevents galvanic corrosion
. High resistance to oxidation and aging
. Safe for elastomers and seals
. Available in 100g tube

85-0033 BIKE GREASE 2000 100g TUBE

Disc Brake Copper Compound

Apply a tiny amount to a clean disc brake rotor to eliminate squeal and increase stopping power

85-0038 DISC BRAKE COMPOUND

Bike Spring Grease

. Used for lubricating coil and MCU springs
. High resistance to water
. High durability formula
. Available in 2 lb. Tub

85-0024 B/SPRING GREASE 2lb TUB

Prep M Lube and Lube Gun

The best suspension fork grease ever created, Prep M was specially designed by Motorex for the rigors of professional racing. Designed to work with Manitou's Microlube grease-gun, making quick work of maintaining your investment.

85-0031 PREP M LUBE 6.5oz
85-3812 PREP M GREASE GUN HEAD

COURTESY OF PROCEED

5 wt. Fork Oil

. Highest quality fork oil available
. Stock fluid for all Manitou forks
. Highly resistant to temperature changes
. Available in 17.5oz bottle

85-0023 5WT FORK OIL 17.5oz

Dot 4 Brake Fluid

. High Performance brake fluid with super high boiling point
. No vapor formation, even at extreme temperatures
. Provides optimum braking performance and fine sensitivity

85-0035 DOT 4 BRAKE FLUID 8.5oz

Semi Bath Oil

. Specially designed for Manitou semi bath lubrication systems
. Splashes up onto the bushings to keep your fork running smooth
. Repels dust, dirt, and water

85-0022 SEMI BATH OIL 3.5oz

Motorex Bike Care Kit

Includes:
100ml Dry Lube
500ml Bike Clean
500ml Bike Shine
Rag, sponge, and handy carrying case

85-0036 BIKE CARE KIT

Easy Clean

Use for oily and greasy parts
Highly active, biodegradable cleaner for chains and other moving parts
Dries without leaving residues and is non-corrosive
Available in 17.5oz Aerosol bottle

85-0030 EASY CLEAN 17.5oz AEROSOL

Bike Shine

. Use after cleaning for that new bike look
. Protects and conserves your bike's finish
. Water/dust repellent with anti-static properties
. Available in 17.5oz Aerosol bottle

85-0026oz BIKE SHINE 17.5oz AEROSOL

Motorex Bike Clean

. Specially suited for heavily soiled bikes
. Solvent-free, rapidly biodegradable cleaner gel
. Available in 17.5oz spray bottle

85-0025 BIKE CLEANER 17.5oz
85-0034 BIKE CLEANER 1 LITER

ANSWER PRODUCTS



answerproducts incorporated

28209 Avenue Stanford | Valencia, California 91355 | 661 257 4411 | www.answerproducts.com

©2004 Manitou is a registered trademark of Answer Products, Inc.

for a complete list of international distributors visit answerproducts.com | pn 00-0130

COVER: © MARTIN BISSIG