RALEIGH



GRAVEL ROAD 2016

RALEIGH



WHY GRAVEL ROAD?

When we launched the Maverick in 2015 we thought it would be a nice addition to our road range, filling a niche and giving you an all road option to your riding, but we soon found it was our go to bike for everyday riding.

So when it came to redesigning our endurance road bikes we decided that the best all round machine for British conditions was a Gravel Road bike.

We took the comfortable riding position from our Endurance bikes, added disc brakes and increased the clearance for wide tyres to make it the most versatile road bike we've ever built.

At home on singletrack, gravel, country lanes and main roads, they are fast comfortable road bikes capable of being ridden all day.

The large volume tyres we have fitted provide the perfect balance between grip in the dirt and speed on the road. Wide range gears including the new SRAM 1x11 road groupsets are fast enough for the road but low enough to get you up the hills.

Complementing the steel Maverick range we now offer 4 Mustangs in Aluminium and the Roker, the ultimate Gravel Road bike, in our endurance carbon blend.

So whether it's the bike to complement your fleet or a single bike to do everything then we have the Gravel Road bike for you.

#ridegravel

RALEIGH

Roker Race

Frame: Gravel Endurance Blend Direct Connect carbon Fibre with SRAM GXP bottom bracket tapered head tube and internal cabling

Fork: Raleigh Speed Blend all-carbon fork with tapered steerer, 15mm thru axle

Groupset: SRAM Force 1 Shifters, SRAM Force 1 R.D.,SRAM Force Hydraulic Disc (HRD) Brakes, SRAM Force 1X 44T chainset, SRAM 1150 10-42 cassette

Wheels: American Classic Hurricane Tubeless, with Schwalbe G1 folding 700 x 35c tyres

Part No.s: ROR52BL, ROR54BL, ROR56BL, ROR58BL, ROR60BL, ROR62BL

RRP: £2,500

ENDURANCEBLEND

DC DIRECT CONNECT





For detailed specification and geometry please visit www.raleigh.co.uk

RALEIGH

Roker Pro

Frame: Gravel Endurance Blend Direct Connect carbon Fibre with SRAM GXP bottom bracket tapered head tube and internal cabling

Fork: Raleigh Speed Blend all-carbon fork with tapered steerer, 15mm thru axle

Groupset: SRAM Rival 1 Shifters, SRAM Rival 1 R.D.,SRAM Rival Hydraulic Disc (HRD) brakes, SRAM S350 1X 44T chainset, SRAM 1150 10-42 cassette

Wheels: American Classic TCX Tubeless, with Schwalbe G1 folding 700 x 35c tyres

Part No.s: ROP52OR, ROP54OR, ROP56OR, ROP58OR, ROP60OR, ROP62OR

RRP: £2,000

ENDURANCEBLEND

DC DIRECT CONNECT





For detailed specification and geometry please visit www.raleigh.co.uk

Mustang Comp

Frame: AL6061 double butted alloy, thru axle, tapered headtube, gravel geometry

Fork: Gravel specific all-carbon fork with tapered alloy steerer and 15mm thru axle

Groupset: SRAM Rival 1 Shifters, SRAM Rival 1 R.D., SRAM Rival Hydraulic Disc (HRD)Brakes, SRAM S350 1X 44T chainset, SRAM 1150 10-42 cassette

Wheels: American Classic TCX Tubeless, with Schwalbe G1 folding 700 x 40c tyres

Part No.s: MUC52OR, MUC54OR, MUC56OR, MUC58OR, MUC60OR, MUC62OR

RRP: £1,500



For detailed specification and geometry please visit www.raleigh.co.uk

Mustang Elite

Frame: AL6061 double butted alloy, thru axle, tapered headtube, gravel geometry

Fork: Gravel specific all-carbon fork with tapered alloy steerer and 15mm thru axle

Groupset: SRAM RIVAL 1 Shifters, SRAM RIVAL 1 R.D., TRP HY-RD Semi Hydraulic disc brakes, SRAM S350 1X 44T chainset, SRAM 1150 10-42 cassette

Wheels: RSP AD3.0 Sealed bearing & tubeless Ready, with Schwalbe G1 folding 700 x 40c tyres

Part No.s: MUE52GY, MUE54GY, MUE56GY, MUE58GY, MUE60GY, MUE62GY

RRP: £1,000



For detailed specification and geometry please visit www.raleigh.co.uk

Mustang Sport

Frame: AL6061 double butted alloy, tapered headtube, gravel geometry

Fork: Gravel specific carbon fork with tapered alloy steerer

Groupset: Shimano Sora Shifters, Shimano Sora R.D., Shimano Sora F.D., Tektro Spyre - Dual Actuated Mechanical Disc Brakes, Shimano Sora 50/34t chainset, Shimano Sora 11-30 cassette

Wheels: RSP AD2.0 Tubeless Ready, with Schwalbe CX Comp 700 x 35c tyres

Part No.s: MUS52GY, MUS54GY, MUS56GY, MUS58GY, MUS60GY, MUS62GY

RRP: £800



For detailed specification and geometry please visit www.raleigh.co.uk

Mustang

Frame: AL6061 double butted alloy, tapered headtube, gravel geometry

Fork: Gravel specific carbon fork with tapered alloy steerer

Groupset: Shimano Claris Shifters, Shimano Claris R.D., Shimano Claris F.D., Tektro Mira Mechanical Disc Brakes, FSA Tempo 50/34 chainset, Shimano 11-32 cassette

Wheels: RSP AD1.0, with Schwalbe CX Comp 700 x 35c tyres

Part No.s: MU52BL, MU54BL, MU56BL, MU58BL, MU60BL, MU62BL

RRP: £650



For detailed specification and geometry please visit www.raleigh.co.uk

REYNOLDS TUBING

Raleigh has a long relationship with Reynolds, using their butted steel tubes on our performance frames for decades. Probably the most famous era was when Reynolds then parent company, Tube Investments, sponsored the TI Raleigh race team to Tour de France success in 1980.

The relationship with Reynolds continues with our Maverick Gravel Road bikes using the latest development of the world famous 531 tube set. Reynolds 631 air hardening properties mean that it actually increases in strength as it is welded, making it stronger than 531 so we can build a lighter and more supple frames.

Reynolds Steel rightly has a reputation for a lively inspiring ride, its natural spring and forgiveness of road shock make it the ideal material for longer journeys. Combined with our Gravel Road geometry these bikes are ready for your next adventure.

Have the confidence to ride where you want.



Maverick Comp

Frame: Maverick Reynolds 631 steel frame

Fork: Maverick CrMo disk fork

Groupset: SRAM Rival Shifters, SRAM Rival R.D., SRAM Rival yaw F.D., TRP HyRD cable pull hydraulic brakes, SRAM Rival 50/34t chainset, SRAM 11-28 cassette

Wheels: RSP AD3.0 sealed bearing, with Schwalbe Marathon Racer 700 x 35c tyres

Part No.s: RMVC52RD, RMVC54RD, RMVC56RD, RMVC58RD, RMVC60RD

RRP: £1,150



For detailed specification and geometry please visit www.raleigh.co.uk

Maverick Elite

Frame: Maverick Reynolds 631 steel frame

Fork: Maverick CrMo disk fork

Groupset: Shimano Sora Shifters, Shimano Sora R.D., Shimano Sora F.D., TRP Spyre cable actuated disc 160mm rotorBrakes, RSP 50/34t chainset, SRAM 11-28 cassette

Wheels: RSP CX2.0, with Schwalbe Spicer 700 x 35c with K guard puncture protection tyres

Part No.s: RMVE52BL, RMVE54BL, RMVE56BL, RMVE58BL, RMVE60BL

RRP: £850



For detailed specification and geometry please visit www.raleigh.co.uk

GRAVEL ROAD RANGE SIZE GUIDE

Raleigh size system	3	5	6	7	8	9
	5’4” - 5’7”	5’7”-5’9”	5’9”-5’11”	5’11”-6’1”	6’1”-6’3”	6’3”-6’5”
Nominal seat tube length	52cm	54cm	56cm	58cm	60cm	62cm
Seat tube length	490.0mm	510.0mm	530.0mm	550.0mm	570.0mm	590.0mm
Standover height	770.0mm	790.0mm	810.0mm	830.0mm	845.0mm	860.0mm
Top tube length	525.0mm	545.0mm	560.0mm	575.0mm	590.0mm	605.0mm
Head tube length	100.0mm	120.0mm	135.0mm	155.0mm	170.0mm	185.0mm
Head angle	71.0°	71.0°	71.0°	71.5°	71.5°	71.5°
Seat angle	74.0°	73.0°	73.0°	72.5°	72.5°	72.5°
Chain stay length	440.0mm	440.0mm	440.0mm	440.0mm	440.0mm	440.0mm
Fork offset	50.0mm	50.0mm	50.0mm	50.0mm	50.0mm	50.0mm
BB drop	77.5mm	75.0mm	75.0mm	72.5mm	72.5mm	72.5mm
Stem length	90.0mm	90.0mm	100.0mm	100.0mm	110.0mm	110.0mm
Handlebar width	400.0mm	420.0mm	420.0mm	420.0mm	440.0mm	440.0mm
Crank length	170.0mm	170.0mm	172.5mm	172.5mm	175.0mm	175.0mm
Seat post length	300.0mm	300.0mm	300.0mm	300.0mm	300.0mm	300.0mm



www.raleigh.co.uk/gravel-road

CATRALGR16