Salsa

ADVENTURE BY BIKE

2018

Salsa

ADVENTURE BY BIKE

ADVENTURE BY BIKE

サイクリングライフにおいて、もっとも重要なことは、「自転車に乗ってなにかを感じる」こと。ペダルを踏み続けることでしか得られない経験を積み重ねることで、その後のサイクルライフ、いや、人生をも変化させるのです。そんな経験がどれだけ尊いことか。SALSAクルーの中にはわたしを含め、「製品の記憶よりも経験こそが大切」と考える者も少なからずいます。一言で経験といっても、そこにはサイクリストの数だけ、様々なシーンやスタイル、記憶が存在します。わたしたちは、そんなすべてのサイクリストの経験に敬意を表して【ADVENTURE BY BIKE】と表現しました。

あらゆる人が、自分のサイクルライフを変化させるような特別な経験をしたり、新しい経験ができる場所に導くための道具を作ることがわたしたちの使命なのです。
【ADVENTURE BY BIKE】というのは単なるブランドスローガンや、体のいいキャッチコピーではありません。この言葉は、SALSAというブランドを導く「光」なのです。

そして、「ADVENTURE(冒険)」には、大きなことも小さなこともあることをわたしたちは知っています。新しいトレイルや抜け道を発見することも、あえて悪天候の中に走り出すことも、ともに「ADVENTURE(冒険)」なのです。個人の限界を超えようとすること、それまで想像もしなかった大きなことに挑むこと、普段はしないちょっとしたことを試しにやってみること。例えるなら、見知らぬ国を自転車で探検したり、人里離れた秘境をバイクパッキングすることもそう、ツーリング途中のランチで見知らぬ店に入ってみるとか、大都市を自転車で走り抜けることも、わたしたちはすべて「ADVENTURE(冒険)」と考えます。

【ADVENTURE BY BIKE】とは個人の成長の機会を約束してくれるもの。そしてそれを発見する手伝いをすることが、わたしたちの使命です。SALSA CYCLESとは、自らの経験により、モノづくりの根底に「経験を促進する(すなわち冒険)」というアイデンティティを据えたブランドなのです。

SALSA CYCLES MARKETING MANAGER ***MIKE RIEMER***





BUCKSAW CARBON FRAME

バックソウ カーボン フレーム

フレーム ¥338,000(税抜)

●カラー:ブラック
●サイズ:S, M　●ホイール:26", 27.5", 29"
●フレーム:Bucksaw Carbon / Split Pivot 100mm Travel

様々な路面に対応する卓越したトラクション性能を誇るスプリットピボット・リア・サスペンションを軽量高剛性(アルミフレームより340g軽量)のカーボンフレームに搭載。夢のようなカップリングによる、極上の乗り心地と効率のよいペダリング性能を体感できるSALSA FATBIKEシリーズのフラッグシップ・フレームです。このフレームは、3サイズのホイールセットとコンパチブル(26x4.0", 27.5x3.0-3.25", 29x2.3-2.5")の設計となります。ペダルを踏めば、「BUCKSAWでどこに行けばいいの?」という疑問が、すぐに「BUCKSAWで行けないとこはどこ?」に変わります。





OFF-ROAD EXPLORATION
RUGGED TRAIL
BACKCOUNTRY RIDING

OFF-ROAD EXPLORATION
RUGGED TRAIL
BACKCOUNTRY RIDING

BUCKSAW GX1

バックソウ GX1

完成車 ¥479,000(税抜)

●カラー:ブルー　●サイズ:S, M　●ホイール:26"
●フレーム:Bucksaw Aliminum / Split Pivot 100mm Travel
●フロントフォーク:RockShox Bluto RL 1 Stealth Solo Air 100mm
●リアショック:RockShox Monarch RT Debonair
●コンポーネント:SRAM GX 11-speed (Rear)　●ブレーキ:SRAM DB5

高強度と耐久性に優れた6066アルミニウム・フレーム仕様のBUCKSAW完成車です。FATBIKEの並外れたトラクションに、高性能フルサスペンション・マウンテンバイクのコントロール性能を併せたら、いったいどんなバイクになるのか? その答が、このBUCKSAWに集約されています。スプリットピボット・サスペンションによる極めてパワーロスが少ないペダリング性能に加えて、極太タイヤとサスペンションを組み合わせた振動吸収性とトラクションは、創造を絶する仕上がりとなりました。さらにこのフレームは、3サイズのホイールセットとコンパチブル(26x4.0", 27.5x3.0-3.25", 29x2.3-2.5")の設計です。完成車購入後に異なるサイズのホイールセットを買い足せば、新しい走行フィーリングを楽しめます。

BEARGREASE CARBON FRAMESET

ベアグリース カーボン フレームセット

フレーム&フォークセット ¥185,000(税抜)

●カラー:ブラック
●サイズ:S, M　●ホイール:26", 27.5", 29"
●フレーム:Beargrease Carbon
●フォーク:Salsa Makwa Carbon

カーボンファイバーによる軽量かつ俊敏な走りを演出するフレーム設計は、A地点からB地点への道のりを、単なる移動からワクワクした心弾む時間へと変換します。2018年モデルは27.5x3.0-4.0"ホイールのほか、26x3.8-4.6"(※4.6"は、フロントシングル限定)、29x2.25-3.0"という3サイズのホイールに対応します。お好みのホイールと組み合わせることで、シングルトラック・ライドから、雪上FATBIKEレース、さらにはウルトラ・エンデュランスまで、スピードを追求するあなたの欲求をきっと満たしてくれます。

ULTRA-ENDURANCE
FATBIKE RACING
SINGLETRACK



BEARGREASE CARBON NX1

ベアグリース カーボン NX1

完成車 ¥277,000(税抜)

●カラー:オレンジ
●サイズ:S, M　●ホイール:27.5"
●フレーム:Beargrease Carbon
●フロントフォーク:Salsa Bearpaw Carbon
●コンポーネント:SRAM NX1 11-speed (Rear)
●ブレーキ:Hayes MX Comp

FATBIKEの先端を行く軽やかな走りが評判のBEARGREASE CARBONが、さらなる進化を遂げました。フレームは、3ホイール・サイズ・コンパチブル(27.5x3.0-4.0、26x3.8-4.6"(※4.6"は、フロントシングル限定)、29x2.25-3.0"に変更。完成車は、新たに27.5x3.8"タイヤを標準装備することで、鋭い加速感と俊敏なスピード感を実現しました。また、BEARPAW CARBON FORKは、カーボン製でありながら、バイクパッキングで便利な3パックマウントを装備します。SALSAが提案するADVENTURE BY BIKEの世界観をあらゆる路面で堪能できる1台です。

ULTRA-ENDURANCE
FATBIKE RACING
SINGLETRACK



MUKLUK NX1

マクラク NX1

完成車 ¥248,000(税抜)

●カラー:ブラックxティール
●サイズ:XS, S, M　●ホイール:26"
●フレーム:Mukluk Aluminum
●フロントフォーク:Salsa Bearpaw Carbon
●コンポーネント:SRAM NX1　11-speed (Rear)
●ブレーキ:Hayes MX Comp

MUKLUKは、今でこそ一般的となったオフセットホイールを使用しないシンメトリカルフレームを他社に先駆け世に送り出し、現在のFATBIKEムーブメントをけん引したSALSAの技術力を象徴するモデルです。2018モデルは、26x4.8"のタイヤを装備しますが、MUKLUKフレームは、3サイズ(26x3.8-4.8"、27.5x3.0-4.0"、29x2.3-3.0")のホイールサイズにコンパチブルします。フレームは、ALTERNATOR DROPOUT仕様で、エンドプレートを交換することで、シングルスピード化やROHLOFFの内装変速機の装着もできる拡張性を持ちます。フレームにはリアラックマウント、フォークには3パックマウントがあるため、バイクパッキングからトレイルライドまで幅広い用途をこなします。

FATBIKING
BUSHWACKING
SINGLESPEED



TIMBERJACK GX1 27.5+

ティンバージャックGX1 27.5+

完成車 ¥228,000(税抜)　フレーム ¥54,000(税抜)


●カラー：チャコール　●サイズ：XS, S, M, L　●ホイール：27.5"
●フレーム：Timberjack Aluminum
●フロントフォーク：RockShox Recon RL Solo Air 120mm, BOOST
●コンポーネント：SRAM GX1 11-speed (Rear)
●ブレーキ：SRAM DB Level Hydraulic

TIMBERJACKは、27.5+（27.5x2.8-3.0”）と、29er（29x2.1-2.6”）という2種類のホイールセットに互換性を持ったアルミハードテール・モデルです。キレのいいスーパーショートチェーンステイ、多様性を生むALTERNATOR DROPOUT(シングルスピード、ROHLOFF、135mm QR、142mmスルーアクスル、148mm BOOSTに対応)、バッグを装着したときに容量を稼げる大きなメインフレームトライアングルなど、SALSAの最新テクノロジーをたっぷりと注いだ人気モデルです。27.5x2.8”タイヤを装備した完成車のほか、フレーム販売の設定もあります。



SINGLETRACK
BIKEPACKING
OFF-ROAD EXPLORATION

BY BIKE



TIMBERJACK NX1 29

ティンバージャックNX1 29

完成車 ¥158,000(税抜)

●カラー:ブルー
●サイズ:XS, S, M, L　●ホイール:29"
●フレーム:Timberjack Aluminum
●フロントフォーク:Manitou Markhor 120mm, 9 x 100mm QR
●コンポーネント:SRAM NX1 11-speed (Rear)
●ブレーキ:Tektro HD-M290 Hydraulic



SINGLETRACK
BIKEPACKING
OFF-ROAD EXPLORATION

高強度で多才なTIMBERJACK 6061アルミフレームをベースに、29er(29x2.25")のタイヤで構成された完成車。SALSAクルーが、ローカルトレイルやバイクパッキングで性能を突き詰めたハードテールバイクは、従来の29erのイメージを一蹴するキレキレのハンドリングが魅力です。痛快なシングルトラック・ライディングはもちろん、ロングディスタンスレースなど、あらゆるトレイルでその実力を発揮します。

WOODSMOKE FRAME

ウッドスモーク フレーム

フレーム ¥208,000(税抜)

●カラー:ブラックxティール
●サイズ:S, M　●ホイール:27.5", 29"
●フレーム:Woodsmoke Carbon



SINGLETRACK
BIKEPACKING
OFF-ROAD EXPLORATION

激しいライディング時に不要なチェーントラブルを防ぐエレベーテッドチェーンステイをウルトラショートレングスで実現。しかも、29x2.4-3.0"、または、27.5x2.8-3.25"という2サイズのホイールに対応します。さらにシングルスピード化やリアセンター長を調整できるALTERNATOR V2.0DROPOUTを採用しました。大きなタイヤのバイクに乗って、スケールの大きなライディングに出かけましょう。



FARGO FRAME SET

ファーゴ フレームセット

フレーム&フォークセット ¥128,000(税抜)

●カラー:パープル
●サイズ:XS, S, M, L　●ホイール:27.5+, 29"
●フレーム:Fargo Cobra Kai CroMoly
●フォーク:Salsa Firestarter Carbon

FARGOは、トレイルライドから旅まで使えるドロップバーマウンテンバイクです。乗り心地の良いCOBRA KAI CHROMOLYフレームは、基本となる29erのみならず、27.5+、29+(Sサイズ以上)のホイールセットの使用も可能です。フォークは、SALSAオリジナルの3パックマウント付きカーボンフォークをセットしています。リアエンドは、ALTERNATOR V1.5仕様(シングルスピード、ベルトドライブ、ROHLOFF、135mm QR、142mmスルーアクスル、148mmBOOSTに対応します)。より遠くへ、より快適に、たっぷり荷物を積んで旅に出ませんか?

BIKEPACKING
OFF-ROAD TOURING
SINGLETRACK



※写真は完成車イメージです。
フレームセット販売モデルにパーツは付属しません。



FARGO GX 29

ファーゴ GX 29

完成車　GREEN ¥233,000(税抜)
完成車　CREAM ¥248,000(税抜)

BIKEPACKING
OFF-ROAD TOURING
SINGLETRACK



GREEN

●カラー:グリーン、クリーム
●サイズ:XS(CREAMのみ), S, M, L　●ホイール:29"
●フレーム:Fargo Cobra Kai CroMoly
●フロントフォーク:Salsa Firestarter Steel
●コンポーネント:SRAM GX 2x10-speed
●ブレーキ:SRAM BB7

FARGOは、オフロードツーリングやバイクパッキングに特化したCOBRA KAI CROMOLYフレームのドロップバーマウンテンバイクです。ワイドなタイヤクリアランスを確保することで、ノーマルの29”仕様ならフェンダーを装着して2.4”まで。ホイールセットを交換した場合、27.5”は3.0”まで、Sサイズ以上なら29x3.0”まで互換します。信頼性の高いFIRESTARTER STEEL FORKには、バイクパッキングで便利な3パックマウントを装備。リアエンドは、フレームセットと同様のALTERNATOR V1.5仕様です。こちらの完成車は、カラーにより価格とパーツアッセンブルが異なりますのでご注意ください。



CREAM

VAYA FRAME SET

ヴァヤ フレームセット

フレーム&フォークセット ¥110,000(税抜)

●カラー:チャコール
●サイズ:49.5, 52, 54, 57cm　●ホイール:700C
●フレーム:Vaya Kung Fu CroMoly
●フォーク:Vaya Carbon



ANY ROAD
GRAVEL
LIGHT TOURING

※写真は完成車イメージです。
フレームセット販売モデルにパーツは付属しません。

VAYAは、アスファルトから砂利道まで、幅広い路面に対応するよう、余裕のタイヤクリアランスを誇るツーリングバイクフレームです。タイヤクリアランスは、700×50C。フェンダーを装着した場合でも700×45Cまでセットできます。フレームセット販売モデルには、ラックやフェンダーが装着できるVAYA CARBON FORK(スルーアクスル仕様)が装備されます。気軽なツーリングからグラベルライドまで、好みの乗り方に合わせたコーディネートで自分だけのVAYAを組み上げましょう。



ANY ROAD
GRAVEL
LIGHT TOURING



MINT

VAYA TIAGRA


ヴァヤ ティアグラ　完成車 ¥208,000(税抜)

●カラー:ミント、レッド　●サイズ:49.5, 52, 54, 55, 57cm
●ホイール:700C　●フレーム:Vaya Kung Fu CroMoly
●フロントフォーク:Vaya CroMoly Fork
●コンポーネント:Shimano Tiagra, 2x10-speed
●ブレーキ:Avid BB7

SALSAを代表する人気モデルのVAYA。気軽な街乗り用としてはもちろん、ラックやバッグを装着してロングツーリングを楽しむ方からも、圧倒的な支持を得ています。その理由は、700×50Cというタイヤの選択肢を広げるワイドなクリアランスと、荷物を積んでも安定した走行性能を保てる優れたフレーム設計によるものです。とくに太いタイヤは、エアボリュームが高いことで、細いタイヤよりも優れた振動吸収性能を誇ります。クロモリ製のフレーム&フォークと相まって、長距離を走った際には、路面から受ける振動による疲労感を軽減する効果が期待できます。



RED



MARRAKESH FLATBAR FRAME SET

マラケッシュ フラットバー フレームセット

フレーム&フォークセット　¥87,000(税抜)

●カラー:グレイxグリーン
●サイズ:S, M　●ホイール:700C
●フレーム:Marrakesh Cobra Kai CroMoly
●フォーク:Marrakesh CroMoly

フレームにはフェンダーマウント、ラックマウント、スペアスポークマウント、3か所のボトルケージがあり、さらにフォークにはエニシングケージなどを装着できる3パックマウントが左右に装備されています。キャリアを装備してのアドベンチャーツーリングも、大型バッグをベースに荷物を積載するバイクパッキングのスタイルにも使えます。フレームには、コミューターとして組み立てる際に役立つキックスタンドプレート付き。こちらのフレームは、フラットバーで組み上げる方に向けた設計となります。



EXPEDITION TOURING
WORLD TRAVEL
CULTURAL EXPLORATION

MARRAKESH DROPBAR FRAME SET

マラケッシュ ドロップバー フレームセット

フレーム&フォークセット ¥87,000(税抜)

●カラー:オレンジ
●サイズ:52, 54cm　●ホイール:700C
●フレーム:Marrakesh Cobra Kai CroMoly
●フォーク:Marrakesh CroMoly

MARRAKESHは、あらゆる装備を搭載して、世界を舞台にした冒険ツーリングに出かける人のためにデザインされたワールドツーリングバイクです。フレームセット販売にもかかわらず、ドロップバーとフラットバーという2種類の選択肢があるのには理由があります。SALSAは、この二つの異なるコクピットに合わせた最適の設計が存在すると考えるからです。ドロップバーで組み上げるなら、迷わずこちらのフレームセットを選択してください。タイヤクリアランスは、29×2.0"まで。ビッグな旅に繰り出しましょう。



EXPEDITION TOURING
WORLD TRAVEL
CULTURAL EXPLORATION

BLACKBOROW GX EAGLE

ブラックボロウ GX イーグル

完成車 ¥398,000(税抜)

フレーム&フォークセット ¥208,000(税抜)

- ●カラー:ガンメタル
- ●サイズ:S, M　●ホイール:27.5"
- ●フレーム:Blackborow Aluminum
- ●フロントフォーク:Salsa Bearpaw Carbon
- ●コンポーネント:SRAM GX Eagle 1x12-Speed
- ●ブレーキ:Hayes MX Comp

BLACKBOROWは無限の想像力と、最高のスペックの組み合わせで完成した、大量の道具を運べる夢のようなFATBIKEです。豊富なマウントが直付けされたフレームとフォークには、たくさんのバッグを取り付けることができます。付属する大型のリアラックには、フルサイズのパニアバッグ4個をセットできます。しかも完成車は、雪道ですらものともしない最新スペックの27.5x3.8”仕様です。さらに、このフレームは、29x2.3-3.0”、26x3.8-4.33”にも対応します。

バックカントリースキー、釣り、トレイルビルディング、キャンプ、その他さまざまな用途を創造してみてください。大量の物を積むことは苦痛ではなく喜びです。もしも「それで走るのは困難なことでは?」と考える人がいるなら、まずは乗ってみてください。この軽やかな走りが、あなたが考えるすべての困難に打ち勝つことを容易に連想させることでしょう。BLACKBOROWは、自動車ですら入れないような未開の地へ、大量の道具とともに旅立てる、いわば究極のオフロード探査車両です。

OFF-ROAD EXPLORATION
ULTIMATE FLOTATION
OFF-ROAD EXPEDITION



※写真の装備はイメージです。バッグ類は付属しません。


BIKE SPECIFICATIONS


	BUCKSAW GX1	BEARGREASE CARBON NX1	MUKLUK NX1	TIMBERJACK 27.5+ GX1
FRAMESET				
Frame	Bucksaw Aluminum	Beargrease Carbon	Mukluk Aluminum	Timberjack Aluminum
Fork	RockShox Bluto RL 1 Stealth Solo Air 100mm	Salsa Bearpaw Carbon	Salsa Bearpaw Carbon	RockShox Recon RL Solo Air 120mm, BOOST
Color	Blue	Orange Red	Black/Teal	Charcoal
Rear Shock	RockShox Monarch RT Debonair	N/A	N/A	N/A
DRIVETRAIN				
Front Derailleur	N/A	N/A	N/A	N/A
Rear Derailleur	SRAM GX	SRAM NX1	SRAM NX1	SRAM GX1 Long Cage
Cassette	SRAM XG 1150 10-42t	SunRace CSMS7 11-42t	SunRace CSMS7 11-42t	SunRace CSMS7 11-42t
Chain	KMC X11	SRAM 1110	SRAM 1110	SRAM PC1110
Crankset	SRAM GX 1200, X-SYNC 28t	SRAM NX1, XSYNC 28t	Truvativ Stylo 6K 30t direct-mount	SRAM NX, XSYNC Boost 30t
Shifter	SRAM GX	SRAM NX1	SRAM NX1	SRAM NX
Brakes & Rotors	SRAM DB5, G2CS 180mm	Hayes MX Comp, 160mm V-Series	Hayes MX Comp, V-Series 160mm	SRAM DB Level Hydraulic, Centerline 180mm, 160mm
COMPONENTS				
Headset	Cane Creek 15	Cane Creek 15	Cane Creek 15	Cane Creek 10
Stem	Salsa Guide	Salsa Guide Trail	Salsa Guide	Salsa Guide Trail
Handlebar	Salsa Rustler 3	Salsa Salt Flat	Salsa Salt Flat (XS, S), Salsa Rustler (M)	Salsa Salt Flat (XS, S) Rustler (M, L)
Grips	Salsa Backcountry	Salsa File Tread	Salsa File Tread	Salsa File Tread
Seatpost	Zoom 31.6 x 350mm set-back post	Salsa Guide	Salsa Guide	Promax 30.9 x 350/400mm
Saddle	WTB Volt Comp	WTB Volt Sport	WTB Volt Sport	WTB Volt Sport
WHEELS				
Front Wheel	Salsa 32h, 150mm, 15mm thru-axle, Surly Marge Lites, 2.0/1.8 spokes w/ brass nipples	SUNringlé Mulefüt 27.5" x 80mm, 15 x 150mm, tubeless-ready	SUNringlé Mulefut 26 x 80mm, 15 x 150mm, tubeless-ready	SUNringlé Duroc 45mm 27.5" alloy straight gauge Wheelsmith spokes, brass nipples
Rear Wheel	Salsa 32h, 177mm, 12mm thru-axle, Surly Marge Lites, 2.0/1.8 spokes w/ brass nipples	SUNringlé Mulefüt 27.5" x 80mm, 12 x 177mm, tubeless-ready	SUNringlé Mulefut 26 x 80mm, 12 x 197mm, tubeless-ready	SUNringlé Duroc 45mm 27.5", 148 x 12mm thru-axle, alloy straight gauge Wheelsmith spokes, brass nipples
Tires	45NRTH, Vanhelga 26 x 4.0", 60 tpi tubeless-ready, folding	Maxxis Minion FBF front and FBR rear, 27.5 x 3.8", 60 tpi, tubeless-ready	Maxxis Minion FBR front and rear, 26 x 4.8", 60 tpi	WTB Ranger 27.5 x 2.8", 27 tpi casing
COMPONENT SIZING				
Size	S M	S M	XS S M	XS S M L
Stem Length	70mm 80mm	60mm 70mm	40mm 50mm 60mm	50mm 50mm 60mm 70mm
Crank Length	170mm 170mm	170mm 170mm	170mm 170mm 170mm	170mm 170mm 175mm 175mm
Handlebar Width	750mm 750mm	750mm 750mm	750mm 750mm 750mm	750mm 750mm 750mm 800mm
Seatpost Offset	0mm 0mm	0mm 0mm	0mm 0mm 0mm	12mm 12mm 12mm 12mm

	TIMBERJACK NX1 29	FARGO GX 29	VAYA TIAGRA	BLACKBOROW GX EAGLE
FRAMESET				
Frame	Timberjack Aluminum	Fargo Cobra Kai CroMoly	Vaya Kung Fu CroMoly	Blackborow
Fork	Manitou Markhor 120mm, 9 x 100mm QR	Salsa Firestarter Steel	Vaya CroMoly	Salsa Bearpaw Carbon
Color	Blue	Forest Service Green or Cream	Red or Mint	Gunmetal
Rear Shock	N/A	N/A	N/A	N/A
DRIVETRAIN				
Front Derailleur	N/A	SRAM GX HD 2x10	Shimano Tiagra	N/A
Rear Derailleur	SRAM NX1 Long Cage	SRAM GX Type 2.1 Long Cage	Shimano Tiagra GS 10-speed	SRAM GX Eagle
Cassette	SunRace CSMS7 11-42t	SRAM PG1020 11-36t(Green) SunRace CSM5S1 11-36t(Cream)	SunRace 10-speed 11-34	SRAM XG-1275 Eagle 10-50t
Chain	SRAM PC1110	KMC X10	KMC X10	SRAM GX Eagle 12-speed
Crankset	SRAM NX1, Boost XSYNC 30T	SRAM S1000 38/24t	FSA Tempo Adventure 48/32t	SRAM GX Eagle
Shifter	SRAM NX	SRAM Apex	Shimano Tiagra	SRAM GX Eagle
Brakes & Rotors	Tektro HD-M290 Hydraulic, 180mm, 160mm	Avid BB7, G2CS 160 mm(Green) Avid BB7, Centerline 160 mm(Cream)	Avid BB7, Centerline 160mm	Hayes MX Comp, 180mm
COMPONENTS				
Headset	Cane Creek 10 Series	Cane Creek 15	Cane Creek 5	Cane Creek 40
Stem	Salsa Guide Trail	Salsa Guide	Salsa Guide	Salsa Guide Trail
Handlebar	Salsa Salt Flat (XS, S) Rustler (M, L)	Salsa Woodchipper 3	Salsa Cowbell 3	Salsa Salt Flat
Grips	Salsa File Tread	Salsa Gel Bar Tape	Salsa Gel Bar Tape	Salsa File Tread
Seatpost	Promax 30.9 x 350/400mm	Promax 27.2 x 350mm	Promax 27.2 x 350mm set back post	Promax 31.6 x 350/400mm
Saddle	WTB Volt Sport	WTB Volt Sport	WTB Volt Sport	WTB Volt Sport
WHEELS				
Front Wheel	Formula 32h 100 x 9mm QR, WTB i23 29", 2.0 spokes, brass nipples	Salsa 32h, 100mm, QR, WTB STP i23 TCS 29", 2.0 spokes, brass nipples(Green) Formula 32h, 100mm, QR, WTB STP i23 TCS 29", 2.0 spokes, brass nipples(Cream)	Formula, 32h, 100mm, WTB STP i19 TCS 700c, 2.0 spokes, brass nipples	SUNringlé Mulefüt 27.5" x 80mm, 150 x 15mm
Rear Wheel	Formula 32h, 141 x 10mm QR, WTB i23 29", 2.0 spokes, brass nipples	Salsa 32h, 135 mm, QR, WTB STP i23 TCS 29", 2.0 spokes, brass nipples(Green) Formula 32h, 141 mm, QR, WTB STP i23 TCS 29", 2.0 spokes, brass nipples(Cream)	Formula, 32h, 135mm, WTB STP i19 TCS 700c, 2.0 spokes, brass nipples	SUNringlé Mulefüt 27.5" x 80mm, 197 x 12mm
Tires	WTB Ranger 29 x 2.25" Comp, 27 tpi	Schwalbe Rocket Performance, folding, 29 x 2.2"(Green) WTB Ranger, 29 x 2.25", 27 tpi(Cream)	WTB Nano 700 x 40mm Comp, 27 tpi	Maxxis Minion FBF front and FBR rear, 27.5 x 3.8", 60 tpi, TR
COMPONENT SIZING				
Size	XS S M L	XS S M L	49.5cm 52cm 54cm 55cm 57cm	S M
Stem Length	50mm 50mm 60mm 70mm	60mm 70mm 70mm 80mm	60mm 70mm 80mm 80mm 90mm	70mm 70mm
Crank Length	170mm 170mm 175mm 175mm	170mm 170mm 175mm 175mm	165mm 165mm 170mm 172.5mm 175mm	170mm 175mm
Handlebar Width	750mm 750mm 750mm 800mm	42cm 44cm 44cm 46cm	38cm 40cm 42cm 42cm 44cm	750mm 800mm
Seatpost Offset	12mm 12mm 12mm 12mm	12mm 12mm 12mm 12mm	12mm 12mm 12mm 12mm 12mm	12mm 12mm

GEOMETRY

Salsa
ADVENTURE BY BIKE





※Standover (P) for all sizes is measured vertically to top of top tube from a position 50mm forward of BB center

BUCSAW CARBON

Size	S	M
Recommended Rider Height	165-175cm	175-183cm
A. Toptube Effective	590mm	610mm
B. Seat Tube Length	387mm	432mm
C. Headtube Angle	67.7°	67.7°
D. Seat Tube Angle	73.5°	73.5°
E. BB Drop	26.2mm	26.2mm
F. Chainstay Length	444mm	444mm
G. Headtube Length	100mm	110mm
H. Fork Length	511mm	511mm
J. Fork Offset	50mm	50mm
K. Wheelbase	1142.7mm	1163.8mm
M. Stack	575.9mm	585.2mm
N. Reach	419.4mm	436.7mm
P. Standover	727.8mm	728.3mm

An unsprung bike (no sag)
A 100mm RockShox Bluto suspension fork
A 26 x 4.0" tire measuring 742mm in diameter

BUCKSAW GX1

Size	S	M
Recommended Rider Height	165–175cm	175–183cm
A. Toptube Effective	590mm	610mm
B. Seat Tube Length	387mm	432mm
C. Headtube Angle	67.7°	67.7°
D. Seat Tube Angle	73.5°	73.5°
E. BB Drop	26.2mm	26.2mm
F. Chainstay Length	444mm	444mm
G. Headtube Length	100mm	110mm
H. Fork Length	511mm	511mm
J. Fork Offset	50mm	50mm
K. Wheelbase	1142.7mm	1163.8mm
M. Stack	575.9mm	585.2mm
N. Reach	419.4mm	436.7mm
P. Standover	729.0mm	742.6mm

An unsprung bike (no sag)
A 100mm RockShox Bluto suspension fork
A 26 x 3.8" tire measuring 742mm in diameter

BEARGREASE CARBON & NX1

Size	S	M
Recommended Rider Height	165–175cm	175–183cm
A. Toptube Effective	580mm	605mm
B. Seat Tube Length	381.0mm	432.0mm
C. Headtube Angle	68.5°	68.5°
D. Seat Tube Angle	73.5°	73.0°
E. BB Drop	63mm	63mm
F. Chainstay Length	440mm	440mm
G. Headtube Length	105mm	125mm
H. Fork Length	483mm	483mm
J. Fork Offset	51mm	51mm
K. Wheelbase	1103.1mm	1124.0mm
M. Stack	594.4mm	613.0mm
N. Reach	403.9mm	417.6mm
P. Standover	708.2mm	740.1mm

A Salsa Makwa 150 Carbon or Bearpaw 150 Carbon fork,
both of which are equivalent to a RockShox Bluto (100mm) at 25% sag
A 26 x 4.0" tire measuring 742mm in diameter

MUKLUK NX1

Size	XS	S	M
Recommended Rider Height	157–168cm	165–175cm	173–183cm
A. Toptube Effective	573.0mm	594.0mm	615.0mm
B. Seat Tube Length	406mm	406.0mm	457mm
C. Headtube Angle	69°	69°	69°
D. Seat Tube Angle	73°	73°	73°
E. BB Drop	63mm	63mm	63mm
F. Chainstay Length	440–457mm	440–457mm	440–457mm
G. Headtube Length	100mm	110mm	120mm
H. Fork Length	483mm	483mm	483mm
J. Fork Offset	51mm	51mm	51mm
K. Wheelbase	1085.2mm	1107.0mm	1128.7mm
M. Stack	592.7mm	602.1mm	611.4mm
N. Reach	391.8mm	409.9mm	428.1mm
P. Standover	684.5mm	678.1mm	719.7mm

Rigid/100mm Sus: A Salsa Bearpaw fork which is equivalent to a 100mm
Rockshox Bluto fork at 25% sag
A 26 x 4.8" tire measuring 759mm in diameter

GEOMETRY

WOOD SMOKE Geometry with 120mm Fork and 29 x 3.0" Tires

Size	S	M
Recommended Rider Height	160–175cm	173–183cm
A. Toptube Effective	591mm	611mm
B. Seat Tube Length	381.0mm	431.8mm
C. Headtube Angle	67.8°	67.8°
D. Seat Tube Angle	73.3°	73.3°
E. BB Drop	62.0mm	62.0mm
F. Chainstay Length	409–417mm	409–417mm
G. Headtube Length	100mm	110mm
H. Fork Length	507mm	507mm
J. Fork Offset	51mm	51mm
K. Wheelbase	1096–1112mm	1117–1132mm
M. Stack	606mm	615mm
N. Reach	409mm	426mm
P. Standover	734mm	773mm

WOODSMOKE Geometry with 120mm Fork and 29 x 2.4" Tires

Size	S	M
Recommended Rider Height	160–175cm	173–183cm
A. Toptube Effective	591mm	611mm
B. Seat Tube Length	381.0mm	431.8mm
C. Headtube Angle	68.4°	68.4°
D. Seat Tube Angle	73.9°	73.9°
E. BB Drop	62mm	62mm
F. Chainstay Length	400–417mm	400–417mm
G. Headtube Length	100mm	110mm
H. Fork Length	499mm	499mm
J. Fork Offset	51mm	51mm
K. Wheelbase	1082–1098mm	1103–1119mm
M. Stack	604mm	613mm
N. Reach	411mm	428mm
P. Standover	720mm	759mm

Build 1: A 507 x 51mm offset fork which is equivalent to an average 120mm fork at 30% sag Build 2: A 509 x 51mm offset fork which is equivalent to an average 130mm fork at 25% sag Build 3: A 499 x 51mm offset fork which is equivalent to an average 120mm fork at 25% sag


Measurements listed are based on the tire diameter associated with each chart

TIMBERJACK GX1 & NX1 Geometry with 120mm Suspension Fork

Size	XS	S	M	L
Recommended Rider Height	157–168cm	160–175cm	173–183cm	180–191cm
A. Toptube Effective	568mm	588mm	608mm	638mm
B. Seat Tube Length	355.6mm	381.0mm	431.8mm	482.6mm
C. Headtube Angle	68.7°	68.7°	68.7°	68.7°
D. Seat Tube Angle	74.3°	74.3°	74.3°	74.3°
E. BB Drop	63mm	63mm	63mm	63mm
F. Chainstay Length	420–437mm	420–437mm	420–437mm	420–437mm
G. Headtube Length	100mm	100mm	110mm	120mm
H. Fork Length	482mm	482mm	482mm	482mm
J. Fork Offset	42mm	42mm	42mm	42mm
K. Wheelbase	1068–1185mm	1088–1104.5mm	1109–1125.5mm	1140–1157mm
M. Stack	594mm	594mm	603mm	612mm
N. Reach	401mm	421mm	438mm	465mm
P. Standover	670mm	687mm	727mm	765mm

Build 1: A 487 x 46mm offset fork which is equivalent to an average 130mm fork at 25% sag Build 2: A 512 x 42mm offset fork which is equivalent to an average 120mm fork at 25% sag

Measurements listed are based on a 29 x 2.4" tire measuring 746mm in diameter




WOODSMOKE Geometry with 140mm Fork and 27.5 x 2.8" Tires

Size	S	M
Recommended Rider Height	160–175cm	173–183cm
A. Toptube Effective	589mm	609mm
B. Seat Tube Length	381.0mm	431.8mm
C. Headtube Angle	68.3°	68.3°
D. Seat Tube Angle	73.8°	73.8°
E. BB Drop	63mm	63mm
F. Chainstay Length	405–417mm	405–417mm
G. Headtube Length	100mm	110mm
H. Fork Length	497mm	497mm
J. Fork Offset	46mm	46mm
K. Wheelbase	1078–1090mm	1099–1111mm
M. Stack	602mm	611mm
N. Reach	416mm	433mm
P. Standover	706mm	746mm

TIMBERJACK GX1 & NX1 Geometry with 130mm Suspension Fork

Size	XS	S	M	L
Recommended Rider Height	157–168cm	160–175cm	173–183cm	180–191cm
A. Toptube Effective	568mm	588mm	608mm	638mm
B. Seat Tube Length	355.6mm	381.0mm	431.8mm	482.6mm
C. Headtube Angle	68.5°	68.5°	68.5°	68.5°
D. Seat Tube Angle	74.0°	74.0°	74.0°	74.0°
E. BB Drop	61mm	61mm	61mm	61mm
F. Chainstay Length	420–437mm	420–437mm	420–437mm	420–437mm
G. Headtube Length	100mm	100mm	110mm	120mm
H. Fork Length	487mm	487mm	487mm	487mm
J. Fork Offset	42mm	42mm	42mm	42mm
K. Wheelbase	1070–1086mm	1090–1106mm	1111–1127mm	1142–1158mm
M. Stack	595mm	595mm	605mm	614mm
N. Reach	398mm	418mm	436mm	463mm
P. Standover	673mm	690mm	729mm	767mm



FARGO & GX

Size	XS	S	M	L
Recommended Rider Height	150–160cm	160–175cm	173–183cm	180–191cm
A. Toptube Effective	520mm	540mm	565mm	590mm
B. Seat Tube Length	355.6mm	406.4mm	457.2mm	508.0mm
C. Headtube Angle	68.5°	69.0°	69.0°	69.0°
D. Seat Tube Angle	74.0°	74.0°	73.0°	73.0°
E. BB Drop	70mm	70mm	70mm	70mm
F. Chainstay Length	445–462mm	445–462mm	445–462mm	445–462mm
G. Headtube Length	90mm	110mm	140mm	170mm
H. Fork Length	483mm	483mm	483mm	483mm
J. Fork Offset	45mm	45mm	45mm	45mm
K. Wheelbase	1045–1061mm	1061–1078mm	1077–1093mm	1104–1120mm
M. Stack	594.0mm	615.0mm	643.1mm	671.1mm
N. Reach	349.7mm	352.0mm	368.4mm	384.8mm
P. Standover	690.0mm	732.0mm	778.0mm	821.0mm

A Firestarter Fork which is 483 x 45mm offset, this is equivalent to an average 100mm fork at 20% sag Measurements listed are based on a 29 x 2.4" tire measuring 746 mm in diameter

VAYA & TIAGRA

Size	49.5cm	52cm	54cm	55cm	57cm
Recommended Rider Height	147–158cm	158–165cm	165–173cm	170–178cm	175–185cm
A. Toptube Effective	495mm	520mm	540mm	550mm	570mm
B. Seat Tube Length	380.0mm	450.0mm	470.0mm	510.0mm	530.0mm
C. Headtube Angle	70.25°	71.50°	71.50°	71.50°	71.50°
D. Seat Tube Angle	75.5°	74.5°	73.5°	73.0°	72.5°
E. BB Drop	75mm	75mm	75mm	75mm	75mm
F. Chainstay Length	450mm	450mm	450mm	450mm	450mm
G. Headtube Length	100mm	100mm	145mm	165mm	185mm
H. Fork Length	405mm	405mm	405mm	405mm	405mm
J. Fork Offset	50mm	50mm	50mm	50mm	50mm
K. Wheelbase	1019.4mm	1022.7mm	1034.0mm	1038.9mm	1053.5mm
M. Stack	542.7mm	547.4mm	590.1mm	609.1mm	628.0mm
N. Reach	354.6mm	368.2mm	365.2mm	363.8mm	372.0mm
P. Standover	660.1mm	713.7mm	742.0mm	776.3mm	795.6mm

Measurements listed are based on a 700c x 41mm tire measuring 709mm in diameter

MARRAKESH FLATBAR

Size	S	M
Recommended Rider Height	160–173cm	173–183cm
A. Toptube Effective	588mm	610mm
B. Seat Tube Length	480mm	527mm
C. Headtube Angle	70.75°	70.75°
D. Seat Tube Angle	74.0°	73.5°
E. BB Drop	77mm	77mm
F. Chainstay Length	455–472mm	455–472mm
G. Headtube Length	110mm	120mm
H. Fork Length	415mm	415mm
J. Fork Offset	55mm	55mm
K. Wheelbase	1103–1120mm	1120.2–1137.2mm
M. Stack	563.3mm	572.8mm
N. Reach	426.5mm	440.3mm
P. Standover	734.3mm	765.9mm

Measurements listed are based on a 700 x 42mm tire measuring 710mm in diameter

MARRAKESH DROPBAR

Size	52cm	54cm
Recommended Rider Height	158–165cm	165–173cm
A. Toptube Effective	520mm	540mm
B. Seat Tube Length	480mm	520mm
C. Headtube Angle	70.75°	70.75°
D. Seat Tube Angle	74.5°	73.5°
E. BB Drop	77mm	77mm
F. Chainstay Length	455–472mm	455–472mm
G. Headtube Length	100mm	110mm
H. Fork Length	415mm	415mm
J. Fork Offset	55mm	55mm
K. Wheelbase	1039.6–1056.6mm	1049.7–1066.7mm
M. Stack	553.9mm	563.3mm
N. Reach	366.4mm	373.1mm
P. Standover	735.6mm	761.2mm

Measurements listed are based on a 700 x 42mm tire measuring 710mm in diameter

BLACKBOROW

Size	SM	MD
Recommended Rider Height	168–175cm	175–183cm
A. Toptube Effective	580.0mm	610.0mm
B. Seat Tube Length	457mm	457.0mm
C. Headtube Angle	69.0°	69.0°
D. Seat Tube Angle	73.0°	73.0°
E. BB Drop	60mm	60mm
F. Chainstay Length	650mm	650mm
G. Headtube Length	110mm	120mm
H. Fork Length	483mm	483mm
J. Fork Offset	51mm	51mm
K. Wheelbase	1305.6mm	1336.4mm
M. Stack	599.1mm	608.4mm
N. Reach	396.8mm	424.0mm
P. Standover	704.0mm	737.0mm

A Salsa Bearpaw 150 fork which is equivalent to an average 100mm fat bike suspension fork at 25% sag
A 26 x 4.33" tire measuring 746mm in diameter





Salsa

ADVENTURE BY BIKE

●販売店は、弊社ホームページから以下の手順で検索できます。
【http://ride2rock.jp】➡【BRANDS】➡【SALSA CYCLES】➡【SHOP LIST】
●掲載写真のカラーは、印刷の色調により実物と異なる場合があります。
●掲載商品の仕様、価格、納期はメーカーの都合、および、為替変動などにより、予告なく変更することがございます。
●商品のセッティング、取り扱い方法に関しては、必ずお買い求めの販売店で指導を受けてください。
●本カタログの無断転用、複写を禁じます。

ride2rock.jp
MOTOCROSS INTERNATIONAL

株式会社 モトクロスインターナショナル
〒465-0024 愛知県名古屋市名東区本郷1-80
TEL:052-773-0256　FAX:052-775-4119
E-MAIL: pal@motocrossinternational.com

カタログ内に表記されている価格は、すべて税抜価格です。

2017年12月発行