FOES Racing



MOUNTAIN BIKE SUSPENSION FRAMES


DHS mono

A GUARANTEED WINNER



The professionals choice, DHS Mono, is a totally unique downhill frameset which features a monocoque construction combined with seamless Alcoa tubing. Tig welded, then heat treated to T6, this frame is truly bomb proof. The core of the monocoque structure is injected with sound deadening foam giving the frame a solid feel without adding weight. The DHS Mono is a guaranteed winner.

	S	M	L
A	21.0	22.0	23.0
B	68°	68°	68°
C	72.5	72.5	72.5
D	43.0	44.0	45.0
E	17.750	17.750	17.750
F	14.0	14.0	14.0



- SEAT POST DIAMETER 31.6
- HEAD TUBE DIAMETER 1⅛"
- BOTTOM BRACKET SHELL 68MM


DHS tube

SUPERIOR CORNERING



The design of the DHS Tube is a result of constant testing and racing on the worlds most demanding downhill courses. This new addition to the Foes Racing arsenal will be shredding the competition! Brent Foes has designed this downhill specific frameset to have a super active full 7" of rear wheel travel and its single stiction free pivot utilizes four sealed aircraft bearings. Its ultra low center of gravity allows for superior cornering even through the toughest hairpin turns.

	S	M	L
A	21.0	22.0	23.0
B	68°	68°	68°
C	72.5	72.5	72.5
D	43.0	44.0	45.0
E	17.750	17.750	17.750
F	14.0	14.0	14.0



- SEAT POST DIAMETER 31.6
- HEAD TUBE DIAMETER 1 1/8"
- BOTTOM BRACKET SHELL 68MM

REAR WHEEL TRAVEL


LTS 2

EXCELLENT CLIMBING ABILITY



The LTS is the monocoque brother of the Weasel 2. Featuring the same excellent riding and climbing abilities, the advantage of this model is that the main frame has been stiffened with an internal web. It also has 6" of fully tunable wheel travel and is offered with either a Fox Vanilla RC coil-over shock or Fox air sprung shock.

	S	M	L
A	21.2"	22.2"	23"
B	71°	71°	71°
C	71.5	71.5	71.5
D	41.0"	42.0"	42.6"
E	17"	17"	17"
F	13.0	13.0	13.0



- SEAT POST DIAMETER 26.8
- HEAD TUBE DIAMETER 1 1/8"
- BOTTOM BRACKET SHELL 68MM

REAR WHEEL TRAVEL

Weasel 2

FUN TO RIDE


blue
orange
red
yellow
black
polish



6" REAR WHEEL TRAVEL

The Weasel 2 was designed to be FUN to ride. With 6" of rear wheel travel, the Weasel 2 can be ridden over almost any terrain while keeping the rider in control. The exact location of the swing arm pivot gives the frame excellent acceleration and climbing characteristics. The ovalized Alcoa 6061 seamless tube frame has been precisely triangulated for maximum strength and rigidity.

	S	M	L
A	21.2"	22.2"	23"
B	71°	71°	71°
C	71.5	71.5	71.5
D	41.0"	42.0"	42.6"
E	17"	17"	17"
F	13.0	13.0	13.0



- SEAT POST DIAMETER 26.8
- HEAD TUBE DIAMETER 1 1/8"
- BOTTOM BRACKET SHELL 68MM

FOES GOODIES



Testing



Collar shirts

Racing jerseys



Tee shirts & Caps



Banners

Bottles

Stickers



Disc brake adapters

FOES Racing
2660 Deodar Circle
Pasadena, CA 91107
Phone: (626) 683-8368
Fax: (626) 683-8622
web site: http://home.earthlink.net/~foesracing/


Special Clamping Collar
increase torsional stiffness
Air Assist
for increase spring rate
External Rebound Control
adjustable to meet your needs
Dual Triple Clamps
computer designed and CNC machined
Steering Stop
available as an optional accessory
Perfect Combinations
By adding air and oil to the spring chamber you can increase spring rate towards end of travel
Piston with Valve Plates
for compression & rebound control
60 Pound Spring
Inner changeable spring rates for varying course conditions
Ideal for dialing in riders weight and performance requirements
Floating Piston
eliminates oil foaming
Oil bath
eliminates sticktion
31.75 O.D.
Easton
fork tube
80 Pound Spring
Fab
FOES
Racing
F1
FOES
F1
WET ONE
Fork Travel
6.5" (165mm)
100 Pound Spring
Large 30mm Axle
dual pinch bolt for added stiffness
Oversized Hub
extra large sizing, and bearings provide a stiffer, stronger wheel while absorbing greater impacts.