INNOVA-PRO








TIRE 2014

www.innova-pro-tires.com

INNOVA-PRO






www.innova-pro-tires.com



INDEX

COMPANY PROFILE	P04
INNOVA TECHNOLOGY	P05
FOLDABLE BEAD & ANTI-PUNCTURE	P07
COLOR MASK TIRES & REFLECTIVE TAPES	P09
27.5 "(650B) MTB TIRE SERIES	P11
29" MTB TIRE SERIES	P13
SNOW TIRE SERIES	P15
FIXED GEAR TIRE SERIES	P17
PATRIOT TIRE SERIES	P19
DOWNHILL TIRE SERIES	P21
ROAD TIRE SERIES	P25
MOUNTAIN TIRE SERIES	P31
BMX TIRE SERIES	P43



INNOVA-PRO

Innova Rubber Co., Ltd. was founded with the main office in Taiwan since 1995. Focusing on innovation, customer satisfaction, and un-compromised quality, we invited rubber technicians, engineers, and managers from major tire companies in Taiwan to achieve company's goal.

Innova established its production facilities in China. Our Guangzhou facility was established in 1995, Shanghai factory in 1998, Zhejiang Pinghu factory in 2001 and Anhui Bengbu factory in 2008.

Each factory has been awarded the ISO-9001 quality assurance certificate to ensure only the very best tires are delivered to the end consumer and win the trust from our customers. In a never ending quest to improve quality, Innova has developed numerous patents for new tread patterns, new tire structures, as well as new products.We are confident Innova's reputation for quality products and excellent customer service will extend itself into whichever market we enter. We believe our vision of quality and customer service will ultimately make Innova along with our customers become trusted household names synonymous with quality and value.

INNOVA Technology

CLASS

Team Ultra Light is specially developed by using the 1400tpi high density casing and foldable Kevlar bead in our team tires series for professional competition. Sort, 180 tpi has been specially treated by special rubber compound in the process to get the very even thickness and highest bonding to ensure the best quality in the high speed driving and most smoothly cornering.

Team is the most high end tires that Innova pro produces for competition. The feature of Team is designed by using 120 tpi casing with foldable Kevlar bead for most light weight and special tread compound gives highest performance tires.

Race tires are those excellent tires that Innova pro design for Race and Trail training for competition. By using 80 tpi casing with foldable Kevlar bead, this class owns the features of light weight and powerful performance.

Training tires are economic foldable cable bead for easier carry and modest weight for long distance training. The longer life and pretty good performance make Training tires are most suitable tires for training.

Standard tires are most economic rigid bead tires, 40tpi casing show very even distribution of stress after inflation and give pretty good uniform fit as well as good tire life.

TL

TUBELESS LIGHT has same function of UST tire but also owns additional double functions of excellent puncture resistance and lighter weight for superior rolling resistance as well as handling performance. Adding sealant is necessary.

TUBELESS is designed for same function as UST tire in road tire series. Innova pro tubeless can offer much low rolling resistance than tube type tire and result in higher riding performance.

UST TUBELESS Mavic approved tires that match to Mavic tubeless rim.

INNOVA Technology

PUNCTURE PROTECTION

Cap Guard (nylon beaver) is another choice to increase the superior resistance of anti-puncture by increase only few weight. This CG is Nylon woven material under the tread area. Suitable for the class of Race and Training.

KEVLAR BELT is woven Kevlar fabric and put under the tread area. It is the lightest way to provide the excellent ability of puncture resistance. This KB is the perfect match for those tires with Team and Race class but request for the superior performance of puncture resistance.

COMPUNDS

PRO HD2 is a professional tread with dual compounds and specially designed for Road Bike tires. PRO HD2 has excellent triple functions by offering super low rolling resistance, incredible handling performance and excellent life.

PRO MD2 is tread with professional dual compounds for Mountain Bike tires. The features of PRO MD2 is for both excellent traction and handling performance.

TPI

60TPI
Nylon 66 fabric with 60 threads per inch(tpi) which is designed for the race and training version.

120TPI
Nylon 66 fabric with 120 threads per inch (tpi) which is designed for the team and race version

180TPI
Nylon 66 fabric with 180 threads per inch (tpi) which is designed for the team and race version

SNAKE BITE
The function of Anti Snake Bite is designed by adding strongest fibers in the base area to prevent the snake bite. The weight is added but perfectly suitable for those Down Hill tires requesting to free from snake bite.

FOLDABLE BEAD

CABLE BEAD

CABLE BEAD (SPORT BEAD)
Innova patents an economy foldable wires as the material of bead groments. This materials is lighter than rigid bead and give extra benefits of saving lot of storage space as well transportation cost.

KEVLAR BEAD

KEVLAR BEAD
Innova uses Dupont Kevlar as the material of bead groments. This high quality material provides the most light weight foldable tire for team and race class.



ANTI-PUNCTURE

Innova protection system for puncture & cut proof



CAP GUARD



SIDE GUARD
(Option for Downhill)



KEVLAR BELT

COLOR MASK

Innova patents a light weight technology with a state of art which can mask all kind of tires in different colors or image styles to create a function of motional expression on tire.

Patents

COLOR MASK



REFLECTIVE TAPE

Patents

Golden skin is an unique color for refle ctive tape specially created by Innova pro series. This Golden Skin has more brilliant and shining effect than the traditional silver color.



TUBELESS LIGHT

TUBELESS LIGHT has same function of UST tire but also owns additional double functions of excellent puncture resistance and lighter weight for superior rolling resistance as well as handling performance. Adding sealant is necessary.

TUBELESS Light




TUBELESS

TUBELESS is designed for same function as UST tire in road tire series. Innova pro tubeless can offer much low rolling resistance than tube type tire and result in higher riding performance.

TUBELESS











2014 HOT NEW PRODUCTS

- MTB 27.5"(650B) TIRE SERIES
- MTB 29" TIRE SERIES
- SNOW TIRE SERIES
- FIXED GAER TIRE SERIES
- PATRIOT TIRE SERIES
- DOWNHILL TIRE SERIES



27.5" SERIES

650 B



Cross Fit Dirt Tracker Transformers Bulletstorm





Ultra Light | TUBELESS | TEAM | RACE | GC STAND CAP | STANDARD

IA2549 CROSS FIT

Specification	Name	Pattern	Inch	MV	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
STANDARD	CROSS FIT	IA2549	27,5x2,10 (60-584)	56-584	60TPI	PRO MC2	KEVLAR BEAD	580g	35-65 PSI	2,5-4,5	0127127001
RACE+SC	CROSS FIT	IA2549	27,5x2,10 (60-584)	56-584	60TPI	PRO MC2	KEVLAR BEAD	570g	35-65 PSI	2,5-4,5	0127127001
RACE	CROSS FIT	IA2549	27,5x2,10 (60-584)	56-584	60TPI	PRO MC2	KEVLAR BEAD	600g	35-65 PSI	2,5-4,5	0127127002
STANDARD	CROSS FIT	IA2549	27,5x2,10 (60-584)	56-584	60TPI	PRO MC	KEVLAR BEAD	660g	35-65 PSI	2,5-4,5	0127127003

IA2552 DIRT TRACKER

Specification	Name	Pattern	Inch	MV	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	DIRT TRACKER	IA2552	27,5x2,10 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	580g	35-65 PSI	2,5-4,5	0127127001
STANDARD	DIRT TRACKER	IA2552	27,5x2,10 (60-584)	56-584	60TPI	PRO MC	KEVLAR BEAD	650g	35-65 PSI	2,5-4,5	0127127002

IA2568 BULLETSTORM

Specification	Name	Pattern	Inch	MV	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
UST TUBELESS	BULLETSTORM	IA2568	27,5x2,35 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	****	35-65 PSI	2,5-4,5	0127127001
TUBELESS LIGHT	BULLETSTORM	IA2568	27,5x2,35 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	****	35-65 PSI	2,5-4,5	0127127002
TEAM	BULLETSTORM	IA2568	27,5x2,35 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	980g	35-65 PSI	2,5-4,5	0127127003
RACE	BULLETSTORM	IA2568	27,5x2,35 (60-584)	56-584	60TPI	PRO MC2	KEVLAR BEAD	1000g	35-65 PSI	2,5-4,5	0127127004


IA2569 TRANSFORMERS

Specification	Name	Pattern	Inch	MV	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+ ULTRA LIGHT	TRANSFORMERS	IA2569	27,5x2,10 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	580g	35-65 PSI	2,5-4,5	TR2752001
TEAM	TRANSFORMERS	IA2569	27,5x2,10 (60-584)	56-584	120TPI	PRO MC2	KEVLAR BEAD	570g	35-65 PSI	2,5-4,5	TR2752002
RACE	TRANSFORMERS	IA2569	27,5x2,10 (60-584)	56-584	60TPI	PRO MC2	KEVLAR BEAD	580g	35-65 PSI	2,5-4,5	TR2752003

29” SERIES







www.innova-pro-tires.com

29”

IA-2549 CROSS FIT 29X2.10 / 29X2.25

Specification	Name	Pattern	Inch	MN	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM-HS	CROSS FIT	IA-2549	29x2.10	54-622	120TPI	PRO M22	KEVLAR BEAD	580g	35-65 PSI	2,4-4,5	CF29211801
TEAM	CROSS FIT	IA-2549	29x2.10	54-622	120TPI	PRO M22	KEVLAR BEAD	580g	35-65 PSI	2,4-4,5	CF29211802
RACE	CROSS FIT	IA-2549	29x2.10	54-622	60TPI	PRO M22	KEVLAR BEAD	670g	35-65 PSI	2,4-4,5	CF29211803
STANDARD	CROSS FIT	IA-2549	29x2.10	54-622	60TPI	PRO M3	WIRE	640g	35-65 PSI	2,4-4,5	CF29211804
TEAM	CROSS FIT	IA-2549	29x2.25	58-622	120TPI	PRO M22	KEVLAR BEAD	640g	35-65 PSI	2,4-4,5	CF29221801
RACE	CROSS FIT	IA-2549	29x2.25	58-622	60TPI	PRO M22	KEVLAR BEAD	680g	35-65 PSI	2,4-4,5	CF29221802

IA-2560 REGOR

Specification	Name	Pattern	Inch	MN	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	REGOR	IA-2560	29x2.0	58-662	120TPI	PRO M22	KEVLAR BEAD	530g	35-65 PSI	2,4-4,5	RE29201801
RACE	REGOR	IA-2560	29x2.0	58-662	60TPI	PRO M22	KEVLAR BEAD	600g	35-65 PSI	2,4-4,5	RE29201802

IA-2563 APACHE

Specification	Name	Pattern	Inch	MN	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM-MULTIVALVE	APACHE	IA-2563	29x2.0	58-622	120TPI	PRO M22	KEVLAR BEAD	470g	35-65 PSI	2,4-4,5	AP29201801
TEAM	APACHE	IA-2563	29x2.0	58-622	120TPI	PRO M22	KEVLAR BEAD	500g	35-65 PSI	2,4-4,5	AP29201802

IA-2564 BLACK HAWK

Specification	Name	Pattern	Inch	MN	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
RACE	BLACK HAWK	IA-2564	29x2.0	58-622	60TPI	PRO M22	KEVLAR BEAD	540g	35-65 PSI	2,4-4,5	BH29201801

IA-2568 BULLETSTORM

Specification	Name	Pattern	Inch	MN	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	BULLETSTORM	IA-2568	29x2.10	54-622	120TPI	PRO M22	KEVLAR BEAD	540g	35-65 PSI	2,4-4,5	BU29211801
RACE	BULLETSTORM	IA-2568	29x2.10	54-622	60TPI	PRO M22	KEVLAR BEAD	560g	35-65 PSI	2,4-4,5	BU29211802
STANDARD	BULLETSTORM	IA-2568	29x2.10	54-622	60TPI	PRO M3	WIRE	*****	35-65 PSI	2,4-4,5	BU29211803

IA-2569 TRANSFORMERS

Specification	Name	Pattern	Inch	MN	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	TRANSFORMERS	IA-2569	29x2.10	54-622	120TPI	PRO M22	KEVLAR BEAD	540g	35-65 PSI	2,4-4,5	TR29211801
RACE	TRANSFORMERS	IA-2569	29x2.10	54-622	60TPI	PRO M22	KEVLAR BEAD	560g	35-65 PSI	2,4-4,5	TR29211802



SNOW SERIES

ICE TRACKER WIN-RIDER





STUD & TOOL KIT
- TOOL x1PC
- STUDSx 20pcs



Aluminum studs with tungsten carbide pins

0.3g(1pc/g)



Steel studs with tungsten carbide pins


0.5g(1pc/g)

Aluminum studs with tungsten carbide pins

Name	Pattern	Inch	MM	Casing(Tpi)	Bead	Weight	Psi	Bar	Studes	Part No.
ICE TRACKER	IA-2931	26x2.10	54-559	60TPI	KEVLAR BEAD	700g	40-65 PSI	2.75-4.5	288	ITA262101
WIN RIDER	IA-2932	700x38C	40/44-622	60TPI	KEVLAR BEAD	542g	50-75 PSI	3.44.10	104	WRA700361

Steel studs with tungsten carbide pins

Name	Pattern	Inch	MM	Casing(Tpi)	Bead	Weight	Psi	Bar	Studes	Part No.
ICE TRACKER	IA-2931	26x2.10	54-559	27TPI	WIRE	950g	40-65 PSI	2.75-4.5	288	ITS262101
WIN RIDER	IA-2932	700x38C	40/44-622	27TPI	WIRE	627g	50-75 PSI	3.44.10	104	WIR700361




FIXED GEAR SERIES

- 700X23C
- 700X25C
- 700X28C
- 700X32C
- 700X35C

SMOOTHIE **STAYING POWER**



Color Option:
WHITE RED BLUE YELLOW GREEN



IA-2308 SMOOTHIE

Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
SMOOTHIE	IA-2308	700x23C	23-622	27TPI	PRO HO	KEVLAR	410g	75-120 PSI	5.2-8.2	SMF700231

IA-2886 SMOOTHIE

Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
SMOOTHIE	IA-2886	700x28C	28-622	27TPI	PRO HO	KEVLAR	470g	75-120 PSI	5.2	SMF700281

IA-2406 STAYING POWER

Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
STAYING POWER	IA-2406	700x28C	28-622	27TPI	PRO HO	KEVLAR	520g	85-100 PSI	4.7-6.9	SPF700281

IA-2406 STAYING POWER

Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
STAYING POWER	IA-2406	700x32C	32-622	27TPI	PRO HO	KEVLAR	610g	85-95 PSI	4.7-6.2	SPF700321

IA-2406 STAYING POWER

Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
STAYING POWER	IA-2406	700x35C	37-622	27TPI	PRO HO	KEVLAR	640g	85-95 PSI	3.4-6.2	SPF700351

PATRIOT SERIES

America English Canada France Germany



America

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

English

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

Canada

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

European Union

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

Italy

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

France

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	260g	100-120 PSI	6,8-8,3

Germany

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	270g	100-120 PSI	6,8-8,3

Janpan

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar
RACE	SMOOTHIE	IP-2086	700x23C	23-622	60TPI	PRO HD2	KEVLAR BEAD	270g	100-120 PSI	6,8-8,3

PATRIOT SERIES - ROAD Tires

Innova and his partners patent this technology for showing the spirit of patriot in ant tour competition to honor riders' nation. This most advanced technology can show the image of national flag all this tire life. It is light; high quality and mean more than just a tire only.

DH. MONSTER

PATENT PENDING

New downhill tires

Downhill road surfaces are generally divided into dry land; semi wet and dry ground; wetlands; muddy; snow which all require for a variety of road grip and handling. Although each tire factory introduced a variety of Super-sticky or Extra-wide tires, there are no any tire can fully meet the required performance.

"Downhill Monster" provides a super concept which is beyond traditional ideas to use the engineered plastic studs to change the grip and handling performance.
"Downhill Monster" can be all-round competition tire to be applicable for a variety of downhill surface and weather.

It is an incredible innovation constructed by Innovatire.

(DH Monster)

Yellow studs state "Big Monster Tire"



"Big Monster Tire"

WETLANDS / MUDDY GROUND / SNOW

Higher and **harder** Engineer Plastic studs, designed for Wetlands; muddy; snow condition.



Red studs state" Little Monster Tire"



"Little Monster Tire"

SEMI WET / DRY LAND

Softer and **lower** Engineer Plastic studs, designed for Semi wet and dry condition.



No studs state " Monster Tire"



" Monster Tire"

DRY LAND

Patented design making **No stud Monster** tire great balance of softness and strength in the shoulder blocks, excellent grip in cornering, is **highly recommend for dry land competition.**



Great Tips: Racers also can consider having the perfect mix of Monster as well as studed Monster tire for the front and rear wheels as a combination for different levels of wet and dry ground to have the perfect match in grip and speeding.

Warning: Players equiping with stud Monster tires must be careful to avoid slipping if riding in concrete and hard road.





DH MONSTER



DOWN HILL

DH MONSTER(STUDS) DH MONSTER SHAGGER





IA-2570 DH MONSTER (Yellow Studs)

Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Psi	Bar	Studs	Part No.
DH MONSTER	IA-2570	26x2.35	59-559	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	136	DMY262351
DH MONSTER	IA-2570	26x2.35	59-559	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	136	DMY262352
DH MONSTER	IA-2570	26x2.50	62-559	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	136	DMY262501
DH MONSTER	IA-2570	26x2.50	62-559	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	136	DMY262502
DH MONSTER	IA-2570	27.5x2.35(650B)	59-584	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	152	DMY272351
DH MONSTER	IA-2570	27.5x2.35(650B)	59-584	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	152	DMY272352

IA-2570 DH MONSTER (None Studs)

Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Psi	Bar	Part No.
DH MONSTER	IA-2570	26x2.35	59-559	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	DM262351
DH MONSTER	IA-2570	26x2.35	59-559	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	DM262352
DH MONSTER	IA-2570	26x2.50	62-559	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	DM262501
DH MONSTER	IA-2570	26x2.50	62-559	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	DM262502
DH MONSTER	IA-2570	27.5x2.35(650B)	59-584	60TPI	PRO LG	KEVLAR BEAD	35-65 PSI	2.5-4.5	DM272351
DH MONSTER	IA-2570	27.5x2.35(650B)	59-584	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	DM272352

LA-102 SHAGGER

Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Psi	Bar	Part No.
SHAGGER	LA-102	26x2.35	*****	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	SHG262351
SHAGGER	LA-102	26x2.10	*****	60TPI	PRO LG	RIGID	35-65 PSI	2.5-4.5	SHG262101



















ROAD BIKE

- NUNKI
- HADAR
- SMOOTHIE
- DIAMOND ACE
- CIRCUIT



Hadar Nunki





IA-2318 NUNKI

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+ULTRA LIGHT	NUNKI	IA-2318	700x20C	20-622	166TPI	PRO HD2	KEVLAR BEAD	155g	105-130 PSI	7,3-9,0	NUN2029001
TEAM	NUNKI	IA-2318	700x20C	20-622	120TPI	PRO HD2	KEVLAR BEAD	181g	105-130 PSI	7,3-9,0	NUN2029002
TEAM+ULTRA LIGHT	NUNKI	IA-2318	700x23C	23-622	166TPI	PRO HD2	KEVLAR BEAD	165g	105-130 PSI	7,3-9,0	NUN2023001
TEAM+KB	NUNKI	IA-2318	700x23C	23-622	120TPI	PRO HD2	KEVLAR BEAD	210g	105-130 PSI	7,3-9,0	NUN2023002
* TEAM	NUNKI	IA-2318	700x23C	23-622	120TPI	PRO HD2	KEVLAR BEAD	189g	105-130 PSI	7,3-9,0	NUN2023003

IA-2319 HADAR

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+ULTRA LIGHT	HADAR	IA-2319	700x23C	23-622	166TPI	PRO HD2	KEVLAR BEAD	165g	105-130 PSI	7,3-9,0	HAD2023001
TEAM+KB	HADAR	IA-2319	700x23C	23-622	120TPI	PRO HD2	KEVLAR BEAD	210g	105-130 PSI	7,3-9,0	HAD2023002
* TEAM	HADAR	IA-2319	700x23C	23-622	120TPI	PRO HD2	KEVLAR BEAD	189g	105-130 PSI	7,3-9,0	HAD2023003

* color stripe for option- white/grey/red

Smoothie Diamond Ace

700X23C

RACE

STANDARD



IA-2308 SMOOTHIE

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
★ RACE	SMOOTHIE	IA-2308	700x23C	23-622	60TPI	PRO HD	KEVLAR BEAD	220g	100,120 PSI	6,8,8,3	
★ STANDARD	SMOOTHIE	IA-2308	700x23C	23-622	60TPI	PRO HD	RIGID	280g	100,120 PSI	6,8,8,3	

IA-2309 DIAMOND ACE

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
★ RACE	DIAMOND ACE	IA-2309	700x23C	23-622	60TPI	PRO HD	KEVLAR BEAD	220g	100,120 PSI	6,8,8,3	
★ STANDARD	DIAMOND ACE	IA-2309	700x23C	23-622	60TPI	PRO HD	RIGID	280g	100,120 PSI	6,8,8,3	

★color stripe for option. white/grey/red

700X25C

RACE

STANDARD

Smoothie Circuit




IA-2886 SMOOTHIE

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
★ RACE	SMOOTHIE	IA-2886	700x25C	25-622	60TPI	PRO HD	KEVLAR BEAD	220g	100,120 PSI	6,8,8,3	
STANDARD	SMOOTHIE	IA-2886	700x25C	25-622	60TPI	PRO HD	RIGID	280g	100,120 PSI	6,8,8,3	

IA-2307 CIRCUIT

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
★ RACE	CIRCUIT	IA-2307	700x25C	25-622	60TPI	PRO HD	KEVLAR BEAD	220g	100,120 PSI	6,8,8,3	
STANDARD	CIRCUIT	IA-2307	700x25C	25-622	60TPI	PRO HD	RIGID	280g	100,120 PSI	6,8,8,3	

★color stripe for option- white/grey/red

















MTB BIKE

- ROCK IT
- ALHENA
- ATRIA
- CROSS FIT
- EAGLE ROCK
- DIRT CONTROL
- DIRT TRACKER
- DELTA FORCE
- TRACKER
- REGOR
- APACHE
- BLACK HAWK
- BULLETSTORM
- TRANSFORMERS







Sand | Stone | Pitch | Cement

MTB

IA-2551 26X2.0

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
LIGHT+ULTRA LIGHT	ROCK IT	IA-2551	26x2,0	50-559	180TPI	PRO MED	KEVLAR BEAD	445g	35-55 PSI	2,5-4,5	
TUBELESS+ULTRA LIGHT	ROCK IT	IA-2551	26x2,0	50-559	180TPI	PRO MED	KEVLAR BEAD	515g	35-55 PSI	2,5-4,5	
TEAM	ROCK IT	IA-2551	26x2,0	50-559	127TPI	PRO MED	KEVLAR BEAD	545g	35-55 PSI	2,5-4,5	
RACE	ROCK IT	IA-2551	26x2,0	50-559	60TPI	PRO MED	KEVLAR BEAD	595g	35-55 PSI	2,5-4,5	
TRAINING	ROCK IT	IA-2551	26x2,0	50-559	60TPI	PRO MED	CABLE BEAD	595g	35-55 PSI	2,5-4,5	

Dirt Tracker

MTB

TEAM | RACE | GC BOARD CAP | TRAINING | STANDARD

Muddy Sand Stone

26"









IA-2552 DIRT TRACKER 26X2.0

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	DIRT TRACKER	IA-2552	26x2.0	50-559	120TPI	PRO HD	KEVLAR BEAD	960g	35-65 PSI	2.4-4.5	DT26020001
TRAINING	DIRT TRACKER	IA-2552	26x2.0	50-559	60TPI	PRO HD	CABLE BEAD	960g	35-65 PSI	2.4-4.5	DT26020002
STANDARD	DIRT TRACKER	IA-2552	26x2.0	50-559	60TPI	PRO HD	READ	960g	35-65 PSI	2.4-4.5	DT26020003

IA-2552 DIRT TRACKER 26X2.35

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
RACE	DIRT TRACKER	IA-2552	26x2.35	57-559	60TPI	PRO HD	KEVLAR BEAD	960g	35-65 PSI	2.4-4.5	DT26020001
STANDARD	DIRT TRACKER	IA-2552	26x2.35	57-559	60TPI	PRO HD	READ	960g	35-65 PSI	2.4-4.5	DT26020003



TEAM+ Ultra Light | TEAM | RACE | KB KEVLAR BEAD | TRAINING | STANDARD



IA2561 ALHENA

Specification	Name	Pattern	Inch	Mm	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+ ULTRA LIGHT	ALHENA	IA-2561	26x2.1	53-559	110TPI	PRO MD2	KEVLAR BEAD	390g	35-65 PSI	2.4-4.5	AL2600001
TEAM	ALHENA	IA-2561	26x2.1	53-559	120TPI	PRO MD2	KEVLAR BEAD	440g	35-65 PSI	2.4-4.5	AL2600002
RACE	ALHENA	IA-2561	26x2.1	53-559	60TPI	PRO MD2	KEVLAR BEAD	450g	35-65 PSI	2.4-4.5	AL2600003

IA2562 ATRIA

Specification	Name	Pattern	Inch	Mm	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+ ULTRA LIGHT	ATRIA	IA-2562	26x2.1	53-559	110TPI	PRO MD2	KEVLAR BEAD	390g	35-65 PSI	2.4-4.5	AT2600001
TEAM	ATRIA	IA-2562	26x2.1	53-559	120TPI	PRO MD2	KEVLAR BEAD	440g	35-65 PSI	2.4-4.5	AT2600002
RACE	ATRIA	IA-2562	26x2.1	53-559	60TPI	PRO MD2	KEVLAR BEAD	450g	35-65 PSI	2.4-4.5	AT2600003
TRAINING	ATRIA	IA-2562	26x2.1	53-559	60TPI	PRO MD	CABLE BEAD	490g	35-65 PSI	2.4-4.5	AT2600004

IA2549 CROSS FIT

Specification	Name	Pattern	Inch	Mm	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM+KB	CROSS FIT	IA-2548	26x2.1	53-559	120TPI	PRO MD2	KEVLAR BEAD	440g	35-65 PSI	2.4-4.5	CF2600001
TEAM	CROSS FIT	IA-2548	26x2.1	53-559	120TPI	PRO MD2	KEVLAR BEAD	440g	35-65 PSI	2.4-4.5	CF2600002
* RACE	CROSS FIT	IA-2548	26x2.1	53-559	60TPI	PRO MD2	KEVLAR BEAD	440g	35-65 PSI	2.4-4.5	CF2600003
STANDARD	CROSS FIT	IA-2548	26x2.1	53-559	60TPI	PRO MD	WIRE	500g	35-65 PSI	2.4-4.5	CF2600004

* color stripe for option- white/grey/red



Eagle Rock



Dirt Control

TUBELESS READY | TUBELESS | RACE | GC GUARD CAP | TRAINING

IA2543 EAGLE ROCK

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TUBELESS LIGHT	EAGLE ROCK	IA2543	26x2.10	54-559	120TPI	PRO MOD	KEVLAR BEAD	530g	29-65 PSI	2,0-4,5	IRBD29001
RACE	EAGLE ROCK	IA2543	26x2.10	54-559	60TPI	PRO MOD	KEVLAR BEAD	620g	29-65 PSI	2,0-4,5	IRBD29002
TRAINING	EAGLE ROCK	IA2543	26x2.10	54-559	60TPI	PRO MOD	CABLE BEAD	640g	29-65 PSI	2,0-4,5	IRBD29003

IA2024 DIRT CONTROL

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
TEAM	DIRT CONTROL	IA2024	26x2.25	58-559	120TPI	PRO MOD	KEVLAR BEAD	*****	40-65 PSI	2,75-4,5	DC2625591
RACE	DIRT CONTROL	IA2024	26x2.25	58-559	60TPI	PRO MOD	KEVLAR BEAD	*****	40-65 PSI	2,75-4,5	DC2625592



26"

www.innova-pro-tires.com

TUBELESS EASY | TEAM | RACE | GC GUARD CAP | TRAINING | STANDARD

Delta Force



Tracker

IA2084 DELTA FORCE

Specification	Name	Pattern	Inch	MM	Casing	Compound	Bead	Weight	Psi	Bar	Part No.
RACE	DELTA FORCE	IA-2084	26x1.50	40-559	60TPI	PRO MIX	KEVLAR BEAD	*****	40-65 PSI	2.75-4.5	TR2084001
RACE	DELTA FORCE	IA-2084	26x1.75	47-559	60TPI	PRO MIX	KEVLAR BEAD	570g	40-65 PSI	2.75-4.5	TR2084001

IA2548 TRACKER

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
UST TUBELESS	TRACKER	IA-2548	26x2.0	50-559	120TPI	PRO MIX	KEVLAR BEAD	625g	29-65 PSI	2.0-4.5	TR2548001
TUBELESS LIGHT	TRACKER	IA-2548	26x2.0	50-559	120TPI	PRO MIX	KEVLAR BEAD	585g	29-65 PSI	2.0-4.5	TR2548002
TEAM	TRACKER	IA-2548	26x2.0	50-559	120TPI	PRO MIX	KEVLAR BEAD	595g	29-65 PSI	2.0-4.5	TR2548003
RACE+GC	TRACKER	IA-2548	26x2.0	50-559	60TPI	PRO MIX	KEVLAR BEAD	640g	29-65 PSI	2.0-4.5	TR2548004
RACE	TRACKER	IA-2548	26x2.0	50-559	60TPI	PRO MIX	KEVLAR BEAD	640g	29-65 PSI	2.0-4.5	TR2548005
STANDARD	TRACKER	IA-2548	26x2.0	50-559	60TPI	PRO MIX	WIRE	670g	29-65 PSI	2.0-4.5	TR2548006

Specification	Name	Pattern	Inch	MM	Casing(Tpi)	Compound	Bead	Weight	Psi	Bar	Part No.
UST TUBELESS	TRACKER	IA-2548	26x2.2	54-559	120TPI	PRO MIX	KEVLAR BEAD	725g	29-65 PSI	2.0-4.5	TR2548001
TUBELESS LIGHT	TRACKER	IA-2548	26x2.2	54-559	120TPI	PRO MIX	KEVLAR BEAD	685g	29-65 PSI	2.0-4.5	TR2548002
TEAM	TRACKER	IA-2548	26x2.2	54-559	120TPI	PRO MIX	KEVLAR BEAD	695g	29-65 PSI	2.0-4.5	TR2548003
RACE+GC	TRACKER	IA-2548	26x2.2	54-559	60TPI	PRO MIX	KEVLAR BEAD	740g	29-65 PSI	2.0-4.5	TR2548004
* RACE	TRACKER	IA-2548	26x2.2	54-559	60TPI	PRO MIX	KEVLAR BEAD	640g	29-65 PSI	2.0-4.5	TR2548005

*color stripe for option- white/grey/red




BMX BIKE

www.innova-pro-tires.com

- WHIPLASH
- TAILWHIP
- MIMOSA



RACE TRAINING STANDARD



110 Psi



IA-2248 WHIPLASH

Name	Pattern	Inch	MM	Casing	Compound	Bead	Psi	Bar	Part No.
WHIPLASH	IA-2248	20x2,0	50-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	WHI202001
WHIPLASH	IA-2248	20x2,0	50-406	60TPI	PRO HD	RIGID	110 PSI	7,5	WHI202002
WHIPLASH	IA-2248	20x2,25	50-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	WHI202001
WHIPLASH	IA-2248	20x2,25	50-406	60TPI	PRO HD	RIGID	110 PSI	7,5	WHI202002

IA-2249 TAILWHIP

Name	Pattern	Inch	MM	Casing	Compound	Bead	Psi	Bar	Part No.
TAILWHIP	IA-2249	20x2,125	54-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	TAI202251
TAILWHIP	IA-2249	20x2,125	54-406	60TPI	PRO HD	RIGID	110 PSI	7,5	TAI202252

IA-2128 MIMOSA

Name	Pattern	Inch	MM	Casing	Compound	Bead	Psi	Bar	Part No.
MIMOSA	IA-2128	20x2,0	50-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	MIM202001
MIMOSA	IA-2128	20x2,0	50-406	60TPI	PRO HD	RIGID	110 PSI	7,5	MIM202002
MIMOSA	IA-2128	20x2,25	50-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	MIM202001
MIMOSA	IA-2128	20x2,25	50-406	60TPI	PRO HD	RIGID	110 PSI	7,5	MIM202002
MIMOSA	IA-2128	20x2,35	50-406	60TPI	PRO HD2	KEVLAR BEAD	110 PSI	7,5	MIM202001
MIMOSA	IA-2128	20x2,35	50-406	60TPI	PRO HD	RIGID	110 PSI	7,5	MIM202002



RIM TAPE



FOR HIGH PRESSURE USE

Size	ETRTO 18.406
	ETRTO 18.451
	ETRTO 20.369 A/V
	ETRTO 20.369 F/V
	ETRTO 18.622

TWO PCS IN ONE BOX

WE MADE IN TAIWAN



Socks Set



Jersey





Function:
Wicking / Quick Dry
Anti-Bacteria

INNOVA ACCESSORIES


Bib Shorts











www.innova-pro-tires.com



INNOVA TIRE
Head Office: No.23, Jingcheng Rd., Changhua, Taiwan
TEL:886-4-7522792 .7521037 FAX:886-4-7518302.7521062
E-Mail:innova@ innovatires.com.tw http://www.innovatires.com

INNOVA-PRO