


Klein Bicycles 1995

It's a place.

It's over there, beyond a boundary.

It's not a destination.

You've never seen it before, but once you get there you recognize it.

It's someplace different for everyone.

It's not a place at all.

You might call it bliss, nirvana, ecstasy, the zone. We call it Elsewhere. It can be serene, meditative, giddy, crazed, orgasmic. Riding becomes an act of telepathy. But there's no guarantee of getting there. That's the challenge. It doesn't matter whether you ride road or trail, slickrock or century, criterium or triathlon. Your ability to push to the next performance level depends entirely upon reaching this place.

The quickest and most dependable transport there is a Klein bicycle. The reason is our structural engineering. It takes a serious knowledge of structure to cut weight without sacrificing strength. Or to radically reduce energy-sucking flex and sway, and yet retain a supple ride that smooths the bumps. Or to balance infinite levels of responsiveness with the need for stability and comfort.



Seat tube




AirHead set, MC2 bar/stem

Twenty years ago, with a degree from MIT under his Lycra® waistband, Gary Klein started building Klein bicycles. (That's him on the cover, seeking his own altered state.) Since then he's been perfecting the complex metal manipulations and structural innovations that put Klein bicycles on a different plane. While other companies devote their efforts to cosmetic changes, Gary has been creating structural revolutions underneath the paint.

The aluminum tubes on a Klein are cut and matched precisely. That way our deep penetration TIG welds have no voids to weaken the frame and trap moisture. And because our nearly invisible welds are proportioned to tube wall thickness, we virtually eliminate weld-edge stresses which can cause failure. (Makes you wonder about those fat, clumsy welds you see on other bikes, doesn't it?) From head set to chain stays, you'll find tube walls have been artfully varied in thickness to reinforce areas of high stress and lighten areas of low stress.

Our AirHead® set collet system eliminates bolts, stems and wedges, yet it is stronger, lighter and more rigid than traditional steering assemblies. It's also maintenance-free, because the tough, durable torque tube aircraft bearings are completely sealed.



Chain stay & bottom bracket

No one else can create chain stays the way Klein does. At the dropouts, the tube is D-shaped, to resist chain compression forces. Gradually it becomes round, then rectangular with reinforced walls, to resist lateral forces and to increase tire clearance. The result is an extraordinary drive train stiffness that efficiently transfers your pedaling effort into forward thrust.

These are just a few of the structural innovations that make a Klein a Klein. In addition, each of our bicycles takes twenty-one days to build by hand, with over 50 inspections along the way. And every frame is specially heat treated for guaranteed alignment.

We ask you to do one simple thing. Get on a Klein. You'll see how extreme knowledge of structural engineering leads to extreme states of altered consciousness. You'll understand why structure is the difference between a bike that launches you to another level and one that drags you back to earth.

Whatever kind of riding you do, whatever your performance goals, Klein has a race-ready bike to take you there. A bike that will accelerate your transport to another place. A place where suddenly the limits drop away, where thinking stops. A place of pure action. It takes a vehicle to get to this place. A flawless structure. A Klein bicycle.

Klein. Vehicle to Elsewhere.

Getting there means crossing over, transgressing,

becoming something new and strange

as something familiar is left behind.

The Klein Adroit™ will rearrange your mind.

It's a singularly serious racing bike that crosses all boundaries of performance.

The Strata fork is aluminum reinforced with boron and carbon fiber for extreme lightness and controlled shock absorption.

Its steering precision and supple ride will radically alter your opinions about rigid forks.

With the progressively reinforced Gradient™ tubing, incredibly stiff bottom bracket, and featherweight no-maintenance MC2 bar/stem and AirHead set,

the Adroit enters another dimension of responsiveness.

Its rear triangle has amazing chain stay stiffness and tire clearance.

Plus, the Adroit is created using the Fuselage™ concept,

which means the bike is designed as a complete unit from the handlebars back.

The Fuselage consists of a frame, fork, stem, and headset; on the Adroit it weighs only 4.9 pounds.

Compare this to a frame with traditional steering assembly, which weighs 5.7 pounds*.

Designing a Fuselage involves bringing all the bike's desirable attributes into balance.

Riding one involves bringing your ordinary view of reality out of balance.

*Weight of Adroit frame with chromoly fork, Control Tech stem, and AheadSet.

ADROIT



In celebration of Gary Klein's twenty years on the road to Elsewhere, we offer the limited signature edition 20th Anniversary Klein bicycles.





The language spoken there

begins with a word

that lives for years deep inside you.

Sometimes

it surfaces as a long, sustained grin.

Sometimes as a panicked howl.

Whatever your mood, whatever your taste,

whether delicate singletrack, raging downhill,

grueling climb or NORBA competition,

the Klein Attitude™ responds to your wildest impulses.

The chain stays are short and stiff in relation to

the bottom bracket, which transforms pedaling energy into

forward motion. Clearances between the tire and chain stays and the chain ring and chain stay are huge.

Gradient tubing and the AirHead set help keep the Attitude's weight remarkably low.

The sculpted cable entrance and exit points allow the internal cables to run straight

without the friction of rubbing against the tube walls.

And the Micro Dropouts are quick, strong, and incredibly light.

Attitude is your guide to Elsewhere.

Attitude




Pulse



With its precise acceleration and responsiveness,
the Klein Pulse™ conveys you to a place
where mind has no idea where body ends and bike begins.
Unlike most bikes, the Pulse frame (under 3 lbs.)
is specifically designed for suspension forks.
Its geometry creates an effective head tube angle
to keep you in the proper position
when riding with
long-travel suspension forks.
Its oversized butted tubing and
short chain stays make climbing
perversely fun
while minimizing unwanted lateral sway.
This is a race-ready bike
that will push your heartbeat up
and mess with your brainwaves.

Fervor

The Fervor™ is Klein's entry level mountain bike.
As in, what level race are you entering?
Like all Klein mountain bikes,
its chain stays are short and stiff,
its bottom bracket rigid and maintenance-free,
its frame alignment guaranteed
and its ride supple and exact.
Consequently, you can forget about the bike
and focus on the ride,
which is why you got on a Klein
to begin with.





Velocity shows you the way.
You visit this place
in glimpses
and spend your life
talking about it.

The Quantum™ Pro requires a new vocabulary.
Words that would say
light, fast, efficient, and responsive
in a haunting and powerful way.
The Quantum Pro is designed
using the Fuselage concept,
which considers the frame, fork, stem and head set
as a whole unit.
Its composite Aeros™ fork may be the strongest and lightest
on the market. The top tube is laterally ovalized to reduce wind resistance and gain stiffness.
Add the AirHead set for steering precision,
and you've got a total fuselage weight of 3.9 pounds,
compared to a frame with traditional steering assembly weighing 4.9 pounds*.
Consider, too, that the bottom bracket on the
stiffest carbon fiber bike has 66% more unwanted flex
than the Quantum Pro's.
Yet Gary has engineered in beneficial flex
to smooth the bumps.
Which makes the Quantum Pro
not only a sprinter's dream,
but clearly the leader
throughout the race
to Elsewhere.

*Weight of Quantum Pro frame with Kinesis fork, Zoom stem, and Ultegra headset.







QUANTUM II

Like the Quantum Pro, the Klein Quantum II
eliminates the distractions
along the course to the next dimension.

While equipped with
a traditional aluminum fork and headset assembly,
the Quantum II racing bike shares
many features with the Quantum Pro.
Such as criterium geometry,
Gradient tubing, laterally ovalized top tube,
streamlined design, internal cables,
Micro Dropouts, and the same rigid bottom bracket.
And of course
the weight, strength and responsiveness
that you'd expect from a Klein.
A bike for whatever road to Elsewhere
you find yourself on.



QUANTUM



If you're looking to step up to a competition bike,
make it a quantum leap.
The Klein Quantum delivers one of the best values
in an entry level racing or
everyday training bike.
This is the original strong, highly durable Quantum design.
You'll find some of the details
are different from the Pro or the II,
like external cables and forward facing dropouts.
But you'll still find the same fast
criterium racing geometry
to transport both your body and your mind.

Just because you ride

doesn't mean

you get there.

Maybe you're a triathlete

looking for an aerodynamic edge.

Or maybe you're a road rider

looking for a time trial bike that loves to climb.

Whichever it is, the Klein Aeolus™

is designed to accomplish your goals.

From dropping minutes in your bike split to

dropping your rival out on the road.


The Aeolus naturally places you into the proper aero position the instant you clip in.

Gary steepened the seat tube to 78°, moved the rear wheel in closer,

lengthened the ovalized top tube and pushed the front wheel forward.

All of which creates a properly balanced and relaxed posture for speed and efficiency.

The Aeolus. It's definitely a rocket to Elsewhere.



AEOLUS




ACCESSORIES






























The Klein Storm riding jersey (A), available in long or short sleeve*. Sugoi tights (B), also available in shorts. From OF3, the same line worn by the Klein racing team: the OF3 riding jersey (C),the riding cap (D), the OF3 bib shorts (E), also available in bib tights. Klein water bottle (F). Klein instinct grips (G). The 145 gram Cloud Nine™ inner tube (H). Klein Stratum® bar (J), an incredibly strong, lightweight 580mm straight composite bar with reinforced aluminum alloy center. *Bicycling Magazine* (John Olson, Stupid-Light Handlebars? July, 1994) called the Stratum 90 "pretty exceptional for a 90-gram handlebar" after it went more than 250,000 cycles – longer than any other bar – in their fatigue test. Stratum 185 bar (I), with reinforced bar ends and bullhorns. Klein t-shirts (K-O), all in 100% cotton. Striped t-shirts with embroidered Klein logo, (P,Q), 100% cotton. Long sleeve mock turtleneck with embroidered Klein logo (R,S), in 100% cotton. Klein caps with embroidered Klein logo on front and bicycle on back (T), 100% nylon. Klein Prime® road tire (U), a 206 gram tire with 127 threads per inch (700x25C, 115psi), and more natural rubber content for fast cornering adhesion. Klein DeathGrip® tire (V,W), the lightest high-performance tire available, excels in muck and for climbing. With 127 TPI casing for suppleness and Kevlar bead for strength; in 2.1 (495-510 grams) and 2.35 (610-620 grams) sizes for 26" rims.

*When current supplies run out, the Klein Storm riding jersey will ship in the new Night Storm colors, as shown in bicycle color choices on the following page.



Mountain Bikes



To determine the frame size of a Klein mountain bike, create an imaginary line parallel to the ground that intersects the point where the top tube joins the head tube. Then measure the vertical distance (90°) from the center of the bottom bracket to this imaginary line.

Specifications	Adroit, Attitude					Pulse					Fervor			
Frame Size	18.0" 46cm	19.0" 48cm	20.0" 53cm	21.0" 55cm	22.0" 57cm	18.0" 46cm	19.0" 48cm	20.0" 53cm	21.0" 55cm	22.0" 57cm	18.0" 46cm	19.0" 48cm	20.0" 51cm	22.0" 56cm
Typical Rider	5'0"-5'4" 152-162cm	5'4"-5'7" 162-170cm	5'7"-5'10" 170-177cm	5'10"-6'1" 177-185cm	6'1"-6'6" 185-198cm	5'0"-5'4" 152-162cm	5'4"-5'7" 162-170cm	5'7"-5'10" 170-177cm	5'10"-6'1" 177-185cm	6'1"-6'6" 185-198cm	5'0"-5'4" 152-162cm	5'4"-5'8" 162-172cm	5'8"-6'0" 172-182cm	6'0"-6'6" 182-192cm
Stand-Over	27.42" 69.65cm	28.21" 71.65cm	29.62" 75.23cm	30.66" 77.88cm	31.76" 80.67cm	27.78" 70.56cm	28.58" 72.59cm	29.62" 75.23cm	30.68" 77.93cm	31.78" 80.72cm	27.00" 68.00cm	28.00" 71.00cm	29.00" 74.00cm	31.00" 80.00cm
Bottom Bracket	11.4" 29.00cm	11.5" 29.20cm	11.7" 29.70cm	11.8" 30.00cm	11.9" 30.20cm	11.4" 29.00cm	11.5" 29.20cm	11.7" 29.70cm	11.8" 30.00cm	11.9" 30.20cm	11.5" 29.21cm	11.5" 29.21cm	11.9" 30.23cm	11.9" 30.23cm
Top Tube	22.02" 55.9cm	22.78" 57.9cm	23.38" 59.4cm	23.70" 60.2cm	24.05" 61.1cm	22.03" 55.4cm	22.76" 57.4cm	23.38" 59.4cm	23.60" 59.9cm	24.05" 61.1cm	22.04" 56.0cm	22.79" 57.9cm	23.39" 59.4cm	24.05" 61.1cm
Chain Stay	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.40" 41.70cm	16.65" 42.29cm	16.65" 42.29cm	16.65" 42.29cm	16.65" 42.29cm
Wheel Base	40.07" 101.80cm	40.67" 103.30cm	41.21" 104.70cm	41.64" 105.80cm	42.04" 106.80cm	40.07" 101.80cm	40.67" 103.30cm	41.21" 104.70cm	41.64" 105.80cm	42.04" 106.80cm	40.40" 102.62cm	41.00" 104.14cm	41.60" 105.66cm	42.60" 108.20cm
Front Fork Rake	1.38" 3.49cm	1.38" 3.49cm	1.38" 3.49cm	1.50" 3.81cm	1.50" 3.81cm	1.38" 3.49cm	1.38" 3.49cm	1.38" 3.49cm	1.50" 3.81cm	1.50" 3.81cm	1.54" 3.90cm	1.54" 3.90cm	1.54" 3.90cm	1.54" 3.90cm
Top Tube Angle	15.40°	10.50°	8.20°	8.40°	8.00°	17.20°	12.50°	8.27°	8.47°	8.07°	15.00°	10.00°	8.00°	7.50°
Seat Tube Angle	73.2°	73.2°	73.2°	73.2°	73.2°	73.2°	73.2°	73.2°	73.2°	73.2°	72.5°	72.5°	72.5°	72.5°
Head Tube Angle	71.0°	71.5°	72.0°	72.2°	72.2°	71.0°	71.5°	72.0°	72.2°	72.2°	70.0°	70.5°	71.0°	71.0°

Color choices — All bikes


S = Stock
N = No charge
X = Extra charge
na = Not available

	Adroit	Attitude	Pulse	Fervor	Quantum Pro	Quantum II	Quantum	Aeolus
20th Anniversary	X	X	X	na	X	X	na	X
Night Storm	X	X	X	na	X	X	na	X
Painted Desert	S	N	X	na	N	X	na	N
Sea & Sky	N	S	X	na	N	X	na	S
Coral Reef	N	N	X	na	S	X	na	N
Race Red	N	N	N	na	N	S	na	N
Deep Forest Green	N	N	S	na	N	N	na	N
Cumulus Gray	N	N	N	S	N	N	S	N
Sovereign Blue	N	N	N	S	N	N	S	N

Components	Adroit	Attitude	Pulse		Fervor	
Group	Shimano XT	Shimano XT	Shimano XT	Shimano LX	Shimano LX	Shimano STX-RC
Headset	Klein AirHead	Klein AirHead	XT	LX	LX	LX
Bar/Stem	Klein MC2	Klein MC2	Stratum/Control Tech	Stratum/Control Tech	Zoom	Zoom
Fork - standard optional	Klein Strata	UniKlein Rock Shox Judy XC	Spartan Ocelot Susp. Rock Shox Judy XC	Spartan Ocelot Susp. Rock Shox Judy XC	Chromolly	Chromolly
Bottom Bracket	Klein	Klein	Klein	Klein	Klein	Klein
Crank	XT	XT	XT	LX	LX	STX-RC
Rings	44/32/22	44/32/22	44/32/22	42/32/22	42/32/22	42/32/22
Rear Derailleur	XT Medium	XT Medium	XT Medium	LX Long	LX Long	STX-RC Long
Front Derailleur	XT	XT	XT	LX	LX	STX-RC
Shift Levers	XT Rapidfire Plus	XT Rapidfire Plus	XT Rapidfire Plus	LX Rapidfire Plus	LX Rapidfire Plus	STX-RC Rapidfire Plus
Chain	HG90	HG90	HG90	HG70	HG70	IG50
Rear Clusters	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28 8-speed	11/28T 7-speed
Brake Set	XT M-size	XT M-size	XT M-size	LX M-size	LX M-size	STX-RC M-size
Brake Levers	XT Servo Wave	XT Servo Wave	XT Servo Wave	LX Servo Wave	LX Servo Wave	STX-RC Servo Wave
Front Hub	XT 32H	XT 32H	XT 32H	LX 32H	LX 32H	STX-RC 32H
Rear Hub	XT 32H 135mm	XT 32H 135mm	XT 32H 135mm	LX 32H 135mm	LX 32H 135mm	STX-RC 32H 135mm
Rims	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16	Sun Metal CR16
Tubes	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine	Klein Cloud Nine
Tires	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip	Klein DeathGrip
Spokes	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear
Spoke Nipples	Alloy	Alloy	Alloy	Brass	Brass	Brass
Seat Post	Syncros	Syncros	Syncros	Kalloy Uno	Kalloy Uno	Kalloy Uno
Saddle	Flite	Flite	Flite	Vetta TT	Vetta TT	Vetta TT
Pedals	M747 SPD	M747 SPD	M747 SPD	M535 SPD	M535 SPD	Sakae Low Fat
Frame Weight	3.0 lbs.	3.0 lbs.	2.9 lbs.	2.9 lbs	3.8 lbs.	3.8 lbs.
Fuselage Weight	4.9 lbs.	5.2 lbs.	6.2 lbs.	6.2 lbs.	6.5 lbs.	6.5 lbs.
Complete Weight	20.8 lbs.	21.1 lbs.	23.7 lbs.	23.9 lbs.	24.1 lbs.	23.8 lbs.

All Klein mountain bikes include Klein Instinct Grips and Klein 28 oz. water bottle & cage. Mountain bike weights are based upon 19" frame with fork listed as standard.

ROAD BIKES



To determine the frame size of a Klein road bike, measure the vertical distance (90°) from the center of the bottom bracket to the top of the top tube.

Specifications	Quantum Pro							Quantum II, Quantum						
Frame Size	20.1" 51cm	20.9" 53cm	21.7" 55cm	22.4" 57cm	23.2" 59cm	24.0" 61cm	24.8" 63cm	20.1" 51cm	20.9" 53cm	21.7" 55cm	22.4" 57cm	23.2" 59cm	24.0" 61cm	24.8" 63cm
Typical Rider	5'2"-5'4" 157-162cm	5'4"-5'6" 162-167cm	5'6"-5'8" 167-172cm	5'8"-5'11" 172-180cm	5'11"-6'1" 180-185cm	6'1"-6'3" 185-190cm	6'3"-6'5" 190-195cm	5'2"-5'4" 157-162cm	5'4"-5'6" 162-167cm	5'6"-5'8" 167-172cm	5'8"-5'11" 172-180cm	5'11"-6'1" 180-185cm	6'1"-6'3" 185-190cm	6'3"-6'5" 190-195cm
Stand-Over	29.80" 75.69cm	30.60" 77.72cm	31.50" 80.01cm	32.40" 82.30cm	33.20" 84.33cm	34.10" 86.61cm	34.80" 88.39cm	29.80" 75.69cm	30.60" 77.72cm	31.50" 80.01cm	32.40" 82.30cm	33.20" 84.33cm	34.10" 86.61cm	34.80" 88.39cm
Bottom Bracket	10.5" 26.67cm	10.6" 26.92cm	10.7" 27.18cm	10.8" 27.43cm	10.9" 27.69cm	11.0" 27.94cm	11.0" 27.94cm	10.5" 26.67cm	10.6" 26.92cm	10.7" 27.18cm	10.8" 27.43cm	10.9" 27.69cm	11.0" 27.94cm	11.0" 27.94cm
Top Tube	21.06" 53.5cm	21.54" 54.7cm	22.01" 55.9cm	22.48" 57.1cm	22.95" 58.3cm	23.43" 59.5cm	23.90" 60.7cm	21.06" 53.5cm	21.54" 54.7cm	22.01" 55.9cm	22.48" 57.1cm	22.95" 58.3cm	23.43" 59.5cm	23.90" 60.7cm
Chain Stay	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm	16.30" 41.40cm
Wheel Base	37.98" 96.47cm	38.48" 97.74cm	38.98" 99.01cm	39.28" 99.77cm	39.88" 101.30cm	40.28" 102.31cm	40.78" 103.58cm	38.10" 96.77cm	38.60" 98.04cm	39.10" 99.31cm	39.40" 100.08cm	40.00" 101.60cm	40.40" 102.62cm	40.90" 103.89cm
Front Fork Rake	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm	1.50" 3.81cm
Top Tube Angle	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Seat Tube Angle	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°	74.0°
Head Tube Angle	73.5°	73.5°	73.5°	74.0°	74.0°	74.0°	74.0°	73.5°	73.5°	73.5°	74.0°	74.0°	74.0°	74.0°

Components	Quantum Pro		Quantum II	Quantum
Group	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano RX100
Headset	Klein AirHead	Klein AirHead	Ultegra	RX100
Bar	Sakae	Sakae	Sakae	Sakae
Stem	Klein AirHead Set direct steering sys.	Klein AirHead Set direct steering sys.	Zoom	Zoom
Fork	Klein Aeros	Klein Aeros	Kinesis	Kinesis
Bottom Bracket	Klein	Klein	Klein	Klein
Crank	Dura-Ace 165/170/172.5 175/177.5/180	Ultegra 165/170 172.5/175	Ultegra 165/170 172.5/175	RX100 165/170 172.5/175
Rings	53/42	53/42	53/42	53/42
Derailleurs	Dura-Ace	Ultegra	Ultegra	RX100
Shift Levers	Dura-Ace STI	Ultegra STI	Ultegra STI	RX100 STI
Chain	Dura-Ace 7401	HG90	HG90	HG70
Rear Clusters	12/23T 8-speed	12/23T 8-speed	12/23T 8-speed	12/25T 8-speed
Brake Set	Dura-Ace	Ultegra	Ultegra	RX100
Brake Levers	Dura-Ace	Ultegra	Ultegra	RX100
Front Hub	Dura-Ace 32H	Ultegra 32H	Ultegra 32H	RX100 32H
Rear Hub	D.A. 32H 130mm	Ultegra 32H 130mm	Ultegra 32H 130mm	RX100 32H 130mm
Rims	Sun Metal M14A	Sun Metal M14A	Sun Metal M14A	Sun Metal M14A
Tubes	Klein Ultra Light	Klein Ultra Light	Klein Ultra Light	Klein Ultra Light
Tires	Klein Prime 700x25C	Klein Prime 700x25C	Klein Prime 700x25C	Klein Prime 700x25C
Spokes	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear	Wheelsmith 15g SS 14g drive side rear
Spoke Nipples	Alloy	Alloy	Alloy	Brass
Seat Post	Syncros	Syncros	Kalloy Uno	Kalloy Uno
Saddle	Flite	Vetta TT	Vetta TT	Vetta TT
Frame Weight	2.7 lbs.	2.7 lbs.	2.7 lbs.	3.5 lbs.
Fuselage Weight	3.9 lbs.	3.9 lbs.	4.6 lbs.	5.4 lbs.
Complete Weight	18.1 lbs.	18.3 lbs.	19.1 lbs.	20.1 lbs.

All Klein road bikes include Cinelli Cork Bar tape and Klein 28 oz. water bottle & cage. Road bike weights are based upon 57cm frame.

Specifications	Aeolus						
Frame size	20.1" 51cm	20.9" 53cm	21.7" 55cm	22.4" 57cm	23.2" 59cm	24.0" 61cm	24.8" 63cm
Typical rider	5'2"-5'4" 157-162cm	5'4"-5'6" 162-167cm	5'6"-5'8" 167-172cm	5'8"-5'11" 172-180cm	5'11"-6'1" 180-185cm	6'1"-6'3" 185-190cm	6'3"-6'5" 190-195cm
Stand-over	29.36" 74.57cm	30.14" 76.55cm	30.91" 78.51cm	31.69" 80.49cm	32.51" 82.57cm	33.28" 84.53cm	33.46" 84.98cm
Bottom bracket	10.3" 26.20cm	10.4" 26.40cm	10.5" 26.70cm	10.6" 26.90cm	10.7" 27.20cm	10.8" 27.40cm	10.8" 27.40cm
Top tube	21.06" 53.5cm	21.54" 54.7cm	22.01" 55.9cm	22.48" 57.1cm	22.95" 58.3cm	24.21" 61.5cm	24.70" 62.7cm
Chain stay	14.73" 37.40cm	14.73" 37.40cm	14.73" 37.40cm	14.73" 37.40cm	15.50" 39.40cm	15.50" 39.40cm	15.50" 39.40cm
Wheel base	38.59" 98.0cm	39.18" 99.5cm	39.78" 101.0cm	40.37" 102.5cm	41.41" 105.2cm	42.79" 105.7cm	43.35" 110.1cm
Front fork rake	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.375" 3.49cm	1.5" 3.81cm	1.5" 3.81cm	1.5" 3.81cm
Top tube angle	0°	0°	0°	0°	0°	0°	0°
Seat tube angle	78.0°	78.0°	78.0°	78.0°	78.0°	78.0°	78.0°
Head tube angle	72.0°	72.0°	72.0°	72.0°	72.5°	72.5°	72.5°

The Aeolus is sold as a frame set only; a 57cm frame weighs 2.7 lbs.

Every Klein bicycle is engineered and handmade in the USA to the highest standards, and comes with a limited-lifetime warranty for the original owner. Klein Corporation tries to maintain an inventory of frame sets, options, and bicycles so that orders can be shipped immediately. From time to time, demand is so overwhelming that the production is unable to keep up. Your dealer can contact the Klein factory for availability of any specific items. All Klein bicycles meet or exceed CPSC standards. Complete CPSC equipment is included with each Klein bicycle, but may not be shown in photographs. We reserve the right to discontinue models or change specifications at any time without advance notice and without incurring any obligations. Consult your Klein dealer for current information on component packages and options available for your Klein bike.



Klein Bicycle Corporation
118 Klein Road
Chehalis, Washington 98532
206.262.3305

©1994 Klein Bicycle Corporation. All rights reserved.
Printed in the U.S.A. on recycled paper.