microSHIFT

2024 DRIVETRAIN

Contact Us

TAIWAN
No. 1313-6, Zhong Shan Rd.,
Shen Kang Dist., Taichung, Taiwan
sales@microshift.com.tw
service@microshift.com.tw

United States
6400 W 105th St.
Bloomington, MN 55438 United States
service@microshift.com

China
New Industrial Park Mo Ling Village
BaiHua Town HuiDong County
HuiZhou City GuangDong, China
WeChat: microSHIFT

Follow Us

youtube.com/c/microSHIFTTECH

linkedin.com/company/microSHIFT

instagram.com/microSHIFTOfficial

© 2024 microSHIFT AD-II Engineering Inc.
All Rights Reserved



NEW PRODUCTS 01
SWORD 01

SUPPORT 03
Warranty 03
Repair Parts 03
Distributors 04

MOUNTAIN 05
ADVENT X 06
ADVENT 09
Acolyte 13
Super Short 15
XCD 20
XLE 11 21
XLE 10 24
marvoLT 29
Mezzo 31
MTB Non-Group 37

GRAVEL 43
SWORD 44

ROAD 49
Centos 11 50
Centos 10 54
R10 57
R9 61
R8 66
Road Non-Group 70

CITY 73
Internal Gear Hub Shifters 74

PRODUCT DIRECTORY 77
Shifters 77
Front Derailleurs 94
Rear Derailleurs 97
Cassette 101
Crankset 104

SWORD

A MODERN CLASSIC

pg. 44

Elegant. Versatile. Comfortable. Repairable. Sword is defining a new space in the gravel market. Available in a wide range 1x or even wider range 2x setup that can help make your bike stand out, whether it's a gravel bike, adventure bike, commuter bike, or something in a category all its own.

FEATURES:

- **Clutch rear derailleur with quick attach cage**
- **1x and 2x shifter options plus optional dropper remote**
- **Wider gear range than competitive groups**
- **Superior ergonomics tuned for flared bars**
- **Front derailleur works with full housing and has adjustable cable tension**





WARRANTY

POLICY

microSHIFT warrantees all its products to be free from defect in material and workmanship for four years from the original date of purchase.

HOW TO MAKE A CLAIM

All warranty requests must be accompanied by a photo of the affected product and an image of the retail purchase receipt if applicable. Contact your local distributor or submit a warranty claim on our website.
www.microshift.com/warranty/

REPAIR PARTS

We design all of our products to be as durable as possible, but repair is a fact of life. In addition to our warranty support, we offer a variety of small parts, such as pulley wheels or shifter hoods, to help you return your component back to its working condition. Our website provides the necessary information to help identify the parts you need.You can also reach out to us online and on emails: ***service@microshift.com***



DISTRIBUTORS

ALBANIA
Bikeformance
www.gatsoulis.gr
+30-21-8218-9414

AUSTRIA
Sports Nut GmbH
www.sports-nut.de
+49-0-7071-94-669-40

AUSTRALIA
KWT Imports (East)
www.kwtimports.com.au
+61-7-5445-1991

CycleMotion (West)
www.cyclemotion.com.au
+61-4-8027-3171

BENELUX
Sports Nut GmbH
www.sports-nut.de
+49-0-7071-94-669-40

BRAZIL
WIP LTDA.
+11-3904-8683
microshift@wip.com.br

BULGARIA
Bikeformance
www.gatsoulis.gr
+30-21-8218-9414

CANADA
Live to Play Sports
www.livetoplaysports.com
+1-800-663-8916

D'Amour Bicycle Sports
www.damourbicycle.com
+1-800-363-8743

CYPRUS
Bikeformance
www.gatsoulis.gr
+30-21-8218-9414

CZECH REPUBLIC
Sloger j.s.a
www.sloger.sk
info@sloger.sk

DENMARK
Reinhardt Bike
www.c-reinhardt.dk
+45-44-83-09-10

EL SALVADOR
Top Bikes Dibicesa
www.topbikes.ca
+503 7841 8286

ESTONIA
UAB Imenza
www.imenza.lt
+37063005025

FINLAND
Foxcomp Finland Oy
foxcomp.fi
+358-40-5208788

FRANCE
Race Company
www.racecompany.fr
contact@raceco-mtb.com

GERMANY
Sports Nut GmbH
www.sports-nut.de
+49-0-7071-94-669-40

GREECE
Bikeformance
www.gatsoulis.gr
+30-21-8218-9414

GUATEMALA
Top Bikes Vecesa
www.topbikes.ca
+502 59661000

HONDURAS
Top Bikes Dibisa
www.topbikes.ca
+504 9430-0214

HUNGARY
Sloger j.s.a
www.sloger.sk
info@sloger.sk

IRELAND
Ison Distribution Ltd
www.ison-distribution.com
+44-1353-662662

ISRAEL
Pedalim
www.pedalim.co.il
+972-2-672-9904

ITALY
BIS s.r.l.
www.bissrl.it
+39-0322-889811

JAPAN
Circles World Distribuion
www.cwd.bike
+81-52-888-8760

LATVIA
UAB Imenza
www.imenza.lt
+37063005025

LITHUANIA
UAB Imenza
www.imenza.lt
+37063005025

MEXICO
Benotto
www.benotto.com
+51-55-5716-9600

N. MACEDONIA
Bikeformance
www.gatsoulis.gr
+30-21-8218-9414

NEW ZEALAND
Advance Traders
www.advancetraders.co.nz
+64-9267-1245

NORWAY
Deler A/S
www.deler.no
+47-64-98-99-50

PHILIPPINES
YKK Bikes
www.ykkbikesph.com
+63-32-255-8853

POLAND
AMP Poland
www.amppolska.pl
info@amppolska.pl

RUSSIA
Performance Sport
www.trial-sport.ru
+7-495-937-2814

SLOVAKIA
Sloger j.s.a
www.sloger.sk
info@sloger.sk

SPAIN
Casa Masferrer S.A.
www.casamasferrer.com
+34-93-846-34-44

Switzerland
Gamux Bikes
+41-55-512-81-30
www.gamuxbikes.com

SWEDEN
Reinhardt Bike
www.c-reinhardt.dk
+45-44-83-09-10

UNITED STATES
Quality Bicycle Products
www.qbp.com
+1-800-346-0004

UNITED KINGDOM
Ison Distribution Ltd
www.ison-distribution.com
+44-1353-662662

MOUNTAIN



ADVENT X — Top of the line performance has never been this easy to own. Light weight, wide range, and dialed ergonomics all come together in a package with no proprietary standards. Everything about mountain biking should be this easy.

ADVENT — For everything from E-bike to all-mountain, the most durable 1x drivetrain on the market is designed to be ridden hard with no apologies.

ACOLYTE — With rock solid chain retention, intuitive shifting action, and enough gear range to climb a wall, you'll be free to focus on what's important: building your skills.

SUPER SHORT — Designed for real mountain biking on 20" wheels, this group features easy-to-shift ergonomics, trail-proven clutches, and enough cassette ranges to scale mountains. Kids can now ride harder than ever.

XCD — With features like repairable clutch and optimized cable path, XCD delivers range and accuracy in the toughest condition.

XLE11 / XLE10 — By sharing key fetures with microSHIFT's top-end mountain bike groups, XLE brings high end performance to the middle of the pack.

MARVO LT / MEZZO — Crafted with the same care as our high-end products, these components are designed to perform time and time again.



ADVENTX

1 x 10-Speed

Mountain biking isn't complicated - your drivetrain shouldn't be either. ADVENT X is our widest range and also lightest 1 x 10 MTB group.

SL-M9605-R (ER) / SL-M9505-R — Trail Trigger Shifters

- Cartridge bearings allow for light and positive actuaion under load
- Precise ergonomics put the shift lever where you want them
- Silicone traction pad provides superior traction
- Single click (SL-M9605-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M9605-R	SL-M9505-R	SL-M9605-ER
Speed	1 x 10	1 x 10	1 x 10
Side	Right	Right	Right
Shifter Style	Trail Trigger Pro	Trail Trigger	Trail Trigger Pro
Bearings	4 bearings	2 bearings	4 bearings
Silicone Pad	Yes	No	Yes
Indicator	No	No	No
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT X Only	ADVENT X Only	ADVENT X Only
Weight	120g	119g	120g

SL-M9605-R



SL-M9505-R



SB-M100A — Integrated Drop Bar Shifters

- Left side brake only for 1×10 setups
- Compatible with ADVENT X derailleurs only
- Short reach option SB-M100A(S): reach distance -10mm

Model No.	SB-M100A
Speed	1 x 10
Side	Pair
Shifter Style	Integrated Drop Bar
Left side	Brake lever only
Brake Actuation	Short Pull
Brake Reach	Standard
Lever Material	Forged Aluminum
Compatibility	ADVENT X Only
Weight	381g



ADVENT X 1 x 10-Speed

NEW RD-M6205AM-B / RD-M6205GM-B 1x10 Rear Derailleurs

- Backwards compatible with all ADVENT X systems
- Compatible with standard 10-speed chains
- Ver.2 cage provides better chain wrap and retention
- New inner linkage for easier shifting effort and less cable tension
- Better pulley engagement for faster shifting

Model No.	RD-M6205AM-B	RD-M6205GM-B
Speed	1 x 10	1 x 10
Cage Length	Medium Cage	Medium Cage
Max Cog	42-48T	42-48T
Chain Capacity	37T	37T
Clutch	Yes	Yes
Cage Material	Aluminum	Steel
Compatibility	ADVENT X Only	ADVENT X Only
Weight	302g	377g



CS-G104 Alloy Spider Wide Range Cassette

- Two alloy large cogs and a full alloy spider eliminate unwanted weight
- Continuously molded construction maintains straightness and duability
- Ramped cogs aid in shifting under load

Model No.	CS-G104 11-48T
Speed	10-Speed
Gear Range	11-48T
Surface Finish	2 Layered ED Black
Combination	11-13-15-18-21-24-28-34-40*-48*
Spider	Yes
Cog Material	Steel / *Aluminum
Hub Compatibility	Standard Freehub
Weight	424g



CS-H104 Wide Range Cassette

- Hardened steel cogs stand up to e-bike torque levels
- Continuously molded construction maintains straightness and duability
- Ramped cogs aid in shifting under load
- CS-EH104 11-48T for e-bike

Model No.	CS-H104 11-48T	CS-EH104 11-48T
Speed	10-Speed	10-Speed
Gear Range	11-48T	11-48T
Surface Finish	2 Layered ED Black	2 Layered ED Black
Combination	11-13-15-18-21-24-28-34-40-48	11*-13-15-18-21-24-28-34-40-48
Spider	No	No
Cog Material	Steel	Steel / *Chromoly
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	662g	662g









SL-M9295-R (ER) / SL-M9195-R — Trail Trigger Shifters

- Cartridge bearings allow for light and positive actuaion under load
- Precise ergonomics put the shift lever where you want them
- Silicone traction pad provides superior traction
- Single click (SL-M9295-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M9295-R	SL-M9195-R	SL-M9295-ER
Speed	1 x 9	1 x 9	1 x 9
Side	Right	Right	Right
Shifter Style	Trail Trigger Pro	Trail Trigger	Trail Trigger Pro
Bearings	4 bearings	2 bearings	4 bearings
Silicone Pad	Yes	No	Yes
Indicator	No	No	No
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	120g	119g	120g

SL-M9295-R



SL-M9195-R



SL-M8195 / SL-M819 — Flatbar Xpress Shifters

- Xpress light action trigger shifting

Model No.	SL-M8195-R	SL-M819-R	SL-M819-L
Speed	1 x 9	1 x 9	2 x 9
Side	Right	Right	Left
Shifter Style	Xpress Trigger	Xpress Trigger	Xpress Trigger
Bearing	Yes	No	No
Indicator	No	No	No
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	116g	112g	112g



ADVENT 1/2 x 9-Speed

SL-M6295-R (ER) / SL-M6290-R — Quick Trigger Shifters

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Clear and easy to read indicator
- Compatible with ADVENT derailleurs only
- Single click (SL-M6295-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6295-R	SL-M6290-R	SL-M6295-ER
Speed	1 x 9	1 x 9	1 x 9
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	130g	130g	130g

SL-M6295-R



SL-M6290-R



SL-M6195-R (ER) / SL-M6190-R — Quick Trigger Shifters

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Compatible with ADVENT derailleurs only
- Single click (SL-M6195-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6195-R	SL-M6190-R	SL-M6195-ER
Speed	1 x 9	1 x 9	1 x 9
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	No	No	No
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	122g	122g	122g

SL-M6195-R



SL-M6190-R



SL-M19-R — Flatbar Thumb Shifter

- Low profile CNC machined aluminum body
- Micro adjustment barrel

Model No.	SL-M19-R
Speed	1 x 9
Side	Right
Shifter Style	Flat Bar Thumb Shifter
Right Side	Index/Friction
Compatibility	ADVENT Only
Weight	64g



BS-M19-R — Bar End Shifter

- Aluminum construction

Model No.	BS-M19-R
Speed	1 x 9
Side	Right
Shifter Style	Bar End Shifter
Right Side	Index/Friction
Compatibility	ADVENT Only
Weight	75g



ADVENT 1/2 x 9-Speed

SB-M090 Integrated Drop Bar Shifters

- Left side brake lever only
- Compatible with ADVENT 1x9 speed
- Replaceable hood cover
- Short reach option SB-M090(S): reach distance -10mm

Model No.	SB-M090	SB-M090-LD
Speed	1 x 9	—
Side	Pair	Left
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Left side	Brake lever only	Brake & Dropper
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Standard
Lever Material	Forged Aluminum	Forged Aluminum
Compatibility	ADVENT Only	Cable Head at Remote
Weight	378g	200g



RD-M6195M / RD-M619M 1x9 Rear Derailleurs

- Steel medium cage
- Chain stabilizing clutch: RD-M6195M
- Direct cable path for lighter shifting
- Non-clutch option: RD-M619M

Model No.	RD-M6195M	RD-M619M
Speed	1 x 9	1 x 9
Cage Length	Medium Cage	Medium Cage
Max Cog	42-46T	42-46T
Chain Capacity	41T	41T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	ADVENT Only	ADVENT Only
Weight	384g	314g



RD-M6195M RD-M619M

RD-M6195L / RD-M619L 2x9 Rear Derailleurs

- Steel long cage for 2x
- Chain stabilizing clutch: RD-M6195L
- Direct cable path for lighter shifting
- Non-clutch option: RD-M619L

Model No.	RD-M6195L	RD-M619L
Speed	2 x 9	2 x 9
Cage Length	Long Cage	Long Cage
Max Cog	42T-46T	42T-46T
Chain Capacity	47T	47T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	ADVENT Only	ADVENT Only
Weight	384g	314g



RD-M6195L RD-M619L

ADVENT 1/2 x 9-Speed

FD-T492 2x9 Trekking Front Derailleur

- Aluminum construction
- Compatible with up to 48T double chainring

Model No.	FD-T492B
Speed	2 x 9
Mounting	Band Clamp 34.9 (31.8 adaptor)option
Derailleur Style	Dual pull
Chainstay Angle	63-68°
Top Gear Teeth	44-48T
Capacity	12-16T
Chain Line	48.8mm
Outer Link Material	Aluminum
Clamp Material	Aluminum
Compatibility	Shimano Mountain
Weight	159g



CS-H093 Wide Range Cassettes

- ED Black sprockets
- Steel lock ring
- CS-EH093 11-42T / CS-EH093 11-46T for e-bike

Model No.	CS-H093A 11-42T	CS-H093 11-42T
Speed	9-Speed	9-Speed
Gear Range	11-42T	11-42T
Surface Finish	ED Black	ED Black
Combination	11-13-15-18-21-24-28-34-42*	11-13-15-18-21-24-28-34-42
Spider	No	No
Cog Material	Steel / *Aluminum	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	440g	530g



CS-H093

Model No.	CS-H093 11-46T	CS-EH093 11-42T	CS-EH093 11-46T
Speed	9-Speed	9-Speed	9-Speed
Gear Range	11-46T	11-42T	11-46T
Surface Finish	ED Black	ED Black	ED Black
Combination	11-13-15-18-21-24-30-37-46	11*-13-15-18-21-24-28-34-42	11*-13-15-18-21-24-30-37-46
Spider	No	No	No
Cog Material	Steel	Steel / *Chromoly	Steel / *Chromoly
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	588g	530g	588g



ACOLYTE

1 x 8-Speed

Acolyte helps you focus on your ride by removing obstacles and distractions. With simple 1×8 operation, a full mountain bike gear range, and robust SpringLock chain retention, there are only two things left to think about: you and the trail.

SL-M6285-R (ER) / SL-M6280-R — Quick Trigger Shifter

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Clear and easy to read indicator
- Compatible with Acolyte derailleurs only
- Single click (SL-M6285-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6285-R	SL-M6280-R	SL-M6285-ER
Speed	1 x 8	1 x 8	1 x 8
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	Acolyte Only	Acolyte Only	Acolyte Only
Weight	130g	130g	130g

SL-M6285-R



SL-M6280-R



SL-M6185-R (ER) / SL-M6180-R — Quick Trigger Shifter

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Compatible with Acolyte derailleurs only
- Single click (SL-M6185-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6185-R	SL-M6180-R	SL-M6185-ER
Speed	1 x 8	1 x 8	1 x 8
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	No	No	No
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	Acolyte Only	Acolyte Only	Acolyte Only
Weight	122g	122g	122g

SL-M6185-R



SL-M6180-R



RD-M5185M / RD-M5180M — 1x8 Rear Derailleurs

- Innovative SpringLock chain retention
- Direct path cable routing for smooth and responsive shifting
- Compatible with 12-42T and 12-46T 8-speed cassettes

Model No.	RD-M5185M	RD-M5180M
Speed	1 x 8	1 x 8
Cage Length	Medium Cage	Medium Cage
Max Cog	42-46T	42-46T
Chain Capacity	41T	41T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	Acolyte Only	Acolyte Only
Weight	387.5g	311g



RD-M5185M



RD-M5180M

CS-H083 — Wide Range Cassettes

- Steel cogs are continuously forged for strength and shifting accuracy

Model No.	CS-H083 12-42T	CS-H083 12-46T	CS-H083 11-42T
Speed	8-Speed	8-Speed	8-Speed
Gear Range	12-42T	12-46T	11-42T
Surface Finish	ED Black	ED Black	ED Black
Combination	12-15-18-21-24-28-34-42	12-15-18-21-24-30-37-46	11-13-15-18-22-28-34-42
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	505g	576g	505g







SUPER SHORT

Super Short adds shorter cages to our trail-proven ADVENT and Acolyte groups making them compatible with 20" wheels. Pairs with our new Quick Trigger shifters and 11-38T cassettes, this group allows the kids to ride harder on trails.

ADVENT *Super Short 1 x 9*

SL-M6295-R (ER) / SL-M6290-R — Quick Trigger Shifters

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Clear and easy to read indicator
- Compatible with ADVENT derailleurs only
- Single click (SL-M6295-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6295-R	SL-M6290-R	SL-M6295-ER
Speed	1 x 9	1 x 9	1 x 9
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	130g	130g	130g

SL-M6195-R (ER) / SL-M6190-R — Quick Trigger Shifters

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Compatible with ADVENT derailleurs only
- Single click (SL-M6195-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6195-R	SL-M6190-R	SL-M6195-ER
Speed	1 x 9	1 x 9	1 x 9
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	No	No	No
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	ADVENT Only	ADVENT Only	ADVENT Only
Weight	122g	122g	122g

SL-M6295-R



SL-M6290-R



SL-M6195-R



SL-M6190-R



ADVENT *Super Short 1 x 9*

RD-M6195S — 1x9 Rear Derailleurs

- Reliable ratchet-and-pawl clutch is easily adjustable and repairable
- Direct path cable routing for smooth and responsive shifting
- Compatible with 11-34T through 11-38T 9-speed cassettes
- Compatible with ADVENT shifters only

Model No.	RD-M6195S
Speed	1 x 9
Cage Length	Super Short Cage
Max Cog	34-38T
Chain Capacity	27T
Clutch	Yes
Cage Material	Steel
Outer Link Material	Aluminum
Compatibility	ADVENT Only
Weight	361g



CS-H093 — 9 Speed Cassettes

- ED Black sprockets
- Steel lock ring
- CS-EH093 11-38T for e-bike

Model No.	CS-H093 11-38T	CS-EH093 11-38T
Speed	9-Speed	9-Speed
Gear Range	11-38T	11-38T
Surface Finish	ED Black	ED Black
Combination	11-13-15-18-21-24-28-32-38	11*-13-15-18-21-24-28-32-38
Spider	No	No
Cog Material	Steel	Steel / Chromoly*
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	488g	488g





SL-M6285-R (ER) / SL-M6280-R Quick Trigger Shifter

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Clear and easy to read indicator
- Compatible with Acolyte derailleurs only
- Single click (SL-M6285-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6285-R	SL-M6280-R	SL-M6285-ER
Speed	1 x 8	1 x 8	1 x 8
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	Acolyte Only	Acolyte Only	Acolyte Only
Weight	130g	130g	130g

SL-M6285-R



SL-M6280-R



SL-M6185-R (ER) / SL-M6180-R Quick Trigger Shifter

- Short reach triggers for easy operation
- Rubber lever pad for grip and comfort
- Compatible with Acolyte derailleurs only
- Single click (SL-M6185-ER) maximizes drivetrain lifetime on ebikes

Model No.	SL-M6185-R	SL-M6180-R	SL-M6185-ER
Speed	1 x 8	1 x 8	1 x 8
Side	Right	Right	Right
Shifter Style	Quick Trigger	Quick Trigger	Quick Trigger
Bearing	No	No	No
Indicator	No	No	No
Rubber pad	Yes	No	Yes
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	Acolyte Only	Acolyte Only	Acolyte Only
Weight	122g	122g	122g

SL-M6185-R



SL-M6180-R



CS-H083 8 Speed Cassettes

- Steel cogs are continuously forged for strength and shifting accuracy

Model No.	CS-H083 11-38T
Speed	8-Speed
Gear Range	11-38T
Surface Finish	ED Black
Combination	11-13-15-18-21-24-30-38
Spider	No
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	421g



ACOLYTE Super Short 1 x 8

RD-M5185S / RD-M5180S 1x8 Rear Derailleurs

- Innovative SpringLock chain retention keeps chain in place over rough terrain
- Direct path cable routing for smooth and responsive shifting
- Compatible with 11-34T to 11-38T 8-speed cassettes
- Compatible with Acolyte shifters only

Model No.	RD-M5185S	RD-M5180S
Speed	1 x 8	1 x 8
Cage Length	Super Short Cage	Super Short Cage
Max Cog	34-38T	34-38T
Chain Capacity	27T	27T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	Acolyte Only	Acolyte Only
Weight	335g	284g



RD-M5185S



RD-M5180S





XCD 1 x 11 -Speed

SL-M861-R Flatbar Xpress+ Shifter

- Xpress+ Technology
- Sealed bearings mechanism
- Low profile forged aluminum clamp
- Extra light shifting

Model No.	SL-M861-R
Speed	1 x 11
Side	Right
Shifter Style	Xpress+ Trigger
Bearing	Yes
Indicator	No
Clamp Material	Forged Aluminum
Compatibility	Shimano Mountain
Weight	104g



RD-M865M 1x11 Rear Derailleur

- Aluminum medium cage
- Chain stabilizing clutch: RD-M865M
- Direct cable path for lighter shifting

Model No.	RD-M865M
Speed	11-Speed
Cage Length	Medium Cage
Max Cog	40-46T
Chain Capacity	41T
Clutch	Yes
Cage Material	Aluminum
Compatibility	Shimano Mountain
Weight	311g



CS-G113 Alloy Spider Wide Range Cassettes

- ED Black sprockets
- Aluminum light weight construction
- Aluminum alloy large cogs and lock ring
- Aluminum alloy spider carrier

Model No.	CS-G113 11-46T	CS-G113 11-42T
Speed	11-Speed	11-Speed
Gear Range	11-46T	11-42T
Surface Finish	ED Black	ED Black
Combination	11-13-15-18-21-24-28-32-36-40*-46*	11-13-15-17-19-21-24-28-32-36-42*
Spider	Yes	Yes
Cog Material	Steel / *Aluminum	Steel / *Aluminum
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	556g	426g



XLE11 1/2 x 11-Speed

SL-M851 Flatbar Xpress Shifters

• Xpress light action trigger shifting

Model No.	SL-M851-R	SL-M851-2
Speed	1 x 11	2 x 11
Side	Right	Pair
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	No	No
Band Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	112g	225g



SB-M110 Integrated Drop Bar Shifters

• Left side brake lever only
• Compatible with MTB 1x11 Speed
• Replaceable hood cover
• Short reach option SB-M110(S): reach distance -10mm

Model No.	SB-M110
Speed	1 x 11
Side	Pair
Shifter Style	Integrated Drop Bar
Left side	Brake lever only
Brake Actuation	Short Pull
Brake Reach	Standard
Lever Material	Forged Aluminum
Compatibility	Shimano Mountain
Weight	378g



RD-M665M / RD-M66M 1x10/11 Rear Derailleurs

• Steel medium cage
• Chain stabilizing clutch: RD-M665M
• Direct cable path for lighter shifting
• Non-clutch option: RD-M66M

Model No.	RD-M665M	RD-M66M
Speed	10/11-Speed	10/11-Speed
Cage Length	Medium Cage	Medium Cage
Max Cog	40-46T	40-46T
Chain Capacity	41T	41T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	Shimano Mountain	Shimano Mountain
Weight	379g	309g



XLE11 1/2 x 11-Speed

RD-M665L / RD-M66L 2x10/11 Rear Derailleurs

• Steel long cage for 2x
• Chain stabilizing clutch: RD-M665L
• Direct cable path for lighter shifting
• Non-clutch option: RD-M66L

Model No.	RD-M665L	RD-M66L
Speed	10/11-Speed	10/11-Speed
Cage Length	Long Cage	Long Cage
Max Cog	40-46T	40-46T
Chain Capacity	47T	47T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	Shimano Mountain	Shimano Mountain
Weight	380g	310g



FD-M622 2x11 MTB Front Derailleurs

• Aluminum construction

Model No.	FD-M622-D	FD-M622-B
Speed	2 x 11	2 x 11
Mounting	Direct Mount	Band Clamp 34.9 (31.8 adaptor)option
Derailleur Style	Dual pull	Dual pull
Chainstay Angle	66-69°	66-69°
Top Gear Teeth	34-38T	34-38T
Capacity	10T	10T
Chain Line	48.8mm	48.8mm
Outer Link Material	Aluminum	Aluminum
Clamp Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	135g	149g



FD-M622-D



FD-M622-B

FD-M622G-B 2x11 Trekking Front Derailleur

• Aluminum construction
• Compatible with up to 46T double chainring

Model No.	FD-M622G-B
Speed	2 x11
Mounting	Band Clamp 34.9 (31.8 adaptor)option
Derailleur Style	Dual pull
Chainstay Angle	63-66°
Top Gear Teeth	42-46T
Capacity	12T
Chain Line	48.8mm
Outer Link Material	Aluminum
Clamp Material	Aluminum
Compatibility	Shimano Mountain
Weight	149g



XLE11 1/2 x 11-Speed

CS-H113 Wide Range Cassettes

- ED Black sprockets
- Steel lock ring
- CS-EH113 11-46T / CS-EH113 11-42T for e-bike

Model No.	CS-H113 11-46T	CS-H113 11-42T
Speed	11-Speed	11-Speed
Gear Range	11-46T	11-42T
Surface Finish	ED Black	ED Black
Combination	11-13-15-18-21-24-28-32-36-40-46*	11-13-15-17-19-21-24-28-32-36-42*
Spider	No	No
Cog Material	Steel / *Aluminum	Steel / *Aluminum
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	686g	557g



Model No.	CS-H113 11-40T	CS-EH113 11-46T	CS-EH113 11-42T
Speed	11-Speed	11-Speed	11-Speed
Gear Range	11-40T	11-46T	11-42T
Surface Finish	ED Black	ED Black	ED Black
Combination	11-13-15-17-19-21-24-28-32-36-40	11*-13-15-18-21-24-28-32-36-40-46*	11*-13-15-17-19-21-24-28-32-36-42*
Spider	No	No	No
Cog Material	Steel	Steel / *Chromoly / *Aluminum	Steel / *Chromoly / *Aluminum
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	617g	686g	557g



XLE10 1/2/3 x 10-Speed

SL-M850 Flatbar Xpress Shifters

- Xpress light action trigger shifting

Model No.	SL-M850-R	SL-M850-2	SL-M850-3
Speed	1 x 10	2 x 10	3 x 10
Side	Right	Pair	Pair
Shifter Style	Xpress Trigger	Xpress Trigger	Xpress Trigger
Bearing	No	No	No
Indicator	No	No	No
Clamp Material	Aluminum	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	112g	225g	225g



SL-M760 Flatbar Xpress Shifters

- Optical gear indicator
- Aluminum shift lever

Model No.	SL-M760-2	SL-M760-3
Speed	2 x 10	3 x 10
Side	Pair	Pair
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Aluminum	Aluminum
Lever Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	286g	286g



SB-M100 1x10 Integrated Drop Bar Shifters

- Left side brake lever only
- Compatible with MTB 1x10 speed
- Replaceable hood cover
- Short reach option SB-M100(S): reach distance -10mm

Model No.	SB-M100
Speed	1 x 10
Side	Pair
Shifter Style	Integrated Drop Bar
Left side	Brake lever only
Brake Actuation	Short Pull
Brake Reach	Standard
Lever Material	Forged Aluminum
Compatibility	Shimano Mountain
Weight	378g



XLE10 1/2/3 x 10-Speed

RD-M665M / RD-M66M 1x10 Rear Derailleurs



- Steel medium cage
- Chain stabilizing clutch: RD-M665M
- Direct cable path for lighter shifting
- Non-clutch option: RD-M66M

Model No.	RD-M665M	RD-M66M
Speed	10-Speed	10-Speed
Cage Length	Medium Cage	Medium Cage
Max Cog	40-46T	40-46T
Chain Capacity	41T	41T
Clutch	Yes	No
Cage Material	Steel	Steel
Compatibility	Shimano Mountain	Shimano Mountain
Weight	373g	301g

RD-M62L Rear Derailleur



- Aluminum outer link

Model No.	RD-M62L
Speed	10-Speed
Cage Length	Long Cage
Max Cog	36-42T
Chain Capacity	47T
Clutch	No
Cage Material	Steel
Compatibility	Shimano Mountain
Weight	285g

RD-M61 Rear Derailleurs



- Aluminum outer link

Model No.	RD-M61L	RD-M61S
Speed	2/3 x 10	1/2 x 10
Cage Length	Long Cage	Short Cage
Max Cog	32-36T	32-36T
Chain Capacity	43T	35T
Clutch	No	No
Cage Material	Steel	Steel
Compatibility	Shimano Mountain	Shimano Mountain
Weight	281g	270g

XLE10 1/2/3 x 10-Speed

FD-M612 2x10 Front Derailleurs



- Aluminum construction

Model No.	FD-M612-D	FD-M612-B
Speed	2 x 10	2 x 10
Mounting	Direct Mount	Band Clamp 34.9(31.8 adaptor)
Derailleur Style	Dual pull	Dual pull
Chainstay Angle	66-69°	66-69°
Top Gear Teeth	38-44T	38-44T
Capacity	14T	14T
Chain Line	48.8mm	48.8mm
Outer Link Material	Aluminum	Aluminum
Clamp Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	142g	156g

FD-M613 3x10 Front Derailleurs



- Aluminum construction
- Compatible with 42-32-24T or 40-30-22T cranksets

Model No.	FD-M613-D	FD-M613-B
Speed	3 x 10	3 x 10
Mounting	Direct Mount	Band Clamp 34.9(31.8 adaptor)
Derailleur Style	Dual pull	Dual pull
Chainstay Angle	66-69°	66-69°
Top Gear Teeth	40-42T	40-42T
Capacity	18T	18T
Chain Line	50mm	50mm
Outer Link Material	Aluminum	Aluminum
Clamp Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	144g	158g

CS-H103 Wide Range Cassettes



- ED Black sprockets
- Steel lock ring
- CS-EH103A 11-42T / CS-EH103 11-40T for e-bike

Model No.	CS-H103A 11-42T	CS-H103 11-40T	CS-EH103A 11-42T	CS-EH103 11-40T
Speed	10-Speed	10-Speed	10-Speed	10-Speed
Gear Range	11-42T	11-40T	11-42T	11-40T
Surface Finish	ED Black	ED Black	ED Black	ED Black
Combination	11-13-15-18-21-24-28-32-36-42*	11-13-15-18-21-24- 28-32-36-40	11*-13-15-18-21-24- 28-32-36-42*	11*-13-15-18-21-24- 28-32-36-40
Spider	No	No	No	No
Cog Material	Steel / *Aluminum	Steel	Steel / *Chromoly *Aluminum	Steel / *Chromoly
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub	Standard Freehub
Weight	536g	595g	536g	595g

XLE10 *1/2/3 x 10-Speed*

CS-G100 Alloy Spider Cassette



- Chrome plated sprockets
- Aluminum lock ring

Model No.	CS-G100 11-36T
Speed	10-speed
Gear Range	11-36T
Surface Finish	Chrome Plated
Combination	11-13-15-17-19-21-24-28-32-36
Spider	Yes
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	357g

CS-H100 10-Speed Cassettes



- Chrome plated sprockets
- Steel lock ring

Model No.	CS-H100 11-36T	CS-H100 11-34T	CS-H100 11-32T
Speed	10-Speed	10-Speed	10-Speed
Gear Range	11-36T	11-34T	11-32T
Surface Finish	Chrome Plated	Chrome Plated	Chrome Plated
Combination	11-13-15-17-19-21-24-28-32-36	11-12-13-15-17-19-21-24-28-34	11-12-13-15-17-19-21-24-28-32
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	446g	377g	351g





MARVO LT 2/3 x 9-Speed

SL-M859 Flatbar Xpress Shifters

• Xpress light action trigger shifting

Model No.	SL-M859
Speed	2/3 x 9
Side	Pair
Shifter Style	Xpress Trigger
Bearing	No
Indicator	No
Clamp Material	Aluminum
Compatibility	Shimano Mountain
Weight	225g



SL-M759 Flatbar Xpress Shifters

• Optical gear indicator

Model No.	SL-M759
Speed	2/3 x 9
Side	Pair
Shifter Style	Xpress Trigger
Bearing	No
Indicator	Yes
Clamp Material	Aluminum
Lever Material	Composite
Compatibility	Shimano Mountain
Weight	271g



RD-M46 Rear Derailleurs

• Metal construction

Model No.	RD-M46L	RD-M46S
Speed	2/3 x 9	1/2 x 9
Cage Length	Long Cage	Short Cage
Max Cog	28-36T	28-36T
Chain Capacity	45T	39T
Body Material	Steel	Steel
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	317g	307g



MARVO LT 2/3 x 9-Speed

FD-M462 2x9 Front Derailleurs

• Aluminum construction

Model No.	FD-M462-D	FD-M462-B
Speed	2 x 9	2 x 9
Mounting	Direct Mount	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Dual pull	Dual pull
Chainstay Angle	66-69°	66-69°
Capacity	14T	14T
Top Gear Teeth	34-42T	34-42T
Chain Line	48.8mm	48.8mm
Outer Link Material	Aluminum	Aluminum
Clamp Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	140g	154g



FD-M462-D



FD-M462-B

FD-M43 3x9 Front Derailleur

• Compatible with 44-32-22T crankset

Model No.	FD-M43
Speed	3 x 9
Mounting	Band Clamp 34.9 (31.8 / 28.6 adaptor)
Derailleur Style	Dual pull
Chainstay Angle	66-69°
Top Gear Teeth	44T
Capacity	22T
Chain Line	50/47.5mm
Outer Link Material	Steel
Clamp Material	Steel / Aluminum
Compatibility	Shimano Mountain
Weight	150g



CS-H092 9-Speed Cassettes

• Nickel plated sprockets
• Steel lock ring

Model No.	CS-H092 11-36T	CS-H092 11-34T	CS-H092 11-32T
Speed	9-Speed	9-Speed	9-Speed
Gear Range	11-36T	11-34T	11-32T
Surface Finish	Nickel Plated	Nickel Plated	Nickel Plated
Combination	11-13-15-18-21-24-28-32-36	11-13-15-17-19-21-24-28-34	11-13-15-17-19-21-24-28-32
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	442g	363g	337g



TS39-2 Flatbar 2x Thumb-Tap Shifters

- Light shifting design
- Entry level shifters
- Index for left and right sides

Model No.	TS39-29	TS39-28
Speed	2 x 9	2 x 8
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Steel / Composite	Steel / Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g



TS39 Flatbar 3x Thumb-Tap Shifters

- Light shifting design
- Entry level shifters
- Index for left and right sides

Model No.	TS39-9	TS39-8
Speed	3 x 9	3 x 8
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Steel / Composite	Steel / Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g

Model No.	TS39-7	TS39-6
Speed	3 x 7	3 x 6
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Steel / Composite	Steel / Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g



mezzo 2/3 x 7/8/9-Speed

RD-M36 Rear Derailleurs

- Steel cage

Model No.	RD-M36L	RD-M36S
Speed	2/3 x 8/9	1/2 x 8/9
Cage Length	Long Cage	Short Cage
Max Cog	28-36T	28-36T
Chain Capacity	45T	39T
Body Material	Aluminum	Aluminum
Outer Link Material	Composite	Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	306g	293g



FD-T392 / FD-T382 / FD-M382 2x9/8 Front Derailleurs

Model No.	FD-T392	FD-T382	FD-M382B
Speed	2 x 9	2 x 8	2 x 8
Mounting	Band Clamp 34.9 (31.8 / 28.6 adaptor)	Band Clamp 34.9 (31.8 / 28.6 adaptor)	Band Clamp 34.9 (31.8 / 28.6 adaptor)
Derailleur Style	Dual pull	Dual pull	Dual pull
Chainstay Angle	63-68°	63-68°	64-69°
Top Gear Teeth	44-48T	44-48T	34-38T
Capacity	12-16T	12-16T	10-14T
Chain Line	48.8mm	48.8mm	48.8mm
Outer Link Material	Steel	Steel	Steel
Clamp Material	Steel / Aluminum	Steel / Aluminum	Steel / Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	170g	170g	167g



FD-M292 / FD-M282 / FD-T202 2x9/8/7 Front Derailleurs

Model No.	FD-M292	FD-M282	FD-T202
Speed	2 x 9	2 x 8	2 x 7/8
Mounting	Band Clamp 34.9 (31.8/ 28.6 adaptor)	Band Clamp 34.9 (31.8 / 28.6adaptor)	Band Clamp 34.9 (31.8/ 28.6 adaptor)
Derailleur Style	Dual pull	Dual pull	Dual pull
Chainstay Angle	64-69°	64-69°	63-68°
Top Gear Teeth	34-38T	34-38T	40-46T
Capacity	10-14T	10-14T	8-16T
Chain Line	48.8mm	48.8mm	48.8mm
Outer Link Material	Steel	Steel	Steel
Clamp Material	Steel / Aluminum	Steel / Aluminum	Steel / Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	141g	141g	140g

FD-M282



FD-T202



FD-M2583 3x7/8 Front Derailleurs

- Derailleur action: Top swing
- Low position clamp

Model No.	FD-M2583-B
Speed	42-34-24T x 7/8
Mounting	Band Clamp 34.9(31.8 / 28.6 adapter)
Derailleur Style	Dual pull
Chainstay Angle	66-69°
Top Gear Teeth	42T
Capacity	18T
Chain Line	50/47.5mm
Outer Link Material	Steel
Clamp Material	Steel
Compatibility	Shimano Mountain
Weight	116g



FD-M22 / FD-M20 / FD-M30 3x7/8 Front Derailleurs

Model No.	FD-M30	FD-M20	FD-M22
Speed	42-32-22T x 8	42-34-24T x 7/8	48-38-28T x 7/8
Mounting	Band Clamp 34.9 (31.8 / 28.6 adaptor)	Band Clamp 34.9 (31.8 / 28.6 adapter)	Band Clamp 34.9 (31.8 / 28.6 adapter)
Derailleur Style	Dual pull	Dual pull	Dual pull
Chainstay Angle	66-69°	66-69°	66-69°
Top Gear Teeth	42T	42T	48T
Capacity	20T	18T	20T
Chain Line	50/47.5mm	50/47.5mm	50/47.5mm
Outer Link Material	Aluminum	Aluminum	Aluminum
Clamp Material	Steel / Aluminum	Steel / Aluminum	Steel / Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	146g	143g	152g



FD-M30



FD-M20



FD-M22

CS-H082 8-Speed Cassettes

- Nickel plated sprockets
- Steel lock ring

Model No.	CS-H082 11-34T	CS-H082 11-32T	CS-H082 12-32T
Speed	8-Speed	8-Speed	8-Speed
Gear Range	11-34T	11-32T	12-32T
Surface Finish	Nickel Plated	Nickel Plated	Nickel Plated
Combination	11-13-15-18-21-24-28-34	11-13-15-18-21-24-28-32	12-13-15-18-21-24-28-32
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	344g	318g	339g



mezzo 2/3 x 7/8/9-Speed

CS-H081 8-Speed Cassettes

- Black sprockets
- Steel lock ring

Model No.	CS-H081 11-34T	CS-H081 11-32T	CS-H081 12-32T
Speed	8-Speed	8-Speed	8-Speed
Gear Range	11-34T	11-32T	12-32T
Surface Finish	Black	Black	Black
Combination	11-13-15-18-21-24-28-34	11-13-15-18-21-24-28-32	12-13-15-18-21-24-28-32
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	344g	318g	339g



CS-H072 7-Speed Cassette

- Nickel plated sprockets
- Steel lock ring

Model No.	CS-H072 12-28T
Speed	7-Speed
Gear Range	12-28T
Surface Finish	Nickel Plated
Combination	12-13-15-18-21-24-28
Spider	No
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	261g



CS-H071 7-Speed Cassette

- Black sprockets
- Steel lock ring

Model No.	CS-H071 12-28T
Speed	7-Speed
Gear Range	12-28T
Surface Finish	Black
Combination	12-13-15-18-21-24-28
Spider	No
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	261g



MTB Non-Group Components

NEW

TS40 2V Flatbar Thumb-Tap Shift / Brake Lever

- Light shifting design
- Optical gear indicator

Model No.	TS40-9R2V	TS40-8R2V	TS40-7R2V
Speed	9	8	7
Side	Right	Right	Right
Shifter Style	Thumb-Tap	Thumb-Tap	Thumb-Tap
Brake lever size (finger)	2	2	2
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Clamp Material	Composite	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite	Steel / Composite
Brake Lever Material	Aluminum	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	210g	210g	210g



NEW

Model No.	TS40-3L2V	TS40-2L2V
Speed	3	2
Side	Left	Left
Shifter Style	Thumb-Tap	Thumb-Tap
Brake lever size (finger)	2	2
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite
Brake Lever Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	210g	210g





MTB Non-Group Components

NEW

TS40 4V Flatbar Thumb-Tap Shift / Brake Lever

- Light shifting design
- Optical gear indicator

Model No.	TS40-9R4V	TS40-8R4V	TS40-7R4V
Speed	9	8	7
Side	Right	Right	Right
Shifter Style	Thumb-Tap	Thumb-Tap	Thumb-Tap
Brake lever size (finger)	4	4	4
Bearing	No	No	No
Indicator	Yes	Yes	Yes
Clamp Material	Composite	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite	Steel / Composite
Brake Lever Material	Aluminum	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	215g	215g	215g



NEW

Model No.	TS40-3L4V	TS40-2L4V
Speed	3	2
Side	Left	Left
Shifter Style	Thumb-Tap	Thumb-Tap
Brake lever size (finger)	4	4
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite
Brake Lever Material	Aluminum	Aluminum
Compatibility	Shimano Mountain	Shimano Mountain
Weight	215g	215g





SL-M12-R / SL-SR-M12-R Flatbar Thumb Shifters

- Low profile CNC machined aluminum body
- Micro adjustment barrels

Model No.	SL-M12-R	SL-SR-M12-R
Speed	1 x 12	1 x 12
Side	Right	Right
Shifter Style	Flat Bar Thumb Shifter	Flat Bar Thumb Shifter
Right Side	Index/Friction	Index/Friction
Compatibility	Shimano Mountain	SRAM Mountain
Weight	64g	64g



BS-M12-R / BS-SR-M12-R Rear Derailleurs

- Aluminum construction

Model No.	BS-M12-R	BS-SR-M12-R
Speed	1 x 12	1 x 12
Side	Right	Right
Shifter Style	Bar End Shifter	Bar End Shifter
Right Side	Index/Friction	Index/Friction
Compatibility	Shimano Mountain	SRAM Mountain
Weight	75g	75g



SL-M11 / SL-SR-M11-R Flatbar Thumb Shifters

- Low profile CNC machined aluminum body
- Micro adjustment barrels

Model No.	SL-M11	SL-M11-R	SL-SR-M11-R
Speed	2/3 x 11	1 x 11	1 x 11
Side	Pair	Right	Right
Shifter Style	Flat Bar Thumb Shifter	Flat Bar Thumb Shifter	Flat Bar Thumb Shifter
Left Side	Friction	—	—
Right Side	Index/Friction	Index/Friction	Index/Friction
Compatibility	Shimano Mountain	Shimano Mountain	SRAM Mountain
Weight	128g	64 g	64g



MTB Non-Group Components

BS-M11 / BS-SR-M11-R Bar End Shifters

- Aluminum construction

Model No.	BS-M11	BS-M11-R	BS-SR-M11-R
Speed	2/3 x 11	1 x 11	1 x 11
Side	Pair	Right	Right
Shifter Style	Bar End Shifter	Bar End Shifter	Bar End Shifter
Left Side	Friction	—	—
Right Side	Index / Friction	Index / Friction	Index / Friction
Compatibility	Shimano Mountain	Shimano Mountain	SRAM Mountain
Weight	150g	75 g	75g



SL-M10 Flatbar Thumb Shifters

- Low profile CNC machined aluminum body
- Micro adjustment barrels

Model No.	SL-M10	SL-M10-R
Speed	2/3 x 10	1 x 10
Side	Pair	Right
Left Side	Friction	—
Right Side	Index/Friction	Index/Friction
Shifter Style	Flat Bar Thumb Shifter	Flat Bar Thumb Shifter
Compatibility	Shimano Mountain	Shimano Mountain
Weight	128g	64g



BS-M10 Bar End Shifters

- Aluminum construction

Model No.	BS-M10	BS-M10-R
Speed	2/3 x 10	1 x 10
Side	Pair	Right
Left Side	Friction	—
Right Side	Index/Friction	Index/Friction
Shifter Style	Bar End Shifter	Bar End Shifter
Compatibility	Shimano Mountain	Shimano Mountain
Weight	150g	75 g



TS38-2 Flatbar Thumb-Tap Shifters

- Light shifting design
- Economical design
- Optical gear indicator

Model No.	TS38-29	TS38-28
Speed	2 x 9	2 x 8
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g



TS38 Flatbar Thumb-Tap Shifters

- Light shifting design
- Economical design
- Optical gear indicator

Model No.	TS38-9	TS38-8
Speed	3 x 9	3 x 8
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g

Model No.	TS38-7	TS38-6
Speed	3 x 7	3 x 6
Side	Pair	Pair
Shifter Style	Thumb-Tap	Thumb-Tap
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Composite	Composite
Lever Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	242g	242g



MTB Non-Group Components

DS45 Smart Deck Twist Shifter

- Low torque light shifting
- Intuitive gear indicator design
- Designed for young riders

Model No.	DS45-7R
Speed	7-Speed
Side	Right
Indicator	Yes
Shifter Style	Twist
Compatibility	Shimano Mountain
Weight	88g



DS85 Twist Type Shifters

- Compact twist type shifter
- Left shifter options: index left shifter or (F) friction left shifter

Model No.	DS85-9/9F	DS85-8/8F	DS85-7/7F
Speed	3 x 9	3 x 8	3 x 7
Side	Pair	Pair	Pair
Left Side	Index/(F)Friction	Index/(F)Friction	Index/(F)Friction
Right Side	Index	Index	Index
Indicator	Yes	Yes	Yes
Shifter Style	Twist	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain



MS40 Twist Type Shifters

- Standard twist type shifter with textured grip

Model No.	MS40-7R	MS40-6R
Speed	7-Speed	6-Speed
Side	Right side	Right side
Right Side	Index	Index
Indicator	No	No
Shifter Style	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain



MS50 Twist Type Shifters

- Light shifting operation.
- Easy cable replacement.
- Easily-visible gear position indicator.

Model No.	MS50-7R	MS50-6R
Speed	7-Speed	6-Speed
Side	Right side	Right side
Right Side	Index	Index
Indicator	Yes	Yes
Shifter Style	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain



MTB Non-Group Components

MS25 Twist Type Shifters

• Standard twist type shifter with knurled grips
• Left shifter options: index left shifter or (F) friction left shifter

Model No.	MS25-8/8F	MS25-7/7F	MS25-6/6F
Speed	3 x 8	3 x 7	3 x 6
Side	Pair	Pair	Pair
Left Side	Index/(F)Friction	Index/(F)Friction	Index/(F)Friction
Right Side	Index	Index	Index
Indicator	No	No	No
Shifter Style	Twist	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain



MS29 Twist Type Shifters

• Standard twist type shifter with textured grips
• Left shifter options: index left shifter or (F) friction left shifter

Model No.	MS29-8/8F	MS29-7/7F	MS29-6/6F
Speed	3 x 8	3 x 7	3 x 6
Side	Pair	Pair	Pair
Left Side	Index/(F)Friction	Index/(F)Friction	Index/(F)Friction
Right Side	Index	Index	Index
Indicator	No	No	No
Shifter Style	Twist	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain



MS12 Twist Type Shifters

• Economical twist type shifter
• Left shifter options: index left shifter or (F) friction left shifter

Model No.	MS12-7/7F	MS12-6/6F
Speed	3 x 7	3 x 6
Side	Pair	Pair
Left Side	Index/(F)Friction	Index/(F)Friction
Right Side	Index	Index
Indicator	No	No
Shifter Style	Twist	Twist
Compatibility	Shimano Mountain	Shimano Mountain



MTB Non-Group Components

RD-M26 7/8 Speed Rear Derailleurs

• Composite and steel construction
• Suitable for entry level bikes

Model No.	RD-M26L	RD-M26S
Speed	2/3 x 7/8	1/2 x 7/8
Cage Length	Long Cage	Short Cage
Min Cog	11-12T	11-12T
Max Cog	28-36T	28-36T
Chain Capacity	45T	39T
Body Material	Composite	Composite
Outer Link Material	Composite	Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	294g	284g



RD-M26C 7/8 Speed Rear Derailleurs for Freewheels

• Composite and steel construction
• Suitable for entry level bikes
• Designed to work with freewheels

Model No.	RD-M26CL	RD-M26CS
Speed	2/3 x 7/8	1/2 x 7/8
Cage Length	Long Cage	Short Cage
Min Cog	**13-14T**	**13-14T**
Max Cog	28-34T	28-34T
Chain Capacity	45T	39T
Body Material	Composite	Composite
Outer Link Material	Composite	Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	299g	274g



RD-M26CL **RD-M26CS**

RD-M21 6/7 Speed Rear Derailleurs

• Composite and steel construction
• Suitable for entry level bikes
• With hanger : RD-M21LA / RD-M21SA / RD-M21SSA

Model No.	RD-M21L/LA	RD-M21S/SA	RD-M21SS/SSA
Speed	2/3 x 6/7	2 x 6/7	1 x 6/7
Cage Length	Long Cage	Short Cage	Super Short Cage
Max Cog	28-30T	28-30T	28-30T
Min Cog	13-14T	13-14T	13-14T
Chain Capacity	43T	37T	21T
Body Material	Steel / Composite	Steel / Composite	Steel / Composite
Outer Link Material	Steel / Composite	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain	Shimano Mountain
Weight	271g (L)	269g(S)	241g(SS)



RD-M21L **RD-M21LA**

RD-M21S


RD-M21SS

GRAVEL



SWORD

SWORD has modern ergonomics, wider cassette range for big climbs, and a fully mechanical design that's easy to service and adjust.
It's a new school, fully featured gravel group that's easy to own.



SWORD

1 / 2 x 10 Speed

We believe the world still needs a really good cable-actuated group.That's where Sword comes in. It has modern ergonomics, wider cassette range for big climbs, and a fully mechanical design that's easy to service and adjust.

NEW

SB-G7000

Integrated Drop Bar Shifters

- Compatible with Sword and Advent X rear derailleurs
- Textured traction patterns for enhanced grip
- Compatible with road pull brakes
- High pivot brake lever for extra braking leverage
- Fit with flare handle bars

Model No.	SB-G7000	SB-G7000-LD
Speed	1 x 10	-
Side	Pair	Left
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Left Side	Brake lever only	Brake & Dropper
Brake Actuation	Super SLR+	Super SLR+
Brake Reach	4 Degrees Adjustment	4 Degrees Adjustmennt
Cable Routing	Internal	Internal
Compatibility	Sword / ADVENT X	Cable head at remote
Weight	466g	240g



NEW

SB-G7020

Integrated Drop Bar Shifters

- Compatible with Sword front derailleurs
- Textured traction patterns for enhanced grip
- Compatible with road pull brakes
- High pivot brake lever for extra braking leverage
- Fit with flare handle bars

Model No.	SB-G7020
Speed	2 x 10
Side	Pair
Shifter Style	Integrated Drop Bar
Brake Actuation	Super SLR+
Brake Reach	4 Degrees Adjustment
Cable Routing	Internal
Compatibility	Sword / ADVENT X
Weight	552g



SWORD *1/2 x 10-Speed*

NEW

RD-G7005M Rear Derailleurs

- Compatible with Sword and ADVENT X shifters
- Silent clutch with instant engagement and integrated switch
- Igus bushings for smoothness and durability
- Replaceable cage
- Orbital barrel adjuster reduces housing bends for less cable friction

Model No.	RD-G7005M
Speed	1 x 10
Cage Length	Medium Cage
Max Cog	42-48T
Cage Capacity	37T
Clutch	Yes
Cage Swap	Yes
Orbital Adjuster	Yes
Compatibility	Sword/ADVENT X
Weight	308g



RD-G7005M

NEW

RD-G7025L Rear Derailleurs

- Compatible with Sword and ADVENT X shifters
- Silent clutch with instant engagement and integrated switch
- Igus bushings for smoothness and durability
- Replaceable cage
- Orbital barrel adjuster reduces housing bends for less cable friction

Model No.	RD-G7025L
Speed	2 x 10
Cage Length	Long Cage
Max Cog	34-38T
Cage Capacity	44T
Clutch	Yes
Cage Swap	Yes
Orbital Adjuster	Yes
Compatibility	Sword
Weight	329g



RD-G7025L

NEW

FD-G7020 Front Derailleurs

- Compatible with Sword shifters
- Compatible with wide spec 47mm chainline cranks only
- Braze on and band clamp versions

Model No.	FD-G7020-F	FD-G7020-B
Speed	2 x 10	2 x 10
Mount	Braze On	Band Clamp 34.9 (31.8 / 28.6 adapter)
Top Gear Teeth	50-46T	50-46T
Capacity	17T	17T
Cable Routing	Down Pull	Down Pull
Housing	Full or Partial	Full or Partial
Chain Line	Wide 47mm	Wide 47mm
Compatibility	Sword	Sword
Weight	108g	131g



FD-G7020-F



FD-G7020-B

SWORD *1/2 x 10-Speed*

NEW

BS-G10-R Bar End Shifters

- Aluminum construction

Model No.	BS-G10-R
Speed	1 x 10
Side	Right
Left Side	—
Right Side	Index/Friction
Shifter Style	Bar End Shifter
Compatibility	Sword
Weight	75g



CS-G104 Alloy Spider Wide Range Cassette

- Two alloy large cogs and a full alloy spider eliminate unwanted weight
- Continuously molded construction maintains straightness and duability
- Ramped cogs aid in shifting under load

Model No.	CS-G104 11-48T
Speed	10-Speed
Gear Range	11-48T
Surface Finish	2 Layered ED Black
Combination	11-13-15-18-21-24-28-34-40*-48*
Spider	Yes
Cog Material	Steel / *Aluminum
Hub Compatibility	Standard Freehub
Weight	424g



CS-H104 Wide Range Cassette

- Hardened steel cogs stand up to e-bike torque levels
- Continuously molded construction maintains straightness and duability
- Ramped cogs aid in shifting under load
- CS-EH104 11-48T for e-bike

Model No.	CS-H104 11-48T	CS-EH104 11-48T
Speed	10-Speed	10-Speed
Gear Range	11-48T	11-48T
Surface Finish	2 Layered ED Black	2 Layered ED Black
Combination	11-13-15-18-21-24-28-34-40-48	11*-13-15-18-21-24-28-34-40-48
Spider	No	No
Cog Material	Steel	Steel / *Chromoly
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	662g	662g



NEW

CS-G105 Cassette

- Aluminum spider and large cog save weight
- Satin nickel finish improves cosmetic durability
- Compatible with standard 10 speed chain
- Compatible with standard freehub body

Model No.	CS-G105 11-38
Speed	10- Speed
Range	11-38T
Surface Finish	Satin Nickel
Alloy Spider	Yes
Combination	11-13-15-17-19-21-24-28-32-38
Hub Compatibility	Standard HG Freehub
Weight	336g



CS-G105 11-38

NEW

CS-H105 Cassette

- All steel cogs
- Satin nickel finish improves cosmetic durability
- Compatible with standard 10 speed chain
- Compatible with standard freehub body

Model No.	CS-H105 11-38
Speed	10- Speed
Range	11-38T
Surface Finish	Satin Nickel
Alloy Spider	No
Combination	11-13-15-17-19-21-24-28-32-38
Hub Compatibility	Standard HG Freehub
Weight	453g



CS-H105 11-38

NEW

FC-G7000 Crankset

- Wide design optimized for 50mm chainline
- 24mm spindle compatible with Shimano bottom brackets
- Easy conversion from 2x to 1x

Model No.	FC-G7000-42	FC-G7000-40
Speed	1 x 10	1 x 10
Chainring	42T	40T
BCD	110 Asym	110 Asym
Spindle Size	24mm	24mm
Chainline	50mm	50mm
Arm Lengths	165,170,172.5,175	165,170,172.5,175
Q Factor	154mm	154mm



FC-G7000-42



FC-G7000-40

SWORD 1/2 x 10-Speed

NEW

FC-G7000 Crankset

- Wide design optimized for 47mm chainline
- 24mm spindle compatible with Shimano bottom brackets
- Easy conversion from 2x to 1x

Model No.	FC-G7000-48	FC-G7000-46
Speed	2 x 10	2 x 10
Chainring	48/31T	46/29T
BCD	110/80 Asym	110/80 Asym
Spindle Size	24mm	24mm
Chainline	47mm	47mm
Arm Length	165,170,172.5,175	165,170,172.5,175
Q Factor	154mm	154mm



FC-G7000-48



FC-G7000-46



ROAD



CENTOS 11
CENTOS 10

With all the design cues of our top-level road products in a more attainable package, Centos can be raced or ridden at any level.

R10
R9
R8

These classically styled road components continue a tradition of performance and durability that dates back to our inception.

CENTOS 11 *2 x 11-Speed*

SB-R512B Integrated Drop Bar Shifters

- Internally routed cables
- Independent shift levers
- Replaceable hood cover
- Adjustable reach (0~12mm)

Model No.	SB-R512B-BK
Speed	2 x 11
Side	Pair
Shifter Style	Integrated Drop Bar
Brake Reach	Adjustable
Lever Material	Forged Aluminum
Compatibility	Shimano Road
Weight	498g



SL-R861 Flatbar Xpress+ Shifters

- Xpress+ Technology
- Sealed bearings mechanism
- Low profile forged aluminum clamp
- Extra light shifting
- Trim function on left shifter

Model No.	SL-R861
Speed	2 x 11
Side	Pair
Shifter Style	Xpress+ Trigger
Bearing	Yes
Indicator	No
Clamp Material	Forged Aluminum
Compatibility	Shimano Road
Weight	205g



SL-R761 Flatbar Xpress+ Shifters

- Xpress+ Technology
- Optimcal gear indicator
- Sealed bearings mechanism
- Aluminum shift Lever
- Trim function on left shifter

Model No.	SL-R761
Speed	2 x 11
Side	Pair
Shifter Style	Xpress+ Trigger
Bearing	Yes
Indicator	Yes
Clamp Material	Aluminum
Lever Material	Aluminum
Compatibility	Shimano Road
Weight	292g



CENTOS 11 2 x 11-Speed

BS-A11 Bar End Shifters

• Aluminum construction

Model No.	BS-A11
Speed	2 x 11
Shifter Style	Bar End Shifter
Side	Pair
Left	Friction
Right	Index
Compatibility	Shimano Road
Weight	140g



SL-A11 Flatbar Thumb Shifters

• Low profile CNC machined aluminum body
• Micro adjustment barrels

Model No.	SL-A11
Speed	2 x 11
Shifter Style	Flat Bar Thumb Shifter
Side	Pair
Left Side	Friction
Right Side	Index
Compatibility	Shimano Road
Weight	112g



FD-R58 Front Derailleurs

• Cold forged aluminum bracket
• Cold forged inner & outer links

Model No.	FD-R58-F-BK	FD-R58-B-BK
Speed	2 x 11	2 x 11
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	61-66°	61-66°
Capacity	16T	16T
Top Gear Teeth	46-52T	46-52T
Chain Line	43.5mm	43.5mm
Outer Link Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	95g	119g



CENTOS 11 2 x 11-Speed

RD-R58S Rear Derailleur

• Full aluminum construction

Model No.	RD-R58S
Speed	2 x 11
Cage Length	Short Cage
Max Cog	25-30T
Chain Capacity	35T
Clutch	No
Cage Material	Aluminum
Outer Link Material	Forged Aluminum
Compatibility	Shimano Road
Weight	194g



CS-G110 Alloy Spider Cassettes

• Chrome plated sprockets
• Aluminum alloy bracket spider
• Aluminum lock ring

Model No.	CS-G110 11-32T	CS-G110 11-28T
Speed	11-Speed	11-Speed
Gear Range	11-32T	11-28T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-14-15-17-19-21-24-28-32	11-12-13-14-15-16-17-19-21-24-28
Spider	Yes	Yes
Cog Material	Steel	Steel
Hub Compatibility	Road 11 HG Freehub	Road 11 HG Freehub
Weight	314g	271g

Model No.	CS-G110 11-25T
Speed	11-Speed
Gear Range	11-25T
Surface Finish	Chrome Plated
Combination	11-12-13-14-15-16-17-19-21-23-25
Spider	Yes
Cog Material	Steel
Hub Compatibility	Road 11 HG Freehub
Weight	264g



CENTOS 11

2 x 11-Speed

CS-H110 11-Speed Cassettes

- Chrome plated sprockets
- Steel lock ring

Model No.	CS-H110 11-34T	CS-H110 11-32T
Speed	11-Speed	11-Speed
Gear Range	11-34T	11-32T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-14-15-17-19-21-24-28-34	11-12-13-14-15-17-19-21-24-28-32
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Road 11 HG Freehub	Road 11 HG Freehub
Weight	403g	371g



Model No.	CS-H110 11-28T	CS-H110 11-25T
Speed	11-Speed	11-Speed
Gear Range	11-28T	11-25T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-14-15-16-17-19-21-24-28	11-12-13-14-15-16-17-19-21-23-25
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Road 11 HG Freehub	Road 11 HG Freehub
Weight	311g	301g



CENTOS 10

2x10 Speed Tiagra 4700 Compatible

SB-R502B 2x10 Integrated Drop Bar Shifters

- Internally routed cables
- Independent shift levers
- Replaceable hood cover
- Adjustable reach (0~12mm)

Model No.	SB-R502B-BK
Speed	2 x 10
Side	Pair
Shifter Style	Integrated Drop Bar
Brake Reach	Adjustable
Lever Material	Forged Aluminum / Steel
Compatibility	Shimano Tiagra 4700
Weight	498g



SL-R860B-2 Flatbar Xpress+ Shifters

- Xpress+ Technology
- Sealed bearings mechanism
- Low profile forged aluminum clamp
- Extra light shifting
- Trim function on left shifter

Model No.	SL-R860B-2
Speed	2 x 10
Side	Pair
Shifter Style	Xpress+ Trigger
Bearing	Yes
Indicator	No
Clamp Material	Forged Aluminum
Compatibility	Shimano Tiagra 4700
Weight	205g



BS-T10B / BS-A10B Bar End Shifters

- Aluminum construction

Model No.	BS-T10B	BS-A10B
Speed	2/3 x 10	2/3 x 10
Shifter Style	Bar End Shifter	Bar End Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index / Friction	Index
Compatibility	Shimano Tiagra 4700	Shimano Tiagra 4700
Weight	141g	140g



CENTOS 10 2x10 Speed Tiagra 4700 Compatible

SL-T10B / SL-A10B Flatbar Thumb Shifters

- Low profile CNC machined aluminum body
- Micro adjusment barrels

Model No.	SL-T10B	SL-A10B
Speed	2/3 x 10	2/3 x 10
Shifter Style	Flatbar Thumb Shifter	Flatbar Thumb Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index / Friction	Index
Compatibility	Shimano Tiagra 4700	Shimano Tiagra 4700
Weight	141g	140g



FD-R552 2 x 10 Front Derailleurs

- Cold forged Inner & Outer link

Model No.	FD-R552-F	FD-R552-B
Speed	2 x 10	2 x 10
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay angle	61-66°	61-66°
Capacity	16T	16T
Top Gear Teeth	46-52T	46-52T
Chain Line	43.5mm	43.5mm
Outer Link Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	96g	119g



RD-R55S Rear Derailleur

- Full Aluminum Construction

Model No.	RD-R55S
Speed	2 x 10
Cage Length	Short Cage
Max Cog	25-30T
Chain Capacity	35T
Clutch	No
Cage Material	Aluminum
Outer Link Material	Forged Aluminum
Compatibility	Shimano Tiagra 4700
Weight	194g



CENTOS 10 2x10 Speed Tiagra 4700 Compatible

CS-G100 Alloy Spider Cassettes

- Chrome plated sprockets
- Aluminum alloy bracket spider
- Aluminum lock ring

Model No.	CS-G100 11-28T	CS-G100 11-25T
Speed	10-Speed	10-Speed
Gear Range	11-28T	11-25T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-14-15-17-19-21-24-28	11-12-13-14-15-17-19-21-23-25
Spider	Yes	Yes
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	255g	239g





SB-R502E 2x10 Integrated Drop Bar Shifters

- Internally routed cables
- Independent shift levers
- Replaceable hood cover
- Adjustable reach (0~12mm)

Model No.	SB-R502E
Speed	2 x 10
Side	Pair
Shifter Style	Integrated Drop Bar
Brake Reach	Adjustable
Lever Material	Aluminum / Steel
Compatibility	Shimano 4600 Road
Weight	498g



SB-R402K 2x10 Integrated Drop Bar Shifters

- Externally routed shift cables
- Independent shift levers
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-R402K-BK	SB-R402K(S)-BK
Speed	2 x 10	2 x 10
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Aluminum / Steel	Aluminum / Steel
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	430g	430g



SB-R403K 3x10 Integrated Drop Bar Shifters

- Externally routed shift cables
- Independent shift levers
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-R403K-BK	SB-R403K(S)-BK
Speed	3 x 10	3 x 10
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Aluminum / Steel	Aluminum / Steel
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	430g	430g



SL-R760 Flatbar Xpress Shifters

- Aluminum shift lever
- Trim function on left shifter

Model No.	SL-R760-2	SL-R760-3
Speed	2 x 10	3 x 10
Side	Pair	Pair
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Aluminum	Aluminum
Lever Material	Aluminum	Aluminum
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	284g	284g



BS-T10 / BS-A10 Bar End Shifters

- Aluminum construction

Model No.	BS-T10	BS-A10
Speed	2/3 x 10	2/3 x 10
Shifter Style	Transferable Bar End	Bar End Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	141g	140g



SL-T10 / SL-A10 Flatbar Thumb-Tap Shifters

- Low profile CNC machined aluminum body
- Micro adjustment barrels

Model No.	SL-T10	SL-A10
Speed	2/3 x 10	2/3 x 10
Shifter Style	Flatbar Thumb Shifter	Flatbar Thumb Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	141g	140g



R10 2/3 x 10-Speed

FD-R712 2x10 Front Derailleurs

• Cold forged inner & outer link

Model No.	FD-R712-F-BK	FD-R712-B-BK
Speed	2 x 10	2 x 10
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	61-66°	61-66°
Capacity	16T	16T
Top Gear Teeth	46-52T	46-52T
Chain Line	43.5mm	43.5mm
Surface Finish	Anodized Black	Anodized Black
Outer Link Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	96 g	119 g



FD-R730 3x10 Front Derailleurs

• Compatible with 50-39-30T crankset

Model No.	FD-R730-F-BK	FD-R730-B-BK
Speed	3 x 10	3 x 10
Mounting	Braze On	Band Clamp 34.9 (31.8 Adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	63-66°	63-66°
Capacity	20T	20T
Top Gear Teeth	50T	50T
Chain Line	45mm	45mm
Surface Finish	Anodized Black	Anodized Black
Outer Link Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	119g	144g



FD-R732 3x10 Front Derailleurs

• Compatible with 52-39-30T crankset

Model No.	FD-R732-F-BK	FD-R732-B-BK
Speed	3 x 10	3 x 10
Type	Brazed On	Band Clamp 34.9 (31.8 Adaptor)
Derailleur Style	Down pull	Down pull
Chainstay angle	63-66°	63-66°
Chainstay Capacity	22T	22T
Top Gear Teeth	52T	52T
Chain Line	45mm	45mm
Surface Finish	Anodized Black	Anodized Black
Outer Link Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	117g	142g



R10 2/3 x 10-Speed

RD-R47 Rear Derailleurs

• Aluminum construction

Model No.	RD-R47S-BK	RD-R47-BK
Speed	2 x 10	3 x 10
Cage Length	Short Cage	Long Cage
Max Cog	25-28T	25-28T
Chain Capacity	33T	39T
Surface Finish	Anodized Black	Anodized Black
Cage Material	Aluminum	Aluminum
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano 4600 Road	Shimano 4600 Road
Weight	218g	226g



RD-R51M Wide Range Rear Derailleur

• Compatible with up to 34T cog

Model No.	RD-R51M-BK
Speed	2 x 10
Cage Length	Medium Cage
Max Cog	30-34T
Chain Capacity	39T
Cage Material	Aluminum
Outer Link Material	Aluminum
Compatibility	Shimano 4600 Road
Weight	220g



CS-H100 10-Speed Cassettes

• Chrome plated sprockets
• Steel lock ring

Model No.	CS-H100 11-34T	CS-H100 11-32T
Speed	10-Speed	10-Speed
Gear Range	11-34T	11-32T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-15-17-19-21-24-28-34	11-12-13-15-17-19-21-24-28-32
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	377g	351g

Model No.	CS-H100 11-28T	CS-H100 11-25T
Speed	10-Speed	10-Speed
Gear Range	11-28T	11-25T
Surface Finish	Chrome Plated	Chrome Plated
Combination	11-12-13-14-15-17-19-21-24-28	11-12-13-14-15-17-19-21-23-25
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	289g	274g



R9 1/2/3 x 9-Speed

SB-R490 1x9 Integrated Drop Bar Shifters

- Externally routed shift cables
- Independent shift levers
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-R490-BK	SB-R490(S)-BK
Speed	1 x 9	1 x 9
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Left Side	Brake lever only	Brake lever only
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum/ Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g



SB-R492 2x9 Integrated Drop Bar Shifters

- Externally routed shift cables
- Independent shift levers
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-R492-BK	SB-R492(S)-BK
Speed	2 x 9	2 x 9
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g



SB-R493 3x9 Integrated Drop Bar Shifters

- Externally routed shift cables
- Independent shift levers
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-R493-BK	SB-R493(S)-BK
Speed	3 x 9	3 x 9
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g



R9 1/2/3 x 9-Speed

SL-R859 Flatbar Xpress Shifters

- Extra light shifting
- Trim function on left shifter

Model No.	SL-R859
Speed	2 x 9
Side	Pair
Shifter Style	Xpress Trigger
Bearing	Yes
Indicator	No
Clamp Material	Aluminum
Lever Material	Aluminum
Compatibility	Shimano Road
Weight	225g



SL-R769 Flatbar Xpress Shifters

- Optical gear indicators
- Trim function on left shifter

Model No.	SL-R769-2-BK	SL-R769-3-BK
Speed	2 x 9	3 x 9
Side	Pair	Pair
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Aluminum	Aluminum
Lever Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	282g	282g



BS-T09 / BS-A09 Bar end Shifters



• Aluminum construction

Model No.	BS-T09	BS-A09
Speed	2/3 x 9	2/3 x 9
Shifter Style	Bar End Shifter	Bar End Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano Road	Shimano Road
Weight	163g	162g

SL-T09 / SL-A09 Flatbar Thumb Shifters



• Low profile CNC machined aluminum body
• Micro adjustment barrels

Model No.	SL-T09	SL-A09
Speed	2/3 x 9	2/3 x 9
Shifter Style	Flatbar Thumb Shifter	Flatbar Thumb Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano Road	Shimano Road
Weight	141g	140g



R9 1/2/3 x 9-Speed

FD-R352 2x9 Front Derailleurs

Model No.	FD-R352-F-BK	FD-R352-B-BK
Speed	2 x 9	2 x 9
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	61-66°	61-66°
Capacity	16T	16T
Top Gear Teeth	46-52T	46-52T
Chain Line	43.5mm	43.5mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	100 g	125g



FD-R353 3x9 Front Derailleurs

• Compatible with 50-39-30T crankset

Model No.	FD-R353-F-BK	FD-R353-B-BK
Speed	3 x 9	3 x 9
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	63-66°	63-66°
Capacity	20T	20T
Top Gear Teeth	50T	50T
Chain Line	45mm	45mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	115 g	140g



RD-R42 Rear Derailleurs

Model No.	RD-R42S-BK	RD-R42L-BK
Speed	2 x 9/10	3 x 9/10
Cage Length	Short Cage	Long Cage
Max Cog	25-28T	25-28T
Chain Capacity	33T	39T
Cage Material	Steel	Steel
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	265g	288g



R9 1/2/3 x 9-Speed

RD-R43M Wide Range Rear Derailleur



• Compatible with up to 34T cog

Model No.	RD-R43M
Speed	2 x 9/10
Cage Length	Medium Cage
Max Cog	30-34T
Chain Capacity	39T
Cage Material	Steel
Outer Link Material	Aluminum
Compatibility	Shimano Road
Weight	291g

CS-H092 9-Speed Cassettes



• Nickel plated sprockets
• Steel lock ring

Model No.	CS-H092 11-34T	CS-H092 11-32T
Speed	9-Speed	9-Speed
Gear Range	11-34T	11-32T
Surface Finish	Nickel Plated	Nickel Plated
Combination	11-13-15-17-19-21-24-28-34	11-13-15-17-19-21-24-28-32
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	363g	337g

Model No.	CS-H092 11-28T	CS-H092 12-25T	CS-H092 11-25T
Speed	9-Speed	9-Speed	9-Speed
Gear Range	11-28T	12-25T	11-25T
Surface Finish	Nickel Plated	Nickel Plated	Nickel Plated
Combination	11-12-13-15-17-19- 21-24-28	12-13-14-15-17-19-21-23-25	11-12-13-15-17-19-21-23-25
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	276g	276g	273g

R8 1/2/3 x 8-Speed

SB-R480 1x8 Integrated Drop Bar Shifters



• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R480	SB-R480(S)
Speed	1 x 8	1 x 8
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Left Side	Brake lever only	Brake lever only
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g

SB-R482 2x8 Integrated Drop Bar Shifters



• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R482	SB-R482(S)
Speed	2 x 8	2 x 8
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g

SB-R483 3x8 Integrated Drop Bar Shifters



• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R483	SB-R483(S)
Speed	3 x 8	3 x 8
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Forged Aluminum / Steel	Forged Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	430g	430g

SL-R758 Flatbar Xpress Shifters

• Optical gear indicators
• Trim function on left shifter

Model No.	SL-R758-2	SL-R758-3
Speed	2 x 8	3 x 8
Side	Pair	Pair
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Aluminum	Aluminum
Lever Material	Composite	Composite
Compatibility	Shimano Road	Shimano Road
Weight	279g	279g



BS-T08 / BS-A08 Bar End Shifters

• Aluminum construction

Model No.	BS-T08	BS-A08
Speed	2/3 x 8	2/3 x 8
Shifter Style	Bar End Shifter	Bar End Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano Road	Shimano Road
Weight	163g	162g



SL-T08 / SL-A08 Flatbar Thumb Shifters

• Low profile CNC machined aluminum body
• Micro adjustment barrels

Model No.	SL-T08	SL-A08
Speed	2/3 x 8	2/3 x 8
Shifter Style	Flatbar Thumb Shifter	Flatbar Thumb Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index /Friction	Index
Compatibility	Shimano Road	Shimano Road
Weight	141g	140g



FD-R252 2x8 Front Derailleurs

Model No.	FD-R252-F	FD-R252-B
Speed	2 x 8	2 x 8
Mounting	Braze On	Band Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	61-66°	61-66°
Capacity	16T	16T
Top Gear Teeth	46-52T	46-52T
Chain Line	43.5mm	43.5mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	100g	126g



FD-R253 3x8 Front Derailleurs

• Compatible with 50-39-30T crankset

Model No.	FD-R253-F	FD-R253-B
Speed	3 x 8	3 x 8
Mounting	Braze On	Clamp 34.9 (31.8 adaptor)
Derailleur Style	Down pull	Down pull
Chainstay Angle	63-66°	63-66°
Capacity	20T	20T
Top Gear Teeth	50T	50T
Chain Line	45mm	45mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	116g	141g



RD-R32 Rear Derailleurs

Model No.	RD-R32S	RD-R32
Speed	2 x 7/8	3 x 7/8
Cage Length	Short Cage	Long Cage
Max Cog	25-28T	25-28T
Chain Capacity	33T	39T
Cage Material	Steel	Steel
Outer Link Material	Steel	Steel
Compatibility	Shimano Road	Shimano Road
Weight	266g	290g



CS-H082 8-Speed Cassettes

• Nickel plated sprockets
• Steel lock ring

Model No.	CS-H082 11-34T	CS-H082 11-32T
Speed	8-Speed	8-Speed
Gear Range	11-34T	11-32T
Surface Finish	Nickel Plated	Nickel Plated
Combination	11-13-15-18-21-24-28-34	11-13-15-18-21-24-28-32
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	344g	318g

Model No.	CS-H082 12-32T	CS-H082 11-28T
Speed	8-Speed	8-Speed
Gear Range	12-32T	11-28T
Surface Finish	Nickel Plated	Nickel Plated
Combination	12-13-15-18-21-24-28-32	11-13-15-17-19-21-24-28
Spider	No	No
Cog Material	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub
Weight	339g	270g



CS-H081 8-Speed Cassettes

• Black sprockets
• Steel lock ring

Model No.	CS-H081 11-28T	CS-H081 12-28T	CS-H081 12-25T
Speed	8-Speed	8-Speed	8-Speed
Gear Range	11-28T	12-28T	12-25T
Surface Finish	Black	Black	Black
Combination	11-13-15-17-19-21-24-28	12-13-15-17-19-21-24-28	12-13-15-17-19-21-23-25
Spider	No	No	No
Cog Material	Steel	Steel	Steel
Hub Compatibility	Standard Freehub	Standard Freehub	Standard Freehub
Weight	270g	273g	264g



Road Non-Group Components

SB-R370 1x7 Integrated Drop Bar Shifters

• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R370	SB-R370(S)
Speed	1 x 7	1 x 7
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Left Side	Brake lever only	Brake lever only
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Aluminum / Steel	Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	478.5g	478.5g



SB-R372 2x7 Integrated Drop Bar Shifters

• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R372	SB-R372(S)
Speed	2 x 7	2 x 7
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Aluminum / Steel	Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	478.5g	478.5g



SB-R373 3x7 Integrated Drop Bar Shifters

• Externally routed shift cables
• Independent shift levers
• Replaceable hood cover
• Short reach option: reach distance -10mm

Model No.	SB-R373	SB-R373(S)
Speed	3 x 7	3 x 7
Side	Pair	Pair
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard	Short
Surface Finish	Anodized Black	Anodized Black
Lever Material	Aluminum / Steel	Aluminum / Steel
Compatibility	Shimano Road	Shimano Road
Weight	478.5g	478.5g



Road Non-Group Components

SL-D10 / SL-D09 / SL-D08 Down Tube Shifter

• Aluminum construction

Model No.	SL-D10	SL-D10B
Speed	2/3 x 10	2/3 x 10
Shifter Style	Down Tube Shifter	Down Tube Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index	Index
Compatibility	Shimano Road	Shimano Tiagra 4700
Weight	70g	70g

Model No.	SL-D09	SL-D08
Speed	2/3 x 9	2/3 x 8
Shifter Style	Down Tube Shifter	Down Tube Shifter
Side	Pair	Pair
Left	Friction	Friction
Right	Index	Index
Compatibility	Shimano Road	Shimano Road
Weight	70g	70g



FD-R539 / FD-R538 2/3 x 8/9 Front Derailleur

• FD-R539 / FD-R538 works with 52-42-30T crankset

Model No.	FD-R539-B-BK	FD-R539-F-BK
Speed	3 x 9	3 x 9
Mounting	Band Clamp 31.8	Braze On
Derailleur Style	Down pull	Down pull
Chainstay Angle	63-66°	63-66°
Capacity	22T	22T
Top Gear Teeth	52T	52T
Chain Line	45mm	45mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	116g	101g

Model No.	FD-R538-B-BK	FD-R538-F-BK
Speed	3 x 8	3 x 8
Mounting	Band Clamp 31.8	Braze On
Derailleur Style	Down pull	Down pull
Chainstay Angle	63-66°	63-66°
Capacity	22T	22T
Top Gear Teeth	52T	52T
Chain Line	45mm	45mm
Outer Link Material	Aluminum	Aluminum
Compatibility	Shimano Road	Shimano Road
Weight	117g	102g





Road Non-Group Components

NEW

BS-A12 Bar End Shifters

• Aluminum construction

Model No.	BS-A12
Speed	2 x 12
Shifter Style	Bar End Shifter
Side	Pair
Left	Friction
Right	Index /Friction
Compatibility	Shimano Road
Weight	163g



RD-M21 6/7 speed Rear Derailleurs

• Composite and steel construction
• Suitable for entry level bikes

Model No.	RD-M21S/SA	RD-M21SS/SSA
Speed	2/3 x 6/7	1 x 6/7
Cage Length	Short Cage	Super Short Cage
Max Cog	28-30T	28-30T
Min Cog	13-14T	13-14T
Chain Capacity	37T	21T
Body Material	Steel / Composite	Steel / Composite
Outer Link Material	Steel / Composite	Steel / Composite
Compatibility	Shimano Mountain	Shimano Mountain
Weight	269g(S)	241g(SS)



RD-M21SS



RD-M21S

CS-H072 7-Speed Cassette

• Nickel sprockets
• Steel lock ring

Model No.	CS-H072 12-28T
Speed	7-Speed
Gear Range	12-28T
Surface Finish	Nickel Plated
Combination	12-13-15-18-21-24-28
Spider	No
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	261g



CS-H071 7-Speed Cassette

• Black sprockets
• Steel lock ring

Model No.	CS-H071 12-28T
Speed	7-Speed
Gear Range	12-28T
Surface Finish	Black
Combination	12-13-15-18-21-24-28
Spider	No
Cog Material	Steel
Hub Compatibility	Standard Freehub
Weight	261g



CITY



ALFINE NEXUS COMPATIBLE

City Bikes Done Right
Not satisfied with existing shifter offerings on the market for internal geared hubs? Our shifter selection gives you the freedom to set them up on your bike the way you want it.

CITY *For internal gear hub*

SB-N110 / SB-N080 Integrated Drop Bar Shifters

- Left side brake lever only
- Compatible with Alfine internal geared hubs
- Replaceable hood cover
- Short reach option: reach distance -10mm

Model No.	SB-N110 / SB-N110(S)	SB-N080 / SB-N080(S)
Speed	1x 11	1x 8
Shifter Style	Integrated Drop Bar	Integrated Drop Bar
Side	Pair	Pair
Left side	Brake lever only	Brake lever only
Brake Actuation	Short Pull	Short Pull
Brake Reach	Standard / Short	Standard / Short
Lever Material	Forged Aluminum	Forged Aluminum
Compatibility	Shimano Alfine 11	Shimano Alfine 8
Weight	378g	378g



SL-N08 Flatbar Thumb Shifters

- Low profile CNC machined aluminum body
- Micro adjustment barrels

Model No.	SL-N08
Speed	1 x 8
Shifter Style	Flat Bar Thumb Shifter
Side	Right
Right Side	Index
Compatibility	Shimano Alfine /Nexus 8
Weight	64g



BS-N08 Bar End Shifter

- Aluminum construction

Model No.	BS-N08
Speed	1 x 8
Shifter Style	Bar End Shifter
Side	Right
Right Side	Index
Compatibility	Shimano Alfine /Nexus 8
Weight	75g



CITY *For internal gear hub*

SL-N768 Flatbar Xpress Shifters

• Optical gear indicator

Model No.	SL-N768
Speed	1 x 8
Side	Right
Shifter Style	Xpress Trigger
Bearing	No
Indicator	Yes
Clamp Material	Aluminum
Lever Material	Aluminum
Compatibility	Shimano Alfine S7000



SL-N757 / SL-N758 Flatbar Xpress Shifters

• Optical gear indicator

Model No.	SL-N757	SL-N758
Speed	1 x 7	1 x 8
Side	Right	Right
Shifter Style	Xpress Trigger	Xpress Trigger
Bearing	No	No
Indicator	Yes	Yes
Clamp Material	Aluminum	Aluminum
Lever Material	Composite	Composite
Compatibility	Shimano Nexus 7	Shimano Nexus 8



TN71-7 Flatbar Thumb-Tap Shifter

• Optical gear indicator

Model No.	TN71-7
Speed	1 x 7
Side	Right
Shifter Style	Thumb-Tap
Bearing	No
Indicator	Yes
Clamp Material	Aluminum
Lever Material	Composite
Compatibility	Shimano Nexus 7



CITY *For internal gear hub*

NEW

SL-N6285-R / SL-N6255-R Quick Trigger Shifter

• Short reach triggers for easy operation
• Rubber lever pad for grip and comfort
• Clear and easy to read indicator

Model No.	SL-N6285-R	SL-N6255-R
Speed	1 x 8	1 x 5
Side	Right	Right
Shifter Style	Quick Trigger	Quick Trigger
Bearing	No	No
Indicator	Yes	Yes
Rubber pad	Yes	No
Clamp Material	Aluminum	Aluminum
Compatibility	ALFINE 8	INTER-5 / INTER-5E
Weight	130g	130g



DN85 Twist Type Shifter

• Compact twist type shifter with indicator

Model No.	DN85-3	DN85-7	DN85-8
Speed	1 x 3	1 x 7	1 x 8
Side	Right	Right	Right
Indicator	Yes	Yes	Yes
Shifter Style	Twist	Twist	Twist
Compatibility	Shimano Nexus 3	Shimano Nexus 7	Shimano Nexus 8



MN27-3 Twist Type Shifter

• Standard twist type shifter

Model No.	MN27-3
Speed	3-Speed
Side	Right
Indicator	No
Shifter Style	Twist
Compatibility	Shimano Nexus 3



BC-01 Bell Crank Hub Connector

• For Nexus 3 internal hub

Model No.	BC-01
Speed	Nexus Inter 3-Speed
Style	Bell Crank Hub Connector
Compatibility	Shimsno Nexus
Compatible Shifters	MN27-3, DN85-3



Integrated Drop Bar Shifters

Series	Model #	Left Shifter	Cable Routing	Reach	Page #	Product Photo
Shimano Road 11-Speed						
Centos 11	SB-R512B	2x	Internal	Adjustable	50	
Shimano MTB 11-Speed						
MTB Non-Group	SB-M110	1x	External	Standard	21	
Shimano Road 10-Speed Tiagra 4700						
Centos 10	SB-R502B	2x	Internal	Adjustable	54	
Shimano Road 10-Speed 4600						
R10	SB-R502E	2x	Internal	Adjustable	57	
	SB-R402K	2x	External	Standard	57	
	SB-R402K(S)	2x	External	Short	57	
	SB-R403K	3x	External	Standard	57	
	SB-R403K(S)	3x	External	Short	57	
SWORD 10-Speed						
SWORD	NEW SB-G7000	1x	Internal	Adjustable	44	
	NEW SB-G7020	2x	Internal	Adjustable	44	

Integrated Drop Bar Shifters

Series	Model #	Left Shifter	Cable Routing	Reach	Page #	Product Photo
Shimano MTB 10-Speed						
XLE 10	SB-M100	1x	External	Standard	24	
	SB-M100(S)	1x	External	Short	24	
ADVENT X 10-Speed						
ADVENT X	SB-M100A	1x	External	Standard	6	
	SB-M100A(S)	1x	External	Short	6	
Shimano Road 9-Speed						
R9	SB-R492	2x	External	Standard	61	
	SB-R492(S)	2x	External	Short	61	
	SB-R493	3x	External	Standard	61	
	SB-R493(S)	3x	External	Short	61	
	SB-R490	1x	External	Standard	61	
	SB-R490(S)	1x	External	Short	61	
ADVENT 9-Speed						
ADVENT	SB-M090	1x	External	Standard	11	
	SB-M090(S)	1x	External	Short	11	

Integrated Drop Bar Shifters

Series	Model #	Left Shifter	Cable Routing	Reach	Page #	Product Photo
Shimano Road 8-Speed						
R8	SB-R482	2x	External	Standard	66	
	SB-R482(S)	2x	External	Short	66	
	SB-R483	3x	External	Standard	66	
	SB-R483(S)	3x	External	Short	66	
	SB-R480	1x	External	Standard	66	
	SB-R480(S)	1x	External	Short	66	
7-Speed						
Road Non-Group	SB-R372	2x	External	Standard	70	
	SB-R372(S)	2x	External	Short	70	
	SB-R373	3x	External	Standard	70	
	SB-R373(S)	3x	External	Short	70	
	SB-R370	1x	External	Standard	70	
	SB-R370(S)	1x	External	Short	70	
Shimano Internal Geared Hub Compatible						
Alfine-11 Compatible	SB-N110	1x	External	Standard	74	
	SB-N110(S)	1x	External	Short	74	
Alfine-8 Compatible	SB-N080	1x	External	Standard	74	
	SB-N080(S)	1x	External	Short	74	

Trail Trigger Shifters

Series	Model #	Left Shifter	Silicone Pad	Single Click	Page #	Product Photo
ADVENT X 10-Speed						
ADVENT X	SL-M9605-R	–	●	–	6	
	SL-M9605-ER	–	●	●	6	
	SL-M9505-R	–	–	–	6	
ADVENT 9-Speed						
ADVENT	SL-M9295-R	–	●	–	9	
	SL-M9295-ER	–	●	●	9	
	SL-M9195-R	–	–	–	9	

Quick Trigger Shifters

Series	Model #	Left Shifter	Gear Indicator	Rubber pad	Single Click	Page #	Product Photo
ADVENT 9-Speed							
ADVENT	SL-M6295-R	–	●	●	–	10 /15	
	SL-M6290-R	–	●	–	–	10 /15	
	SL-M6295-ER	–	●	●	●	10 /15	
	SL-M6195-R	–	–	●	–	10 /15	
	SL-M6190-R	–	–	–	–	10 /15	
	SL-M6195-ER	–	–	●	●	10 /15	
Acolyte 8-Speed							
Acolyte	SL-M6285-R	–	●	●	–	13 /17	
	SL-M6280-R	–	●	–	–	13 /17	
	SL-M6285-ER	–	●	●	●	13 /17	
	SL-M6185-R	–	–	●	–	13 /17	
	SL-M6180-R	–	–	–	–	13 /17	
	SL-M6185-ER	–	–	●	●	13 /17	

Xpress Trigger Shifters

Series	Model #	Left Shifter	Gear Indicator	Bearing Mechanism	Page #	Product Photo
Shimano MTB 11-Speed						
XCD	SL-M861-R	–	–	●	20	
XLE 11	SL-M851-R	–	–	–	21	
	SL-M851-2	2x	–	–	21	
Shimano Road 11-Speed						
Centos 11	SL-R861-2	2x	–	●	50	
	SL-R761-2	2x	●	●	50	
Shimano MTB 10-Speed						
XLE 10	SL-M850-R	–	–	–	24	
	SL-M850-2	2x	–	–	24	
	SL-M850-3	3x	–	–	24	
	SL-M760-2	2x	●	–	24	
	SL-M760-3	3x	●	–	24	
Shimano Road 10-Speed Tiagra 4700						
Centos 10	SL-R860B-2	2x	–	●	54	

Xpress Trigger Shifters

Series	Model #	Left Shifter	Gear Indicator	Bearing Mechanism	Page #	Product Photo
Shimano Road 10-Speed 4600						
R10	SL-R760-2	2x	●	–	58	
	SL-R760-3	3x	●	–	58	
ADVENT 9-Speed						
ADVENT	SL-M8195-R	–	–	●	9	
	SL-M819-R	–	–	–	9	
	SL-M819-L	2x	–	–	9	
Shimano MTB 9-Speed						
MarvoLT	SL-M859	2x/3x	–	–	29	
	SL-M759	2x/3x	●	–	29	
Shimano Road 9-Speed						
R9	SL-R859-2	2x	–	●	62	
	SL-R769-2	2x	●	–	62	
	SL-R769-3	3x	●	–	62	

Xpress Trigger Shifters

Series	Model #	Left Shifter	Gear Indicator	Bearing Mechanism	Page #	Product Photo
Shimano Road 8-Speed						
R8	SL-R758-2	2x	●	–	67	
	SL-R758-3	3x	●	–	67	
Shimano Internel Geared Hub Compatible						
Alfine-8 Compatible	SL-N768	–	●	–	75	
	NEW SL-N6285-R	–	●	–	76	
Nexus-8 Compatible	SL-N758	–	●	–	75	
Nexus-7 Compatible	SL-N757	–	●	–	75	
NTER-5 / 5E Compatible	NEW SL-N6255-R	–	●	–	76	

Bar End Shifters

Compatibility	Series	Model #	Left Shifter	Index/Friction Switch	Page #	Product Photo
12-Speed						
SHIMANO MTB	MTB Non-Group	BS-M12-R	–	●	37	
SRAM MTB	MTB Non-Group	BS-SR-M12-R	–	●	37	
SHIMANO Road NEW	Road Non-Group	BS-A12	2x / 3x	●	72	
11-Speed						
SHIMANO Road	Centos 11	BS-A11	2x / 3x	–	51	
SHIMANO MTB	MTB Non-Group	BS-M11	2x / 3x	●	38	
	MTB Non-Group	BS-M11-R	–	●	38	
SRAM MTB	MTB Non-Group	BS-SR-M11-R	–	●	38	
10-Speed						
Shimano 4600 Road	R10	BS-T10	2x / 3x	●	58	
	R10	BS-A10	2x / 3x	–	58	
SHIMANO Tiagra 4700	Centos 10	BS-T10B	2x / 3x	●	54	
	Centos 10	BS-A10B	2x / 3x	–	54	

Bar End Shifters

Compatibility	Series	Model #	Left Shifter	Index/Friction Switch	Page #	Product Photo
10-Speed						
SHIMANO MTB	MTB Non-Group	BS-M10	2x / 3x	●	38	
	MTB Non-Group	BS-M10-R	–	●	38	
SWORD	SWORD NEW	BS-G10-R	–	●	46	
9-Speed						
SHIMANO Road	R9	BS-T09	2x / 3x	●	63	
	R9	BS-A09	2x / 3x	–	63	
ADVENT	ADVENT	BS-M19-R	–	●	10	
8-Speed						
SHIMANO Road	R8	BS-T08	2x / 3x	●	67	
	R8	BS-A08	2x / 3x	–	67	
SHIMANO Alfine/Nexus Compatible	City	BS-N08-R	–	–	74	

Thumb Shifters

Compatibility	Series	Model #	Left Shifter	Index/Friction Switch	Page #	Product Photo
12-Speed						
SHIMANO MTB	MTB Non-Group	SL-M12-R	–	●	37	
SRAM MTB	MTB Non-Group	SL-SR-M12-R	–	●	37	
11-Speed						
SHIMANO Road	Centos 11	SL-A11	2x / 3x	–	51	
SHIMANO MTB	MTB Non-Group	SL-M11	2x / 3x	●	37	
	MTB Non-Group	SL-M11-R	–	●	37	
SRAM MTB	MTB Non-Group	SL-SR-M11-R	–	●	37	
10-Speed						
Shimano 4600 Road	R10	SL-T10	2x / 3x	●	58	
	R10	SL-A10	2x / 3x	–	58	
SHIMANO Tiagra 4700	Centos 10	SL-T10B	2x / 3x	●	55	
	Centos 10	SL-A10B	2x / 3x	–	55	
SHIMANO MTB	MTB Non-Group	SL-M10	2x / 3x	●	38	
	MTB Non-Group	SL-M10-R	–	●	38	

Thumb Shifters

Compatibility	Series	Model #	Left Shifter	Index/Friction Switch	Page #	Product Photo
9-Speed						
SHIMANO Road	R9	SL-T09	2x / 3x	●	63	
	R9	SL-A09	2x / 3x	–	63	
ADVENT	ADVENT	SL-M19	–	●	10	
8-Speed						
SHIMANO Road	R8	SL-T08	2x / 3x	●	67	
	R8	SL-A08	2x / 3x	–	67	
SHIMANO Alfine/Nexus Compatible	City	SL-N08-R	–	–	74	

Thumb Tap Shifters

Compatibility	Model #	Left Shifter	Shifter Body	Optical Gear Indicator	Page #	Product Photo
9-Speed						
SHIMANO MTB	TS39-29	2x	Composite	●	31	
	TS39-9	3x	Composite	●	31	
	TS38-9	3x	Composite	●	39	
8-Speed						
SHIMANO MTB	TS39-28	2x	Composite	●	31	
	TS39-8	3x	Composite	●	31	
	TS38-8	3x	Composite	●	39	
7-Speed						
SHIMANO MTB	TS39-7	3x	Composite	●	31	
	TS38-7	3x	Composite	●	39	
SHIMANO Nexus Compatible	TN71-7	—	Alloy	●	75	
6-Speed						
SHIMANO MTB	TS39-6	3x	Composite	●	31	
	TS38-6	3x	Composite	●	39	

Thumb Tap Shifters

Compatibility	Model #	Left Shifter	Brake lever size	Optical Gear Indicator	Page #	Product Photo
9-Speed						
SHIMANO MTB	NEW TS40-9R2V	—	2	●	35	
	NEW TS40-9R4V	—	4	●	36	
8-Speed						
SHIMANO MTB	NEW TS40-8R2V	—	2	●	35	
	NEW TS40-8R4V	—	4	●	36	
7-Speed						
SHIMANO MTB	NEW TS40-7R2V	—	2	●	35	
	NEW TS40-7R4V	—	4	●	36	
3-Speed						
SHIMANO MTB	NEW TS40-3L2V	3x	2	●	35	
	NEW TS40-3L4V	3x	4	●	36	
2-Speed						
SHIMANO MTB	NEW TS40-2L2V	2x	2	●	35	
	NEW TS40-2L4V	2x	4	●	36	

Twist Shifters

Compatibility	Model #	Left Shifter	Gear Indicator Style	Grip Style	Page #	Product Photo
9-Speed						
SHIMANO MTB	DS85-9	3x	Window	Textured	40	
8-Speed						
SHIMANO MTB	DS85-8	3x	Window	Textured	40	
	MS29-8	3x	Dial and Arrow	Textured	41	
	MS25-8	3x	Dial and Arrow	Knurled	41	
7-Speed						
SHIMANO MTB	DS85-7	3x	Window	Textured	40	
	DS45-7R	—	Graphical	Knurled	40	
	MS40-7R	—	Dial and Arrow	Textured	40	
	MS50-7R	—	Window	Textured	40	
	MS29-7	3x	Dial and Arrow	Textured	41	
	MS25-7	3x	Dial and Arrow	Knurled	41	
	MS12-7	3x	Dial and Arrow	Knurled	41	

Twist Shifters

Compatibility	Model #	Left Shifter	Shifter Body	Optical Gear Indicator	Page #	Product Photo
6-Speed						
SHIMANO MTB	MS40-6R	—	Dial and Arrow	Textured	40	
	MS50-6R	—	Window	Textured	40	
	MS29-6	3x	Dial and Arrow	Textured	41	
	MS25-6	3x	Dial and Arrow	Knurled	41	
	MS12-6	3x	Dial and Arrow	Knurled	41	
Shimano Internal Geared Hub Compatible						
Nexus-8 Compatible	DN85-8	—	Window	Textured	76	
Nexus-7 Compatible	DN85-7	—	Window	Textured	76	
Nexus-3 Compatible	DN85-3	—	Window	Textured	76	
	MN27-3	—	Dial and Arrow	Knurled	76	

Downtube Shifters

Compatibility	Model #	Left Shifter	Index/Friction Switch	Page #	Product Photo
10-Speed					
Shimano 4600 Road	SL-D10	2x / 3x	—	71	
SHIMANO Tiagra 4700	SL-D10B	2x / 3x	—	71	
9-Speed					
SHIMANO Road	SL-D09	2x / 3x	—	71	
8-Speed					
SHIMANO Road	SL-D08	2x / 3x	—	71	

Front Derailleur

Series	Model #	Top Gear	Capacity	Cable Route	Attachment	Chain Line	For 20" Wheel	Page #	Product Photo
MTB 11-Speed									
XLE 11 2x	FD-M622-B	34-38T	10T	Dual Pull	Band	48.8mm	—	22	
	FD-M622-D	34-38T	10T	Dual Pull	Direct	48.8mm	—	22	
	FD-M622G-B	42-46T	12T	Dual Pull	Band	48.8mm	—	22	
Road 11-Speed									
Centos 11 2x	FD-R58-BK	46-52T	16T	Down Pull	Brazed-On/ Band	43.5mm	—	51	
MTB 10-Speed									
XLE 2x	FD-M612-B	38-44T	14T	Dual Pull	Band	48.8mm	—	26	
	FD-M612-D	38-44T	14T	Dual Pull	Direct	48.8mm	—	26	
XLE 3x	FD-M613-B	40-42T	18T	Dual Pull	Band	50mm	—	26	
	FD-M613-D	40-42T	18T	Dual Pull	Direct	50mm	—	26	
SWORD 10-Speed									
SWORD	NEW FD-G7020	50-46T	17T	Down Pull	Brazed-On/ Band	47mm	—	45	
Road 10-Speed Tiagra 4700									
Centos 10 2x	FD-R552	46-52T	16T	Down Pull	Brazed-On/ Band	43.5mm	—	55	

Front Derailleur

Series	Model #	Top Gear	Capacity	Cable Route	Attachment	Chain Line	For 20" Wheel	Page #	Product Photo
Road 10-Speed									
R10 2x	FD-R712	46-52T	16T	Down Pull	Braze-On/ Band	43.5mm	—	59	
R10 3x	FD-R730	50/39/30T	20T	Down Pull	Braze-On/ Band	43.5mm	—	59	
	FD-R732	52/39/30T	22T	Down Pull	Braze-On/ Band	43.5mm	—	59	
MTB 9-Speed									
ADVENT 2x	FD-T492B	44-48T	12-16T	Dual Pull	Band	48.8mm	—	12	
MarvoLT 2x	FD-M462	34-42T	14T	Dual Pull	Direct / Band	48.8mm	—	30	
MarvoLT 3x	FD-M43	44/32/22T	22T	Dual Pull	Band	50/47.5mm	—	30	
Mezzo 2x	FD-T392	44-48T	12-16T	Dual Pull	Band	48.8mm	—	32	
	FD-M292	34-38T	10-14T	Dual Pull	Band	48.8mm	—	32	
Road 9-Speed									
R9 2x	FD-R352	46-52T	16T	Down Pull	Braze-On/ Band	43.5mm	—	64	
R9 3x	FD-R353	50/39/30T	20T	Down Pull	Braze-On/ Band	45mm	—	64	
Road Non-Group 3x	FD-R539	52/42/30T	22T	Down Pull	Braze-On/ Band	45mm	—	71	

Front Derailleur

Series	Model #	Top Gear	Capacity	Cable Route	Attachment	Chain Line	For 20" Wheel	Page #	Product Photo
MTB 8-Speed									
Mezzo 2x	FD-T382	44-48T	12-16T	Dual Pull	Band	48.8mm	—	32	
	FD-M382	34-38T	10-14T	Dual Pull	Band	48.8mm	—	32	
	FD-M282	34-38T	10-14T	Dual Pull	Band	48.8mm	—	32	
Mezzo 3x	FD-M30	42/32/22T	20T	Dual Pull	Band	50/47.5mm	—	33	
Road 8-Speed									
R8 2x	FD-R252	46-52T	16T	Down Pull	Braze-On/ Band	43.5mm	—	68	
R8 3x	FD-R253	50/39/30T	20T	Down Pull	Braze-On/ Band	45mm	—	68	
Road Non-Group 3x	FD-R538	52/42/30T	22T	Down Pull	Braze-On/ Band	45mm	—	71	
MTB 7/8-Speed									
Mezzo 2x	FD-T202	40-46T	8-12T	Dual Pull	Band	48.8mm	—	32	
Mezzo 3x	FD-M2583	42/34/24T	18T	Dual Pull	Band	50/47.5mm	—	33	
	FD-M22	48/38/28T	20T	Dual Pull	Band	50/47.5mm	—	33	
	FD-M20	42/34/24T	18T	Dual Pull	Band	50/47.5mm	—	33	

Rear Derailleur

Series	Model #	Max Cog	Capacity	Clutch	Page #	Product Photo
Shimano MTB 11-Speed						
XCD	RD-M865M	40-46T	41T	●	20	
XLE 11	RD-M665M	40-46T	41T	●	21	
	RD-M66M	40-46T	41T	–	21	
	RD-M665L	40-46T	47T	●	22	
	RD-M66L	40-46T	47T	–	22	
Shimano Road 11-Speed						
Centos 11	RD-R58S	25-30T	35T	–	52	
SWORD 10-Speed						
SWORD	NEW RD-G7005M	42-48T	37T	●	45	
	NEW RD-G7025L	34-38T	44T	●	45	
Shimano MTB 10-Speed						
XLE 10	RD-M665M	40-46T	41T	●	25	
	RD-M66M	40-46T	41T	–	25	
	RD-M62L	36-42T	47T	–	25	
	RD-M61L	32-36T	43T	–	25	
	RD-M61S	32-36T	35T	–	25	

Rear Derailleur

Series	Model #	Max Cog	Capacity	Clutch	Page #	Product Photo
ADVENT X 10-Speed						
ADVENT X	NEW RD-M6205AM-B	42-48T	37T	●	7	
	NEW RD-M6205GM-B	42-48T	37T	●	7	
Shimano Tiagra 4700 10-Speed						
Centos 10	RD-R55S	25-30T	35T	–	55	
Shimano Road 4600 10-Speed						
R10	RD-R47S	25-28T	33T	–	60	
	RD-R47	25-28T	39T	–	60	
	RD-R51M	30-34T	39T	–	60	
ADVENT 9-Speed						
ADVENT 9	RD-M6195L	42-46T	47T	●	11	
	RD-M619L	42-46T	47T	–	11	
	RD-M6195M	42-46T	41T	●	11	
	RD-M619M	42-46T	41T	–	11	
	RD-M6195S	34-38T	27T	●	16	

Rear Derailleur

Series	Model #	Max Cog	Capacity	Clutch	Page #	Product Photo
Shimano MTB 9-Speed						
MarvoLT	RD-M46L	32-36T	45T	–	29	
	RD-M46S	32-36T	39T	–	29	
Shimano Road 9-Speed						
R9	RD-R42S	28T	33T	–	64	
	RD-R42	28T	39T	–	64	
	RD-R43M	30-34T	39T	–	65	
Acolyte 8-Speed						
Acloyte 8	RD-M5185M	42-46T	41T	●	14	
	RD-M5180M	42-46T	41T	–	14	
	RD-M5185S	34-38T	27T	●	18	
	RD-M5180S	34-38T	27T	–	18	
Shimano MTB 8 / 9-Speed						
Mezzo	RD-M36L	28-36T	45T	–	32	
	RD-M36S	28-36T	39T	–	32	
Shimano MTB 7 / 8-Speed						
MTB Non-Group	RD-M26L	28-36T	45T	–	42	
	RD-M26S	28-36T	39T	–	42	
	RD-M26CL	28-34T	45T	–	42	
	RD-M26CS	28-34T	39T	–	42	

Rear Derailleur

Series	Model #	Max Cog	Capacity	Clutch	Page #	Product Photo
Shimano Road 7 / 8-Speed						
R8	RD-R32	25-28T	39T	–	68	
	RD-R32S	25-28T	33T	–	68	
Shimano MTB 6 / 7-Speed						
MTB Non-Group	RD-M21L	28-30T	43T	–	42	
	RD-M21LA	28-30T	43T	–	42	
	RD-M21S	28-30T	37T	–	42	
	RD-M21SA	28-30T	37T	–	42	
	RD-M21SS	28-30T	21T	–	42	
	RD-M21SSA	28-30T	21T	–	42	
Shimano Road 6 / 7 -Speed						
Road Non-Group	RD-M21S	28-30T	37T	–	72	
	RD-M21SA	28-30T	37T	–	72	
	RD-M21SS	28-30T	21T	–	72	
	RD-M21SSA	28-30 T	21T	–	72	

Cassette

Hub Compatibility	Model #	Range	Spider	Finish	Page #	Product Photo
11-Speed						
MTB 11-Speed	CS-G113	11-42T 11-46T	●	ED Black	20	
	CS-H113	11-40T 11-42T 11-46T	–	ED Black	23	
	CS-EH113	11-42T 11-46T	–	ED Black	23	
Road 11-Speed	CS-G110	11-25T 11-28T 11-32T	●	Chrome	52	
	CS-H110	11-25T 11-28T 11-32T 11-34T	–	Chrome	53	
10-Speed						
MTB 10-Speed	CS-G104	11-48T	●	2 Layered ED Black	7	
	CS-H104	11-48T	–	2 Layered ED Black	7	
	CS-EH104	11-48T	–	2 Layered ED Black	7	
	CS-H103	11-40T 11-42T	–	ED Black	26	
	CS-EH103	11-40T 11-42T	–	ED Black	26	
	CS-G100	11-36T	●	Chrome	27	
	CS-H100	11-32T 11-34T 11-36T	–	Chrome	27	

Cassette

Hub Compatibility	Model #	Range	Spider	Finish	Page #	Product Photo
10-Speed						
Road 10-Speed	CS-G100	11-25T 11-28T	●	Chrome	56	
	CS-H100	11-25T 11-28T 11-32T 11-34T	–	Chrome	60	
	NEW CS-H105	11-38T	–	Satin Nickel	47	
	NEW CS-G105	11-38T	●	Satin Nickel	47	
9-Speed						
MTB 9-Speed	CS-H093A	11-42T	–	ED Black	12	
	CS-H093	11-42T	–	ED Black	12	
		11-46T	–	ED Black	12	
		11-38T	–	ED Black	16	
	CS-EH093	11-42T	–	ED Black	12	
		11-46T	–	ED Black	12	
		11-38T	–	ED Black	16	
MTB / Road 9-Speed	CS-H092	11-32T 11-34T 11-36T	–	Nickel	30	
	CS-H092	11-25T 12-25T 11-28T 11-32T 11-34T	–	Nickel	65	

Cassette

Hub Compatibility	Model #	Range	Spider	Finish	Page #	Product Photo
8-Speed						
MTB / Road 8-Speed	CS-H083	12-42T	—	ED Black	14	
		12-46T	—	ED Black	14	
		11-38T	—	ED Black	17	
	CS-H082	11-32T 12-32T 11-34T	—	Nickel	33	
	CS-H082	11-28T 11-32T 12-32T 11-34T	—	Nickel	69	
	CS-H081	11-32T 12-32T 11-34T	—	Black	34	
	CS-H081	12-25T 11-28T 12-28T	—	Black	69	
7-Speed						
MTB / Road 7-Speed	CS-H072	12-28T	—	Nickel	34 / 72	
	CS-H071	12-28T	—	Black	34 / 72	

Crankset

Series	Model #	Speed	Chainring	BCD	Page #	Product Photo
10-Speed						
SWORD	NEW FC-G7000-48	2X	48/31T	110/80 Asym	48	
	NEW FC-G7000-46	2X	46/29T	110/80 Asym	48	
	NEW FC-G7000-42	1X	42T	110 Asym	47	
	NEW FC-G7000-40	1X	40T	110 Asym	47	