Country	Company	Phone	E-Mail	Website	Address
· Austria	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Benelux	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· China	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Canada	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Czech	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· France	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Germany	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Italy	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Korea	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Singapore	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Spain	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Slovenia	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· Taiwan	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· U.K.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
· U.S.A.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

PZ RACING
www.pzracing.com

2007

EVERYTHING YOU NEED FOR SPEED

2007 Race Engineered Carbon Components

H Handlebar S Stem P Seatpost S Saddle F Fork K Crankset T Time Trial B Brake Bracket W Wheel B Cycle computer mount C Seat clamp A Cap I Spacer G Bottle cage

CR 31
RACE CARBON

CR3.1H Full Carbon Fiber
Internal cable guide
center: 31.8mm
width:400,420,440mm
drop:141mm
reach:85mm
weight:266g (w/420mm)



CR 52
RACE CARBON

CR2.2H Alloy+Carbon
carbon + AL7075
center:31.8mm
width:420,440mm
drop:150mm
reach 86mm
weight:274g (w/420mm)



CR 53
RACE ALLOY

CR3.3H Alloy
center:31.8mm
width:400,420,440mm
drop:161mm
reach:93mm
weight:276g (w/420mm)



CR 54
RACE CARBON

CR5.2H Alloy+Carbon
carbon + hydroformed alloy
center: 31.8mm
width:400,420,440mm
drop:141mm
reach:86mm
weight:344g (w/420mm)




CR 43
RACE ALLOY

CR4.3H ULTROY
ergonomic bending shape
center:31.8mm
width:400,420,440mm
drop:138mm
reach:89mm
weight:225g (w/420mm)



CR 72
RACE CARBON

CR7.2H Alloy+Carbon
classic bending shape
center:31.8mm
width:400, 420, 440mm
drop:135mm
reach:79mm
weight:390g (w/420mm)



CR 53
RACE ALLOY

CR5.3H ULTROY
classic bending shape
center:31.8mm
width:390, 400, 420, 440mm
drop:135mm
reach:80mm
weight:225g (w/420mm)



CR 83
RACE ALLOY

CR2.3H Alloy
center:31.8mm
width:400,420,440mm
drop:150mm
reach:90mm
weight:268g (w/420mm)




A1XBH Full Carbon
center:31.8mm
width:580mm
bend:8 degree
weight:130g
barbore:25.4mm available
A1RBH Full Carbon
center:31.8mm
rise:20mm
width:640mm
bend: 6 degree
weight: 155g
barbore:25.4mm available
C1RBH Full Carbon
center:31.8mm
rise:40mm
width:680mm
bend:9 degree
weight:200g
barbore:25.4mm available
A2RBH Alloy+Carbon
center : 31.8mm
rise : 20mm
width : 600mm
bend : 6 degree
weight : 214g
barbore:25.4 available
A2XBH Alloy+Carbon
center : 31.8mm
width : 600mm
bend : 6 degree
weight : 168g
barbore:25.4 available
A3RBH Double Butted Alloy
center:31.8mm
rise:20mm
width:680mm
bend:5 degree
weight:326g
A3XBH Double Butted Alloy
center:31.8mm
width:600mm
bend:6 degree
weight:323g
2007 Race Engineered Carbon Components
03
04
EVERYTHING YOU NEED FOR SPEED



RACE CARBON CR 31

CR3.1S Full Carbon Fiber
ext:90~130mm
barbore:31.8mm
angle:-6 degree
height:38mm
weight:164g
(ext:100mm)



RACE ALLOY CR 53

CR5.3S Cold Forged 7075 Alloy
ext:90~130mm
barbore:31.8mm
angle:-6 degree
height:40mm
weight:120g
(ext:100mm)



RACE CARBON CR 22

CR2.2S Alloy+Carbon
ext:90~130mm
barbore:31.8mm
angle:-6 degree
height:40mm
weight:158g
(ext:100mm)



RACE ALLOY CR 33

CR3.3S Cold Forged Alloy
ext:90~130mm
barbore:31.8mm
angle:-6 degree
height:40mm
weight:150g
(ext:100mm)



A2MB

A2MBS Alloy+Carbon
ext:90~130mm
barbore:31.8mm
angle:6 degree
height:40mm
weight:159g
(ext:100mm)
barbore 25.4mm available



RACE ALLOY CR 23

CR2.3S Cold Forged Alloy
ext:90~130mm
barbore:31.8mm
angle:-6 degree
height:40mm
weight:146g
(ext:100mm)



A3MB

A3MBS AL7075 CNC
ext:45/60/80/100mm
barbore:31.8mm
angle:6 degree
height:40mm
weight:127g
(ext:45mm)


CR 1
RACE CARBON
CR2.1P Full Carbon Fiber
diameter:27.2mm
length:300, 350mm
offset:10mm
weight:157g (27.2x300mm)
CR 2
RACE CARBON
CR2.2P Alloy+Carbon
diameter:27.2mm
length:300, 350mm
offset:10mm
weight:204g (27.2x300mm)
CR 3
RACE ALLOY
CR2.3P 3D Forged Alloy
diameter:27.2mm
length:300, 350mm
offset:10mm
weight:220g (27.2x300mm)
A2MB
A2MBP Alloy+Carbon
diameter:27.2/31.8mm
length:350, 400mm
offset:0 mm
weight:223g (27.2x400mm)
A3MB
A3MBP 3D Forged Alloy+CNC
diameter:27.2/31.8mm
length:350, 400mm
offset:0 mm
weight:259g (27.2x400mm)
C3MB
C3MBP 3D Forged Alloy
diameter :
27.2/31.6/30.9
25.4/26.0/27.0
28.0/28.6/29.0
29.2/29.4/29.6
29.8/30.0/30.2
30.4/30.6/30.8
31.0/31.2/31.4
31.8
length : 350, 400mm
offset:10 mm
weight : 310g
(27.2x350mm)



CR 3.1 RACE CARBON

CR3,1K Carbon Fiber Arms
Carbon monocoque arm/spider
Compact
BCD:110mm
BB:Shimano/Campagnolo spline
length:170/172,5/175mm
CNC Chainring: 53/36T,50/34T,48/34T
weight:565g/set (L:172,5mm & 50/34T)



CR 2.1 RACE CARBON

CR2,1K Carbon Fiber Arms
Carbon monocoque arm/spider
BCD:130/135mm
BB:Shimano/Campagnolo spline
length:170/172,5/175mm
CNC Chainring: 53/39T
Weight:565g/1set (L:172,5mm & 53/39T)



CR 3.3 RACE ALLOY

CR3,3K Alloy arms
Compact
BCD:110mm
BB:Shimano/Campagnolo spline
length:170/172,5/175mm
CNC Chainring: 50/34T
weight:633g/set (L:172,5mm & 50/34T)



CR 3.2 RACE CARBON

CR3,2K Alloy+ Carbon arms
Compact
BCD:110mm
BB:Shimano/Campagnolo spline
length:170/172,5/175mm
CNC Chainring: 50/34T
weight:653g/set (L:172,5mm & 50/34T)



CR42
RACE CARBON

CR4.2K Alloy+Carbon
Integrated BB
Compact. BCD:110mm
length:170/172.5/175mm
CNC Chainring:50/36, 50/34, 46/34, 53/39T
weight:817g/set
(L:172.5mm, B.B. & 50/34T)



CR43
RACE ALLOY

CR4.3K Alloy
Integrated BB
Compact
BCD:110mm
Length:170/172.5/175mm
CNC Chainring:50/36, 50/34, 46/34, 53/39T
weight:795g/set
(L:172.5mm, B.B. & 50/34T).


CR 5.1
RACE CARBON
CR5.1D Carbon With Leaf Spring Designed For Comfortable Riding
rail:7mm
weight:97g
AE 5.0
TIME TRIAL SERIES
AE5.0T Forged Alloy
stem: -17 degree
ext:90mm
width:420,440mm
weight:955g
(w/420mm, ext:90mm)
AE 5.0
TIME TRIAL SERIES
AE5.0F Full Carbon Fiber
diameter:27.2mm
length:250, 300mm
offset:20mm
weight:188g (27.2x250mm)



CR 21
RACE CARBON
CR2.1G
Monocoque Carbos Bottle cage
weight:34g



CR 31
RACE CARBON
CR3.1G
Monocoque Carbon Bottle cage
weight:29g

CR 21
RACE CARBON
CR2.1A Cap Carbon
Compatible with fork Steerer
ID:23.5mm to 26.4mm top cap
with locking machnism
weight:30g



CR 21
RACE CARBON
CR2.1E Carbon
Tapered Spacer
ID:28.6mm
height:25/55mm
weight:14g
(height:25mm)



CR 23
RACE ALLOY
CR2.3C Cold Forged Alloy
ID:31.8 / 34.9mm
weight:28g
(ID:31.8mm)





CR 30
CR3.0M Cycle Computer Mount
for 4 bolts front clamp stem
nylon + fiber
weight:13g

CR 51
RACE CARBON
CR5.1E Carbon Spacer
ID:28.6mm
height:3,5,8,10,15,20mm spacer set
weight:22g/set





PZ C1BE
C1BE Monocoque Carbon Bar End
length:105mm
weight:110g/pair



PZ A1BE
A1BE Monocoque Carbon Bar End
length:115mm
weight:95g/pair



CR 21
RACE CARBON
CR2.1B Carbon Shell+Titanium Axle
ISO drive
BSA:1.37*X24T(68X108/113, 73X113)
Italian:36mmX24T(70X102/111mm)
B.B. Shell:68, 70mm
weight:158g
CR-mo axle available



CR 31
RACE CARBON
CR3.1B Carbon Shell+Titanium Axle
ISO drive
BSA:1.37*X24T(68X103mm)
Italian: 36mmX24T(70X108mm)
B.B. Shell: 68, 70, 73mm
weight:155g
CR-mo axle available

CR 21
RACE CARBON

CR2.2W Super Alloy+Carbon Clincher Wheel
rim depth:30mm
F:16H, R:24H
Shimano / Campagnolo compatible
WSPOKE, HUB, QR,
weight:1,588g/pair



CR 21
RACE CARBON

CR2.1F Carbon
bike type:racing(700C)
steerer:1+1/8"
crown race:30mm,
45mm crown for int
weight:573g



CR 21
RACE CARBON

CR2.1W Full Carbon Tubular Wheel Set
Carbon Tubeless Rim
rim depth:45mm
F:16H, R:20H
Shimano / Campagnolo compatible
WSPOKE, HUB, QR
weight:1,556g/pair



CR 21
RACE CARBON

CR2.2F AL+Carbon
bike type:racing(700C)
steerer:1+1/8"alloy/
wrapped carbon
crown race:30mm,
45mm crown for int
weight:564g





A1BE
White Carbon Monocoque Carbon Bar End
length:95mm
weight:90g



CR2.1G White Carbon Bottle Cage
weight:60g



CR2.1D White Carbon With Leaf Spring Design
with carbon fiber rails
rail:7mm
weight:110g





CR5.2H AL6061+White carbon
white carbon + hydroformed alloy
center:31.8mm
width:400,420,440mm
drop:141mm
reach:85mm
weight:344g
(w420mm)

CR2.2P AL2014+White Carbon
diameter:27.2mm
length:300, 350mm
offset:10mm
weight:209g (27.2x300mm)
carbon:31.6mm available



CR3.2S White Carbon+AL2014
ext:90~130mm
carbon:31.8mm
angle:+/-6 degree
height:37mm
weight:165g
(ext:100mm)



CR2.2W Super Alloy+White Carbon Clincher Wheel
rim depth:38mm
F:16H, R:24H
Shimano / Campagnolo compatible
W&SPOKE, HUB, QR
weight:1.63kg/pair



CR2.2F Alloy+White Carbon Fork
steerer:1-1/8"alloy/
wrapped carbon
crown rake:30mm,
45mm crown for int
weight:560g



CR5.1E White Carbon Spacer Set
ID:28.6mm*3,5,8,10,15,20mm spacer set
weight:22g/set



CR2.2A Cap White Carbon
Compatible with fork Steerer
ID:23.5mm to 25.4mm top cap
with locking mechanism
weight:30g



CR3.1K White carbon monocoque arm/spider
Compact
BCD:110mm
pbb/Shimano/Campagnolo spline
length:170/172.5/175mm
CNC Chainring: 50/36T,50/34T,46/34T
weight:591g/set (L:172.5mm & 50/34T)



CR2.1E White Carbon Tapered Spacer
ID:28.6mm
height:25/35mm
weight:14g
(height:25mm)