QUASAR
Racing



LINX



Product Specification.

Quasar Racings' engineers and polymer scientists used input from world class riders to create the new LINX series forks: the SPORT in Yellow or Silver and CFX in Natural Kevlar Carbon Fibre.

2" of progressive travel from a twin durometer shock with fully enclosed shaft.

3.1lbs. Weight is kept low with extensive use of the latest 6262-T9 aluminium (20% stronger than existing alloys).

A pinch bolt top yoke has a vice like grip on the steer tube giving a positive steering response plus simple headset set-up.

Pinch bolt top links mean the fork can be stripped and serviced using simple hand tools.

Eight grease nipples cut service times by keeping the pivots free moving with fresh grease.

The LINX CFX (Carbon Fibre Expert) is for people who demand only the very best. In addition to the above features CNC machined aluminium components are bonded to ultra lightweight Carbon Fibre tubing to form the fork legs. The result? Greater stiffness and strength with the weight brought down to 2.9lbs.

Press Reaction.

MTB Pro Feb '95.

Suspension guru Paul Smith in the saddle:

"...feels similar to the Rock Shox Judy..."


"...handles big bumps better than the Girvin Vector..."

"...steering as good as most rigid forks..."

"...good quality fork that works as well as the top American offerings..."

"Tolerances and manufacture are very good and it doesn't cost an arm and a leg."

QUASAR fork Dyno Test



"...good progression from slow to high speed areas, and a reasonably controlled rebound stroke..."

LINX

First year of international competition:



Deb Murrell

'94 UK National Points Series Champion

Ranked 12th in the UCF/Grundig World Series

Fits headtube heights from 90-130mm.

All forks use a 1" Aheadset and 1" Aheadset stem. Tube reducers available to fit 1 1/8" and 1 1/4" headtubes.

As part of our continuous programme of improvement Quasar reserve the right to change the specification of our forks.

Manufactured and supported in Great Britain, consider this when buying from overseas.

For a demonstration please contact your local dealer:

Telephone: 01384 401132 Fax: 01384 400754